JULY 1984 VOL. 9, NO. 7

\$4.25 IN CANADA / £2.10 IN U.K. A McGRAW-HILL PUBLICATION 0360-5280

THE SMALL SYSTEMS JOURNAL

COMPUTERS AND VIDEO

CHOICES

BASIC PASCAL

WRITER

PAINTER CHANNEL !

CHANNEL 2

CHANNEL 3

CHANNEL 4

CHANNEL 5 CHANNEL 6

CHANNEL 7

CHANNEL 8

CHANNEL 9

CHANNEL 2

SYSTEM STATUS REPORT

SAVING E-MAIL IN DRIVE B



Announcing a small imp

It's 12" x 11¼" x 2¼."
It weighs less than 8 pounds.*
And costs less than \$1,300.**
Yet with 128K, the new Apple® IIc Personal Computer is a lot bigger than it looks.

The Hc has a full-size keyboard.



Because it's inherited all the talents of the eminently talented Apple IIe:

The versatility to run over 10,000 different software programs.

The ironclad reliability of the first true VLSI motherboard. And the artistic ability of

16 high-resolution colors.

The IIc also has some talents of its very own.

For instance, a switchable 80/40character display. Switchable

Switchable Thin, isn't it? Even with its built-in disk drive.

QWERTY/Dvorak keyboard. Apple II a

A built-in half-high 143K singlesided disk drive.

Built-in serial ports for modems, printers and an extra half-high drive.

Even built-in mousetronics so it's ready to use a mouse and all the new Apple II mouseware.

And our newest brainchild is certainly not an orphan.

You can grow it with a whole family of Apple II accessories and peripherals.



ovement on the Apple IIe.

Including the new Apple Scribe—Apple's first full-color print-on-anything printer for under \$300, it can handle anything from business graphics to term papers.

The IIc's father, of course, is the granddaddy of the whole personal computer industry, the Apple IIe. Which, lest we forget, has quite a few improvements of its own this year.

The IIe can now use our ProFile[™] hard disk—so it can store about 2400

pages of anything you'd like to remember. In fact, you can grow it with enough

And the Apple IIe is still the most expandable personal computer there is.



Built-in ports for making all the right connections. You can increase its RAM to an elephantine 512K. Add a Z-80 card to run CP/M.™

In fact, you can grow it with enough cards and peripherals to run just about any family business. Like Saudi Arabia.

So you see, the only question is whether you need an expandable Apple II. As in IIe.


Or a compact Apple II. As in IIc.
Just visit your friendly authorized
Apple dealer.

And tell them what size improvement you'd like.




^{*}Don't asterisks make you suspicious as all get-out? Well, all this one means is that the IIc CPU alone weighs 7.5 pounds. The power pack, monitor, an extra disk drive, a printer and several bricks will make the IIc weigh more. Our lawyers were concerned that you might not be able to figure this one out for yourself. ** The FTC is concerned about price-fixing. So this is only a Suggested Retail Price. You can pay more if you really want to. Or less. © 1984 Apple Computer, Inc. Apple, the Apple logo and ProFile are trademarks of Apple Computer, Inc. CP/M is a trademark of Digital Research Inc. For an authorized Apple dealer nearest you, call (800) 538-9696. In Canada, call (800) 268-7796 or (800) 268-7637.

$C \cdot O \cdot N \cdot T \cdot E \cdot N \cdot T \cdot S$



121





FEATURES

SYMPHONY: A FULL-ORCHESTRA VERSION OF LOTUS 1-2-3
by Rik Jadrnicek
of this integrated program.
CIARCIA'S CIRCUIT CELLAR: A MUSICAL TELEPHONE BELL
by Steve Ciarcia
Steve's latest project can help you personalize the sound of your
telephone and, in the process, learn about the telephone system.
THE WEST COAST FAIRE by Jerry Pournelle
The lord of the manor visits his favorite computer show.
An Ada Language Primer, Part 2: Tool Building in Ada
by Sabina H. Saib
The primer concludes with an exploration of more advanced
programming techniques and a look at Janus Ada for microcomputers.
KERMIT: A FILE-TRANSFER PROTOCOL FOR UNIVERSITIES, PART 2:
STATES AND TRANSITIONS, HEURISTIC RULES, AND EXAMPLES
by Frank da Cruz and Bill Catchings
This method works on both microcomputers and mainframes.
THEME: VIDEO
Introduction
ELECTRONIC ENCYCLOPEDIAS by Peter R. Cook
Interactive video technologies help explore "the realm of
worthwhile knowledge."
TELEVISIONS AS MONITORS by Ken Coach
There's a new generation of TV receivers that double as computer
displays.
COMPUTER CONTROL OF A VIDEO RECORDER by Cy Tymony 179
You can extend the capabilities of your VCR with any
sound-generating computer.
VIDEODISCS AND COMPUTERS by Stan Jarvis
Hardware, formats, and interfacing are discussed.
CONTROLLING VIDEODISCS WITH MICROS
by Rod Daynes and Steve Holder
Tips on getting started and a generic BASIC program for the
Sony SMC-70 are presented.
REVIEWS
REVIEWS
REVIEWER'S NOTEBOOK
THE SAGE II AND SAGE IV COMPUTERS by Allen Munro 235
Driven by the 32-/16-bit MC68000 chip, the Sage computers display the power of the p-System.
THE COMPAQ PLUS by Mark Dahmke
10-megabyte fixed disk.
XENIX FOR THE IBM PC XT by Steven H. Barry and Randall Jacobson
Sritek offers a 68000-based multiuser system.
other offers a good odsed marriaser system.

BUTE July

	Turbo Pascal by Tom Wadlow267 Borland International's new Pascal compiler is available in CP/M and PC-DOS versions. LISP FOR THE IBM PERSONAL COMPUTER by Jordan Bortz and John Diamant281 Integral Quality's IQLISP is compared with muLISP from
	The Soft Warehouse. THE SMITH-CORONA L-1000 PRINTER by Richard S. Shuford
	REVIEW FEEDBACK
	RERIVEL
13	Introduction
	COMPUTING AT CHAOS MANOR: THE AT&T COMPUTERS
	by Jerry Pournelle
	CHAOS MANOR MAIL
	BYTE WEST COAST: TRENDS IN TELECOMMUNICATIONS by John Markoff
	BYTE JAPAN: START-UP by William Raike
	MATHEMATICAL RECREATIONS: INVARIANCE by Michael W. Ecker
	EDITORIAL: PATRONIZING THE NAIVE USER
	MICROBYTES 9
	LETTERS14
	UPDATE
	WHAT'S NEW44, 410
	ASK BYTE54
	CLUBS AND NEWSLETTERS69
114	BOOK REVIEWS
18	EVENT QUEUE
	BYTE's Bugs
-	BYTE'S BITS
	BOOKS RECEIVED
300	UNCLASSIFIED ADS
	READER SERVICE
	READER DERVICE







Tucson, Arizona 85705

BYTE • JULY 1984

EDITOR-IN-CHIEF PHILIP LEMMONS

MANAGING EDITOR GENE SMARTE

CONSULTING EDITORS

STEVE CIARCIA

JERRY POURNELLE SENIOR TECHNICAL EDITORS

RICHARD MALLOY Reviews

G. MICHAEL VOSE, Features GREGG WILLIAMS

TECHNICAL EDITORS

THOMAS R CLUNE GLENN HARTWIG

RICHARD KRAJEWSKI

ARTHUR A. LITTLE

BRUCE ROBERTS

KEN SHELDON

RICHARD S. SHUFORD JANE MORRILL TAZELAAR

STANLEY WSZOLA

MARGARET COOK GURNEY, Associate ALAN EASTON Drafting

WEST COAST EDITORS

EZRA SHAPIRO, Bureau Chief, San Francisco JOHN MARKOFF, Senior Technical Editor, Palo Alto DONNA OSGOOD, Associate Editor, San Francisco

MANAGING EDITOR, USER NEWS

GEORGE BOND USER NEWS EDITORS

ANTHONY J. LOCKWOOD, What's New

MARK WELCH, Microbytes

CONTRIBUTING EDITORS

DENNIS ALLISON, at large MARK DAHMKE, video, operating systems MICHAEL ECKER mathematical recreations

RIK JADRNICEK. CAD. graphics, spreadsheets

MARK KLEIN, communications ALAN MILLER, languages and engineering

DICK POUNTAIN, U.K.

WILLIAM RAIKE, Japan

PERRY SAIDMAN, computers and law

ROBERT STERNE. computers and law

BRUCE WEBSTER, software

RICHARD WILLIS, at large

COPY EDITORS

ELIZABETH R. COOPER, Chief

DENNIS BARKER ANNE L FISCHER

NANCY HAVES

PAULA NOONAN JOAN V. ROY

BUD SADLER

WARREN WILLIAMSON

ASSISTANTS

PEGGY DUNHAM MARTHA HICKS

FAITH KLUNTZ

BEVERLY TACKSON

LISA TO STEINER

ART DIRECTOR

ROSSLYN A. FRICK

PRODUCTION

DAVID R. ANDERSON, Associate Director

VIRGINIA REARDON, Production Manager

MICHAEL I. LONSKY

IAN MULLER

SHERRY McCarthy, Chief Typographer

NAN FORNAL LEN LORETTE

VALERIE PAGE

DONNA SWEENEY

PUBLISHER

GENE W. SIMPSON

ASSOCIATE PUBLISHER/PRODUCTION DIRECTOR

JOHN E. HAYES

PUBLISHER'S ASSISTANT

DORIS R. GAMBLE

ADVERTISING SALES

J. PETER HUESTIS, Sales Manager

SANDRA FOSTER. Administrative Assistant

ADVERTISING

DEBORAH PORTER, Supervisor

MARION CARLSON

JEANNE CILLEY

CATHY A. R. DREW ROB HANNINGS

JEANNA REENSTIERNA

LISA WOZMAK WAI CHIU LI. Quality Control Manager

LINDA J. SWEENEY, Advertisina/Production Coordinator

JULIE NELSON

CIRCULATION

GREGORY SPITZFADEN, Director

ANDREW JACKSON, Subscriptions Manager BARBARA VARNUM, Assistant Manager

PHIL DECHERT

MARY EMERSON

LOUISE MENEGUS AGNES E. PERRY

IENNIFER PRICE

JANE VARNUM JAMES BINGHAM, Single-Copy Sales Manager

LINDA TURNER, Assistant Manager

CAROL AHO

CLAUDETTE CARSWELL

EDSON WARE

MARKETING COMMUNICATIONS

HORACE T. HOWLAND, Director DOUG WEBSTER. Director of Public Relations

VICKI REYNOLDS. Marketing Associate

NANCY GIACALONE. Assistant

STEPHANIE WARNESKY, Graphic Arts Supervisor

SHARON PRICE, Graphic Arts Designer

MICHELE P VERVILLE Research Manager

PATRICIA AKERLEY Market Research Analyst

CYNTHIA DAMATO, Reader Service Coordinator

ACCOUNTING

DANIEL RODRIGUES, Business Manager/Controller

KENNETH A. KING, Assistant Controller MARY E. FLUHR, Accounting & D/P Manager

KAREN BURGESS

PATRICIA BURKE LYDA CLARK

DIANE HENRY

VERN ROCKWELL

LINDA SHORT JOANN WALTER

VICKI WESTON

TRAFFIC

N. SCOTT GAGNON, Manager

ANTHONY BENNETT

BRIAN HIGGINS

RECEPTIONISTS

L. RYAN McCombs

JULIE FERRY

PERSONNEL/OFFICE MANAGER CHERYL A. HURD

Editorial and Business Office: 70 Main Street. Peterborough. New Hampshire 03458, (603) 924-9281 West Coast Offices: McGraw-Hill, 425 Battery St., San Francisco, CA 94111, (415) 362-4600.

West Coast Offices: McGraw-Hill, 425 Battery St., San Francisco, CA 9411, (415) 362-4600, McGraw-Hill, 1000 Elwell Court. Palo Allo. CA 94303, (415) 964-962. Officers of McGraw-Hill Doblications Company: President: John G. Wrede, Executive Vice Presidents: Paul F. McPherson, Operations; Walter D. Serwatka, Finance & Services. Senior Vice President-Editorial: Ralph R. Schulz. Senior Vice President Publishers: Harry L. Brown, David McGrath, James R. Pierce, Gene W. Simpson, John E. Slater. Vice President Publishers. Partner. H. Larsen; John W. Patten. Vice Presidents: Kemp Anderson. Business Systems Development: Shel F. Asen, Manufacturing: John A. Bunyan. Electronic Information Services; George R. Elsinger, Circulation; Michael K. Hehir, Controller: Eric B. Herr, Planning and Development: H. John Sweger, Jr., Marketing, Virginia L. Williamson, Business Development.

Officers of the Corporation: Harold W. McGraw, Ir., Chairman: Joseph L. Dionne, President and Chief Executive Officer: Robert N. Landes, Senior, Vice

President and Secretary, Ralph I. Webb. Treasurer.

BYTE is published monthly by McGraw-Hill Inc. Founder: James H. McGraw (1860-1948). Executive, editorial, circulation, and advertising offices: 70 Main St. Peterborough, NH 03458, phone (603) 924-9281. Office hours: Mon-Thur 8:30 AM — 4:30 PM, Friday 8:30 AM — 1:00 PM, Eastern Time Address subscriptions to BYTE Subscriptions, POB 590. Martinsville, NJ 08836. Postmaster: send address changes. USPS Form 3:579, undeliverable copies, and subscriptions to BYTE Subscriptions, POB 590, Martinsville, N) 08346, Postmaster: send address changes, USPS Form 3779, underiverable copies, and fulfillment questions to BYTE. Subscriptions, POB 596, Martinsville, N) 08386, Second-class postage paid at Peterborough, NH 03458 and additional mailing offices. USPS Publication No. 528890 (ISSN 0360-5280). Postage paid at Winnipeg, Manitoba, Registration number 9321. Subscriptions are \$21 for one year, 538 for two years, and 555 for three years in the USA and its possessions. In Canada and Mexico, \$32 for one year, \$42 for two years, \$61 for three years. \$69 for one year air delivery to Europe. IT.100 yen for one year surface delivery to Japan. \$37 surface delivery to Japan. \$37 surface delivery to Japan. \$38 for year, \$42 for two years, \$61 for one year. and \$5 elsewhere. Foreign subscriptions and sales should be remitted in United States funds drawn on a U.S. bank. Please allow six to eight weeks for delivery of first issue. Printed in the United States of America.

Address all editorial correspondence to the Editor, BYTE, POB 372, Hancock, NH 03449, Unacceptable manuscripts will be returned if accompanied by sufficient first-class postage. Not responsible for lost manuscripts or photos. Opinions expressed by the authors are not necessarily those of BYTE.

Copyright © 1984 by McGraw-Hill Inc. All rights reserved. Trademark registered in the United States Patent and Trademark Office. Where necessary.

permission is granted by the copyright owner for libraries and others registered with the Copyright Clearance Center (CCC) to photocopy any article herein for the flat fee of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC. 29 Congress St., Salem. MA 01970. Specify ISSN 0360-5280/83. \$1.50. Copyring done for other than personal or internal reference use without the permission of McGraw-Hill Inc. is prohibited. Requests for special permission or bulk orders should be addressed to the publisher. BYTE is available in microform from University Microfilms International. 300 North Zeeb Rd., Dept. PR. Ann Arbor. MI 48106 or 18 Bedford Row. Dept. PR. London WCIR 4EI England

ions or problems should be addressed to: BYTE Subscriber Service. POB 328. Hancock. NH 03449

68000-based systems. Just tell us what you need.

68000-based systems to fit your application.

Right from the pages of our catalog, we can deliver 68000-based supermicro systems to match virtually any application.

Including yours. Here's how.

Built on the IEEE-696 (S-100) ous, Cromemco systems offer up to 21 board slots. And a family of 35 poards — CPU, memory and specialzed I/O — to fill the slots any way you choose.

At the heart of each system is our 58000/Z-80 dual processor. Backed by is much as 16 Mb of error-correcting RAM. Full multi-tasking capability. /O to handle up to 16 terminals.

And that's just the beginning. You can select single or dual floppies, 5¼" or 8." A 21 Mb 5¼" Winchester hard disk. And a ninetrack tape drive.

We can accommodate your taste for the exotic, too. With boards like our SMD interface that supports up to 1200 Mb of disk storage. An NTSC standard color graphics interface. A TV camera digitizer. A/D and D/A converters. An IEEE-488 bus interface. Communications. And more.

Intelligent workstations.

Then, if you're designing a distributed processing system, you'll want to take a look at our C-10 personal computer. The Z-80-based C-10 can serve our 68000-based systems

as a powerful intelligent workstation in a distributed processing mode. Or as an independent personal computer with its own floppy storage.

High-level languages and applications software.

That brings us to software. It starts with CROMIX, our UNIX like operating system that you're free to tailor to your application.

CROMIX can execute both 68000- and Z-80-based programs. So right along with your 68000-based packages, your system will accommodate a wide selection of CP/M* software written for the Z-80.

And our high-level language support is second to none. From a 68000 Macro Assembler. To 68000 FORTRAN 77, PASCAL, GSA-certified high-level COBOL, C and BASIC.

Cromemco means business. Your business,

You see, when we say, "Just tell us what you need," we're not kidding.

You won't find another family of 68000-based microcomputers that can fit your needs as exactly as ours.

So if you're in the business of providing specialized computing solutions, you really should be doing business with Cromemco.

For a copy of our Systems Catalog, contact: Cromemco, Inc., 280 Bernardo Avenue, P.O. Box 7400, Mountain View, CA 94039. (415) 964-7400.

In Europe: Cromemco/GmbH, 6236 Eschborne 1, Frankfurter Str. 33-35, P.O. 5267, Frankfurt Main, Germany


or Cromemco Ltd., The Cambridge House,

178-182 Upper Richmond Rd., Putney, London SW15 England.

Cromemco

© Cromenico and CROMIX are registered trademarks of Cromenico, Inc. № UNIX is a trademark of Bell Laboratories. «CP/M is a registered trademark of Digital Research. © 1983, Cromenico, Inc.

Circle 93 on inquiry card.



PATRONIZING THE NAIVE USER

There is a lot of talk now about the naive user, what the naive user doesn't want, and the hazards from which the naive user must be protected. Unfortunately, some of the steps that computer companies take on behalf of the naive user show a misunderstanding of what "naive" means in this context.

Webster's New Collegiate Dictionary (Springfield, MA: G. & C. Merriam Company, 1981) defines "naive" as follows: "I:

marked by unaffected simplicity: ART-LESS, INGENUOUS 2a: deficient in worldly wisdom or informed judgment; esp: CREDULOUS b: not previously subjected to experimentation or a particular experimental situation."

First-time users of computers are naive only in the last sense—they haven't been "subjected to" computers before. Yet many companies treat these new users as if they are simple-minded and deficient in judgment. In effect, such companies produce products that condescend to the people who buy them.

Apple's Macintosh is the best example of such a product. Macintosh will be nothing less than wonderful when it has two drives and more memory. It is without doubt the friendliest of today's computers. But it would be more friendly if it were less condescending.

Consider Macintosh's Reset button. Calling it a "programmer's switch" and hiding it inside the machine suggests that the naive user lacks sense enough to restart an appliance when all else fails. A recessed Reset button would have done the job nicely.

Macintosh's disk drive is more approachable than the Reset switch but is equally patronizing. Although the user can insert a disk whenever the drive is empty, the story changes once the disk is inside. The computer forces usersfor their own good, of course-to pass a three-stage qualifying examination before the machine permits removal of a disk. First a user must select the icon of the disk, then select the File menu. and then select Eject. Only then does Macintosh consider returning the disk. The ensuing 10-second delay makes the user a humble petitioner before a mysterious and powerful computer. The whole process is especially annoying when the user has made the very human error of inserting the wrong disk in the first place.

Macintosh doesn't trust its users with a programming language, either. The absence of a built-in language gives users no means to attempt more direct control of the computer. Rather than inviting naive users to explore, this makes them think hard about paying extra to try something Apple Computer apparently believes they can't handle.

It's strange, in a way, to criticize Apple for going too far in the cause of friend-liness. Most companies don't go far enough. This is a gentle reminder that truly friendly computers, like friendly humans, give their human friends credit for some intelligence.

-Phil Lemmons, Editor in Chief

WRITING FOR BYTE

BYTE continues to solicit and publish articles and reviews that keep you informed about what's new and important in microprocessor-based technology, and many of our articles are still written by you, the people directly involved with the field we report on. Details on querying us about article, product-review, and book-review ideas are listed below. We also welcome submissions (typed and double-spaced, please) to our Letters to the Editor column. Please contact us, via the appropriate department at:

BYTE.

POB 372 Hancock, NH 03449 (603) 924-9281

You may also want to call or write us (send a stamped, self-addressed business envelope) for our current author guidelines.

ARTICLES

Because our editorial needs are very specific and subject to change, we prefer receiving query letters instead of completed articles. A query letter should contain one or two pages explaining the subject to be covered, its importance to the BYTE reader, and the focus of the proposed article; it should also contain a one- or two-page outline and a tentative first two pages of the proposed article. Query letters should be addressed to the features editor.

If you send us a completed article, we need double-spaced printed versions of the main text (up to 25 numbered pages) and all listings, figures, and tables; please label all items and place all captions on a separate page. Photos should be 35 mm (or larger) transparencies or 5- by 7-inch (or larger) prints. If possible we would also like to receive magnetic copies of the text, listings, and tables on Apple DOS, IBM PC, Kaypro, or 8-inch CP/M disks; we will pay an additional \$20 for this. The files should be standard ASCII text files and should not contain any nonprintable characters; we prefer files that use carriage returns only at the end of each paragraph. You should also include a stamped, self-addressed return envelope of the appropriate size. Address these to the features editor.

PRODUCT REVIEWS

We frequently need good product reviewers and sometimes accept unsolicited reviews. BYTE product reviews must be fair, accurate, and comprehensive. Reviewers must have considerable experience in the microcomputer field. Writing experience is preferred but not required, and reviewers must have no financial connection to the company whose products are being reviewed. If you are interested in becoming a BYTE reviewer, send a letter to our product-review editor stating what computer products you own, what products you are interested in, and what writing experience you have.

BOOK REVIEWS

BYTE is always looking for qualified book reviewers. Submit queries and proposals accompanied by a resume, writing samples, or a list of computer-related interests and expertise to the book-review editor. Unsolicited book reviews also will be considered.

We pay competitive rates for articles and reviews and offer you the chance to share your expertise with hundreds of thousands of BYTE readers. Your comments and submissions are always welcome.

SEEQUA SHOWS YOU HOW TO GET AN IBM PC FOR JUST \$1995.

BUY A CHAMELEON BY SEEQUA

The Chameleon by Seequa does everything an IBM PC does. For about \$2000 less than an IBM.

The Chameleon lets you run popular IBM software like Lotus® 1-2-3™ and dBase II.® It has a full 83 key keyboard just like an IBM. A disk drive like the IBM. And a bright 80 × 25 character screen just like an IBM.

But it's not just the Chameleon's similarities to the IBM that should interest you. Its advantages should, too. The Chameleon also has an 8 bit microprocessor that lets you run any of the thousands of CP/M-80®

programs available. It comes complete with two of the best programs around, Perfect Writer™ and Perfect Calc.™ It's portable. And you can plug it in and start computing the moment you unwrap it.

So if you've been interested in an IBM personal computer, now you know where you can get one for \$1995. Wherever they sell Chameleons.

The Chameleon by



Chameleon shown with optional second disk drive. To learn more about Seequa or for the location of the Seequa dealer nearest you, call (800) 638-6066 or (301) 672-3600.

IBM is a registered trademark of International Business Machines Corporation.

Circuit-Board-Design Without the Tedium

smARTWORK™ lets the design engineer create and revise printed-circuit-board artwork on the IBM Personal Computer.

Forget tape. Forget ruling.
Forget waiting for a technician,
draftsman, or the CAD department to get to your project.
smARTWORK™ software turns
your IBM Personal Computer
into a professional, high-quality
drafting tool. It gives you
complete control over your
circuit-board artwork — from
start to finish.

smARTWORK™ is the only lowcost printed-circuit-board artwork editor with all these important advantages:

- Complete interactive control over placement and routing
- ☐ Quick correction and revision
- ☐ Production-quality 2X artwork from pen-and-ink plotter
- ☐ Prototype-quality 2X artwork from dot-matrix printer
- Easy to learn and operate, yet capable of sophisticated layouts
- □ Single-sided and doublesided printed-circuit boards up to 10 x 16 inches
 - ☐ Multicolor or black-andwhite display


WINTER

- ☐ 32 user selectable color combinations; coincident points can be displayed in contrasting colors.
 - Can use optional Microsoft Mouse as pointing device


smARTWORK™ transforms your IBM PC into a CAD system for printed-circuit-board artwork. Display modes include both sIngle-layer black and white and dual-layer color.

MINIMARK

What makes smARTWORK™ so smart is that it understands electrical connections. Conductor spacing is always correct, lines don't become too narrow, and connecting lines do not intersect other conductors. smARTWORK™ can automatically find and draw the shortest route between two conductors. Or you can specify the route.



Twice scale
hardcopy of your
artwork is produced using
the Epson dot-matrix printers or the
Houston Instrument DMP-41 penand-ink plotter. Quick 1X check plot
Is also available from Epson printers.



Dual-layer color display of a 2" by 4" section of a 10" by 16" circuit board

The Smart Buy

At \$895, smARTWORK™ is an exceptional value, particularly when compared to conventional engineering workstation costs.

Call or write us for more information on smARTWORK™
We'll be glad to tell you how smARTWORK™ helps us design our own circuit boards and what it can do for your business.

Send a purchase order, or major credit card number, and smARTWORK™ can be working for you next week.

System Requirements

- ☐ IBM PC or XT with 192K RAM, 2 disk drives and DOS Version 2.0
- □ IBM Color/Graphics Adapter with RGB color or b&w monitor
- ☐ Epson MX-80/MX-100 or FX-80/ FX-100 dot-matrix printer
- ☐ Houston Instrument DMP-41 pen-and-ink plotter (optional)
- ☐ Microsoft Mouse (optional)



"smARTWORK" and "Wintek" are trademarks of Wintek Corporation.

WINTEK CORPORATION, 1801 South St., Lafayette, IN 47904-2993, Phone: (317) 742-8428, Telex: 70-9079 (WINTEK CORP UD)

M·I·C·R·O·B·Y·T·E·S

Staff-written highlights of late developments in the microcomputer industry.

COMDEX: Morrow Unveils Battery Portable

At the recent COMDEX trade show in Atlanta, Morrow introduced the Pivot, a 9-pound IBM-compatible portable computer with a built-in one-third-height 5¼-inch disk drive and room for a second. The \$2500 base configuration also includes a 16-line LCD, 128K bytes of RAM (expandable to 512K), a 300-bps modem, and batteries that last for 5 hours. The computer will not fit in a briefcase and stands upright rather than flat; the keyboard flips down. Morrow says it will offer a 25-line LCD early next year.

COMDEX: Laser and Color Printers Get Attention

Hewlett-Packard's \$3500 LaserJet, based on Canon's 300-dot-per-inch LBP-CX laser printer, wasn't the only Canon at COMDEX. Quality Micro Systems showed a \$9995 version that can print graphics by emulating Tektronix graphics drivers.

Earlier, Personal Computer Products Inc., San Diego, CA, announced a laser-printer controller for the Canon printer; a laser printer with the controller could retail for about \$3500. Apple is also expected to announce a laser printer based on the Canon.

Several color-graphics printers were unveiled quietly at COMDEX. Seiko Instruments, Milpitas, CA, showed a \$12,000 printer with a resolution of 152 dots per inch; Gulton Industries introduced a \$4950 seven-color thermal-transfer printer with a resolution of 100 dots per inch.

Epson's JX-80, an \$800 160-cps seven-color dot-matrix printer, can use either a four-color ribbon or a standard Epson FX-80 black ribbon. Dataproducts has two new color printers: a \$1695 200-cps model and a 400-cps model for \$2195. C. Itoh exhibited two seven-color dot-matrix printers, including a \$2000 model with a 24-wire print head.

COMDEX: Makers Move to 31/2-inch Drives

Citizen America Corp., a subsidiary of Citizen Watch, showed two $3\frac{1}{2}$ -inch floppy-disk drives that are only an inch high. Panasonic introduced both 3- and $3\frac{1}{2}$ -inch drives, including a $1\frac{1}{4}$ -inch-high $3\frac{1}{2}$ -inch drive. Janome, which exhibited a 3-inch disk drive last fall, added a $3\frac{1}{2}$ -inch drive. Mitsubishi also showed a $3\frac{1}{2}$ -inch drive.

New Telecommunications Products for the IBM PC

ModTech International, Salt Lake City, UT, showed MasterLink at COMDEX, an \$800 expansion board for the IBM PC. When you pick up the phone, ROM software automatically switches the computer from the current application to the on-board software. A \$295 Night Owl option lets the system send and receive electronic mail unattended. Code-A-Phone, Portland, OR, showed the \$700 Tel-A-Modem, a combination two-line telephone/modem allowing voice and data communications simultaneously. Both units include a 300/1200-bps modem. Three companies also unveiled internal 300/1200-bps modems for the IBM PC: Quadram's Quadmodem is priced at \$595, Anderson Jacobson's PC Connection is \$495, and U.S. Robotics' Personal Communicator is \$499.

Demand Prompts Smaller, Higher-Capacity Hard Disks

Shugart and Cogito, which currently make 5- and 10-megabyte 5¼-inch half-height hard-disk drives, are both expected to introduce 20-megabyte versions at NCC. Mitsubishi showed a 20-megabyte 5¼-inch half-height drive at COMDEX, with a 1000-unit price of \$875.

Microscience unveiled both a 10-megabyte half-height 3½-inch hard-disk drive and a 20-megabyte half-height 5¼-inch drive. The recently formed Lapine Technology announced 5- and 10-megabyte 3½-inch drives. Atasi, which now sells a 46-megabyte 5¼-inch hard-disk drive, exhibited a 75-megabyte version at COMDEX.

Dragon Industries, Hopkinton, MA, is selling 65- and 140-megabyte hard-disk systems for the IBM PC, priced at \$4995 and \$6995. Tallgrass Technologies added a \$1995 60-megabyte tape drive that uses MS-DOS disk-access commands.

Dysan Corp. is now shipping Chocolate media to hard-disk manufacturers. Dysan says the product is a high-capacity alternative to the thin-film media now used in hard-disk drives.

(continued)

ACT Introduces New Apricot Computers

ACT was expected to introduce two new models of the 8086-based Apricot in late June. The Apricot Executive includes a 25-line LCD, a single 3½-inch disk drive, 512K bytes of RAM, a trackball/mouse, and a voice-recognition system for about \$3000. The Apricot F1 is a \$1600 system with 256K bytes of RAM and one 3½-inch disk drive. Both systems use an identical keyboard linked to the computer using either an infrared signal or a fiber-optic cable.

Two Firms Announce Speech Recognition for IBM PC

Microphonics Technology, Federal Way, WA, offers a \$795 voice-recognition expansion board that can handle a 128-word vocabulary. Another speech-recognition system, the Speech Recognition Board from Interstate Voice Products of Orange, CA, will be introduced at NCC this month. The \$1650 SRB will recognize up to 240 spoken commands. Either system can be used with off-the-shelf application programs on the IBM PC.

Digital Research Introduces Multiuser/Concurrent PC-DOS

Digital Research introduced StarLink, a \$1695 expansion board for the IBM PC allowing you to link four terminals to the IBM PC using standard RS-232C cables. StarLink includes a version of Concurrent PC-DOS that allows the PC user to run up to four MS-DOS or CP/M-86 applications concurrently in addition to the program used on each terminal. Digital Research had originally planned an eight-terminal version of StarLink but delayed that product because of performance problems using the IBM's 8088 processor.

NANOBYTES

TTX Inc., Foster City, CA, has developed an interface/buffer allowing the Apple Macintosh to use a daisy-wheel printer. The TTX MACpac includes a 64K-byte print buffer and a 14-cps printer for \$895.... Digital Equipment's LA100-PF is a \$1595 240-cps dot-matrix printer that uses removable cartridges to select fonts and to emulate Epson or IBM printers. . . . Harris announced the 80C88, a CMOS version of Intel's 8088 processor. . . . National Semiconductor has renamed its 32-bit processors the Series 32000 and has licensed Texas Instruments as a second source for that line. . . . The Neon Software Co. Inc., Middletown, CT, is selling IBM PC software on clothes hangers. Women's Ware includes Budgeting, Checkbook, Recipe, and other programs for \$49.95 each, ... Diamond Computer Systems Inc., Santa Clara, CA, offers a \$695 board that allows the IBM PC to run CP/M or Apple II software. . . . Ericsson, a European telecommunications and information systems firm, will introduce an IBM PC-compatible computer. . . . WordTech Systems Inc. introduced dB/Compiler, a \$750 compiler for dBASE II. . . . IBM announced that it will sell enhanced versions of Software Publishing Corporation's popular PFS: series for \$129 to \$149.... Sheet feeder prices drop: Multi-Matic, Philadelphia, PA, is selling a \$395 sheet feeder, which also uses a \$50 adapter for attachment to a specific printer. Brother offers a \$269 sheet feeder for its \$995 HR-25 daisy-wheel printer. . . . T.N.T. Software Inc., Round Lake, IL. is selling My Word!, a \$25 WordStar-like word processor for the IBM PC. MBASIC source code is \$25 extra.... VisiCorp has cut prices on all its products by about 50 percent and introduced FlashCalc, a \$99 spreadsheet for the Apple II.... Modula Computer Systems, Provo, UT, now offers Modula-2 compilers for UNIX and for the Macintosh, priced at \$94 and \$150. . . . Amlyn has announced a half-height 3.2-megabyte floppy-disk drive that is not compatible with the Drivetec/Kodak 3.3-megabyte drive, while Shugart Corp. and Phillips Peripherals have both introduced 1.6-megabyte half-height 51/4-inch floppy-disk drives. . . . Strobe Inc., Mountain View, CA, announced a \$995 8-pen plotter. . . . Hong Kong manufacturer Bondwell Industrial Co. Inc. plans to buy Spectravideo and will add a \$995 Z80-based portable computer with two single-sided disk drives and 128K bytes of RAM.... Workman and Associates' WRITE is not available for CP/M-86; this column reported in error that it was. . . . Tallgrass, Information Storage Inc., and CPT Corporation are jointly developing an optical disk drive.



Printegrated.

Now, translate your integrated software into integrated hard copy, with he TI OMNI 800™ Model 855 printer. So versatile, it combines leter-quality print, draft-quality print and graphics as no other printer can.

It prints letter-quality twice as fast as comparably priced daisy wheel printers, yet gives you characters just as sharp, just as clear.

t prints rough drafts ten times faster han daisy wheel printers...faster han most any other dot matrix printer.

Only the TI 855 has snap-in font nodules. Just touch a button; change our typestyle. The 855 gives you nore typestyles to choose from than ordinary dot matrix printers. It nakes them quicker, cleaner, easier

to access than any other dot matrix or daisy wheel printer.

The 855's pie charts are rounder... all its graphics are sharper than on other dot matrix printers, because the TI 855 prints more dots per inch. As for daisy wheel printers...no graphics.

The printer for all major PC's



For under \$1,000 you get twice the performance of typical dot matrix printers. Or all the performance of a daisy wheel printer, and then some, for half the price.

So get the best of all printers, and get optimum results from your integrated software. With the TI 855. See it at your nearest authorized TI dealer. Or call toll-free: 1-800-527-3500. Or write Texas Instruments Incorporated, P.O. Box 402430, Dept. DPF-182BY, Dallas, Texas 75240.

Creating useful products and services for you.

TM OMNI 800 is a trademark of Texas Instruments Incorporated Copyright © 1984 Texas Instruments Incorporateu. 2763-36

"Dare to

TI makes the best software perform even better.

When choosing a computer, there are two important things to look for. Who runs the best software—and who runs the software best! That's why we're staging a dramatic country-wide side-by-side comparison against IBM™ called "Dare to Compare."


Come to a participating dealer and take the "Dare to Compare" challenge. You'll see first-hand how...

TI makes software faster to use.


Take a closer look. See how we give you more information on-screen than the IBM PC? That way you'll spend less time looking for data, and more time using it. We also give you 12 function keys, while they give you 10. Unlike IBM, we give you a separate numeric keypad and cursor controls. And that saves you both keystrokes and time. We also isolated the edit/delete keys to reduce the chance of making mistakes.

TI makes software easier to use.

TI gives you up to 8 colors on-screen simultaneously, which makes separating the data a lot easier. IBM displays only 4. Our graphics are also sharper. And easier on the eyes.



Compare"



BOUQUETS ...

I applaud the April editorial "A Call for Ethical Standards for Personal Computer Magazines" by Phil Lemmons (page 4).

As president of the National Office Machine Dealers Association, I represent one of the distribution channels that markets small systems to end users. Our members/dealers pride themselves on their independence, objectivity, and the freedom to market whatever product we deem the best value for our customer.

By reinforcing your stand on objectivity, BYTE will continue to be the reference standard in our industry.

Keep up the good work!

JOHN KUCHTA Lincoln, NB

As a professional journalist and regular reader of a wide array of technology magazines. I applaud your stance on ethical standards for computer magazines.

The guidelines you set forth in your April editorial are absolute essentials for any journalistic endeavor. I sincerely hope that your spirit of professionalism will spread throughout the computer magazine industry.

ERIK K. MEYER
THE MILWAUKEE JOURNAL
Milwaukee, WI

I enjoyed the April editorial on ethical standards for personal computer magazines. You ought to give article numbers to editorials. Ask BYTE, Chaos Manor Mail. Book Reviews, etc., so that readers can vote for or against them in BYTE's BOMB, each month.

> N.C. WEBB Lincoln, MA

As a new subscriber to BYTE, I would like to commend you for your editorial in the April issue. Your objectivity in appraising both hardware and software is the prime reason I subscribe to BYTE.

CHARLES MATTSON North Syracuse, NY

I like your magazine. The April editorial by Phil Lemmons was heartening for me in its description of your commitment to honesty of content. As a microcomputer user I am delighted to be able to look forward to reading a magazine with such high standards. Please keep up the good work

WILLIAM Y. AGNEW JR. Miami Beach, FL

After reading the replies to several letters in re-

cent issues of BYTE, I am impressed. To a certain extent, the letter writers might be viewed as quibblers. But on the other hand, they raised some points that led the authors of some articles to add information to their subjects that otherwise might not have come out.

Letters are one of the features I always read and they are especially educational when there are replies like yours.

WAYNE L. St. JOHN Carbondale, IL

... AND BRICKBATS

As a software author, I object to your aiding and abetting the violation of copyright laws by posting notices by people requesting software exchanges in your Unclassified Ads section. Such ads in essence read: "Send me copies of your programs, and I will send you copies of mine." I cannot believe that I am alone in my objection.

Schuyler M. Moore Los Angeles, CA

Please see the new advisory on Unclassified Ads.

Aw c'mon; your April cover would have us believe that God used a portable computer to create the world. What do you take your readers for? He would have used at least a mainframe. Next thing you'll try and tell us is that He didn't really want to rest on the seventh day but His system was down so He had to!

ROY SMART Hopewell Junction, NY

In last December's issue I expected to find a Cumulative Index as I had in previous years. I was disappointed when I saw that this service apparently had been discontinued. The index has particular value for the hobbyist and as a regular subscriber I recommend its continuance

One more gripe: Despite the enthusiastic acceptance of the IBM PC there is still a large number of Apple computers in the hands of your readership and more are being sold every day. Could you please consider this and give us Apple owners a more evenhanded share of your attention?

Despite this regrettable tunnel vision, I think your magazine is still the most enjoyable and readable around. Keep up the good work.

R. P. STUBBS Kaweraw, New Zealand

We apologize for the lack of a cumulative in-

dex for 1983. We are working on a comprehensive new approach to make the indexes much more usable. Please bear with us. As to coverage of Apple products, we have previewed the Macintosh and the IIc and have published such recent articles as Apple FAX, Macintosh Pascal, Macintosh BASIC, and a two-part data-acquisition system based on the Apple II. We also are publishing the BYTE Guide to Apple PCs in October. The Guide will be provided to all BYTE subscribers at no cost.

Few things in life bother me enough that I write a letter to the editor of a magazine. Unfortunately, I now must take word processor in hand and pen a letter of complaint about your fine publication. I have no complaint with the magazine itself or its editorial content; in fact, it is the only magazine I read cover to cover monthly.

My problem is with the circulation department. It drives me nuts to see the new issue of BYTE in the bookstores and on the magazine racks of local computer stores two weeks before I receive mine in the mail. A day or two I could live with, but not two weeks. I would like an explanation of this discrepancy.

It's no fun having my friends ask me if I've read an article in BYTE and having to tell them I still haven't gotten mine yet.

ROBERT FRUIT No return address

The circulation department has taken several steps to speed delivery to subscribers, including arranging for drop shipments to different regions of the country. Let us know whether things improve.

OVERLOOKED BASICS

Your features on BASIC in the April issue were very interesting, and I would like to add a couple of comments. HP BASIC, probably the most powerful BASIC for any microcomputer (especially as implemented on the Series 200 machines) was conspicuously absent. This BASIC is the only one that has found wide acceptance as a useful tool in the engineering community because of its powerful command structure and exceptional graphics commands that allow simple plotting and labeling of engineering-type displays.

Another BASIC that is often overlooked is that of the Sinclair machines, which is one of the most logical and clear of BASIC dialects. In addition, it has a twist to the VAL command that I have seen on no other machine. VAL does not

(continued)

FIND A COMPUTER THAT'LL OUTPERFORM OURS AND WE'LL GIVE YOU A HEADSTART. FREE.



If you can find a microcomputer, equally priced or less, that'll beat only half of 10 standard features we've selected on our HeadStart Model 512, we'll give you a HeadStart absolutely free. How can we make this incredible offer? Because looking for a better computer than our new HeadStart is like looking for a needle in a haystack. You're more apt to come up with a case of hay fever.

HeadStart is simply the fastest, smallest, most powerful business computer in its class. Period.

In fact, we're so certain we have an unbeatable machine, we're offering you this challenge. If, by some inconceivable circumstance, you should find a business computer that is even equal to ours, we'll give you a HeadStart. Absolutely Free.

If you'd like to accept our challenge

and learn more about this small wonder of microcomputer technology we call HeadStart, call us or fill out and return the coupon.

You could come up with a free HeadStart, which is nothing to sneeze at. Take the Intertec challenge at NCC Booth 1758.

HERE'S YOUR CHANCE TO WIN A FREE COMPUTER AND GET A HEADSTART ON THE COMPETITION.



2300 Broad River i Phone: 1-803-798-	Road, Columbia, SC 29210 9100
	allenge. Please send me details at the HeadStart VPU 512.
☐ HeadStart sound	ds terrific. Tell me more.
Name	
Title	
Company Name_	
Phone	6.25 July 1
Address	
City	
State	Zip

Need & Printer?

Now - Your Printer Search Is Over With. . .

Gemini 10X

From MidWest Micro-Peripherals



Word processing...graphics...charts...the advantages of owning a printer are endless. And so are the advantages of purchasing a Star Micronics Gemini-10X from MidWest Micro-Peripherals.

Compatibility

The Cemini-10X is compatible with all major brands of computers. It comes standard with a Centronics compatible printer port (serial optional), plus tractor, friction, and roll feed. With 120 cps bi-directional, logic seeking carriage control and 816 character buffer (expandible to 4K and 8K), you'll get crisp, clean hard copy without having to wait.

Versatility

If you want variety, the Gemini-10X features Epson compatible printer codes. For a wide range of graphic looks, the unit offers six character sets and eight fonts as standard.

Value

All this and more at the guaranteed lowest price. If you can find a verifiable better price anywhere on any Star printer, WE WILL BEAT IT. But besides price, MidWest also offers the best service. We ship 95% of our orders from stock within 24 hours.

We have cables and interfaces in stock for IBM, Apple, Commodore, TRS-80, and most other microcomputers.

And the experienced MidWest staff is ready to help you before, during and after your purchase. So call us today and let us help you find a happy ending to your Great Printer Search.

More Star Pri	Sale Price	
Gemini-10X Gemini-15X	120 cps	\$269 419
Delta 10 Delta 15	160 cps	439 589
Radix 10 Radix 15	200 cps	639 739
PowerType	DaisyWheel	399

Call NOW For Information, Ordering & Quantity Pricing.

1-800-423-8215 In Ohio 1-800-321-7731

We accept VISA and MASTERCARD (Add 3%), certified checks, money orders, and COD's.



just return the numeric equivalent of a string but rather evaluates any legitimate BASIC expression in the argument and returns its value, so that

PRINT VAL (SIN(PI/4))

returns .70710 rather than 0 or an error. This makes entry of formulas into a program simple, because you can use

INPUT N\$ sin ((x^2)/tan(y)) PRINT VAL N\$

which will return the correct answer if x and y are defined.

In the discussions of "structured" versus "unstructured" programming, the GOTO statement is universally censured. Far worse than a GOTO is the universal use of obscure PEEK and POKE statements required by most microcomputer BASIC dialects to accomplish simple tasks. Thanks for an interesting issue.

V.P. O'NEIL II Gilbert, AZ

Your April review of new BASICs was of great interest since I have used BASIC for years in a small business.

In 1979 I obtained a North Star Horizon and, using North Star BASIC, implemented a complete package including editor, general accounting, mailing list, etc. I am told that our system is archaic, since it uses a poor language and runs on an 8-bit processor (Z80) with a 4-MHz clock.

For a different business, I recently obtained a Hewlett-Packard Model 150 with an 8-MHz clock, 8086 processor, and Microsoft BASIC.

I ran the following program on both machines. (The DEFINT statement, absent in North Star BASIC, tells the HP 150 to force "I" to a 16-bit integer, saving time in the FOR loop.)

10 DEFINT I

20 A = 0

30 FOR I=1 TO 20000

40 A = A + .00001

50 NEXT

60 PRINT A

The North Star computer did the loop in 65 seconds, yielding the right answer, 0.2. Microsoft BASIC took 50 seconds (a savings, but not much), yielding the wrong answer, 0.1999783.

So, a better BASIC will be welcome as a "standard." Meanwhile, we have purchased a used North Star as a backup to run our old, obsolete, and dependable software.

PAUL T. BRADY Middletown, NJ

I enjoyed reading the series of articles on improved versions of BASIC in the April issue. However, I was surprised that no mention was made of the extended BASIC that has been available on Hewlett-Packard's "scientific" series of computers for nearly a decade. For example, the HP-86 computer has roughly 170 functions and commands available, with plug-in ROMs available for file management, matrix manipulations. interface control. listing of

variable cross-references and program flow, etc., for a total of about 330 functions. From the articles in the April issue, it appears that other companies have almost caught up with HP BASIC in a few areas and surpassed it in only one case (Macintosh BASIC). More recent HP computers are significantly improved over the 86. The 9816 ("200/16") offers every structure you could want for control of program flow but lacks the structured variables of Pascal and other newer languages. Although its variables are limited to arrays, the 200/16 can sort a string array with a single command. HP also has integrated a spreadsheet with the BASIC language on the 75 computer. Users can create their own VisiCalc functions as well as incorporate spreadsheet abilities into BASIC programs.

Some enhancements can only be implemented by a computer manufacturer. For example, the HP-86 has seven dedicated keys to control program debugging and execution (besides the 14 programmable function keys). optional ROMs that make additional functions always available (even without a disk drive), and perhaps most importantly, an operating environment that supports the BASIC language. For example, users can execute several commands in immediate mode from the display screen then edit in line numbers to quickly develop programs. What is unfortunate about these computers is that little applications software is available, and the user is thus forced to continually write programs when a database system or integrated package could provide even quicker results.


Your readers may also be interested in a speed comparison of some BASIC implementations. Execution speeds for a simple division program to calculate prime numbers (Interface Age, August 1981) are: Apple II, 970 seconds; IBM PC (Microsoft BASIC), 785 seconds; HP-86, 1425 seconds; HP 200/16, 82 seconds; Apple Macintosh (Microsoft BASIC), 784 seconds. The Macintosh and HP machines used variables with about twice the numeric precision of the others. It is interesting to note that the Macintosh is no faster than the IBM PC. This is not merely a case of differences in precision because the HP 200/16 with the same processor as the Macintosh and higher precision is about 10 times faster. Perhaps the Microsoft implementation is particularly sluggish. It would be interesting to evaluate Apple's Macintosh BASIC.

> RANDY WEBB Bloomington, IN

Your April articles on improved BASICs were very informative, even inspiring. It's about time BASIC grew up. As an educator, I have had mixed feelings about teaching BASIC as a first programming language. BASIC is easy to learn, but a lot of bad habits have to be unlearned later. Some college instructors have gone so far as to say they prefer incoming students who have no programming experience to those who have learned BASIC. The "experienced" BASIC programmers are famous for their tangled, poorly planned "spaghetti programs."

Now the situation should change. But here's (continued)

Sprinter



Portable Portable

A new generation printer that combines portability, dependability and quality. **Sprinter** is travel convenience — lightweight and rugged with an easily removable travel cover and plenty of space for storage.



Personal

A friendly printer that is easy to operate. Ease of operation is top priority for this printer. A **SoftSwitch™ Control Pad** allows the user to control forms' length, print density, tabulations, baud rate and character sets.



Professional

A fast printer, the 160 CPS

Sprinter comes standard with a

4K buffer expandable to 68K with

MPI's MemoryMate™ option. It

comes equipped with an

EasyLoad™ front paper feed for

quick paper insertion and handles

everything from letterhead to

multi-part forms.

Travel with the Best!

See the Sprinter at your local computer store or call us for the dealer nearest you. 1 (800) 821-8848 Circle 229 on inquiry card.

Micro Peripherals, Inc.

4426 So. Century Dr. • SLC, UT. 84123 equiry card. (801) 263-3081



the catch: After talking with the people at True BASIC Inc. and at Software Technology (authors of BetterBASIC). I have learned that these languages are not being planned for adaptation to the Apple II. And let's face it, the vast plurality of public schools use the Apple II. Are we to go on teaching bad habits to our beginning programmers? Pascal is certainly an alternative. But Pascal is intimidating and hard for many students to learn as their first language. Editing, compiling, executing, and re-editing to debug a program can severely test the patience of a young person.

Supposedly, the 6502 and Z80 processors are not "powerful" enough to handle the wonderful new BASICs. But even a low-end machine such as the Commodore 64 has a good choice of structured, "user-friendly" languages. Simon's BASIC allows many of the features of Pascal. And a relatively unknown language, COMAL, has been around for years on Commodore machines. COMAL is incrementally compiled and allows procedures and functions with global and local variables. It permits nested IF/THEN/ELSE statements and a wide variety of looping structures (REPEAT/UNTIL, WHILE/ ENDWHILE, and LOOP/EXIT/ENDLOOP). The Commodore 64 version also supports highresolution turtle-graphics commands and is available free in the public domain! It does not have fancy features such as "windows," but this is a luxury better suited for 16-bit processors that can address more memory.

It is indeed ironic that the Apple II, the most widely used and generally best-supported computer in our public schools, does not have a good language available for teaching beginning students. The best I've been able to come up with is Microsoft's GBASIC (running under CP/M), which has the WHILE/WEND loop but not much else in the way of structure. Digital's CBASIC looks fairly good at first glance but does not allow nesting of IF/THEN/ELSE statements, which mandates use of a lot of GOTOs. There is one place in Denmark that may offer a nongraphics CP/M version of COMAL for the Apple II. But have you ever tried to get a school district to approve a purchase order to Denmark?

High school computer education is now facing a terrible dilemma. What do we teach? Isn't it about time somebody offered a well-structured, incrementally compiled language for the Apple

> WENDELL BROWN Kent, WA

CSS LANGUAGES

"ISIM: A Continuous-System Simulation Language" by Roy E. Crosbie (May, page 400) was interesting. I think you could have helped your readers by adding a box informing them that several other CSS languages were listed in "Going Further" by Charles Pratt (March, page 204).

GERALD L. GOTTLIEB, PH.D. Evanston, IL (continued)

Pick up a SixPakPlus for your IBM PC.

Introducing... SixPakPlus; the refreshing new 384KB multifunction card! In response to the changing needs of the IBM PC and PC-XT marketplace, AST Research, Inc. is proud to announce the latest addition to our line of multifunction enhancement products, the SixPakPlus! This new product is the result of extensive marketing research into the needs of IBM PC users whether they have the original 64K system board, the newer 256K system board, or the PC-XT. The

taining AST's high standards for quality and reliability.

The **SixPak**, as we like to call it, could have been named for the six banks of RAM on it. However, we like to think that it was named for the six functions of the card. The features of the **SixPak** include:

RAM memory starting at 64K, user-expandable in 64K increments to 384K. This makes the SixPak ideal for the PC or PC-XT with a 256K system board: 384K on

a SixPak added to 256K on the system board yields 640K, the maximum addressable user memory in these systems.

2. One Serial (async) communications port, configurable as either COM1 or COM2, for use with serial printers, modems, a "mouse," and other serial devices. The serial port has on-board jumpers for easy management of the RS-232C lines, simplifying the wiring of cables in many installations.

3. One Parallel (printer) port, configurable as LPT1 or LPT2 (LPT2 or LPT3 when the IBM monochrome card is installed), for use with the IBM/Epson and other compatible printers. The port is compatible with IBM diagnostics.

4. A Clock-Calendar with battery backup, featuring an easily replaceable Lithium battery and a quartz-controlled timebase for a high degree of accuracy.

5. An optional IBM-compatible Game Adapter port, for use with an IBM-type joystick. In conjunction with application programming, this game port may be used for cursor control, in generating graphics or for playing games at the end of your work day!

6. Every SixPak comes with an AST Super-Pak utility diskette which includes SuperDrive and SuperSpool, the most powerful disk emulator and print spooler software you can get. These programs will greatly enhance the throughput of your PC or PC-XT by emulating disk drive and printer access at RAM speeds rather than the normal slower speed of mechanical devices. SuperPak is the first of such software to be compatible with both DOS 1.1 and DOS 2.0.

Most important of all, the **SixPak** comes with the AST "Plus," AST's unsurpassed reputation for quality, reliability, after-the-sale support, and overall design excellence that gives our products the best price/performance ratio in the industry! Hence the name, **SixPakPlus**!

AST products are available from Computerland, Entre', ComputerMart, and selected dealers worldwide. Call factory if your dealer does not have the AST products you want.

® IBM is the registered trademark of International Business Machines



Circle 4 on inquiry card.

2121 Alton Avenue • Irvine, CA 92714



GAME ADAPTER PORT

PARALLEL PORT-


CLOCK/

CALENDAR

64K-384K

MEMORY

Dealer Inquiries Welcome



Now Quadram Makes Communications as easy as 1, 2, 3.

When it comes to enhancement products for IBM® PC's and other personal computers, no one can beat Quadram. In fact, if you use spreadsheets or large databases, you're probably using a Quadram product already.

Now Quadram applies their expertise to communication devices. Not just modems, but a full range of other products, too, So that you can do anything from networking many PC's together to giving your PC full 3278 terminal emulation in an IBM mainframe environment.

Only Quadram gives you such a selectioncomplete with options and upgrade capability. So now it's easier for you to design the perfect system for your needs. All you need to do is remember one name-Quadram.

Quadmodem™ From your home or office, reach out and touch something.

Just because your computer is all alone, that doesn't mean it has to be lonely. Not when you've got Quadmodem.

Quadmodem is a complete intelligent modem package, including an integral or standalone modem with supporting documentation. Each modem comes with OuadTalk—a powerful communications software package plus an introductory offer from The SourceSM



Just pick the model that's right for you and your computer.

The Integral Unit drops into an IBM PC, XT, PCjr or Apple Ile.

The Stand Alone is an intelligent modem that connects to your system through an RS-232 port.

Both have enhanced diagnostic capability to troubleshoot not only your system, but the

system at the other end of the phone line. And both have call progress monitoring to automatically determine and compensate for different types of phone systems and transmission status (human voice, busy signal, data or dial tones). Of course, both plug directly from your computer into your

Get the modems with the name for quality. Quadmodem.[™] Fully compatible with Bell 103/212A dial-up modems and the most popular modem brands.

2. Quad3278™ Let an IBM PC communicate with an IBM



To integrate your PC into a mainframe environment, look to Quadram first.

Because now you can have all the features of the IBM PC (mass storage and peripherals) plus the incredible power of a mainframe right at your desk. All it takes is Quadram's 3278 emulation package which includes hardware, software, even cabling,

To make your IBM PC emulate the 3278 Display Work Station, get the Quad3278.™ Once you're on-line the IBM mainframe sees you as just another 3278 terminal. Little does it know that you're actually a high-performance, intelligent work station, with all the functions of the Personal Computer. With mainframe support you can download data, process it on your PC, even store it on your own disk for later reference

Make the connection from micro to mainframe. And back it up with Ouadram quality. It's the logical step for the future.

3. Quadnet.™ Turns your IBM PC's into a Local Area Network.

Local Area Networking (LAN) is one of the most interesting and useful ideas to come down the pike. Basically, it allows you to inter-link a group of computers together so they can share information and peripherals with each other.



And now with Quadnet, you don't have to compromise your system to fit our system. Instead, you can easily link as few as two, or as many as 255 IBM PC's together in a hardwired network. And you can configure them almost any way you want. They can work independently of each other or share resources and peripherals.

The possibilities are endless. But the important thing to remember is that Quadnet gives you a choice with four different Network Systems. Choose the one that meets your price and performance

Quadnet grows as you grow. Yet the user commands stay the same, thanks to the upward compatibility of the Quadnet operating software.

Whichever version you hook on to, you get a complete package (hardware, software, and documentation). And most importantly, you get Quadram's reputation for quality.

QUADRAM QUALITY



At Quadram, we don't make personal computers. We just make them better. So insist on the Quadram name. It's your assurance that you're buying from one of the most established and involved

companies in the microcomputer field. Ask your dealer about us.

IBM® PC, XT, PCjr. are registered trademarks of International Business Machines Corporation *The Source is a registered trademark of Source Telecomputing Corporation. APPLE IIe* is a registered trademark of Apple Computers, Inc.

©Copyright 1984 Quadram Corporation: All rights reserved.



4355 International Blvd./Norcross, Ga. 30093 (404) 923-6666/TWX 810-766-4915 (QUADRAM NCRS)

INTERNATIONAL OFFICES


INTERNATIONAL OFFICES
Interquadram Ltd. 442 Bath Road, Slough, England SL16BB
Tel: 6286-63865 Tlx: 847155 Auriema G Interquadram GmbH
Fasanenweg 7, 6092 Kelsterbach, West Germany Tel: 6107-3089
Tlx: 417770 Seva G Interquadram s.a.r.l. 41, Rue Ybry, 92522 Neuilly
Tel: 758-1240 Tlx: 630842 Iso Bur Chevco Computing 6581 Kitimat
Road, Mississauga, Ontario, Canada L5N-2X5 Tel: 416-821-7600

affordable & reliable...

NETWORKING



Networking begins with your fine computer. Where it goes is unlimited when you interface your peripheral devices with a 4, 8 or 18 port BayTech's units you can mix-and-match other computers and/or peripheral devices of different configurations without the need to reconfigure. Port configuration of the peripheral device ports may be changed by the user with BayTech's menu-driven software.



BayTech's versatile networking multiports, capable of any-port-to-any-port interconnection, have virtually unlimited applications. With their features and low cost, the user can create a local network providing simultaneous communication for 5, 9, or 18 RS-232C devices.



A few companies make a good, expensive Serial Port Expander. One company makes an excellent, affordable line of them - BayTech.

Model	524F			\$ 329.
Model	528F	nee ole	E 9 7 E	. \$ 619.
Model	5218F			\$1750

"We design and price BayTech Multiports so everyone can have an affordable and reliable computer network. To solve your networking problems, call us."

Charles R. Ramsey, President Bay Technical Associates, Inc.

1-800-523-2702



TO ERR IS INDEED HUMAN

Greg Scragg's "criticism" (April Letters, page 20) of Douglas Davidson's "forgotten" sort ("Address Calculation: The Forgotten Sort." November 1983, page 494) demonstrates too much enthusiasm and too little familiarity with the subject area. He quotes Donald E. Knuth (The Art of Computer Programming) as proving that "no sort can work in time less than 0(n log n)." What Knuth clearly points out, but Mr. Scragg appears to have missed, is that this bound only holds for "sorting techniques which are based solely on an abstract linear ordering relation between keys" (Knuth, volume 3, 1st edition, page 181)-specifically excluding such methods as address calculation. In fact, Knuth describes the address calculation sort, concluding that "we have achieved a sorting method of order N, provided only that the keys are reasonably well spread out over their range" (Ibid, page 102)-precisely the claim Mr. Davidson makes.

Mr. Davidson's article presents a simple, too often neglected algorithm with which many of BYTE's readers were likely unfamiliar. Mr. Scragg's letter is unjustified and inept, and seems unforgivable regardless of the state of his schooling.

MIKE DIXON Ontario, Canada

This letter is representative of several we received regarding Mr. Scragg's criticism of Mr. Davidson's article.

ICONOLATRY

To complete Gary Sanford's amusing "ultimate allegory" (April Letters, page 15). I suggest a passenger-driven mouse—nothing elaborate to begin with, say, 50cc with a 4-speed box (labeled N, S, E, and W). The posher PC pushers would soon rush in with add-ons: seat belts, "I w my "stickers, in-dash computers with submice. . . There is (literally) no end to the possibilities.

Another aspect of Tom Houston's iconolatry ("The Allegory of Software." December 1983, page 210) puzzles me. I've often wondered why the drudgery of program development has not been enlivened by the use of video-game graphics. I have in mind, for example, that instead of typing ERASE FILENAME it would be more fun to have all your FILENAMEs floating around the screen in little boxes while you try to blast the right one with your joystick button. Much less user-mollycoddling than having mousey drag off naughty Freddy File to the trash can.

STAN KELLY-BOOTLE Mill Valley, CA

DESIGN FLAWS

Some of the examples and assertions of Mark Johnson and Allen Munro's "Pascal's Design Flaws: Modula-2 Solutions and Pascal Patches" (March, page 371) are misleading or incorrect with respect to the Pascal language as defined by the International Standardization Organization (ISO Pascal). Standard Pascal:

- 1. does not have a built-in string type
- allows short-circuited evaluation of Boolean expressions (implementationdependent)
- 3. includes, at level 1 of the standard, "open" array parameters (referred to as "conformant array parameters" in the standard)
- defines an out-of-range case selector to be an error

STEVE BRECHER Software Supply Long Beach, CA

We thank Steve Brecher and others who have pointed out some of the ways that standard versions of the Pascal language (as developed by the ISO and the American National Standards Institute) address the Pascal design flaws we discussed.

One of the problems with talking about Pascal is making it clear which "standard" Pascal you are talking about. Our article pertained to the original definition of Pascal, as published in the Pascal User Manual and Report by Kathleen Jensen and Niklaus Wirth. We chose to discuss Pascal's problems in terms of UCSD Pascal because it is the most widely used implementation for microcomputers. Future Pascal implementations will undoubtedly be influenced by newer standards from the ISO and ANSI. Thus far, however, the user base for UCSD Pascal far exceeds that of other implementations.

MARK JOHNSON AND ALLEN MUNRO Redondo Beach, CA

THE SPIRIT OF BENCHMARKS

I enjoyed reading "STSC APL* Plus and IBM PC APL: Two APLs for the IBM PC" by Jacques Bensimon (March, page 246). Although STSC's APL*PLUS/PC is a very fine product, the soon-to-be-released I.P. SHARP APL/PC promises to contain the powerful operators, such as nested arrays, that most sophisticated APLers expect from their language. I hope BYTE will have the opportunity to review I.P. Sharp's upcoming product.

In response to page 250 of the article, Mr. Bensimon remarks "... a significantly modified algorithm to reduce execution time, which goes against the spirit of benchmarking" was used in an APL solution submitted by Michael Rowe and Donald Stoneburner (May 1983 Letters, page 8). As the Rowe half of the Rowe and Stoneburner solution, and as a professional who has been involved with many benchmarks of commercial systems, I cannot comment on what is the "spirit" of benchmarking, nor am I sure that benchmarks even have "spirits." What I would like to assure the fine readers of BYTE is that there is a purpose for doing benchmarks.

LETTERS

A benchmark's purpose is that of evaluating and quantifying the efficacy of hardware/software environments within a relevant range of use. A relevant range would be defined by the particular purpose of a benchmark. If a benchmark is performed to generate capacity planning decision information, the relevant range would be based on anticipated utilization; or if a benchmark is performed for systems tuning or performance analysis, the relevant range is based on present utilization. You can always make a benchmark look extremely bad or extremely good for a particular software/hardware environment, but a well-designed benchmark will strive to make representative use of the hardware/software environment by selecting commonly accepted and practiced programming techniques. Most professionals soon find and adopt efficient programming techniques and algorithms (count the times that you or a colleague has made the remark, "I have this routine running twice as fast and with half the code"). Thus, most benchmark designers take for granted that the average programmer is no dummy and therefore tests efficient and representative algorithms. The Rowe and Stoneburner solution is efficient (22 milliseconds for 10 iterations running on an IBM 3081) and makes use of commonly utilized APL programming techniques.

As for the "significantly modified" nature of our algorithm. I thank Mr. Bensimon for his opinion, but I do not concur. Conceptually, each alley of the Sieve of Eratosthenes can be thought of as a Boolean decision processor, in that a ball rolls down an alley (representing a particular number) and if it encounters a hole (representing the number's factorability by a previously derived prime) it is proven not to be prime. Our algorithm is true to this original construct, in that we generate a bit mask based on previously derived primes and perform a Boolean AND between this mask (representing the sieve holes) and a bit string (representing all possible numbers (alleys of the sieve)).

One additional note concerns bit-string implementations. PC versions of APL (and some other languages) do not universally implement true Boolean strings, in that a whole byte or integer is sometimes used per single bit. If this were the case, an algorithm that is highly dependent on Boolean operations may have highly variable results in relation to memory utilization and execution speed across software implementations. I have heard, but cannot confirm, that the first release of STSC's APL*PLUS did not have true bit strings, but that the current release does have true bit strings.

MICHAEL C. ROWE, Ph.D. Lewisville, TX

SIMULATION LANGUAGES

I was very interested in the theme articles on simulation in the March issue, but rather disappointed by the sparse and vague references made to European, and especially British, developments in this field. This is surprising and unfortunate because considerable attention has been paid in the United Kingdom to the use of existing (mainframe) simulation languages on microcomputers. This approach has two main advantages: the microcomputer-based system can be used without retraining personnel who are already familiar with the language; and a mainframe can be used if the model becomes too large for the microcomputer.

The languages that I refer to are the Extended Control and Simulation Language (ECSL), together with its associated code generator CAPS; SEE-WHY; and FORSSIGHT, the current version of the original general-purpose simulation language, GSP (General Simulation Program), which was first used in 1958. All of these languages also support dynamic graphic display facilities on microcomputer systems. As far as I know, FORSSIGHT is not yet available in the United States, but ECSL and SEE-WHY are both actively marketed here.

These three languages use the powerful threephase activity cycle representation, sometimes called the "British" approach. This means that they can be used only for pure discrete event modeling purposes. This approach has the benefits of being easy to understand and code, and it eases certain modeling decisions.

I hope that this letter will draw your readers' attention to these languages, so that they will consider them when choosing a simulation language.

ROBERT I. MILLS West Lafayette, IN

A MINOR PROBLEM

For someone who "writes extensively about computers," Ed Teja seems intent on coming across as a novice ("Compupro's System 816/C and System 68K—the Two and Only," March, page 214). His persistence in referring to the "68K bytes" of CompuPro's 68000 board is in strange contrast to the technical detail of the rest of the article. How could he possibly miss "68K" being an abbreviation for "68000"? And how can I possibly take seriously someone who makes such a flub?

PAUL ROBINSON Framingham, MA

There was no "persistence in referring to the '68K bytes' of CompuPro's 68000 board." In one caption an editing change converted the declaration that this was a picture of the System 68K's central processing unit into the misstatement Mr. Robinson noted. I should have caught the error in the galleys. I didn't. Mea culpa.


EDWARD TEJA Santa Cruz, CA

COMPARING COMPILERS

I found Kaare Christian's "Inside a Computer: Notes on Optimization and Code Generation" (February, page 349) most intriguing, and I (continued)



Add more users to your multi-user computer without expensive hardware or software modifications. A BayTech Port Contention unit will maximize utilization of available ports, thereby minimizing idle, valuable system time. With 6-to-3, 8-to-4 and 12-to-6 port models available, Port Contention problems can be solved from micro to mainframe computers.



The graphic above illustrates a typical BayTech Model 5218B Port Contention application. By adding a single 5218B unit, a 6-port multi-user computer gains six additional users, thereby doubling accessibility to the computer.

- Model 528B; 6 ports to 3 ... \$ 625.
- Model 5212B: 8 ports to 4 ... \$1095.
- Model 5212B, 8 ports to 4 ... \$1075.
 Model 5218B: 12 ports to 6 ... \$1750.

To solve your port contention problems . .

BAY TECHNI ASSOCIATES
HIGHWAY 603
BAY ST. LOUIS, MS

Now You're Talking!™ rushed to my IBM PC to see what kind of optimized code Microsoft's 3.13 Pascal compiler produces for the Sieve of Eratosthenes algorithm. [For more information see "Eratosthenes Revisited: Once More through the Sieve" by Jim Gilbreath and Gary Gilbreath, January 1983, page 283.] Eagerly comparing my .COD listing to the DRI and Intel listings. I saw a close correlation between Microsoft's and Intel's optimization strategies.

My summary: Where Intel dedicates CS and

AX to somewhat specific functions, Microsoft seems to use AX generally. This results in five instructions (that the Intel code did not require) to load AX with the desired values. In one case, Microsoft saves an instruction adding directly to the count in memory, whereas Intel adds to and then stores AX. The bottom line is that Intel produces a tighter, faster Sieve, but not by much,

Because I use MS-DOS and do not have access to iRMX/86, I was pleased to see how well

Microsoft Pascal optimizes. Although some may be bothered by the fact that the Microsoft .COD file is just a memo listing and not an assembly-language source that can be modified, this suits me just fine. Code that is not tinkered with is one less picket in the fence to come loose—or one less to be hammered up in the first place. The fact that the compiler does such a good job of optimizing is key to my happiness.

As Christian points out, the use of .COD lists is most helpful in analyzing alternative coding tactics. In one case, a piece of my Pascal source code looked redundant because a variable expression was explicitly stated in two consecutive lines. When I compiled this alongside an alternative that precomputed the expression, I discovered that the compiler carried the results of the expression evaluation to the second line, doing automatically, and in less code, what I attempted to achieve in my alternative.

As a final note, Christian's discussion of ways to beat the FOR loop control was most instructive. Microsoft, by the way, exhibits the same weakness that Intel does.

CHET FLOYD Manhattan Beach, CA

STILL MORE ON THE MAC

After reading the February issue on the Macintosh, I flipped through some old copies of Scientific American. An article in the June 1978 issue caught my eye: "The Earliest Precursor of Writing," in which Denise Schmandt-Besserat investigates pictographic versus ideographic origins of writing. It suddenly struck me that the Lisa and Macintosh represent a major step backward in the state of the art of recordkeeping, on the order of perhaps six millennia. Congratulations Apple! The computer, originally conceived of as a tool to expand the horizons of man's intelligence, is instead now encroaching upon it.

Thomas LITANT Tokyo, Japan

There is an important difference between Macintosh's graphical images and those of prehistoric man. Mac's icons provide a method of controlling an interactive device, while prehistoric man's were for recording information.

THANK YOU

Several months ago I wrote to you asking if any of your readers would be interested in contributing programs to a book called Microcomputer Programs in Medicine.

The response from your readers was astounding. I received letters, postcards, packages of disks, and printouts from all over America, various parts of Canada, England, Ireland, South Africa, Saudi Arabia, Israel, Australia, Malaysia, and even one from mainland China.

I received phone calls in the middle of the night from people asking for details of the im(continued)



32 BIT SINGLE BOARD SUPER MICRO

Ideally Suited For:

- Industrial Control
- Robotics
- Personal Computers
- 68000 Software/ Hardware Development
- Hobbyists
- Education

Features:

- Mounts directly on 5¼ " Disk Drive
- 8 Mhz 32 bit 68008 microprocessor (Fully software compatible with 68000 microprocessor) 8 bit data bus
- 128K Bytes on board (no walt state) RAM Plus 4, 8, 16, 32 or 64 K Bytes EPROM memory
- 28 bit Parallel Ports
- 2 RS-232 Serial Ports (50 38.4K baud, software selectable)
- Floppy disk controller can run up to four 5¼, 3¼, 3¼ or 3" drives. Single or double sided, single, double or quad density.
- Full debug monitor with single line assembler and disk loader
- Extended expansion bus includes all data, address and control signals
 plus all decoded and multiplexed address and control lines for an additional 128K of RAM
- Power Requirements +5V @ 1.5A, +12V @ 100mA. -12V @100mA

VISA, MasterCard & C.O.D. orders accepted.

⁵595 COMPLETE. Assembled and tested. Includes documentation and surface shipping within continental U.S.

OEM and DEALER DISCOUNTS AVAILABLE



EMERALD
COMPUTERS

4000 S.E. International Way, Suite F203 Milwaukie, Oregon 97222 (503) 654-9666



WHO'S GOING TO BE LEFT IN THE DARK EVEN WHEN THE LIGHTS COME ON AGAIN?

When the blackout hit, the CPA on the left didn't have a Saft Standby Power System to protect his numbers. He lost his memory. Result: No data. no business. Even with the lights on.

Our system is made for the small business computer at a small business price. Best of all it's from SAFT, the hottest name in the battery business today. And although it can provide emergency power for almost any-

thing, it was designed specifically to protect personal and small business computers from data loss in the event of a blackout or brownout.

As soon as the power drops, a Saft Standby Power System

turns on in less than one-half cycle, protecting the data and memory within the computer. There are two systems available. The 200VA, which provides standby power up to 20 minutes. For larger systems, the 400VA provides standby power up to 10 minutes. That gives an operator plenty of time to get off the computer safely. And

> during normal operation it acts as a line filter to protect against harmful spikes.

So don't be left in the dark. Depend on the Saft Standby Power System. Call us at (602) 894-6864. Or write SAFT Electronic Systems Division, 2414 W. 14th St., Tempe, Arizona 85281.







Technical Information & Other Queries (602) 246-2222
TOLL-FREE ORDER LINE 1-(800) 421-3135

SAVE EVEN MORE!

We will attempt to beat anyones' price, and remember, if you don't live in Arizona, you won't pay sales tax, which can save you an additional 6% or more compared with purchases made in your home state.

HARDWARE! HARDWARE! HARDWARE!

Epson, Okidata, NEC, Gemini, Daisywriter, Diablo, Juki, Silver Reed, Toshiba Printers and AMDEC, Princeton and Zenith Monitors are now available from Warehouse Software. Call for the lowest prices in the U.S.

Dollars & \$ence95
MBSI GL, PA, AP, AR Each Module\$350

Microstuf Crosstalk\$105

BEST PRICE IN U.S. FOR IBM PC OR CLONES

Multifunction Board - Includes Async

Adapter, Parallel Adapter, Clock with battery back-up and Software, 64K

memory expandable to 384K. 1 year

warranty \$255

Lifeboat Lattice C Compiler\$295

Microsoft Basic Compiler \$285

Microsoft Basic Language\$250

CBASIC 86 for IBM PC\$135

CBASIC CP/M-80\$99

16 Pounds of IBM PC DOS Compatible

Portable Computer - Hyperion - 2 Disc

List \$3690 SALE \$2665

Norton Utilities\$55

Harvard Project Manager \$265

Anchor Signalman 1200baud Modem . . \$285

Quadcolor I Board for IBM PC\$195

MPI 320K Disk Drives\$185

10 MB internal hard drive for IBM PC \$995

23MB external hard drive for IBM PC \$1895

256K Ram Board for IBM PC\$299

Princeton RGB monitor\$495

Juki letter quality printer \$445

Gemini 15X, 10x Printers......Call
Okidata Printers......Call

NEC Printers Call

CDC 320K Disk Drives

TRANSFER PROGRAMS

LANGUAGES

Drives -Software.

FOR PC DOS

	SYSTEMS

UNBEATABLE PACKAGE PRICE!! DBASE II+Everymans data base primer + Extra diskette with Dbase Accounting, Mail List and Inventory Programs. For IBM PC and CP/M — Call for our special price.

Fox and Geller Quickcode	19
Knowledgeman\$27	5
Condor III\$33	30
NWA Statpak\$35	50
Tim IV\$24	19
Infostar	55
PFS File\$9	
FRIDAY\$17	75
Personal Pearl\$14	15
Fast Facts for IBM PC\$13	35
RBase 4000\$28	35
WORD PROCESSING	
Wordstar, Mail Merge, Correct	
Star Star Index	15

Wordstar, Mail Merge, Correct
Star, Star Index
Wordstar\$230
Mail Merge or Spell Star\$130
Microsoft Word With Mouse\$305
Word Perfect
Volkswriter for the IBM PC\$110
Volkswriter DeLuxe\$175
Aspen Spellchecker\$36
Metasoft Benchmark \$265
Multimate\$275
Peachtext 5000\$195
SPREADSHEETS

Calcstar for IBM PC		\$	65			0	th	er	\$95
Supercalc II									\$159
Supercalc III									\$215
Microsoft Multiplan									
!TK Solver									
A CONTRACTOR OF THE PARTY OF TH									

ACCOUNTING

TCS. equivalent of Peachtree - Specially augmented by Warehouse Software. Customized for your IBM PC Terminal and Printer - GL, AR, PA, AP, CP/M, for PC XT, DOS 1.1, 2.0. Each Module . . \$75 For All Four \$275

CYMA CALL

Call for programs not listed.

Call for programs not listed. Corona Computer Portable or Desk Top Call TERMS: Prices include 3% cash discount. Add 3% for charge orders. Shipping on most items \$5.00. AZ orders +6% Sales Tax. Prices subject to change.

TOLL-FREE ORDER LINE 1-(800)-421-3135

WAREHOUSE SOFTWARE

2701 West Glendale Ave., Suite 6 Phoenix, AZ 85021



LETTERS

pending book.

As a result of this overwhelming response, the programs have now been published in book form in two volumes. Volume I contains scheduling and appointment programs, direct patient billing and accounts receivable programs, patient file retrieval, simple statistics (including standard deviation), graph drawing and curve fitting, and numeric and alphabetic sorting. Volume II contains programs for taking patient histories and history summarization, respiratory function, pediatric growth-percentile calculation, bar-graph drawing, etc.

The book is available from Computer Medica Corporation, Medical Software Company, 328 Main St., Center Moriches, NY 11934.

I must thank your readers again for the fantastic response.

> DEREK ENLANDER, M.D. New York, NY

THE PERFECT MICROCOMPUTER

First, let me congratulate you for having the finest computer magazine and the finest consulting editors: Steve Ciarcia and Jerry Pournelle. I agree with their assessment of the industry as exemplified in the May issue.

I find the prevalent state of the microcomputer industry appalling. Although we have had two very powerful 16-bit processors available from the start of this decade (the MC68000 and the Z8000), they are not in most microcomputers and are underutilized in all but the most expensive. Mr. Ciarcia's Trump Card, for example, is a great addition to a PC, but why is it necessary? Did Intel and IBM conspire to offer America inferior technology? And why is the Z8000 such an underused chip?

Having owned three personal computers, I am ready to buy again, but this time I have some specific criteria in mind. I would like a 16-bit processor, at least 512K bytes of RAM expandable to at least 2 megabytes, two disk drives of at least 512K bytes each, multiuser capability, a good operating system with plenty of software, and an under-\$3000 price tag.

Guess what? There are none. Two computers that come close are the Sage and the Pinnacle. The Sage is a little too expensive at present, and the Pinnacle needs software. But why are there no Z8000 machines? I believe there are many computer sophisticates such as myself who would buy such a machine.

RICHARD H. KNOP Kansas City, MO

MUMPS


I read with interest Jonathan Javitt's article "Computerizing a Medical Office" (May, page 171). I have been involved in this field from both a programming and a medical perspective for over five years. I am in particular agreement with the seven-step approach Dr. Javitt recommends for effective use of computers within a

(continued)

VISA

HIGH PERFORMANCE

IT'S WHAT'S UNDER THE HOOD THAT COUNTS



Take a close look under the hood of a Datasouth printer. Inspect for loose parts, cheap fittings. Search for things that show more concern for speed on the assembly line than the communications line.

You won't find them. Instead you'll find the source of the Datasouth reputation: design, engineering and materials dedicated exclusively to high performance value.

Now look closer.

MORE THAN THE HUM OF ITS PARTS

Count the moving parts in a Datasouth printer. You won't find many. Most of those are dedicated to transporting the printhead and the paper from point to point with optimum speed and accuracy, while the rest of the printer sits guietly with the motionless authority of a Stonehenge.

And thinks.

Under the hood of every Datasouth printer is a highly intelligent microprocessor. Its sophisticated brainwork eliminates the need for many parts still common in other printers, and optimizes carriage and paper travel so the printhead intelligently follows the shortest path from one printable

character to the next. So more work gets done with less strain on the machinery.

MODULAR MAINTENANCE

Circle 102 on inquiry card.

Datasouth design simplicity assures easy maintenance. All control electronics are on a single printed circuit board. The 9 wire printhead is rated at over 500 million characters, and is easily replaced in minutes.

Everything that matters is easy to reach, right there under the hood. Even the cartridge ribbon, rated at 3 to 4 million characters, snaps into place in seconds.

JUST TURN THE KEY

Datasouth printers are easily driven by virtually any mini or microcomputer. The fully instrumented dashboard allows the user to program up to 50 different applications features at the touch of a few buttons. Meanwhile, the digital readout shows everything from programming prompts to line count.

TAKE YOUR CHOICE


Datasouth reliability comes in two high performance models. The DS180 is a legendary workhorse that delivers crisp data quality printing at 180 CPS. The new multimode DS220 cruises at 220 CPS for high speed data printing and at 40 CPS for letter quality word processing. Both models print precision dot-addressable graphics.

If you have a high performance printing need, Datasouth has a high performance printer to fill it.

DRIVE ONE TO WORK TODAY

Both the DS180 and the DS220 are on display at more dealer showrooms every day, including one near you. So go take a hard look at the kind of hard copy you get from high performance Datasouth printers.

See what really counts when you compare printers.




south

 $H \mid G \mid H$ RFORMANC

Find Datasouth Printers At Participating **ComputerLand*** Stores And Other Fine Dealers.

AVAILABLE NATIONWIDE THROUGH OUR NETWORK OF SALES AND SERVICE DISTRIBUTORS CALL TOLL FREE: 1-800-222-4528

Datasouth Computer Corporation Box 240947 · Charlotte, NC 28224 704/523-8500 · Telex 6843018 DASOU UW



Whether your needs are simple...


Features*	Advantages*	Benefits*
Unlimited number of tables open at a given time	No need to open and close tables repeatedly	Speedier answers to your queries
Up to 255 fields per record	Greater descriptive capacity	Lowers frustration of having to deal with multiple tables for a single topic
Passwords, read/write access, data encryption	Access to data is individualized	Unauthorized use of data prevented
Query multiple tables with a single command	Retrieves data without unnecessary intermediate steps	Users get information more efficiently
Query syntax like IBM's SQL/DS	English-like commands	Users not required to learn a new language
Dynamic sorting and grouping of query output	Control of output format	Data can be customized to users needs
Spreadsheet cells may be defined in terms of formulas edata table values programs	Cell can automatically retrieve information from tables and can perform intricate mathematical operations on that information	No need to rekey information or perform calculations separately
Forms creation for screen and printer using 8 colors, blinking, bell, prompts, reverse video, etc.	Greater versatility in screen and printed output	Screens and forms are easy to understand and use
Statistics (e.g., min, max, average, sum, standard deviation, variance, etc.) automatically generated	Provides more complete analytical description of data	Improved decision-making capabilities
High resolution color graphics: pie charts, bar charts, area curves, scatter diagrams, etc.	Numerical data from spread- sheets and tables can be pictorialized	Patterns and trends easier to spot
*Partial List		

We help a lot of different people solve a lot of different problems:

from the simplest to the most complex...from mailing lists to integrated accounting, from preparing tax returns to order entry. Whether you need help saving money or making it, the Knowledge Manager can help you manage your information better than any other micro software package.

Quality Software for Quality Results

You can start just as simply as you want and grow just as fast as you like. The Knowledge Manager's powerful commands are always ready when you are. You get quick results, improved productivity, accurate information, custom tailored to meet your needs. The Knowledge Manager lets you use your information, when you want it and in the way you want it.



intricate...or somewhere in between

Reliable and Comprehensive

The Knowledge Manager is built to last. You can start with the Beginner's Guide, or run right through the instruction manual to advanced data management commands.

□ 8" IBM-3740 SS/SD

Chances are you won't find a job the Knowledge Manager can't do.

bank in

Dealer inquiries invited.

phone (317) 463-2581.



KnowledgeMan is a trademark of Micro Data Base Systems, Inc.; SQL/DS of IBM.

Circle 212 on inquiry card.

Please send me:	□ 5¼" IBM PC SS
☐ Free feature-by-feature comparison	□ 5¼" Victor/Sirius
☐ Forms painter and graphics	☐ 5¼" DEC Rainbow
information and pricing*	†Add \$20.00 if outside U.S., Canada
☐ Run-time package information	or Mexico
and pricing*	192K RAM required, 500K mass
*Forms painter, graphics and run-	storage suggested.
time package are available as optional components.	☐ Check or money order enclosed (must be drawn from U.S. bank in
☐ Please accept my order for	U.S. currency)
the Knowledge Manager \$500.00	MasterCard No.
☐ Shipping and Handling† 10.00	VISA No.
(Indiana residents must add	American Express No.
5% sales tax—\$25.00)	Expiration Date
Machine:	Bank No. (if M.C.)
Operating Systems:	Signature
□ PCDOS □ MSDOS □ CP/M-86	VISA, MasterCard and American
Disk Format:	Express orders may be placed by

Name	
Title	
Company	I was a second
Phone ()	
Address	
City	
State	Zip
Send To:	

MDBS/Consumer Products P.O. Box 248 Lafayette, IN 47902

Phone: (317) 463-2581 Telex: 209147 ISE UR

Or Contact Your Local Dealer. PRICES SUBJECT TO CHANGE WITHOUT NOTICE Current release is 1.06 as of 4/1/84.

Now Taxan for IBM



TAXAN manufactures monitors for nearly every personal computer.

TAXAN Corporation, 18005 Cortney Court, City of Industry, California 91748, (818) 810-129

See your local TAXAN dealer or call us for details

LETTERS

medical practice.

However, as both a software vendor and a physician I disagree with some aspects of the article. On page 174, Dr. Javitt says:

... packages have been created that accommodate specific items of clinical information. These programs allow a practice to designate 10 or 20 items that must be recorded for each patient and to configure data fields to store those items. . . . What is needed is a relational database that is able to track clinical parameters over time and correlate them. . . . This level of sophistication has not been developed under current microcomputer systems and is currently available only under Unix.

Our medical-software package now supports both free-text entry of patient records and storage of up to 1000 problems per patient. All information is retrievable individually or in groups selected from criteria of the practice without resort to custom programming with up to fifty Boolean AND, OR, and NOT operands for either inclusion, exclusion, or both.

On page 176 Dr. Javitt states:

Installation . . . is time-consuming. . . . In the initial phase, the personal data on each physician in the practice must be entered as well as the particulars of each insurance carrier with which the practice deals. A complete list of diagnoses and procedures used in charges and ... codes.... Try to find a program that can learn new diagnostic codes and procedures as it comes across them.

Our software package "learns" all data about a practice as required during a normal posting cycle. Thus, patient data, diagnostic codes, procedural codes, insurance carriers and codes, and provider information are all entered only when outside the current boundary of the known practice data.

The trick is not alchemy but rather Mumps. This ANSI-standard language/operating system/ filing system supports a remarkably flexible data structure almost handcrafted to the needs of medical users with both variable-length records and multiple linked records per patient possible. Argument indirection permits the user to enter a variable whose truth value can be tested easily across the entire database. Finding all patients who are 35-55 and have hypertension and diabetes, for example, is easy. Finally, Mumps is available for microcomputers and minicomputers, ranging from the Apple II and clones to the largest networked mainframes, all without alteration of source code.

Both as a programmer and a physician, I have found the Mumps language to be a joy; I am only sorry that BYTE has not represented this computing option to its otherwise well-informed readership.

DOUGLAS H. MCNEIL, M.D. Little Rock, AR

YOU THINK YOU'VE GOT PROBLEMS

Our corporation consists of two divisions. One is an offshore drilling and training division. The other develops computerized operating programs for the petroleum industry. We who work in the offshore drilling and training division are constantly exposed to terms and definitions from the computer division that we do not understand, such as gigabyte and multibus. And when we ask the computer division questions about what they are talking about they look at us like we are idiots. So we took it upon ourselves to find out what these terms mean, and due to our diligence and constant searching we did locate a multibus, of which we have enclosed a picture (see photo below). We would appreciate it if you could print it in your magazine so that all the other people who are constantly exposed to these computer people and who have no idea what they are talking about will at least know what a multibus is.

We are still searching for a gigabyte and are somewhat apprehensive about looking for a terabyte. If anybody else out there needs our assistance please feel free to write us and we will see if we can find what they are looking for.

GENERAL PETRO SCIENCE Houston, TX

ARE YOU SITTING DOWN?

While I'm still in shock, I thought my fellow readers should be informed about the cost of computer repairs. I purchased a Columbia VP portable in September (by mail order) with the belief that nationwide servicing through Bell & Howell would negate any problem of not buying from a local dealer. (As a research engineer. I didn't need any dealer support for my applications.) Was I ever wrong!

When my machine went down on December 30, I figured a quick trip to Bell & Howell would take care of it. After all, it was probably just the Motorola 6845 CRT controller chip that needed replacing. It took a little longer than expected because, despite national advertising, Colum-(continued)



EVERYTHING FOR IBM PC/XT DATA ACQUISITION CONTROL



MODEL DASH-8

\$375

- 4,000 Samples/Sec (30,000 in Assembly Language)
- 8 S.E. Channel, 12 Bit Analog Inputs
- Event, Period, Pulse Width, Frequency Measurement
- 7 Bits of Digital I/O
- Programmable Scan Rate
- Interrupt Handling
- Foreground/Background Operation

MODEL DASH-16

\$895

- 40,000 Samples/Sec
- 8 D.I., 16 S.E. Channel 12 Bit Analog Inputs with DMA
- 2 Multiplying Analog Output Channels
- 8 Bit Digital 1/0
- Interrupt Handling
- Foreground/Background Operation

MODEL DASCON-1

\$485

- 30 Samples/Sec, 4 D.I. Channel 12 Bit Analog Inputs On-Board Signal Conditioning
- Direct Temperature Measurement (-200 to +650 C.)
- 12 Bits of Digital I/O
- Interrupt Handling
- 2 Optional 12 Bit Analog Output Channels
- 2 Optional Instrumentation Amplifiers (0.5 MicroVolt/Bit)
- Foreground/Background Operation

MODEL PIO-12

97

- 24 Bit Parallel Digital I/O
- Interface to Plotters, A/D's, D/A's, Relays, Switch Contacts, Etc.
- Interrupt Channel
- No Software Needed

MODEL IE-488

\$395

- Industry's Easiest IEEE-488 Board to Program
- Interrupt, DMA, and Normal Transfer Modes
- Controller, Talker or Listener
- No Floppy Disks Required
- Resident ROM Command Interpreter

Single Piece Pricing Including Software

ONE YEAR WARRANTY

Also Available is a Complete Line of Accessory and Expansion Products





bia Data Products Inc. did not have a servicing agreement in effect with Bell & Howell for the VP until January 1, 1984. In all fairness, the people I dealt with did their best to get my machine fixed—they just didn't have any idea how much it would cost. It came to \$811.06.

Why? It's simple. Servicing consists of replacing the motherboard at \$630 plus tax, plus two hours of labor at \$64 per hour. While this may be an acceptable way of performing service for a business, the individual consumer simply can't

afford it. It is equivalent to replacing the engine whenever your car won't start. How many of us would own cars under that condition? Therefore, I have some suggestions for the individual owner: (I) Find a reputable serviceman who will fix what's wrong with your machine (not just replace boards) before you buy it. Buy only what you know can be serviced reasonably. Many users groups know of such people and could put you in contact with them. (2) If you know nothing about computers or electronics and

can't find a suitable serviceman, then buy a service contract from your dealer or a reputable service-organization.

As for me, I'm going to buy one of every chip on the motherboard (which will cost less than a service contract) and fix it myself the next time it fails.

> MICHAEL W. FITZPATRICK Westerlo, NY

THE ORIGIN OF "BUGS"

Several recent magazine articles and a book (The Naked Computer) have suggested that the words "bug" and "debug," used in relation to computers and computer programs, originated because a moth flew into the relays of the Mark Lat Harvard.

Though this incident undoubtedly occurred, the meaning of the word bug is at least a hundred years older. For example, here is an excerpt from a letter written by Thomas Alva Edison to Theodore Puskas, Edison's representative in France, on November 13, 1878:

I have the right principle and am on the right track, but time, hard work, and some good luck are necessary too. It has been just so in all of my inventions. The first step is an intuition, and comes with a burst, then difficulties arise—this thing gives out and then that—Bugs—as such little faults and difficulties are called—show themselves and months of intense watching, study and labor are requisite before commercial success—or failure—is certainly reached.

JOHN LORD Santa Monica, CA

IN PRAISE OF THE MAC

As an engineer, I have been using mainframe computer and minicomputers for the last 25 years. I have always viewed the microcomputer industry as being characterized largely by trash software running on trash hardware. For the past few years there has been frantic activity but little forward progress. For this reason, I find it sad to read all the letters nitpicking the Apple Macintosh. Perhaps these writers are proud of their ability to remember that <cntl><alt>Q moves the cursor left two characters (or was it three characters?) and are intimidated by the thought that soon anyone will be able to use a computer. In developing the Macintosh, Apple has done something unique in the microcomputer field-combined excellent hardware with excellent software. I think that Apple's pursuit of excellence is far more important to the future of microcomputing than the temporary difference between 128K bytes and 512K bytes of memory. This letter was, of course, composed on my new Mac. For the first time in 25 years, I am having fun using a computer.

GEORGE ROOT Boulder, CO



For high performance, choose the Oculus-200 board. Priced at \$1995, it incorporates features you'd expect from vision systems costing twice as much. In fact, the Oculus-200 is a real-time, 30 frames/second video digitizer with 256K bytes of memory. Thanks to its on-board video output, the processed image can be displayed on an auxiliary monitor, with graphic overlay and vectoring capabilities. The Oculus-200 transforms, in real-time, the image received from a standard video camera into an array of 512 × 512 pixels with 128 shades of gray. Which means that the digitized image will be as sharp as your original subject.

For those special applications where a real-time binary system is just right: take a close look at our other board . . . the Oculus-100. It digitizes a TV image, in real-time, into an array of 512 \times 512 black and white pixels that can be processed by your personal computer. And the image can be displayed, at a lower resolution, on your PC monitor. With its 32K bytes of memory and \$695 price tag, the Oculus-100 is ideal

for the rapid processing of contrasting images.

Applications for the Oculus boards can include: page reading — facsimile — teleconferencing — surveillance/security — microscopy — graphic arts — factory inspection — and much, much more. Dedicated software for these applications is available from our company. Each board is delivered with menu driven imaging software, cable and manual. Camera and display monitor are not included.

For more information about our Oculus boards, software or volume discounts, call us toll free at (800) 361-4997, in Canada call (514) 651-2919. Or write to:

CORECO INC. The COmputer REsearch COmpany, 547 St. Thomas, Longueuil, Quebec, Canada J4H 3A7

IBM is a Registered Trademark of International Business Machines Corporation.

READ CONLY

A review of the IBM Personal Computer family. Summer 1984



UP AND RUNNING

And Swimming, Building, and Baking. Building and baking? They don't produce gold medal winners, but they do figure in staging the Olympic games. So do 200 IBM Personal Computers (including software) that are part of IBM's sponsorship of the 1984 Olympics in Los Angeles. In fact, IBM PCs are hard at work in both sports and administration.

PCs are involved in a wide range of planning and analytical activities, though they don't provide official results of the various athletic events. Some events, for example, use the IBM PC to determine how competitors are seeded—who competes against whom. In other events, such as archery, the PC simplifies the complex task of recording scores and compiling statistics for each athlete as the competition progresses.

In events like gymnastics that depend on points awarded by judges, statistics can be kept on the PCs to analyze scoring consistency. Also, a whole range of information about individual athletes, past Olympics, and world and national records, both past and present, can be quickly recalled and compared with the help of the IBM PC.

Last but not least, administration. Spreadsheet programs, such as IBM's Multiplan™, were used on the PC for planning and forecasting by nearly every administrative department, from Construction to Ticketing. The same departments speed up some of their day-to-day accounting tasks with the help of the PC and IBM accounting packages.

Departments with specific software needs developed special packages with the assistance of a programmer whose services are part of IBM's Olympic sponsorship. Specially designed programs include database management applications to help handle transportation requirements and inventory control programs to keep track of sports equipment and personnel records.

In short, there's hardly an area of planning and staging the 1984 Summer Olympics that the IBM Personal Computer doesn't play a part in. Maybe there *should* be medals for administration.

Multiplan is a U.S. trademark of Microsoft Corporation.



A Shorter Distance between PC Points. We're all familiar with the feeling of being lost in the growing maze of new computer products. IBM has opened a path through that maze, straight to the information and answers you need about IBM Personal

Computer Products—information about a specific software package or hardware configuration and answers to technical questions.

The key to entering this new information path is the IBM Customer Support System (CSS) at your authorized IBM Personal Computer retail dealer or IBM Product Center. Dealers in over 300 cities throughout all 50 states use the Customer Support Sys-



tem, which includes a nationwide communications network, to help give you instantaneous computer-age service support that's unmatched by any other computer manufacturer.

Colorful Stops along the Way. More than 1,700 authorized IBM dealers have access to a permanent and continually updated directory of IBM Personal Computer product information in IBM's Customer Support System. For a sharp color display of the type and level of information you want, visit your dealer or IBM Product Center and choose from lists of options displayed on an IBM PC color monitor. There are choices that guide you quickly and easily from product directories to indepth product demonstrations and configuration information.

Since knowing how to take the first step is often a problem, CSS gives you a variety of possible starting points. By selecting the appropriate category—such as printers or business software—you can move to a list of specific products and then to the



Information from CSS with simple one-key commands

product demonstration you want. If you know a product name to begin with—Word Proof, for example—CSS will make an alphabetic search for it. To keep you up-to-date, there's also a special listing for new product announcements.

You can browse through the CSS displays at your own pace, pausing at a given spot or moving quickly backward or forward by using simple one-key commands that are always displayed at the bottom of the screen. One of these commands enables you to make print-outs of any information you wish to save for future reference.

The IBM PC family's color graphics capabilities make the CSS software demonstrations especially impressive. The Multiplan demonstration, for example, consists of several consecutive screens of information. Each screen is split vertically, with representative sections of the actual program on the left and explanatory text on the right. By the time you've seen the entire demonstration, you'll have a good idea of both *what* the program can do for you and *bow* it does it.

Answers at the End of the Line. Over 1,000 authorized IBM retail dealers and IBM Product Centers are linked through their Customer Support System to the IBM Information Network. This nationwide communications capability helps your dealer give you fast, efficient service. Warranty claims, for instance, can be handled through CSS with a minimum of paperwork and delay. Dealers also use the network to communicate with other dealers and with IBM to keep abreast of the latest product and service information.

In addition, the CSS network is your gateway to technical information about the IBM Personal Computer family of products. IBM maintains a database on a 3033 mainframe in Tampa, Florida, that your dealer can use to answer—within minutes—a wide range of questions. If the solution isn't on hand in the database, your question can be submitted through CSS to a technical support staff in Boca Raton. There, it will be analyzed and an answer returned through CSS to your dealer.

The information used to answer your inquiry is added to the CSS database, where it will be immediately available for anyone else with a similar question. Your technical inquiries therefore contribute to the growth of the Customer Support System. Its online product information, color graphics displays, and advanced communications all have a single purpose—to help you get the most out of your investment in IBM Personal Computer hardware and software products.



HARDWARE NEWS

Color. There's color news for the IBM PC, IBM PC XT, and IBM Portable PC in the form of the IBM Personal Computer Color Printer. It's a high-performance, dot matrix printer that can print charts, graphics, artwork, and text in up to eight colors. The Color Printer produces color graphics that can enhance the appearance of your reports and presentations and make the information they contain even easiertounderstand. It can also type directly onto overhead transparencies.

The IBM PC Color Printer's range of performance features make it especially well suited for heavy-use/high-productivity applications. A near letter quality printing mode is standard. Printing speeds of up to 200

characters per second can help save time. So can programmable automatic control of print requirements such as print mode, line spacing, and margin and tab setting. These programmable features act as an extension of many software products—word processing programs, for instance—and can be initiated with just a few keystrokes.

A final feature for those who like a personal touch. You can use the Color Printer to personalize your documents by varying the printing modes, character spacing, and boldness. This allows you to differentiate



The IBM PC Color Printer

among headlines, subheads, and quotations and even to print math and science equations.

The Big Crunch. Not long ago, computing and number crunching were nearly synonymous. Personal computers and software for everything from office management to agriculture changed that, but the need for heavy number crunching has hardly disappeared. If it's still a part of your computer workload, the IBM Personal Computer 8087 Math Co-processor can help speed up your calculations.

The 8087 is a floating point coprocessor that multiplies, divides, adds, subtracts, exponentiates, and performs trigonometric and logarithmic functions. It works together with the PC's 8088 processor to improve the execution speed of floating point operations by as much as 10:1. The Math Co-processor increases calculation speeds so greatly because it makes floating point operations a hardware rather than a software function.

In addition to increasing the speed—and often the level of precision—of statistical and analytical math packages, the Math Co-processor can improve the display speed of graphics and video games. It also significantly improves high-level language execution time, and is designed to work with the APL Interpreter and the version 2.0 Pascal and FORTRAN Compilers discussed next in this issue.



WHAT'S THE PROGRAM

We Speak Your Language. IBM Personal Computers are shameless polyglots. They can handle most of the popular programming languages you want to work with. Much of the credit for their versatility goes to the IBM Disk Operating System (DOS) 2.10. This updated version of DOS 2.00 was developed to provide support for the IBM PCir as well as for the IBM PC, PC XT, and IBM Portable PC. So all members of the IBM Personal Computer family are united by a single master program that provides the required support between their hardware and a wide range of application programs.

More to our present linguistic point, the DOS 2.10 diskette contains two programs, Disk BASIC and Advanced BASIC, to help you write your own programs on an IBM PC. (IBM PCjr BASIC—a separate, optional cartridge-provides this support for the PCjr.) Disk BASIC adds DOS file support, date, time of day, and communications capabilities to the BASIC language that comes with every personal computer from IBM. Advanced BASIC adds advanced key trapping and advanced graphics-including viewports, windows, and paint tiling-plus music and other capabilities.

DOS has other features that help simplify advanced program development and design, including a line editor, a linker, background printing, and chaining of commands. For help with writing and editing particularly sophisticated BASIC programs, there's the BASIC Programming Development System, a software package that consists of two programs and four utilities. The first program includes a Text File Editor and a Structured BASIC Pre-processor; the second includes a BASIC Formatter and a BASIC Cross-Reference.

Native Translators Available. The IBM BASIC Compiler compiles or translates the BASIC programs you've written, down to native object code so they'll run on your IBM PC. And BASIC is just the beginning. DOS also provides the support you need to develop and run programs using the IBM Personal Computer Macro Assembler or the FORTRAN, COBOL, and Pascal Compilers.*

Two of these, the FORTRAN and


Pascal Compilers, are available in recently updated versions. IBM PC Pascal 2.0 is based on the ISO standard, and IBM PC FORTRAN 2.0 conforms to the ANSI-77 standard subset level. Both new versions feature improved arithmetic capabilities, and both support the IBM 8087 Math Co-processor for greatly increased speed in processing floating point calculations. (For more about the Math Co-processor, see "Hardware News" in this issue of *Read Only*.)

In addition, versions 2.0 of the FORTRAN and Pascal Compilers feature a Library Manager for creating user-defined libraries and provide easy access to all files in any subdirectory through DOS path support. FORTRAN 2.0 supports linking of object modules with subroutines written in Pascal 2.0 and vice versa. Both new versions support linking of object modules with subroutines written in IBM PC Macro Assembler.

There's a bargain in store for those who already own the 1.0 versions of these compilers: you have the option of buying an upgrade to the 2.0 version at a substantial savings from the full 2.0 price.

To ensure that your programming reach doesn't exceed your grasp, the IBM PC APL Interpreter enables you to write and edit your own programs in APL. It can also be used to exchange data files and workspace between your IBM PC and many mainframe computers.*

Finally, if you're inclined to make serious use of the IBM PC's array of programming aids, we suggest that you also take a look at the recently announced IBM PC Sort program. It provides support for data types and file organizations used by the IBM DOS-supported languages mentioned



Application development tools from IBM

above and can significantly speed and streamline your programming efforts.

IBM PC Sort can be used as a stand-alone utility, integrated into a batch job stream, or invoked directly from a COBOL program via the Sort verb. It can sort records from a data file or files, merge multiple input files, selectively include or exclude records, and create an output file containing the records, pointers, or keys from the input files. There are no arbitrary limits in IBM PC Sort for file size, record length, number of keys, or number of input files.

BASIC Compiler and Macro Assembler will run on the IBM PCjr. APL Interpreter will not. Although the IBM PCjr does not support FORTRAN, COBOL, and Pascal Compilers, most of their output will run on the PCjr if there is sufficient storage.

Now Get Organized. The IBM PC's ability to run a wide variety of commercially available programs and to help you develop your own applications may result in a good news/bad news situation. The good news is that you'll be able to satisfy your application requirements. The bad news is that you'll probably be the one responsible for keeping track of your growing library of programs. If, as we've often found, enthusiasm outstrips organization, you may find yourself falling behind—especially if you're working in an area, such as



Animation Creation software from IBM

small business finance or education, where programs multiply rapidly.

Fortunately, help is in sight, in the form of Fixed Disk Organizer, an IBM software package that does just what its name suggests.

Fixed Disk Organizer has a master menu that lets you sort out your various application programs by category—word processing, spreadsheet, communications, and so on. You can tailor the menu to your specific application needs by adding new menu categories, revising or deleting existing categories, or changing titles. The master menu allows you to review all the programs stored on your fixed disk at a glance and to call them up quickly with just a couple of keystrokes.

Fixed Disk Organizer also helps protect sensitive data by allowing you to create passwords and restrict access. It also enables you to write a string of complex DOS commands into a batch file and execute them whenever you want simply by selecting that file from the menu. And in case part of your organizational problems stem from not always remembering just how things are organized, you can use Fixed Disk Organizer to establish Help files as a reminder.

So we're all in trouble—no more excuses for not being organized.

Moving Pictures and Mathematical Castles. Let's not forget that there's more to life than programming.

there's more to life than programming, compiling, and getting organized. There's also software from IBM for pure enjoyment and for enjoyable education. Two such packages are Animation Creation and Adventures in Math.

Adventures in Math incorporates math drills into an adventure game with vivid color graphics of a castle and its passageways and treasures. To find the way out—and to uncover as many treasures as possible along the way—children (or particularly skillful adults) have to solve basic math problems. The program's difficulty level increases as you solve the problems you're confronted with.

Using Animation Creation, you or your children can draw your own pictures and watch them come to life. To draw pictures, you select from 254 computer characters and position them on your screen. Add color by choosing any of 16 foreground and 8 background colors. Then, by slightly repositioning the images on successive screens, you can create animation.

Next stop, Hollywood.



HARDCOPY

You Can't Enjoy the Game without a Program. Earlier in this issue (see "On the Storefront"), we discussed the Customer Support System for online information about IBM Personal Computer products. Much of that information is also available in two publications: *The Guide*, a directory of Personal Computer offerings from IBM, and *The Library*; a directory of IBM Personal Computer software offerings. If you want to enjoy the personal computer game, these are the "programs" you need to do it.

The Guide, published twice a year, is a catalog that contains clear, concise descriptions of IBM PC, IBM PC XT, IBM PCjr, and IBM Portable PC systems. It also reviews printers, video displays, expansion units, and all other IBM PC hardware products. A separate section of The Guide contains articles on IBM PC software packages.

Both hardware and software articles are illustrated



with annotated color photographs—of key screens for the software packages—and start with charts that provide quick product overviews. Other noteworthy features include sample configuration tables for all three systems and a closing section on Sales and Service Support.

The Library, updated quarterly, presents an overview in booklet form of the entire IBM PC software product line. It presents the software by category, with sections on Operating Systems and Languages, Personal Productivity, Communications, Business, Education, and Entertainment, Program descriptions are brief and to the point. Each includes a short overview, program highlights, and system requirements. There's also a chart at



the end of the booklet that shows at a glance which programs are compatible with the IBM PCir.

Or the Hardware without a Manual. If The Guide and The Library are the general road maps to IBM PC products, the Technical Reference and Hardware Maintenance and Service manuals'—now available in newly updated versions—are the detailed maps of downtown. It's not a trip everyone wants to take, but if you do, these are the right directions.

There's a three-volume *Technical Reference* set for the PC and another for the PC XT and *Portable* PC. These manuals include the functional specifications for the system units and for the options and adaptors in the IBM PC product line. The *Hardware Maintenance and Service* manual details many aspects of troubleshooting a personal computer from IBM. It includes a parts catalog, a section on preventive maintenance, and instructions for identifying the failure of a replacement unit.

'These manuals are intended for use by technically qualified service personnel.



TIPS AND TECHNIQUES

If you use Personal Editor— IBM's full-screen editor for writing programs and brief documents—but find yourself displaying the Help file whenever you forget a function key assignment, here's a little help from the fellow forgetful.

Function key assignments can easily be displayed on the command line of your Personal Editor screen by assigning Fl to display the unmodified keys and alt+Fl to display the alt+Fx keys. You can then assign the Help function to alt+H, although you probably won't need it nearly as often as before.

The macro for the Fl assignment can be written as follows: def fl = [cursor command] [begin line] 'F: 2=Save 3=File 4=Quit 5=Erase 6=EraseEOL 7=Print 8=Switch 9=InsL 10=Ins&Indt' [cursor data].

For more information about IBM Personal Computer products, see your authorized IBM Personal Computer dealer or IBM Product Center. To learn where, call 800-447-4700. In Alaska and Hawaii, 800-447-0890.

© 1984 International Business Machines Corporation Little Tramp character licensed by Bubbles Inc., s.a.

FEEDBACK

Pascal p-System Upgrade for PC XT

Maura Smith, SofTech Microsystems' director of communications, commented on James P. Reed's letter to the editor "Watch the Fine Print" (February, page 24). In his letter, Mr. Reed related his surprise when he discovered that neither UCSD Pascal p-System's program nor data files can be stored on an IBM PC XT's fixed disk.

Ms. Smith wants BYTE readers to know that SofTech Microsystems offers an upgrade kit to solve fixed-disk problems such as Mr. Reed's. This upgrade allows you to store both programs and data on the IBM PC XT's hard disk, and it lets you partition a disk among various operating systems.

The upgrade is available through SofTech's end-user sales department for \$20. The address is SofTech Microsystems, 16885 West Bernardo Dr., San Diego, CA 92127, (619) 451-1230.

DEVELOPMENTS

Product News

ODP Computer Systems of Cleveland, Ohio, has announced a 15 percent price reduction on its entire line of ODP-300 business and industrial desktop micros. Prices begin at \$3495 for a single-user system with two floppy-disk drives and 128K bytes of RAM.

ASHTON-TATE'S dBASE II database-management system will now be bundled with Kaypro 4 and 10 computers shipped after April 4, according to Kaypro Corporation. In a related development, Kaypro revamped the software package that comes with each of its computers. The new bundle features Digital Research'S CP/M 2.2 and MicroPro International's WordStar, MailMerge, CalcStar, and MBASIC. Incidentally, if you're wondering why Kaypro changed the name of the Kaypro II to Kaypro 2, a company spokesperson explained that it was because people kept asking to see a Kaypro eleven.

MICROPRO International, the San Rafael, California, applications-software developer, has announced that its WordStar Professional package is available for the Tandy 2000. The Professional package is made up of the WordStar word processor, the CorrectStar spelling corrector, the MailMerge file- and data-merging program, and StarIndex, which creates tables of contents and alphabetized indexes. MicroPro claims to have sold 800,000 copies of WordStar.

LOTUS Development Corporation's 1-2-3 is now available for the IBM PCjr. The Cambridge, Massachusetts, software developer has set the suggested price for this integrated package at \$495.

SOFTWORD Systems Inc. has changed its name to MultiMate International Corporation. According to a company spokesperson, the public's recognition of the name MultiMate is higher than its recall of the name SoftWord Systems. This is due to the fact that the name of each of the company's products begins with the word "MultiMate." The word "International" reflects the company's expanding overseas customer base. MultiMate International, which produces word processors and database and list managers, maintains corporate headquarters in East Hartford, Connecticut.

TERRAPIN LOGO's suggested retail price has been reduced to \$99.95, according to a recent announcement by its Cambridge, Massachusetts-based publisher, Terrapin Inc.

LEADING EDGE Products of Needham, Massachusetts, has reduced the price of its Leading Edge Word Processor to \$200, in response to IBM's announcement that it will market a version of Displaywriter for the PC.

NETWORK UPDATES

Database Serves Financiers

Invest/Net, billed as the insider's trading monitor, is said to feature complete up-to-the-minute information showing the buys, sells, and options exercises of corporate insiders, including senior officers, directors, or owners of 10 percent or more of a corporation's stock. You can also browse the entire list of stocks traded in the United States, scan specific industry groups, and assemble data covering any period of time. A talk-back feature lets you communicate with Invest/Net or other users. The transactions are taken from the records of the Securities and Exchange Commission as well as the New York and American stock exchanges.

Invest/Net can be accessed by any personal computer or terminal equipped with a 300- or 1200-bps modern. Most commands require a single keystroke, and a help facility is on line. It's available in more than 240 cities worldwide. For contract fees, contact Financial Information On-Line—Invest/Net, 99 Northwest 183rd St.. North Miami, FL 33169, (305) 652-1710.

Collectibles On Line

The Collector's Data Service, a database for collectors and connoisseurs, went on line last

month. This service provides an exchange for buyers and sellers of such sought-after items as oriental rugs, exotic real estate, works of art, classic cars, antiques, and other collectibles. Lists of stolen properties are carried, along with newsletters, event calendars, and show and auction listings. Additional features include on-the-spot credit validations and low-cost classified notices.

Access is via Tymnet. Further information is available from the Collector's Data Service Ltd., 420 West Mercer, Seattle, WA 98119, (800) 435-0100; in Washington, (206) 281-7273.

Pharmaceuticals Focus of New Network

GTE Telenet Communications Corporation and Fisher Stevens Inc. have introduced PHYCOM (Physicians Communications). PHYCOM is reported to be the first on-line version of the Physicians Desk Reference, which contains information on nearly 1000 trade-named pharmaceutical products, product profiles, details of patients' reactions, abstracts of papers by physicians with prescribing experience, and a bibliography of clinical studies.

Up and running since early April. PHYCOM provides daily news bulletins on medical and regulatory developments from the Bureau of National Affairs. A special emphasis is placed on government health-care rulings and medicolegal decisions. A request service enables doctors to contact sponsoring drug companies for product literature or samples, order reprints of published papers, and register for seminars and symposia.

Most of PHYCOM's information can be obtained free of charge, because the cost of providing this service is shared by the sponsoring companies. PHYCOM is available through GTE Telenet's MINET medical-information network. For further information, contact GTE Telenet Communications Corp., 8229 Boone Blvd., Vienna, VA 22180, (703) 442-1000.

Electronic Mail System for Deaf Uses Standard Telephone

Subscribers access the Deaf Electronic Mail Service's (Deaf-EMS's) computer through their TTY or TTD (teletyping devices) in the same manner they would place a call to a friend. Serving as a community bulletin board and electronic mail system for the hearing impaired in the Seattle. Washington, area, Deaf-EMS provides users with mailboxes and schedules of such events as captioned films, national deaf sports, and local club and service organization announcements. Health, safety, and other public-service announcements are covered.

(continued)

Developed by Silent Software Services, Deaf-EMS does not require users to purchase additional equipment or modify their hardware. Deaf-EMS's interface converts the 5-bit Baudot TTY letter code to the 7-bit ASCII code used by its computer, which facilitates ease of use.

Silent Software Services was founded by Paul Stefurak of Seattle. Deaf since birth, Mr. Stefurak earned a degree in mathematics from Gallaudet College for the Deaf in Washington, D.C. For more information contact Silent Software Services, 3864 Beach Dr. SW, Seattle, WA 98116, (206) 937-5386 (voice or TTY).

INTERACTION

Analyses Can Be Risky Business, But Maybe Not That Risky

Professor William Lyons from the University of Tennessee's political science department wrote us suggesting the possibility of a "substantive error" in Pat Macaluso's article "A Risky Business—An Introduction to Monte Carlo Venture Analysis" (March, page 179). We wrote to Mr. Macaluso requesting his opinion on the issues raised by the professor. Here are some excerpts from both letters.

"Pat Macaluso," writes Professor Lyons, "gives the strong impression that one makes estimates of the standard error of the sample means of a particular size drawn from a population only through repeated sampling. In fact, one would not use the sample standard deviation of \$13,400 if one had conducted one sample, as is suggested on page 190: 'If we had made only one run of 2000 samples, we would have little idea of how we were doing. The large standard deviation of \$13,400 would have left us with a range of about \$14,000 to \$41,000 in which to expect the average in 2 out of 3 chances."

Professor Lyons contends that you would not use the standard deviation of the cases in such a manner. In his opinion, the appropriate technique would be to use an estimate of the standard deviation of the means. You can estimate this by dividing the standard deviation of the one sample taken (i.e., \$13,400) by the square root of the sample size minus one $|\sqrt{(2000-1)}|$. This phenomenon lets researchers make estimates of population parameters after having conducted a single sample.

In his reply, Pat Macaluso agrees with Professor Lyons that you should not use a sample standard deviation as an estimate of the population value, and he confirms that you should first divide by the square root of the sample size. The purpose of the 10-run method used in the article, notes Mr. Macaluso, was to get a fix on the sample size. Consequently, he asserts the validity of the use of sample standard deviations in that context.

He does, however, differ with what he sees as Professor Lyons's suggestion that you could do as well by making a single run of *N* samples. Such an avenue may be justifiable for a survey where sampling is expensive, but it would be unwise when sampling a model on a computer.

"Suppose we made a single run of 200 samples," suggests Mr. Macaluso. "A typical result

would be about \$27,600 plus or minus 950... not bad for a two-thirds chance of bracketing the true (model) average. It could well satisfy an analyst. Still, the 10-run method requires a sample size of 2000 and uses the averages from 10 runs of 200 samples each to approximate the population parameters. My approach makes allowance for the iffy nature of the model, the number of variables, and the economy of sampling on a computer.

"The analyst can see how data that are often skewed settle down to a fairly normal sampling distribution with diminishing variation. This makes the process more understandable and helps settle on a larger, yet more practical, sample size. Managers risking large sums of money appreciate the conservatism of this approach."

Internal Circuitry Compensates for Possible Bug

David L. Gaissert, an evaluation engineer with NCR Corporation in Peachtree City, Georgia, spotted a bug in the BASIC program accompanying Joe D. Blagg's article "A Low-Cost, Low Write-Voltage EEPROM" (February, page 343) and is concerned about a possible error in the circuit Mr. Blagg described.

In listing 1 on page 344, the program does not increment the EEPROM address pointer, which is the variable *P*. This results in programming all 2048 bytes of RAM into a single address, 14336. To correct this problem, add this line to the program: 265 P=P+1.

While scrutinizing Mr. Blagg's example of interfacing the 52B13 EEPROM to a Z80-based system, Mr. Gaissert noticed that a one-shot was used to extend the Z80's bus-write pulse to a nominal 10 milliseconds. He felt that the interface does not have provisions for latching the data until the write pulse times out. The integrity of the data to be written would then be lost even before the EEPROM had a chance to complete the programming process.

Mr. Blagg has informed us that this would be true when programming a conventional PROM, such as the 2716, but not with Seeq Technology's 52B13 EEPROM. Seeq's chip has its own data-latching network as a part of its internal circuitry. Once it detects the leading edge of WE, the 52B13 latches in all other input signals, including data, addresses, CE, CC, and OE. The system controller only has to maintain the WE signal during the write cycle after the latches are activated. This feature was one of the reasons Mr. Blagg found the chip so easy to use.

While on the subject of Seeq Technology, Mr. Blagg provided us with some supplementary materials to pass on to you. Seeq is producing the 52B13 (at the time Mr. Blagg wrote his article, only production samples were available). It's distributed nationwide by Schweber Electronics, Jericho Turnpike, Westbury, NY 11590, (516) 334-7474, which maintains outlets in 30 cities. At press time, the 52B13 is available in 350- and 250-nanosecond versions for \$23 or \$27.50 each (quantity 1 to 24). Seeq Technology is located at 1849 Fortune Dr., San Jose, CA 95131, (408) 942-1990.

(continued)

oland DG
manufactures a complete
line of high quality
monitors, each designed to suit
specific uses and applications,
from composite monochrome
and color monitors to
monochrome TTL-signal
monitors (ideally suited for use
with the IBM PC).



MODEL CB141

Composite Color Monitor





Monochrome Composite Monitor (available in Amber or Green)



M O D E L MB122 A

Monochrome TTL-Signal Monitor (available in Amber or Green)

Free and Easy


sing a Business
Plotter is difficult
and expensive,
right? Wrong! That's the way
things used to be. Roland DG's
new hardware/software
package not only makes
plotting easy, it also makes
part of the deal free!

During the months of April, May and June with the purchase of a Roland DG DXY-800 8-Pen X-Y Plotter, you get the KeyChart Presentation Graphics Software to run the plotter—Absolutely Free! A savings of \$375.00.

At the heart of the package is the Roland DG DXY-800 X-Y Plotter, (the lowest priced 8-pen plotter on the market). The DXY-800 is an 8-pen intelligent plotter offering an 11" x 17" plot bed, Centronics parallel and RS-232 serial interfaces, and can also be used in either a horizontal or vertical (60 degree inclined) position, to

conserve your
desk-top space.
Use regular paper
or even acetate
to produce
overhead
projection
graphics.

Next add KeyChart, probably the quickest, and easiest software program for generating presentation-quality business graphics. You don't have to be a programmer to use KeyChart. It is completely menu-driven and can provide automatic default values for every characteristic. Load in your data from the keyboard, or from almost any electronic spreadsheet, including Lotus 1-2-3.



DATAEASE

"DATAEASE is a true winner — on technical merit alone, DATAEASE would put dBASE II out of business."

> **Business Computer Systems** April 1984

DATAEASE is the most complete information management system available. While literally hundreds of systems claim to offer simple solutions to complex business information needs, rave reviews from our clients, application developers and the media confirm DATAEASE as the **only** product which delivers on this promise.

"DATAEASE received the highest 'Overall Evaluation' rating of the five **fully relational** programs tested by Software Digest in its report on 20 IBM PC database and file management programs appearing in the March 1984 issue of **The Ratings Newsletter."**

> The Ratings Newsletter Software Digest, 1984

Thousands of business clients worldwide — large and small — say DATAEASE increases productivity. And that is why, in a few short months,

DATAEASE has become a top-seller within the Fortune 500 companies.

"What took five man-months of development with dBASE II, was accomplished in two weeks with DATAEASE."

Bob Scavullo, President Noesis Computing Company

"DATAEASE enabled us to change files, records and reports with no fear of losing data — I can't begin to put a value on that."

Peter J. Newcombe, Corp. MIS Manager General Defense Corporation

Here are some of the features that make DATAEASE the best buy on the market today:

- Layout your forms on the screen.
- Connect any number of files in seconds.
- Access functions with single keystrokes.
- Modify records and design custom reports.

	DATAEASE	dBASEII®	R:base TM	power-base"
Menu driven with built-in commands				
Full application development functions				
Applications can be modified by user	•			
Menus can be defined by user				
Over 200 fields/record & characters/field				
More than 8 indices per file				
More than 16 concurrent open files				
Full screen editing for form creation			7.	
Selection from predefined choices				
Valid options always displayed				
Table look-up, dollar and date fields			(* 8	
Checks for duplicate records			101	
Form modification with auto file update				
Query selection through English prompts	***			
Multiple field sort				
Create form letters and mailing labels		STATE OF THE PARTY		
Update multiple files concurrently				
Update data between files		(4)		THE REAL PROPERTY.
Read/write both DIF and ASCII				
Menu integration with 1-2-3/MultiMate, etc.				
	Full application development functions Applications can be modified by user Menus can be defined by user Over 200 fields/record & characters/field More than 8 indices per file More than 16 concurrent open files Full screen editing for form creation Selection from predefined choices Valid options always displayed Table look-up, dollar and date fields Checks for duplicate records Form modification with auto file update Query selection through English prompts Multiple field sort Create form letters and mailing labels Update multiple files concurrently Update data between files Read/write both DIF and ASCII	Menu driven with built-in commands Full application development functions Applications can be modified by user Menus can be defined by user Over 200 fields/record & characters/field More than 8 indices per file More than 16 concurrent open files Full screen editing for form creation Selection from predefined choices Valid options always displayed Table look-up, dollar and date fields Checks for duplicate records Form modification with auto file update Query selection through English prompts Multiple field sort Create form letters and mailing labels Update multiple files concurrently Update data between files Read/write both DIF and ASCII	Menu driven with built-in commands Full application development functions Applications can be modified by user Menus can be defined by user Over 200 fields/record & characters/field More than 8 indices per file More than 16 concurrent open files Full screen editing for form creation Selection from predefined choices Valid options always displayed Table look-up, dollar and date fields Checks for duplicate records Form modification with auto file update Query selection through English prompts Multiple field sort Create form letters and mailing labels Update multiple files concurrently Update data between files Read/write both DIF and ASCII	Menu driven with built-in commands Full application development functions Applications can be modified by user Menus can be defined by user Over 200 fields/record & characters/field More than 8 indices per file More than 16 concurrent open files Full screen editing for form creation Selection from predefined choices Valid options always displayed Table look-up, dollar and date fields Checks for duplicate records Form modification with auto file update Query selection through English prompts Multiple field sort Create form letters and mailing labels Update multiple files concurrently Update data between files Read/write both DIF and ASCII ·

- Sort, group and calculate statistical information.
- Access up to 32 files concurrently.
- · Interchange data with popular programs.
- Import and export data from mainframe databases.
- Define menus to customize your application

"DATAEASE requires no training, and very little support . . . that keeps my customers happy, and coming back."

> Nancy Lubecker, Assistant Manager Softwaire Centre International

Take a look at DATAEASE today. DATAEASE is available at participating Computerland stores and other fine retail dealers. Call or write for detailed information on the entire SOFTEASE™ family of products (DATAEASE™, WORDEASE™, GRAPHEASE™, DOSEASE™ and MEDEASE™).

Circle 283 on inquiry card

DATAEASE **Demonstration Diskette**

Check one: ☐ IBM PC ☐ Wang ☐ DEC ☐ TI☐ Check attached for \$10. Send complete
information package and DATAEASE
Demonstration Diskette.
☐ Send Information package
Name
Title
Company
Address

Send to: Software Solutions, Inc., 305 Bic Drive, Milford, CT 06460 • 203-877-9268 • Telex: 703972

For information or nearest dealer call:

State.

5. Africa Dataflex, Craighall; 11724-6353

City_

West Germany M&T Publishing, Munich; 089-4613-0 United Kingdom Canada
Sapphire Systems, Essex; 011-44-3-745 Logiquest, Inc., Montreal; 514-397-9631

Bug in Early 8088 Arises Later, Reader and Author Explain Fix

BYTE reader Martin Janzen of PBSC Software in Winnipeg, Manitoba, found J. Eric Roskos's article "Writing Device Drivers for MS-DOS 2.0: Using Tandon TM100-4 Drives" to be both interesting and informative. (See February, page 370.) However, the routines in which a local stack is created for the device driver, listing 2 on page 374, concerned him. It seemed to Mr. lanzen that the two groups of instructions (i.e., to switch to a local stack and to switch back to the DOS stack) could produce unpredictable results, such as overwriting areas of memory or storing registers in nonexistent memory.

"Each Igroup of instructional makes up a critical section; a sequence of instructions which may not be interrupted," explains Mr. Janzen. 'For example, if an interrupt were to occur after the MOV SS,AX instruction had been executed. but before the MOV SP OFFSET STKBOT instruction, the interrupt mechanism would push the CS and IP registers onto a stack pointed to by the new value of the SS register and the old value of the SP register."

Mr. lanzen's solution (see listing 1) is to surround each critical section with CLI (clear interrupt flag) and STI (set interrupt flag) instructions. This prevents the interrupts from being processed until the critical section is complete and the stack has been moved.

"If a critical section occurs inside an interrupthandling routine," says Mr. Janzen, "then the interrupts will already be disabled when the routine receives control. Provided that the routine never executes an STI instruction, the critical section will always execute correctly. However, it is not good to leave interrupts disabled for too long, so this method is not practical for any but the shortest interrupt handlers."


Whenever a MOV or POP instruction is executed specifying a segment register as the destination," says Mr. Roskos, "interrupts are automatically suppressed until after the next instruction is executed. Intel designed the instructions this way . . . to handle the case Mr. Janzen describes. Thus, it is not necessary to surround the sequence MOV SS, AX . . . with a CLI/STI pair [because] the first of the two instructions will cause interrupts to be ignored until after the second of the two is executed.


Mr. Roskos stressed that Mr. Janzen could well have found that the program did not work on his machine. He told us that the problem existed in some of the older IBM PCs, which had a bug in the 8088's microcode. Long after writing his article, Mr. Roskos came across Will Fastie's "Tracing a Bug in the 8088" (PC Tech Journal, September-October 1983, page 106). The article described an error in the 8088 processor that was shipped with some of the earlier IBM PCs. This bug prevented the disabling of interrupts following a MOV or POP to the stack segment from working correctly-precisely the difficulty encountered by Mr. Janzen. Mr. Roskos verified the error by using an old 8088 microprocessor he had, but he defended his program as being correct according to Intel's specifications for the 8088 microprocessor. In addition, it works with all IBM PCs, except for those few early releases with the faulty microcode.

Although Mr. Janzen's solution is workable for machines with a defective 8088, Mr. Roskos offers a caveat regarding the use of CLI/STI pairs to protect stack switching. In some routines the interrupts must remain disabled and that using a CLI/STI pair turns on interrupts at the end of the critical section you're protecting. This can cause complications if the protected section resides inside a larger block of code that is supposed to be run with the interrupts off.

If such a situation as described here were to arise and you wanted to protect the stack switches, you must first verify that the interrupts will always be on at the start of the critical sec-(continued)

Listing 1: Martin Janzen's solution to prevent unwanted interrupts from disrupting critical sections. dev strategy: 'switch to local stack cli turn off interrupts save DOS's stack pointer . . . mov spsavsp ; ... and stack segment regs mov sssav.ss set up a local stack in this mov ax.cs code segment mov ssax mov sp,offset stkbot :bottom of local stack allow interrupts to occur sti ;switch back to DOS's stack cli turn off interrupts restore DOS's stack segment mov ss.sssav ... and stack pointer mov sp.spsav sti ;allow interrupts to occur : after 'ret' instruction ret





aren't playing games!

You can often judge a personal computer user by the hardware he selects. If the modem comes from UDS, chances are he has a serious investment in computer and software, a serious data communications requirement and serious computer-based decisions to make.

UDS modems offer true pro-quality performance to the serious microcomputer owner. Data rates range from 0 to 9600 bps. Depending on data rate, synchronous and asynchronous models may be selected for half- or full-duplex communications. Their prices put them within easy reach of the serious user.

If data communication has progressed beyond the game-playing stage in your microcomputer system, it's time to investigate UDS. The efficiency, reliability and potential for faster data transfer can add real professional capability. Contact Universal Data Systems, 5000 Bradford Drive, Huntsville, AL 35805. Telephone 205/837-8100; TWX 810-726-2100.

四 Universal Data Systems



MOTOROLA INC. Information Systems Group Circle 318 on inquiry card.





Lotus 1-2-3

dBase III SCALL

WordStar Professional

Multi Mate

\$139

WORD PROCESSING/

Easywriter II System	
(3 pak)	\$21
Edix/Wordix	\$26
Final Word	\$18
Microsoft Word	\$23
Microsoft Word/Mouse	\$29
Multimate	\$27
PeachText 5000	\$21
Perfect Writer/Speller	\$24
PFS: Write	\$ 9
Samna Word II	\$32
Select Word Processor	\$19
Spellbinder	\$24
SuperWriter	\$17
Volkswriter Deluxe	\$17
The Word Plus (Oasis)	\$10
Word Perfect (SSI)	\$Ca
WordPlus-PC with The Boss	\$32
WordStar	\$23
WordStar Professional	Sec
(WS/MM/SS/SI)	\$35
WordStar Options Pak	
(MM/SS/SI)	\$18

DATABACE CVCTEAR

DAIVEVOE SISIEMS	
Alpha Data Base	
Manager II	\$179
Condor (II	\$329
dBase II	\$369
DBplus	\$ 89
Friday	\$179
InfoStar	\$269
Knowledgeman	\$299
Perfect Filer	\$159
Personal Pearl	\$199
PFS: File/PFS: Report	\$169
Powerbase	\$289
QuickCode	\$169
R:base 4000	\$289
T/Maker III	\$199
TIM IV	\$269
Versaform	\$249

SPREADSHEETS/

ITEGRATED PACKAGES		
Framework	\$Call	
InteCalc	\$189	
Jack 2	\$329	
Lotus 1-2-3	\$319	
Multiplan	\$135	
Open Access	\$399	
Ovation	SCall	
SuperCalc 3	\$239	
Symphony	\$Call	
TKI Solver	\$289	
VisiCalc IV	\$159	

PROJECT MANAGEMENT

Harvard Project	
Manager	\$26
IntePert/Plan	\$23
Scitor Project Scheduler	\$22
VisiSchedule	\$19
DAPHICS /STATISTICS	

Abstat	\$279
BPS Business Graphics	\$229
Chartman Combo (II&IV)	\$349
Chartmaster	\$259
dGraph	\$189
Energraphics	\$259
Fast Graphs	\$199
Graphwriter Combo	\$429
PC Draw	\$289
PFS: Graph	\$ 95
Statpac	\$299

ACCOUNTING MODULES		
Ask Micro Accounting	\$299	
BPI Accounting	\$369	
IUS EasyBusiness System	\$319	
MBA Accounting	\$369	
Open Systems Accounting	\$459	
Peachpak 4 (GL/AP/AR)	\$239	
Peachtree Accounting	\$399	
Real World Accounting	\$469	
Star Accounting Partner		
(GL/AP/AR/PAY)	\$269	

PROFESSIONAL DEVELOPMENT Management Edge

I mink tank	\$179
HOME/PERSONAL FIN	VANCE
Dollars and Sense Financier II Home Accountant Plus Tax Preparer 84	\$119 \$119 \$ 99 \$189

LANGUAGES/UTILITIES

Access Manager	\$239
Digital Research	
C Compiler	\$219
Display Manager	\$299
Microsoft C Compiler	\$329
MS Basic Compiler	\$249
MS Fortran	\$239
Pascal MT+86	\$249
Norton Utilities	\$ 59
	-

COMMUNICATIONS/

	the state of the s
Crosstalk	\$119
Memory Shift	\$ 79
Move It	\$109
Prokey 3.0	\$ 95
Smartcom II	\$109

HARDWARE PERIPHERALS*

AST Six Pack Plus (64k)	\$269
Quadboard (Ok)	\$209
Hayes 1200B with Smartcom	\$399
Haves Smartmodem 1200	
Hercules Graphics Board	\$349
Epson FX-100 Printer	\$Call
Comrex II Printer	\$Call
C Itoh Prowriter	\$Call
C Itoh Starwriter	\$1199
Okidata 93A	\$749
64K Memory	\$ 55


*Call for shipping

R: base 4000

Word & Mouse

Microsoft C Compiler

Smartmodem 1200B



DISCOUNT

With each order. we offer discount coupons worth up to \$10 on your next order.

In New York State call (212) 438-6057

es tex All ruices







tion. Otherwise, you'll re-enable them, producing errors. Often this can be avoided by turning off the interrupts (using PUSHF/CLI/ POPF) and then restoring them to their previous state. In the case of a stack switch, this won't work, so you must analyze the code before adding CLI/STI to the program.

Our thanks to Mr. Janzen and Mr. Roskos.

Statement Draws Fire. **Authors Stand By Words**

Nicholas Ourusoff, associate professor of computer science at Lander College in Greenwood, South Carolina, disagreed with a statement made by Mark C. Johnson and Allen Munro. authors of "Pascal's Design Flaws: Modula-2 Solutions and Pascal Patches" (March, page 371). He objected to their assertion that "... the Pascal-language definition does not permit . . . short-circuited evaluation-cessation of the evaluation when the expression is false."

To back his argument, Mr. Ourusoff sent us this quote from the second edition of Jensen and Wirth's Pascal User Manual and Report (Springer-Verlag, 1978):

Boolean expressions have the property that their value may be known before the entire expression has been evaluated. Assume, for example, that x=0. Then

(x>0) and (x<10)

is already known to be false after computation of the first factor, and the second need not be evaluated. The rules of Pascal neither require nor forbid the evaluation of the second part in such cases.

"In general," concludes Mr. Ourusoff, "Jensen and Wirth have little to say about implementation of Pascal in this book, being mainly concerned with the language definition itself. In Boolean expressions, however land contrary to what Johnson and Munro statel, implementors of Pascal are explicitly given the freedom to use short-circuited evaluation if they choose."

Mark Johnson and Allen Munro agreed their statement was somewhat misleading. What they had intended to say was "the definition does not provide . . . short-circuited evaluation.

They do, however, stand by their statement. They counter Mr. Ourusoff's accusation by completing the quote from Jensen and Wirth: "This means that the programmer must assure that the second part is well defined."

They feel that Jensen and Wirth were telling programmers that they should assume that short-circuited evaluation will not be provided by the implementation.

Skeleton Credited to Wrong Body

An editing error in the March BYTE incorrectly credited David Zeltzer's picture "Jumping Skeleton" to the wrong organization. (See "Simulating Reality with Computer Graphics," by Peter R. Sørensen, page 106.) Mr. Zeltzer did his work at Ohio State University's Computer Graphics Research Group, with the support of the National Science Foundation.

Turn the page.

We're gonna do a number on you.





Introducing the III and only.

It's fast.

It's easy.

It's the most powerful database management system for your 16-bit PC.

And it can do more things with more records in less time.

You've never seen anything like it.

dBASE III™ can handle over a billion records per file, limited only by your computer

system. You can have up to ten files open, for sophisticated applications programs.

When you have two related files, information in one can be accessed based upon data in the other.

dBASE III now handles procedures, parameter passing and automatic variables. You can include up to 32 procedures in a single file. With lightning speed. Because once a file is opened, it stays open. And procedures are accessed directly.

Easier than ever.

dBASE III uses powerful yet simple commands that are the next best thing to speaking English.

If you're unsure of a command, HELP will

tell you what to ask for.

If you don't know what command comes next, a command assistant does. All you have to know is what you want it to do.

Our new tutorial/manual will have you entering and viewing data in minutes rather than reading for hours.

And to make matters easier. you get full screen report setup for simple information access.

Faster than no time at all.

dBASE III isn't just fast. It's ultra-fast. Operating. And sorting. Even faster, is no sorting. Because dBASE III

keeps your records in order so you really don't have to sort anything. Unless you want to. Then watch out!

What about dBASE II®?

It's still the world's best database management system for 8-bit computers. And it's still the industry standard for accounting, educational, scientific, financial, business and personal applications.

Let us do a number on you.

For the name of your nearest authorized dBASE III dealer, contact Ashton-Tate, 10150 West Jefferson Boulevard, Culver City, CA 90230. (800) 437-4329, ext. 333. In Colorado, (303) 799-4900.

ASHTON-TATE

@Ashton-Tate 1984. All rights reserved. dBASE III is a trademark and dBASE II is a registered trademark of Ashton-Tate.


W·H·A·T'S N·E·W

Advanced Personal Computer Has UNIX

EC Information Systems' Advanced Personal Computer III is an IBM PC compatible offering UNIX functionality. The MS-DOS operating system and GW BASIC are standard, and the multitasking, single-user UNIX System III operating system is

available with special memorymanagement hardware.

Three basic Advanced Personal Computer III configurations are offered: a single 320K-byte floppy-disk drive system; ad a dual-drive system; and a system with an integrated 10-megabyte Winchester-disk and a single



with a numeric keypad, cursorcontrol keys, calculation keys, and 12 user-definable function keys that can be used in five modes for 60 total programmed definitions. Both monochrome and color systems use 14-inch, reduced-glare monitors. The display format is 25 lines by 80 columns; character cells are 8 by 16 pixels. Graphics resolution is 640 by 400 pixels. The graphics option gives the system 64K bytes (monochrome) or 192K bytes (color) of dedicated memory. Each pixel can have any one of eight colors. The monochrome and graphics subsystems are based on the NEC

7220 graphics-display controller.
Other options include up to
640K bytes of RAM, RS-232C
and IEEE-488 interfaces, a
memory-management unit that
protects multitasking operations
in the UNIX environment, and
joystick interfaces and sound effects. The system runs all
generic MS-DOS software in
IBM 5¼-inch formats; a complete list of available applications software is available
through CompuServe and The

A 256K-byte Advanced Personal Computer III with the floppy-/hard-disk combination, UNIX software, and UNIX hardware costs \$5320. The UNIX software features a C compiler, RAND editor and Berkeley UNIX editor, 8087 coprocessor and emulation, coresidence with MS-DOS on hard disk, file transfers to and from MS-DOS. and C-Shell from Berkeley UNIX. The single-drive system with a 14-inch monochrome monitor is \$1995. A monochrome system with the hard- and floppy-disk combination is \$3995. For more information, contact NEC Information Systems Inc., 1414 Massachusetts Ave., Boxborough, MA 01719, (617) 264-8000.

Circle 500 on inquiry card.



Inexpensive Optical-Character Reader for Micros

he Omni-Reader from Oberon International is an inexpensive optical-character reader for microcomputers. It links to your computer or word processor in the same manner as a telephone modem. Omni-Reader is operated manually and is reportedly faster than top-rated typists. It reads at less than 4 seconds per line.

Omni-Reader consists of a light-sensitive scanning head, a specially grated ruler, and intelligent software. You pass the head over a line of text, using the ruler to facilitate accurate registration on the line. The special grating on the ruler is sensed so as to determine how fast and in which direction you are scanning a line. This method captures a series of vertical slices across the line of characters. These characters are analyzed by a dedicated microprocessor that uses a number of algorithms to process a line of recognized text for transmis-

sion to your computer. The algorithms allow the software to discern a variety of type fonts and learn nonstandard fonts.

Omni-Reader's suggested retail price will be under \$500. For more information, contact Oberon International, Suite 630, LB 48, 5525 MacArthur Blvd., Irving, TX 75062, (214) 252-8453. In the United Kingdom, the address is 47 Romney St., London SW, England; tel: 44 1 222 0518. Circle 501 on inquiry card.





DATA ACQUISITION SOFTWARE THAT SPANS TWO WORLDS

Now one IBM PC can direct high speed acquisition of analog signals, and simultaneously read and control instruments on the IEEE-488 bus. Connect your analog signals to the Keithley DAS Series 500 Measurement and Control System; connect IEEE-488 instruments to our new Plus500 Instrument Control System. The same software environment controls both interfaces at the same time.

Soft500 and new Plus500 software make measurement and control accessible.
Soft500 and Plus500 software are enhancements of BASIC, the language

of personal computing. As easy to use as

BASIC itself, Soft500 and Plus500 add

powerful data acquisition and control capabilities to a higher level language.

■ You can trust the data.

Soft500's foreground/background scheduling carefully times multiple tasks to ensure that successive readings from the same channel maintain precisely the same sampling interval. And there's still time for simultaneous data analysis.

The Series 500 is fully modular.

Seventeen modules form an extensive and growing family that supports analog input, analog output, digital I/O, current loop output, pulse counting, and AC/DC relay control. And now the Plus500 Instrument Control System allows simultaneous access to the IEEE-488 bus as well.


Quality manufacturing, quality service.

The Series 500 is built like an instrument. It has the highest accuracy, the lowest noise, and the best thermal stability of any personal computer based data acquisition workstation. That's why it comes with a one-year warranty and a free product support hotline.

For more information
Call us toll free at 1-800-552-1115. In
Massachusetts, call 617-423-7780. We'd
like to tell you more about the Series
500 measurement and control family.
349 Congress Street
Boston, Massachusetts 02210

KEITHLEY

Otrona's PC-Compatible Portable Easily Converts to Desktop Computer



The Otrona 2001, a portable computer that easily converts to a desktop system, is fully compatible with the IBM PC. Its architecture offers three PC-compatible expansion slots, and its operational compatibility embraces all IBM software, such as Lotus 1-2-3 and Multiplan.

The basic Otrona 2001, retailing for \$2495, comes with a single 48-tpi 360K-byte floppy-disk drive, a 4.77-MHz 8088 microprocessor, 128K bytes of RAM with parity, 64K bytes of

ROM with diagnostics, a 7-inch amber flat-screen display, a serial RS-232C asynchronous port, a parallel port, and a composite-video/RGB external monitor interface. The lowprofile, 84-key DIN 30-mm keyboard is equipped with 10 function keys, a 15-key numeric pad, uppercase/lowercase LED indicators, and a 16-keystroke buffer. The display format is 80 by 25 with a standard resolution of 640 by 200 pixels. The Otrona 2001 weighs 19 pounds and measures 7 inches high, 15

inches wide, and 14 inches deep.

Expansion options include a 10-megabyte internal hard-disk drive, a second 514-inch floppydisk drive, up to 640K bytes of RAM, a 4.77-MHz Z80B microprocessor with CP/M, an 8087 mathematic coprocessor, realtime clock, internal 300/ 1200-bps auto-dial modem, high-resolution (640 by 200) graphics board, and additional asynchronous and synchronous I/O ports. A 7-inch P-31 greenphosphor monitor, a 12-inch color display, a dot-matrix printer. DC power supply, a travel pack, and a PCcompatible expansion chassis are also available. Otrona offers Microsoft MS-DOS version 2.1 with Disk Manager 2 and GW BASIC, CP/M 2.2, and BASIC-80 Plus as system software.

The Otrona 2001 is available for immediate delivery. For the name of your nearest dealer, contact Otrona Advanced Systems Corp., 4725 Walnut St., Boulder, CO 80301, (800) 525-7550; in Colorado, (303) 444-8100.

Circle 502 on inquiry card.

StarLink Expands IBM PC into Multiuser Micro

hardware/software combination to expand the IBM PC into a multiuser system, StarLink from Digital Research provides a low-cost alternative to purchasing multiple computers. With StarLink, you can connect four terminals or microcomputers to your IBM PC, with users sharing files, data, and applications.

StarLink is made up of an 8088-based board, 64K bytes of RAM, and Concurrent PC-DOS (see announcement on page 50). Its on-board RS-232C interface lets you use the IBM PC along with terminals, modems, and computers from other manufacturers. The operating system has protection and file-locking functions.

StarLink can run such applications programs as WordStar, MBA Accounting, and Multiplan. It requires an IBM PC, PC XT, or PC compatible with 512K bytes of RAM. The list price is \$1695. Contact Digital Research Inc., 160 Central Ave., Pacific Grove, CA 93950, (408) 649-3896. Circle 503 on inquiry card.

Light Pen Works with Apples


he Gibson Light Pen, available from Koala, lets you create and manipulate objects on the Apple's screen. It's easy to judge and control the Gibson Light Pen because it comes in direct contact with the screen. Color can be added or changed as often as you like, and you can choose from a variety of presupplied colors and patterns to paint areas of your art.

The heart of the Gibson Light Pen is software. Four programs come with the pen, and Koala intends to expand software offerings in the future. The programs are PenPainter, PenAnimator, PenMusician, and PenDesigner. PenPainter is a color graphics program for artistic applications. PenAnimator serves as an introduction to animated computer graphics. It lets you create 20 frames of animation

that can be cycled through the monitor. PenMusician shows you how to score simple melodies. It uses the Light Pen for moving notes across the staff lines, and it plays back the melodies. PenDesigner is a black-and-white line art program for technical or business graphics. It provides the means for producing professional-quality graphics.

The Gibson Light Pen is currently being shipped for the Apple II series. System requirements are 64K bytes of RAM, Applesoft in ROM, DOS 3.3, a disk drive, and a monitor. Versions for the Commodore 64 and the IBM PC and PCjr are expected by year's end. It lists for \$249. Further information is available from Koala Technologies Corp., 3100 Patrick Henry Dr., Santa Clara, CA 95052-8100, (408) 986-8866.

Circle 504 on inquiry card.



This is THE PASCAL COMPILER You've Been Hearing About



"It's almost certainly better than IBM's Pascal for the PC... Recommended." Jerry Pournelle Byte, May 1984

49.95

"If you don't have CP/M [for your Apple], Turbo Pascal is reason enough to buy it."

> Cary Hara Softalk Apple, May 1984

"If you have the slightest interest in Pascal . . . buy it." Bruce Webster, Softalk IBM, March, 1984

And Now It's Even Better Than You've Heard!

- Windowing (IBM PC, XT, jr. or true compatibles)
- Color, Sound and Graphics Support (IBM PC, XT, jr. or true compatibles)
- Optional 8087 Support (available at an additional charge)
- Automatic Overlays
- A Full-Screen Editor that's even better than ever
- Full Heap Management—via dispose procedure
- Full Support of Operating System Facilities
- No license fees. You can sell the programs you write with Turbo Pascal without extra cost.

Yes. We still include Microcalc . . . the sample spreadsheet written with Turbo Pascal. You can study the source code to learn how a spreadsheet is written . . . it's right on the disk.* And, if you're running Turbo Pascal with the 8087 option, you'll never have seen a spreadsheet calculate this fast before!

*Except Commodore 64 CP/M.

Order Your Copy of TURBO PASCAL® VERSION 2.0 Today

For VISA and MasterCard orders call toll free: In California:

1-800-227-2400 x968 1-800-772-2666 x968

lines open 24 hrs, 7 days a week)

Dealer & Distributor Inquiries Welcome 408-438-8400

Choose One (please add \$5.00 for shipping and handling for U.S. orders. Shipped UPS)

Turbo Pascal 2.0 \$49.95 + \$5.00

Turbo Pascal with 8087 support \$89.95 + \$5.00

Update (1.0 to 2.0) Must be accompanied by the original master \$29.95

Update (1.0 to 8087) Must be accompanied by the original master \$69.95 + \$5.00

Money Order _ Check _ VISA _ Master Card _ Card #: Exp. date:



Borland International 4113 Scotts Valley Drive Scotts Valley, California 95066 TELEX: 172373

My system is: 8 bit ___ 16 bit _ Operating System: CP/M 80 ___ CP/M 86 __ MS DOS __ PC DOS __ Computer: Disk Format: Please be sure model number & format are correct. Address: City/State/Zip: Telephone:

California residents add 6% sales tax. Outside U.S.A. add \$15.00 (If outside of U.S.A. payment must be by bank draft payable in the U.S.



Clout Inquiry Option for R:base

icrorim's Clout is a natural-language inquiry option for the R:base Series of relational database-management systems. It lets you pose questions to your database in free-form English words and phrases without fussing with command syntax or database structures.

Clout incorporates expert system theory and naturallanguage techniques from artificial-intelligence technology. It extends the power of the R:base Select command by allowing you to retrieve information from up to five files. Upon installation. Clout reads the attributes in an existing database and adds them to its built-in 200-word dictionary. It then lets you build on the dictionary with synonyms for words or operations associated with the database.

Clout has the ability to search through the database to retrieve records based on adjectives or qualifying words, and it allows

you to define words in terms of the result of computations or data manipulation. Clout can be used with any R:base database. You can add approximately 500 words of your own. Information requests incorporated into Clout can take almost any form possible, including arithmetic expressions, uppercase/lowercase characters, singular or plural words, and any standard verb conjugation. Other features include an automatic spelling checker, automatic report formatting, menu-driven functions. and more than 60 Help screens.

Clout requires an MS- or PC-DOS 1.1 or higher system with 256K bytes of memory. Although Clout will operate on a dual-disk-drive micro, a harddisk system is recommended. Any 80- or 132-column ASCII printer can be used. Clout is \$195. For complete details, contact Microrim Inc., 1750 112th Ave. NE, Bellevue, WA 98004. (206) 453-6017. Circle 505 on inquiry card.

Low-Cost Screen Graphics for PC

ontrix 2.0 is a low-cost. extended-screen graphics software package for IBM PC and PC XT computers. Fontrix, first introduced for the Apple more than a year ago. gives your monitor a window on a large graphic worksheet, moving across nearly 23 times the area and resolution of a single screen (up to 115 screens with a hard disk). Its drawing and painting routines work with both a keyboard and a mouse.

Among Fontrix's programming tools are elastic lines, rectangular area fills, freehand drawing, and the ability to capture, move, and replicate portions of the screen. Text can be intermingled with graphics. The italic and bold functions are automatic, and you can change fonts at any time. It comes with 11 fonts and with a font editor capable of creating a variety of characters, including special symbols. The font editor provides a 48- by 48-pixel character cell environment and offers

such features as copy and overlay.

Fontrix's graphics dump prints single and extended graphics on most popular dot-matrix printers, including Epson, Mannesmann Tally, NEC, C. Itoh, and Okidata. The dump features independent horizontal and vertical magnifications, 90-degree rotation, justifications, and multiple copies.

Optional libraries of additional fonts are available. Each volume contains 10 fonts. The five volumes of the library list for \$20 each. The Apple version of Fontrix, which costs \$75, requires 48K bytes of RAM. Applesoft in ROM, and a disk drive. It works with the Apple II Plus, IIe, and III. The IBM Personal Computer version requires 256K bytes of memory, a graphics board, and PC-DOS 2.0. It lists for \$125. Contact Data Transforms Inc., 616 Washington St., Denver, CO 80203, (303) 832-1501.

Circle 506 on inquiry card.


Please Database System Is Easy to Use

irst-time users of Please. Hayes Microcomputer Products' database-management system for the IBM Personal Computer, can create a database shortly after they sit down at the keyboard according to the manufacturer. A menudriven package, Please has 999 characters per field, 99 fields per record, 2000 characters per record, and the ability to accommodate several million records per database, depending on your system's capacity. It lets you quickly change the structure of the database, merge and copy databases, and transfer data rapidly. Four different field types let you shape output to specific needs, and Please gives you the option of setting your screen formats and field characteristics

Please has an Import/Export feature that transfers data to and from other sources, such as Lotus 1-2-3, dBASE II, Friday!. and VisiCalc. Instructions for

inputting data from these and other popular programs are provided in the operator's manual. For one-time needs. Ouick List retrieves selected information from a database according to specific criteria. Output Plans, comprising List, Form, Replacement, and Export functions, manipulate selected information. The List Output Plan produces columns of information from a database, while the Form function allows data to be printed in a predetermined location on a form or mailing label. Replacement makes mass deletions, and Export sends information to spreadsheets, word-processing files, and other programs.

Please's Define mode lets you create new fields in the Output Plans based on files within the record. While the original record remains on screen, Dial automatically calls a telephone number from the record using Hayes Smartmodem. Additional



features include nine-digit decimal precision, a maximum of nine screens per record, and on-line Help facilities. Optional applications templates expand Please further. These templates focus on such common database-management needs as mailing lists, contacts, appointments, and household records.

Please requires a 128K-byte IBM PC equipped with a monochrome or color monitor and either a pair of double-sided, double-density drives or a harddisk drive. It costs \$349. The applications templates list for \$29.95. For the name of your nearest dealer, contact Hayes Microcomputer Products Inc., 5923 Peachtree Industrial Blvd., Norcross, GA 30092, (404) 449-8791.

Circle 507 on inquiry card.



Now you can buy flexible disks with a five year warranty from Control Data.

A lot of companies make diskettes. But Control Data also makes disk drives. In fact, we're the leading independent supplier of disk drives to computer manufacturers.

Now we've put our expertise into a truly superior line: StorageMaster diskettes from Control Data.

You can choose from a com-

plete line of premium 8" and 5.25" diskettes in single or double densities, single or double-sided. And each diskette is 100% certified and backed by a 5 year warranty. So you can depend on them to perform for years to come.

Look for StorageMaster diskettes at your local computer store or ask for them from your computer supplies distributor.


Or give us a call toll-free at 1-800/328-6207 (in Minnesota call 612/853-8065) and we'll tell you where to find StorageMaster diskettes.

Kit Extends PCjr Up to 512K

he Drive Two Enhancement Package is a two-piece, snap-on expansion kit for the IBM PCjr. Manufactured by Rapport Corporation, this kit extends the capabilities of the 64K-byte, single-drive PCjr to those of a dual-drive IBM PC. With the Drive Two, you can run virtually any software designed for the PC as well as PCjr software.

The Drive Two kit comes with a 360K-byte floppy-disk drive, a clock/calendar with battery backup, a parallel printer port, and an expansion slot for increasing the PCjr's RAM to 512K bytes. Once installed, this package lets you operate PC-DOS 1.1, 2.1, or 2.0. Installation is said to take less than 10 minutes, requiring only a flathead screwdriver. The kit snaps on top and to the side of the PCjr box and uses the original PCjr cover.

The Drive Two Enhancement Package costs \$675. For more details, contact Rapport Corp., Suite 213, 80 South Redwood Rd., North Salt Lake City, UT 84054, (801) 292-9454.
Circle **508** on inquiry card.



dBASE III: Relational DBM for 16-Bit Computers

shton-Tate has introduced dBASE III, a relational DBM (database manager) for 16-bit microcomputers. With dBASE III, you can enter, manipulate, and retrieve large volumes of data as well as develop custom applications programs to put that information to work. Its storage capabilities, limited only by your computer, can be as high as 2 billion records per file with 128 fields per database. As many as 10 database files can be simultaneously operated.

At the same time, Fox & Geller (604 Market St., Elmwood Park, NJ 07407) has announced that it is supplying Quickcode III, dUTIL III, and dGRAPH III versions of its dBASE enhancements. Quickcode is an applications generator that uses the dBASE programming language. dUTIL is a general utility program, and dGRAPH sorts, averages, and totals dBASE data and displays it graphically.

dBASE III provides fast sorting and indexing of stored data and color displays. Its user interface features a command assistance mode that guides novices through the most common areas of the database. Full online, context-sensitive help is available at the press of a key.

Written in C from the ground up, dBASE III uses the same English-like commands as its predecessor, dBASE II, with only minor modifications and enhancements for new functions and program changes. It also uses the dBASE programming language, which lets you develop your own applications programs. It's compatible with Framework and dBASE II. Miscellaneous features include variable-length text files of up to 4K bytes per entry, 4000 bytes per record (fixed length). 512K bytes per record (variable length), 15.9 digits of numerical precision, full-screen data entry and modification, and report and mailing-list generation.

dBASE III currently runs on the IBM PC, PC XT, and all IBM PC compatibles. Minimum system requirements are 256K bytes of RAM, dual 514-inch 360K-byte floppy-disk drives, a monochrome or color display. PC-DOS 2.0. and an 80-column printer. It will also work with a single floppy-disk and one fixed-disk drive. Available this month, it will list for \$695. A take-home sampler tutorial can be obtained for \$9.95. Owners of dBASE II wishing to upgrade to dBASE III should contact authorized dealers before July 31 for details on a preferential pricing program. Prices for the Fox & Geller programs had not been announced at press time. Contact Ashton-Tate, 10150 West Jefferson Blvd., Culver City, CA 90230. (213) 204-5570. Circle 509 on inquiry card.

Multitasking Concurrent PC-DOS to Be Available in Third Quarter

igital Research has announced that its long-awaited Concurrent PC-DOS will be shipped during the third quarter of this year. Pricing has been set at \$295.

Of particular note to our corporate readers is Concurrent PC-DOS's ability to run as many as four PC-DOS or CP/M applications programs simultaneously, thereby making it a suitable productivity tool for team-working environments. It also runs most popular PC-DOS applications packages, such as Lotus 1-2-3, dBASE II, WordStar, MultiMate, and SuperCalc 3.

Concurrent PC-DOS works by presenting you with menus that outline a series of tasks to perform. The menu serves two functions. First, it guides the operator through all the system's resources and applications while tending to such control commands as copy, print, and delete files. The second function lets you create your own menus and compose special commands for custom-designed Help screens.

A communications capability lets you work on one application while the IBM PC receives information from an external database. Concurrent PC-DOS has a window capability that permits simultaneous monitoring of four applications. Windows can be positioned anywhere on screen, scrolled, or sized to display the important parts of the application. Information can be cut and pasted from applications by placing the window over the appropriate data.

Advanced productivity tools supplied include a print spooler. Rolodex, and a two-user function. The print spooler lets you queue up documents to be printed while other tasks

are printing. Rolodex is a sorting and searching program for lists of names, addresses, and other pertinent data. The two-user function offers a remote dial-up link.

An IBM PC or PC-compatible system with 256K bytes of memory and two floppy-disk drives is required. For maximum efficiency, 512K bytes of memory and a hard disk are recommended. The \$295 list price includes documentation. Contact Digital Research Inc., 160 Central Ave., Pacific Grove, CA 93950, (408) 649-3896. Circle 510 on inquiry card.

(continued on page 410)
Circle 302 on inquiry card. →

Our Family Tree Is Growing Again

SBC-II A two user multiprocessing S-100 slave complete with a Z-80 CPU (4 or 6 MHz), 2 serial ports, 64k RAM, and 2k FIFO buffer for each user! A cost effective way to add users to your multiprocessing system.

SBC-1 A multiprocessing slave board computer with Z-80 CPU (4 or 6 MHz), 2 serial ports, 2 parallel ports, and up to 128K RAM. Provides unique 2K FIFO buffering for system block data transfers. When used with TurboDOS or MDZ/OS the results are phenomenal!

HD/CTC A hard disk and cartridge tape controller combined together on one board! A Z-80 CPU (4 or 6 MHz); 16K ROM, and up to 8K RAM provide intelligence required to relieve disk I/O burden from host system CPU. Round out your multi-processing system with an integrated mass storage/backup controller.

The ultimate one board computer; use it as a complete single-user system or as the "master" in a multiprocessing network environment.

Systemaster*

2 serial and

2 parallel ports, floppy controller, DMA, real time clock, RAM drive disk emulation package, and Teletek's advanced CP/M BIOS or TurboDOS.

4600 Pell Drive Sacramento, CA 95838 (916) 920-4600 Telex #4991834 Answer back-Teletek

TELETEK

WANTED



SOMETHING TO RELIEVE THIS MESS!

If you've ever found yourself searching for a calculator, notepad or appointment book when you've got a computer right in front of you, then you know the absurd situation we're illustrating.

Sure, there are clumsy little programs you can boot up to accomplish one or the other of these tasks... but that's generally meant first stepping out of the software you're working with.


What's always been needed is one powerful piece of software, occupying only a few K, that would be tucked away in an unused part of RAM no matter what program you're running.

Whether you were running dBasell, Lotus 1-2-3, WordStar or even Turbo Pascal® . . . it would always

be ready for lightning-fast use. You could just hit a button and open a window for a notepad, another for a calculator. Hit the button, again, and your work would be saved to disk and you'd be right back in your original software!

While we're at it, it should also have a perpetual calendar linked to a datebook. And even an autodialer, with a built-in phonebook.

Is this piece of software possible? At a price you can afford . . . now?



SIDEKICK

NOW . . . Whether you're working in dBaseII, Lotus 1-2-3, WordStar or whatever . . . You'll have your SIDEKICK®, too!

Something brand new. Crafted in Assembly language as carefully as Borland's famous Turbo Pascal®, so that it's lightning fast and as compact as only Borland knows how to make it! With a notepad that has a full-screen editor that saves your notes to disk. You can even swap information back and forth between your applications software and your Sidekick.

Suppose you're working with a spreadsheet, and you suddenly have an important idea. Just hit the button, a window opens, you write the note and hit the button again. You're right back where you left off in the spreadsheet.

Need to make a phone call? Whether the number is in an existing database, your own Sidekick phone directory, or you've just typed it on the screen . put the cursor next to the number, hit the keystroke, and Sidekick dials for you!*

There's lots more, too. You can move the Sidekick windows anywhere on the screen you like. And you can have as many on screen at a time as you need. We designed it because we needed 't. If you've ever been writing a report and needed to do a quick calculation, or jot down a note, then you

*Only with Hayes Smartmodem and compatibles.

YOU CAN ORDER YOUR COPY OF SIDEKICK® TODAY!

For Visa and MasterCard orders call Toll Free 1-800-227-2400 ext 953 in California 1-800-772-2666 ext 953 (lines open 24 hours, 7 days a week) Dealer and Distributor Inquiries Welcome 408-438-8400

(plus \$5.00 shipping and handling

Shipped UPS)

Check □ Money Order □

VISA 🗆

MasterCard

Card # _

Expiration Date _____

Please be sure your computer is an IBM PC, XT, jr., or true compatible!

understand why.

NAME _____

ADDRESS ______CITY/STATE/ZIP

☐ TELEPHONE ____

California residents add 6% sales tax. Outside U.S.A. add \$15.00. (If outside of U.S.A. payment must be by bank draft payable in the U.S. and in U.S. dollars.) Sorry, no C.O.D. or Purchase Orders.



BORLANDINTERNATIONAL

Borland International 4113 Scotts Valley Drive Scotts Valley, California 95066 TELEX: 172373

Conducted by Steve Ciarcia Power-Line Pollution

Dear Steve.

I enjoyed reading "Keep Power-Line Pollution Out of Your Computer" in the December 1983 BYTE. A definite need exists for such protection devices to be utilized with computer equipment. However, when I contacted Radio Shack about the components, the only item available was the four-outlet power strip. The MOVs (metal-oxide varistors) have been back-ordered for months, and the EMI/RFI (electromagnetic interference/radio-frequency interference) filter is a discontinued item. Do you have any suggestions for an alternate EMI/RFI filter?

LEE E. ANDERSON Rockville, MD

Radio Shack still sells the V130LA10A MOV transient protectors (part number 276-570), but it could not anticipate the demand caused by my article. In fact, I was surprised by the number of letters received on this subject. It's nice to know that many of you are interested in power-line protection.

I chose the Radio Shack MOVs because they were easily obtainable, but you can contact several other sources. The VI30LA10A, which is manufactured by General Electric, should be available from a GE distributor or electronic parts supply house. Also, Panasonic and General Instrument manufacture similar units.

The Panasonic ERZ-C14DK201 is available as part P7063 from Digi-Key Corporation, Highway 32 South, POB 677, Thief River Falls, MN 56701, (800) 346-5144. The General Instrument part S14K130 is available from Active Electronics, POB 8000, Westborough, MA 01581, (800) 343-0874

Several manufacturers produce power-line filters that are suitable for your applications. They include Corcom Inc., 1600 Winchester Rd., Libertyville, IL 60048, (312) 680-7400, type 5VB1 or 5VB3; Cornell-Dubilier Electronics, 150 Avenue L, Newark, NJ 07105, (201) 589-7500, type APF511L; Delta Electronic Industry USA, 1355 Yosemite Way, Hayward, CA 94545, (415) 785-5231, type 05DBAG5; and Potter Company, POB 337, Wesson, MS 39191, (601) 643-2215, type 600A5.

These filters are equivalent to Radio Shack part number 273-100. Write the manufacturers for additional information and the address of your nearest supplier.—Steve

Dear Steve,

Will a big transient lead to an MOV "suicide" while it is protecting my system? If so, how big? Also, how can I tell that the MOVs need to be replaced?

How much of my upstream wiring will be protected against transients by MOVs on a power strip with a line cord 3 feet long (as in figure 1a on page 43 of the December 1983 BYTE)?

Finally, I understand that an EMI/RFI line filter protects only downstream. Does EMI/RFI filtering affect upstream transient clamping by MOVs?

N. C. WEBB Lincoln, MA

MOVs have an energy rating expressed in joules or watt-seconds, but the actual energy absorbed is a function of the applied transient waveform. Also, a device with a lower clamping voltage will absorb less energy. Therefore, it is difficult to give a specific failure value.

MOVs are rugged devices conservatively rated and exhibit a low failure rate when properly selected. Still, they do fail, and their failure characteristics should be considered. MOVs initially fail in a short-circuit mode when subjected to transients beyond their peak ratings. Short-circuit failures also occur when MOVs are operated at steady-state voltages in excess of their voltage ratings.

When a device short-circuits, it can demand large amounts of energy input, and failure occurs by rupturing of the package and expulsion of material. This miniexplosion can be minimized by a fuse in series with the MOV to open the circuit when such failure occurs. Locating the MOV away from other components will avoid damage from packaging material.

In answer to your second question, since the MOVs are in parallel across the AC line, they should, in theory, provide protection to any device connected to it. However, the AC wiring has inductance and capacitance and will present different impedances to various transients. Assumptions as to the effective length can be made, but it is safer to have the MOVs close to the device requiring protection.

Lastly, the EMI/RFI filters do not affect the upstream clamping ability of an MOV. Conversely, the EMI/RFI filters tend to reduce the transient voltage levels downstream of the line and make the MOVs work somewhat easier. The components in the filter are usually not damaged by transient voltages.—Steve

Dear Steve

I was unable to-find GE part V130LA10A at Radio Shack—sold out for many weeks!—and had to get V130LA20A units. Does the "10A" stand for 10 amperes (A) and the "20A" for 20 A? In terms of transient protection, what is the gain, or loss, from the use of V130LA20A units rather than the V130LA10A units?

ELBERT S. MALONEY Pompano Beach, FL The GE MOV-II varistors such as the V130LA10A described in my article use the following model number nomenclature:

V the GE MOV varistor

130 the applied RMS (root mean square) voltage

LA product series (LA for radial leads)

10 pulse energy rating

A clamping voltage

The 130 volts (V) indicates that it would be suitable for a standard 117-V AC line and allow for an overvoltage of 10 percent. The pulse energy rating of 10 indicates that the MOV has a maximum allowable energy rating of 38 joules for a single noncomplex impulse of 10/1000 microsecond (µs). The clamping voltage is the peak terminal voltage measured with an applied 8/20-µs impulse current of 50 A.

The V130LA20A has a pulse energy rating of 70 joules and a clamping voltage of 340 V with a peak current of 100 A. It is an excellent substitute and will result in a higher safety factor. State

factor.-Steve

Dear Steve,

Perhaps I'm paranoid, but I live on top of Little Mountain in the Great Smokies. This area is pretty high by Connecticut standards, and lightning strikes are a frequent occurrence. For example, I've lost three white pines to lightning in the past few years, and I've seen a 200-watt light bulb explode in my summer home when a surge came down the power line; fortunately, nothing else was turned on at the time. When I built a permanent home, I went all out on lightning protection. Here are a couple of hints you might find useful.

First, a careless reader of the "How Lightning Strikes" text box (December 1983, page 38) might get the impression that one rod is enough. I had a professional lightning rod installer do my home. He put a rod every six feet along all the ridge lines, tied them all together with cable, fastened that to all the other metal on the roof, and brought the cable down to three separate grounding rods. You should see the purple glow in the air during electrical storms. Something is definitely happening up there on the roof, but I haven't had a strike.

Second, my electrician was able to install a lightning arrester on the power-line side of my meter box. I don't know what's inside but am glad to have it there.

Since you live in Connecticut, I can see why you wrote, "Blackouts generally affect only a small number of utility customers...and generally last less than 10 seconds." It just ain't so here in the Great Smokies. I suspect many

(continued)

In the Hard Disk Jungle Tallgrass Clears A Path



In today's hard disk jungle, Tallgrass clears a path by offering high performance, integrated mass storage solutions for the IBM®PC/XT, the T.I. Professional and related computers.

TALLGRASS INNOVATIVE FEATURES

MASS STORAGE SYSTEMS with formatted HardFile™ capacities of 6, 12, 20, 35 and 70 Mb, all with built-in tape backup.

CONVENIENT INTEGRAL TAPE BACKUP

SYSTEM allows rapid tape "image" streaming, or incremental file-by-file backup and restore on ANSI standard inexpensive data cartridges, instead of the usual floppies, video cassettes, or low-capacity removable Winchester devices.

NETWORK READY and fully compatible with networks such as PCnet® and EtherShare™

HIGH RELIABILITY with dual directory and read-after-write verify options. A dedicated landing zone, where the read/write heads reside when the disk is idle, provides data protection during powerdowns and transportation.

Follow the Tallgrass path to your local computer dealer and watch your personal computer transform into a powerful data processing system.

Available from COMPUTERLAND,® Entré® Computer Centers, MicroAge® Computer Stores and other participating computer dealers.

New! IBM-XT Cartridge Tape Backup

World Headquarters: Tallgrass Technologies Corp. / 11100 W. 82nd St. Overland Park, KS 66214/913/492-6002/Telex: 215406 TBYT UR

Canadian Headquarters: Tallgrass Technologies (Canada), 1775 Meyerside Drive Mississauga, Ontario, Canada L4V 1H2/416/673-3244

European Distributor: CPS Computer Group, LTD Birmingham, England B276BH/(021) 7073866

Australian Headquarters: Tallgrass Technolgies (Australia)/Five Dock Plaza, Suite 12/50 Great North Road/Five Dock/Sydney, N.S.W. 2046/(02) 712-2010







ULTRATERM?

JUST ASK THE PROFESSIONALS!

With the wide variety of peripherals available, it's difficult to evaluate the quality of accessories for your Apple. Listen to what the professionals say about Ultra-Term.

BYTE-FEB. '84

"Overall, the UltraTerm display card is one of the best peripheral devices I have seen to enhance the display capabilities of the Apple."—P. Callamaras

SOFTALK-SEPT. '83

"The UltraTerm shines brightest in use with spreadsheets and word processors."

COMPUTER RETAILING —FEB. '84

"The UltraTerm is a high quality investment for anyone who has an Apple product and wants to add to it."

PEELINGS II—VOL. 4. NO. 8 '83

"The UltraTerm will be the new industry standard for Apple video display cards. The availability of the extra modes will enhance almost any software product that uses the text screen."

PERSONAL COMPUTING —MAY '83

"Perhaps the most impressive achievement of the UltraTerm expansion board is that the character set it produces is so sharp that its difficult to see the dots that make up each character."

The experts agree—the UltraTerm is one of the best display devices for Apple computers.

Videx Inc.

1105 NE Circle Blvd. Corvallis, OR 97330 (503) 758-0521 others who live at the <code>end</code> of their power lines have learned it isn't true for them either. I've learned to be careful. I never use my computer during storms, and I back up frequently—even on cloudless days. But I'd like an uninterruptible power supply. The problem is, I don't know how to select a good one. For example, I'd like the AC to come from the (trickle-charged) battery all the time, because I've been told that even momentary glitches can mess up some computers.

If you'd write something on this topic, I will appreciate it. A Circuit Cellar design would give us something to have faith in.

CHARLES R. BLAIR SR. Townsend, TN

You are indeed correct that more than one lightning rod is required for a roof or other large structure. The down line should be dressed away from the house to prevent any arc-over in the event of a strike, and multiple grounds are a good idea. I have seen installations where the soil itself was treated with salts to improve conductivity.

General Électric manufactures a device known as the Home Lightning Protector, which is designed to mount at the weatherhead or meter housing of the AC line. It uses a Thyrite element to clamp surges at about 650 V and should be installed by a licensed electrician. The device number is 9L15BC002, and it can be obtained from an electrical supply house. Another unit is the Square D Model 19200-10, and similar units are available from other manufacturers.

I have had many requests for an uninterruptible power supply and am considering an article for a low-cost unit. Watch for it.—Steve

Dear Steve,

I use a Universal Data Systems 103LP modem that is powered by the telephone line. When an electrical storm is in the vicinity, my connection to the computer has been lost several times shortly after lightning flashed several miles away. Once a nearby strike not only made me lose the computer connection, it also erased the memory in my LA34 DECwriter. Do power surges affect this kind of modem, and can I build a surge protector for my telephone line similar to the power-line protector you described in the December 1983 issue?

GERMAIN BOER Nashville, TN

Power surges can affect any equipment and cause damages ranging from simple loss of memory to complete destruction. Solid-state devices are much more susceptible to transient voltage surges and noise. While the telephone lines use protection devices such as carbon gaps, gas tubes, and heat coils, solid-state circuitry is still vulnerable. The V130LA10A MOVs that were used for power-line protection can also protect the telephone lines. They are applied in the same manner as for power lines (line to line and from each line to ground), but check with your local telephone company before connecting any nonapproved components.—Steve

Dear Steve.

I'm a pretty fair amateur electrician. Would it be possible to wire in some suppression where the power lines enter the house and thus afford protection throughout? What would you use? Would high-surge lines (air-conditioner circuit, etc.) have to be isolated? How? It seems to me that wiring something into the circuit-breaker panel, if it's workable, is a lot more elegant, and likely to be cheaper, than scattering power strips around the house.

JOHN CARL BOWERS
Bronx, NY

Devices such as the GE Home Lightning Protector connect across the power line at the service entrance to reduce the amplitude of large transients and lightning surges. These are two-pole, three-wire units gesigned for 120/240-V single-phase service. They mount in a ½-inch knockout in the service entrance box or at the weatherhead. Available at an electrical supply house, they are in the \$20 range. Because they clip at voltages higher than the MOVs described in my article, the MOVs should still be used.—Steve

BANK SWITCHING

Dear Steve,

In writing about the Fujitsu Micro 16s ("A Machine for All Processors: The Fujitsu Micro 16s," June 1983 BYTE, page 150), Wayne Clingingsmith says on page 156, "In slot 2 of the standard unit is an 8-bit Z80A microprocessor board. It operates at 4 MHz and has memorybank-selection circuitry that enables it to address the full 24-bit (16-megabyte) address space of the Micro 16s." How does Fujitsu do that? What is bank-selection circuitry?

The manual accompanying my CompuPro CPU-Z says that an OUTput of C1, for example, to port FD will enable memory on page C1 and disable memory on all the other pages. I understand that, but I am completely terrified by the thought of even trying to write a routine callable from several pages with a RETurn to the proper page. How do you assign a 24-bit address to a LABEL in assembler code?

JACK H. HAYES Maryville, TN

Yes, it is possible to address 16 megabytes of memory with an 8-bit Z80 processor. As you seem to suspect, however, it's not all available at the same time. Actually, on the S-100 machines that have 24 address lines, it's more usual to use the upper 8 address lines to select one of eight 64K-byte blocks for a maximum of only 512K bytes. This way, you can treat each line as a chip-select (block-select) line and wire the chip-select line on each board to a specific address line on the bus. A circuit to do this is given in the book Interfacing to S-100 (IEEE 696) Microcomputers by Sol Libes and Mark Garetz (Osborne/McGraw-Hill). The bank address is then output to a port (apparently port FD on your CompuPro system) and used to latch the (continued)

BUYING A PASSWORD MODEM CAN SAVE YOU UP TO \$250. AND THAT AIN'T HAYES!*

You can bank on it. Your outlay will be less than if you settle for our major competitor, but not your output! A Password™ modem sends and receives up to 120 words a minute. Provides both 1200 and 300 baud capacity. Offers total interchangeability that lets you transmit information from any make microcomputer to any other make. And your investment is protected by a 2-year warranty.

Unlike our major competitor, Password delivers operating simplicity, plus the convenience of uncommon portability. Thanks to lighter weight, it goes almost anywhere. And because of the ingenuity of Velcro strips, it attaches wherever you need it, from the side of a desk to the side of a computer!

This means that Password™ doesn't tie you down, and its price won't hold you up. It features auto-dial, auto-answer, and even knows when to disconnect. If you're cost conscious, but refuse to sacrifice high-speed capability and performance, hook up with the right modem—Password™ The smart decision.

PASSWORD TM by U.S. Robotics, Inc.



1123 W. Washington Chicago, IL 60607 Phone: (312) 733-0497

*Based on suggested retail price comparisons of U.S. Robotics, Inc. and Hayes Microcomputer Products, Inc.

MANA

appropriate bank-select line to an active state.

There are limitations on the addressability of programs and data in this extra memory, too. For example, you can't write routines that are directly callable from your main program if you switch 64K-byte blocks. It is much easier to handle the block switching if you switch only 32K or 48K bytes at a time and keep control of this with the lower 16K bytes that don't get switched. This can be made easier by using the PHANTOM line that is available on some S-100 sys-

1200 baud, free on-line time,

tems to control a smaller block of memory.

If more memory is required, a more complicated bank-switching logic can be implemented to emulate the segmentation used in the 3086/8088 family of processors. This will allow addressing a full 16 megabytes in blocks as small as 256 bytes with 24 address lines.

A number of books discuss design of systems like this. I suggest you browse through the computer book section at a library or some of the larger book stores.—Steve

MultiModem.

FOREIGN CHARACTER GENERATORS

Dear Steve.

Do you know where I can find a foreign-language character generator for either an IBM PC or a Hewlett-Packard Model 16?

> Yong Nanagara Reading, PA

Several programs are available for the IBM PC that may serve your purpose. Character-generator programs that let you generate and save your own character sets for screen display include Lenitext from Duncan Atwell Computerized Technologies Inc., 1200 Salem Ave., Hillside. NJ 07205; Font Editor from Versa Computing Inc., 3541 Old Conejo Rd., #104, Newbury Park, CA 91320; and Graphic Character Editor from C & C Software, 54 Sonoma Ave., Goleta, CA 93117.

The following program, which was reviewed in the January 1984 PC magazine, contains a large number of character sets that can be printed with an Epson or an IBM Graphic dotmatrix printer: Fancy Font from SoftCraft, 8726 Sepulveda #1641, Los Angeles, CA 90045.

Word processors that have foreign-language character sets include Arabic-WP, Multilingual-WP, and Translator Aid System, all produced by Economic Insights, 416 Center St., Washington Grove, MD 20880.

I suggest you contact these companies or your local computer store for information about the capabilities of the programs.—Steve

can't match?

What do you get when you cross

and extra features at a price Haves

Data Rate?

The MultiModem gives you a choice—either 1200 or 300 bits per second. So you can go on-line with the information utilities. Check out bulletin boards. Dial into corporate mainframes. Swap files with friends.

On-Line Time?

With the Multi-Modem you get CompuServe's DemoPak, a free two-hour demonstration of their service, and up to seven more free hours if you subscribe. You also get a \$50 credit towards NewsNet's business newsletter service.

Features & Price?

Of course, the MultiModem gives you automatic dial, answer, and disconnect. Gives you the Hayes-compatibility you need to support popular communications software programs like Crosstalk, Data Capture, our own MultiCom PC, and dozens of others. Gives you a two-year warranty, tops in the industry.

Yes. The Multi-Modem gives you features the Hayes Smartmodem 1200™ can't match. Features like dial-tone and busy-signal detection for more accurate dialing and redialing. Like a battery-backed memory for six phone numbers. All at a retail price of just \$549—compared to \$699 for the

But Better?

What do you get? The new MultiModem, from Multi-Tech Systems. Isn't this the answer you've been looking for?

Smartmodem.

For the name of your local distributor, write Multi-Tech Systems, Inc., 82 Second Avenue S.E., New Brighton, MN 55112. Or call us at (612) 631-3550.





Circle 230 on inquiry card.

The right answer every time.

INFRARED LINKS

Dear Steve.

I have a few questions for you. Do you know of any units that can provide a good two-way RF link between a computer and a terminal? Are you doing any more work on infrared links?

Also, with more computers running on batteries these days, how about a circuit that can indicate not only low or high voltages but also the presence of spikes and dropouts that may have caused a system error or crash?

DAVID SMITH Milford, IA

I haven't heard of any low-cost RF data-communications equipment that would be satisfactory for a terminal-to-computer link, but one similar application is the Atari wireless joystick interface. The infrared or optical links seem to be getting more attention lately, with Fujitsu developing an infrared modem and a hand-held computer from Canon with an infrared printer interface in the works. And, of course, the IBM PCjr has an optical keyboard link.

Infrared light or visible light using LEDs and photo diodes or transistors seem like optimum media for this application because they avoid the potential for all sorts of RF interference problems that can arise with radio links. For-

(continued)

Circle 317 on inquiry card. →

Trademarks — MultiModern, MultiCom PC: Multi-Tech Systems, Inc. — Compu-Serve: CompuServe Information Services an H & R Block company — NewsNet: NewsNet, Inc. — Crosstalk: Microstul,



Somebody has to be better than everybody else.

It's inevitable.

Somebody is always more determined. Works harder, And winds up on top.

Take Dysan, for instance.

We invented the 51/4" flexible diskette. And while everybody else was trying to figure out how to make them, we were busy making them better.

With superior materials. A special lubricant and jacket liner that extend

diskette life.

Unique manufacturing techniques. Like our burnishing process that helps eliminate read/write errors.

And an almost fanatical corporate commitment to quality.

What does all this mean to you?

Every Dysan diskette you buy will record and retain all your data all the time. For as long as you own the diskette and treat it right.


Dysan.

We're not just like everybody else. Dysan 5¼" and 8" flexible diskettes are available at your computer products dealer.

Call toll free for the name of the Dysan dealer nearest you. (800) 551-9000.

Dysan Corporation, 5201 Patrick Henry Drive, P.O. Box 58053, Santa Clara, CA 95050, (408) 988-3472.

Dysan[®]



New Release



We've continually improved Microstat since it was introduced in 1978, and the latest release includes many new features you've wanted.

Interactive and Batch Processing **Expanded Data Management** Subsystem with New Data Transforms

Reading data files created by other programs

3 types of Analysis of Variance Time Series

Crosstabs and Chi-Square

Factorials, Permutations, and Combinations

Data sets that can exceed memory Multiple Regression (including Stepwise)

Scatterplots (including best fit regression)

Correlation Analysis

12 Nonparametric tests

8 Probability Distributions

Descriptive Statistics Easy Installation

Hypothesis Tests

Microstat's algorithms have been designed to prevent numeric overflow errors and yield unsurpassed accuracy. Microstat's price is \$375.00 including the user's manual and is available for the Z80, 8086, 8088 CPU's and CP/M8O, CP/M86, MS-DOS, and PC-DOS. To order, call or write.



6413 N. College Ave. . Indianapolis, IN 46220 (317) 255-6476



Trademarks: Microstat (Ecosoft), CP/M (Digital Research), MS-DOS (Microsoft), PC-DOS (IBM), Z80 (Zilog), 8086, 8088 (Intel).



ASK BYTE

rest Mims III has written several articles in Computers and Electronics (formerly Popular Electronics) on data communications using LEDs and photo transistors. See the October and November 1983 issues for two articles of particular interest.

It is not usual to find voltage transients in the power circuitry of battery-operated equipment unless they are caused by faulty wiring, such as loose connections, bad solder joints, and the like. Batteries are sometimes used as filters in low-voltage equipment because of their extremely high capacitance, so we should not find crashes caused by any battery problems except low voltage. If you have been having problems of this type, you may have a problem with bad connections or insufficient decoupling between circuit elements. It is common practice to use decoupling capacitors of 0.01 to 0.1 microfarad from the V+ terminal to common ground at each IC to prevent noise generation on the supply bus.—Steve

MS-DOS VERSUS PC-DOS

Dear Steve,

I have a Canon AS-100 that runs MS-DOS programs. I use "Copy F: to Copy A:" to bring an IBM PC program over to the Canon. A good many times it works, but a lot of times I experience total failure. Isn't PC-DOS different from MS-DOS? I saw a program that lets you execute a PC-DOS program through a CP/M-86 environment. Are the CP/M-86 calls similar to PC-DOS calls? Can CP/M-86 address certain parts of the BIOS (basic input/output system) ROM (read-only memory) that regular MS-DOS can't address?

Second, I have a lot of programs in BASIC and recognize that UNIX will be the dominant operating system of the future. How can I transport the BASIC programs into a UNIX environment? Are there emulators that recognize BASIC and convert it into the C language?

Finally, can the Micro D-Cam (September and October 1983 BYTE) be used to read typewritten invoices and automatically enter data into a computer, thus eliminating the use of a keyboard?

> ARTHUR BRANDMEIN Flushing, NY

Your questions regarding software transfer between the IBM and Canon computers relate more to differences in their BIOS structures than to differences in their operating systems per se. PC-DOS and MS-DOS are somewhat different internally. MS-DOS is designed to be installed in many types of machines with different I/O devices, while PC-DOS was written for one specific machine with most of the BIOS in ROM. Functionally, however, the two are the same. Software written for the IBM PC has a good chance of running on some "compatible" 8088/ 8086 machines if it does not bypass the DOS I/O calls, use the IBM's ROM BIOS functions or, worse yet, output directly to port addresses or access screen memory directly.

(continued)

THE BUFFER DID IT

Who Stole The 1500 Letters From The Computer?

Let's just say you've got to send a letter to 1500 different people. Would you like to spend 22.5 hours* or 60 seconds of computer

Mr. Harold Burns Toledo, Onto 18020 P.O. 80x 1111 time? With a gardenvariety buffer, the computer has to mix, merge and send 1500 addresses and 1500 letters to the buffer. Trouble is, most buffers only store about 32 letters. So after

32 letters, the computer's down

until the printer's done. Altogether,

you're talking 22.5 hours. In the case of our new (not to mention amazing) But there's .. ShuffleBuffer, that's turned donuts ... computer time mailings, manuscripts, report is 60 believe it. You'd love my w seconds flat. didn't do it

Just give

ShuffleBuffer one form letter and your address list, and it takes care of the mixing, the merging, and the printing. But that's not all ShuffleBuffer's stolen from the computer. Oh, no.

Who Changed and Rearranged The Facts?

Again, ShuffleBuffer's the culprit. You want to move paragraph #1 down 12/82 where 9182 #3 is? 1000)'s Want my success. 6182 to add a chart or picture? No problem. No mystery, either. Any buffer can give you FIFO, basic first-in, first-out printing. And some

buffers offer By-Pass; the ability to interrupt long jobs for short ones. But only ShuffleBuffer has what we call Random Access Printing - the brains to move stored information around on its way to the printer. Something only a computer could do before. Comes in especially handy if you do lots of printing. Or lengthy manuscripts.

Or voluminous green and white spread sheets. And by the way, ShuffleBuffer 19% does store up to 128K of information and gives you a By-Pass mode, too.

And Who Spilled The Beans 239 Times?

Most buffers can't tell the printer to duplicate. If they can, they only offer a start/stop switch, which means you're the one who has to count to 239. Turn your back on your buffer, and your printer might shoot out a room full of copies. ShuffleBuffer, however, does control quantity. Tell it the amount, and it counts the copies. By itself.

So, What's The Catch?

There isn't any. Sleuth around. You won't find another buffer that's as slick a character as this one.

You also won't find one that's friendly with any parallel or serial computer/printer combination. This is the world's only universal buffer.

With a brain.

Who Wants You To Catch A ShuffleBuffer In Action?

You guessed it. We do. Just go to vour local computer dealer and ask him to show you a ShuffleBuffer at


work. Or, you can call us at (215) 667-1713, and we'll clue you in on all the facts directly.

Now, keep th

Love,

my daughboy


Gladys




on an average 4000 character letter & 128K buffer.

F.C. Bur 1111 the restrict to the second state of the second state of the second Not impaired that, on entirepresent, but to less than fourtien months, unit pass are up by 67%. That's a lot 5, careds, try cost. (2), a since true is a narrager and a computer. sometimed that has me turn our many and donate to the ore it, so afficiently, you wouldn't way, resigns the total. The comp In instruction, reports TO TO H. THE MUFFER DID II THE YOU COURT DANK & CHIEF SMES BY INT CHOCSIBLE P Now, keep this und my douglody to bit ----

ShuffleBuffer The Buffer with a Brain



Interactive Structures Inc. 146 Montgomery Avenue Bala Cynwyd, PA 19004



But_Johnny works in 8080/Z80 assembly language, with a conventional assembler. That can make yesterday's brilliance today's garble, a maze of mnemonics and a jumble of meaningless labels. Johnny's program is less than self-explanatoryeven for Johnny.

Johnny could read his own code if he used SMAL/80—the superassembler—and so can you. SMAL/80 boosts your program's clarity and your productivity by giving you:

- Familiar algebraic notation in place of cryptic mnemonics— "A = A-3" for example, instead of "SUI 3" (if you know BASIC or Pascal, you already know SMAL/80)
- Control structures like BEGIN...END, LOOP...REPEAT WHILE, and IF...THEN. ELSE... to replace tangled branches and arbitrary label names (eliminating up to 90% of labels with no overhead imposed)
- Complete control over your processorbecause SMAL/80 is a true assembler, it doesn't reduce execution speed or burden your program with its own runtime routines.

SMAL/80, the assembler that handles like a high-level language, lets you do it right the first time, and lets you read and understand your work afterward—the next day or a year later. Users say SMAL/80 has doubled and even tripled their output of quality code. But don't take our word for it - TRY IT!

Use SMAL/80 for 30 days. If you're not completely satisfied with it—for any reason-return the package for a full refund.

SPECIAL BONUS: Order before Sept. 30, 1984, and get Structured Microprocessor Programming - a \$25 book FREE!

SMAL/80 for CP/M-80 systems (all CP/M disk formats available — please specify); produces 8080/8085 and Z80 code. Now supports Microsoft .REL.ONLY \$149.95

SMAL/80 for CP/M-80 systems, 8080/8085 output only. SAVE \$20: \$129.95

NEW! SMAL/80X65—for Apple II and IIe (requires Z80 card and CP/M); produces Z80 and 6502 object code. \$169.95

Mastercard SMAL/80 C.O.D.'s CHROMOD ASSOCIATES (201) 653-7615

We pay shipping on orders 1030 Park Ave. Hoboken, N.J. 07030

The problem is that, with various claims and counterclaims by different manufacturers, it

Most of the PC-DOS calls perform the same functions as the corresponding CP/M-86 BDOS calls. MS-DOS was originally written to provide as much upward compatibility with CP/M-80 as possible. This was done to simplify the translation of existing software, but MS-DOS, PC-DOS, and CP/M-86 all have additional functions, in some of which we find considerable differences between MS-DOS/PC-DOS and CP/M-86. Another difference is that PC-DOS accesses DOS calls through INT 33, while CP/M-86 uses INT 244, and generally uses different interrupt numbers for most other BIOS functions as well. In other words, while PC-DOS uses all the IBM ROM BIOS functions, CP/M-86 brings its own

The answer to your next question involves some speculation. First, UNIX or a similar operating system may well become popular for larger business microcomputers, but it isn't universally accepted that it will take over the personal computer field. Second, if UNIX does become popular for personal computers, it seems a fair bet that Microsoft and Digital Research will provide compatible BASIC interpreters and compilers. Therefore, you probably shouldn't be too concerned about transporting your BASIC programs. Also, you should know that while C was originally written in the UNIX environment, it is now available for MS-DOS and CP/M-86.

Lastly, yes, the Micro-D Cam can, in principle, be used to enter typewritten data directly into the computer. The picture is stored as a bitmapped image much the same as any monochrome graphics display, so a picture could be transferred into a block of memory in the computer and processed to translate the bit patterns into letters and numbers. In practice, however, this turns out to be fairly difficult to do with a high degree of reliability for several reasons having to do with varying sizes, locations, and orientation of the character images. It would be a fun programming project though.-Steve

Would you be able to determine the access time required for the more popular processors to operate with no wait states at a set clock rate? PAUL SHIELDS Dampier, Western Australia

becomes difficult to determine what memory

access time is required for a particular pro-

cessor to operate at a particular clock rate.

Even though it might seem that the required memory access time for the simpler processors would be simply 1/instruction rate, it is really not that simple. Only in some 4-bit processors do we find instructions that execute in one clock cycle. For example, the shortest instructions vary from two cycles in the 6500, 6800, and 8086 series processors to four cycles in the Z80 and 8080 families.

A look at some timing diagrams for memory chips and various processors will show that actual read or write time can be as little as about one-and-a-half clock cycles, but the timing must allow for the data coming out from memory to become stable and for the processor to see the data long enough for a stable reading. The times required for this vary between different models of the same processor as well as between different types. The time for data to be valid at the memory output also varies. Thus, the only safe way to determine the access time is to obtain data on the processors and memory chips you are interested in and work out the timing. This information can be obtained from data sheets and application notes that are sometimes available from the manufacturers or from some of the advertisers in BYTE.

Two good sources for information on most of the available microprocessors are the Osborne Four and Eight Bit Microprocessor Handbook and the Osborne Sixteen-Bit Microprocessor Handbook by Adam Osborne (Osborne/McGraw-Hill). A number of other good books deal in depth with specific processor families. You might read these for background if you need it.-Steve

MEMORY ACCESS TIME

Dear Steve,

My query involves processor speed versus memory access time. The higher the processor clock rate, the more instructions that can be executed in a given time. This is of no avail, however, if the processor has to wait for slow memory. Without any instruction buffering between the fetching and execution of an instruction, the simple equation would seem to hold, for no wait states:

memory access time = 1/instruction execution rate

The instruction execution rate depends on the processor clock speed and may be one instruction per clock cycle. Nowadays, it is not that simple with pipelined architectures, instruction buffering, and memory management.

UPGRADING S-100 STANDARDS

Dear Steve

I have an IMSAI 8080 that I would like to upgrade to 256K or 512K bytes of RAM. I'm hoping that you can help me.

Can I replace my Z80 board with a Cromemco Z80/68000 dual-processor board and use 256K- or 512K-byte memory boards on my system? What about CompuPro 8085/8088 and 8086/8087, 68000, and I/O and memory boards? Is it possible to use 16-bit boards from other manufacturers?

Thank you for your help.

AKBAR FASSIHY LANROODI Tehran, Iran

The advantage of an S-100 system is that it is very versatile and can be upgraded easily. Now that the IEEE has established an S-100 bus standard, boards from one manufacturer should (continued)



AZTEC C86

Optimized "C" compiler for PC DOS, MS DOS & CP/M-86 PC DOS, UNIX I/O, math, screen, graphics libraries 8086 assembler, linker & librarian, overlays /PRO—library source, debug, ROM, MASM & RMAC, 8087, large model



NEW C COMPILERS

AZTEC C68K for MACINTOSH VAX cross compilers



AZTEC C II

Optimized "C" compiler for CP/M, TRSDOS & LDOS assembler, linker & librarian, overlays, utilities UNIX I/O, math & compact libraries /PRO—library source, ROM, M80 & RMAC

C TOOLS & AIDS

Z editor (like Vi), C TUTOR compiler, PHACT database, C GRAFX, UNI-TOOLS I, QUICK C, BABY BLUE for PC to CP/M cross, QUADLINK for PC to APPLE cross

AZTEC C65

"C" compiler for APPLE DOS 3.3, ProDOS or COMMODORE 64 VED editor, SHELL, UNIX & math libraries /PRO—library source, ROM, overlays



CROSS COMPILERS

Compile & link on HOST—test on TARGET machine HOSTS: UNIX, PC DOS, CP/M-86, CP/M-80, VENIX, PCIX, APPLE TARGETS: PC DOS, CP/M-86, CP/M-80, APPLE, RADIO SHACK, COMMODORE 64, other hosts and targets available





PRICES

	AZTEC C II C COMPILER	
249	CP/M	199
249	/PRO EXTENSIONS	150
399	TRS 80 MODEL 3	149
249	TRS 80 MODEL 4	199
125	TRS 80 PRO (3 & 4)	299
99	THE REPORT OF THE PARTY OF THE	
299	AZTEC C65 C COMPILER	
99	APPLE DOS 3.3	199
299	ProDOS	199
99	BOTH	299
125	PRO EXTENSIONS	99
	C TUTOR COMPILER	99
	E EDITOR	99
	QUICK C	125
	249 399 249 125 99 299 99 299	249 CP/M 249 /PRO EXTENSIONS 399 TRS 80 MODEL 3 249 TRS 80 MODEL 4 125 TRS 80 PRO (3 & 4) 99 299 AZTEC C65 C COMPILER 99 APPLE DOS 3.3 299 Pro DOS 99 BOTH 125 /PRO EXTENSIONS C TUTOR COMPILER E EDITOR

AZTEC C CROSS COMPILERS
PDP-11 HOST

PDP-11 HOST 2000
PC DOS HOST 750
CP/M-86 HOST 750
CP/M-80 HOST 750
APPLE HOST 750



MANX SOFTWARE SYSTEMS
Box 55
Shrewsbury, NJ 07701
TELEX: 4995812

TO ORDER OR FOR INFORMATION:
CALL: 800-221-0440 (outside NJ)
201-780-4004 (NJ)

Australia: Blue Sky Industries — 2A Blakesley St. — Chatswood NSW 2067 — Australia 61-2419-5579

England: TAMSYS LTD — Pilgrim House — 2-6 William St. — Windsor, Berkshire SL4 1BA — England — Telephone Windsor 56747

Shipping: per compiler next day USA \$20, 2 days USA \$6, 2 days worldwide \$75, Canada \$10, airmail outside USA & Canada \$20

UNIX is a trademark of Bell Labs. CP/M, CP/M-80 and CP/M-86 are trademarks of DRI. PC DOS is a trademark of IBM. MS DOS is a trademark of MICROSOFT.

N.J. residents add 6% sales tax.

Circle 198 on inquiry card. JULY 1984 • BYTE 65

work with boards from any other manufacturer that uses the standard. It is now possible, for example, to purchase a Cromemco processor, an SD Systems RAM board, and a CompuPro floppy-disk controller and expect them to work properly together.

There are some problems in upgrading an old system that may not have IEEE-696-compatible boards because some old S-100 boards used signals that do not agree with the new standard.

For example, new processor and memory boards use lines 58 and 60 to determine if a 16-bit or an 8-bit memory transfer will take place on the bus. Older boards that do not have these signals may not work properly with new IEEE-696 boards. If you have some of these older boards and want to use them with a new system, it is possible to modify them to meet the new standard. A good reference book on this subject is Interfacing to S-100 (IEEE 696)

Microcomputers by Sol Libes and Mark Garetz (Osborne/McGraw-Hill).

Before upgrading your system, it would be beneficial to review the newer products from the many companies now manufacturing S-100 boards so that an optimum system can be selected. The Priority One Electronics engineering selection guide is a good source of this type of information because it covers a wide selection of S-100 products from a variety of manufacturers. This selection guide can be obtained from Priority One Electronics, 9161 Deering Ave., Chatsworth, CA 91311.

Another source of reference material for the S-100 bus is Microsystems magazine, which covers the S-100 bus and CP/M subjects. The September 1983 issue should be of special interest to you because it contains an article on converting an IMSAI system to use the CompuPro 8085/8088 dual-processor board. The same issue also has an article on running N+DOS as a COM file under CP/M with an N+to-CP/M file-transfer facility. Volumes of Microsystems magazine can be obtained from Microsystems, CN 1987, Morristown, NJ 07960.—Steve

Teleport300 OH OD Touch-Tone In ASCII Out.

Turn any Touch-Tone* phone into a remote data entry terminal

By combining the capabilities of an intelligent modem with a DTMF to ASCII converter, Teltone has unlocked countless opportunities for you. With a Teleport 300 on your computer, you can use any Touch-Tone phone in the country as a remote data entry terminal, or, if you wish, a control panel.

Imagine the possibilities: Branch office order entry, Inventory control, Remote control of environmental systems, Data logging, Emergency access to process control systems, Credit card authorizations, etc. The list goes on and on.

It's a full-featured smart modem

The Teleport 300 is a fully equipped intelligent modem: Bell 103J compatible, auto answer and originate, with tone and pulse repertory dialing and call progress indications. It's menu driven and user programmable. An internal buffer lets the

Teleport handle DTE speeds from 75 to 9600 baud.

Teleport delivers front end hardware security

You can program the Teleport 300 to respond only to a pre-determined series of DTMF signals. Unless the correct DTMF tones are detected, callers are not connected to your computer. It's an effective hardware barrier in front of any software security scheme you may be using to protect valuable programs and data.

To get all the Teleport details, call:

1-800-227-3800 ext 1130

Dealer inquiries are invited. Call the Teltone Telcom Components Division: (206) 827-9626 ext 220. Teltone Corporation 10801 120th Avenue NE P.O. Box 657, Kirkland, WA 98033 TWX 910 449-2862 Touch Tone is a registered trademark of AT&T.

TELTONE

MICROPROCESSORS

Dear Steve.

Is there a single publication that contains a listing of the computers that use a specific type of microprocessor? If not, could you list several microcomputers that use the 68000 chip?

NADDER SARSHAD Edison, NJ

The October 1983 Radio Electronics featured a comprehensive computer buying guide. listing computers by price range. The tables of specifications showed the microprocessor, operating system, and specific features of each unit. Back issues of the magazine may be obtained from Gernsback Publications Inc., 200 Park Ave. South, New York, NY 10003.

Several microcomputers utilizing the Motorola M68000 chip include Apple's Lisa and Macintosh. Hewlett-Packard's HP-200, Radio Shack's TRS-80 Model 16. the Sage II, and Sord's Model M68.—Steve

IN "ASK BYTE," Steve Ciarcia answers questions on any area of microcomputing. The most representative questions received each month will be answered and published. Do you have a nagging problem? Send your inquiry to:

Ask BYTE clo Steve Ciarcia POB 582 Glastonbury, CT 06033

Due to the high volume of inquiries, personal replies cannot be given. All letters and photographs become the property of Steve Ciarcia and cannot be returned. Be sure to include "Ask BYTE" in the address.

OOK WHO BUYS

f you order software from us, you're in good company. You see, some of our best customers are America's biggest corporations.

Maybe they're attracted by our low, low prices (big companies are price-conscious too!).

Or maybe when you're an "IBM", you're looking for something extra. Like the personal service, giant inventory, and indepth technical support you'll

find at 800-SOFTWARE.

You see, when you call us, we'll take care of you like our business depends on it. Because it does. Which means when you place an order, you can be sure we'll fill it promptly. And that our unique Order Tracking System[™] is keeping tabs on your order every step of the way.

Most important, we'll be there if you need us after your software arrives. We'll make

sure that you'll receive the finest technical support and customer service in the industry. And that's a promise.


Next time you're looking for low price and great service, do what IBM, General Electric, and a lot of other big companies do. Pick up the phone and give us a call.

We'll show you why some hard-headed companies buy their software from us.

CHECK OUT ALL OUR INCREDIBLE BUSINESS SOFTWARE PRICES:

WordStar® PROF PAK Lot \$389		us™ 1-2 \$329	2-3 E	asy Wri	iter II System™ CALL		dBASE II ™ \$399		
WordStar® \$269		Ir	InfoStar™ \$289		IUS Accounting™ CALL			Crosstalk™ \$119	
ANDERSON BELL™		FOX & GELLER™		LIFETREE™		RBase Extended		Quadboards	
Abstat	\$339	Quickcode	\$199	Volkswriter Deluxe	\$179	Report Writer	\$109	64K/256K	\$329/\$489
ASHTON-TATE™		dGraph	\$199	LOTUS™ 1-2-3	\$329	RBase Program		Quadlink	\$559
dBase II	\$399	All Other Products	CALL	MAXELL™ DISKETTES	CALL	Interface	\$299	ROSESOFT™	
dBase II User's Guide	\$ 20	HAYES™		MEMOREX™		MICROSOFT™		Pro Key	\$ 99
AST TM		Smartmodem 300	\$249	DISKETTES	CALL	Fortran	\$269	SOFTWARE PUBLI	SHERS**
6-Pack Plus	CALL	Smartmodem 1200	\$549	MICROPRO**		Multiplan™	\$149	PFS File	\$10
ATI™ TRAINING		Smartmodem 1200B	\$489	WordStar		Word™	\$289	PFS Graph	\$10
PRODUCTS	CALL	HERCULES™		(w/Training Mod.)	\$269	Word™ w/Mouse	\$359	PFS Report	\$ 9
BUSINESS		Color Graphics Card	\$409	WordStar Prof. Pak		All Other Products	CALL	PFS Write	\$10
SOLUTIONS TM		HOWARDSOFT"		(WS/MM/SS/SI)	\$389	MICROSTUF™		SOFTWORD SYSTE	MS**
Jack 2	CALL	Tax Preparer	\$229	WordStar/MailMerge	\$369	Crosstalk	\$119	Multimate	\$34
CDEX™ TRAINING		HUMANSOFT™		InfoStar	\$289	NORTON™		SORCIM™	
PRODUCTS	CALL	DB Plus	\$ 79	Options Pak	137	UTILITIES	\$ 59	Supercalc 2	\$169
CONDOR™ 3	\$269	IMSI***		(MM/SS/SI)	\$169	PALANTIR™.	CALL	Supercalc 3	\$25
CONTINENTAL**		4-Point Graphics	\$129	MailMerge	\$139	PEACHTREE™		All Other Products	
Home Accountant	\$105	All Other Products	CALL	PlanStar	\$339	PEACHTEXT 5000	\$239	THOUGHTWARE!	CAL
DIGITAL RESEARCH	3035	IUS ^{TM.}		ReportStar	\$229	PERFECT SOFTWARE	M	VISICORP®	
CPM 86	CALL	EasyWriter II System	CALL	Star Index	\$129	Perfect Writer	\$209	Visicalc Advanced	
Concurrent CPM 86	CALL	EasyWriter I System	\$140	All Other Products	CALL	Perfect Link	\$119	(Apple IIe)	\$26
CBasic 86	CALL	IUS Accounting	CALL	MICRORIM™	TV-0000	All Other Products	CALL	Visicalc	\$18
All Other Products	CALL	All Other Products	CALL	RBase 4000	\$369	QUADRAM™	20,000	Visi-On Products All Other Products	CAL

WE ALSO CARRY HUNDREDS OF OTHER PRODUCTS!



0 Software 1984

TO ORDER CALL TOLL FREE: 800-227-4587 or 415-644-3611

- We guarantee our products against manufacturing defects.

 Quantity discounts available through our National Accounts Program.

 Purchase orders accepted. Please call in advance.

 Prompt U.P.S. or Federal Express shipping. Overnight delivery available. Call for shipping charges.
- ping charges.

 Call for free catalog and other low software
- prices.

 ☐ Wo do not add surcharge for credit card pur-
- □ wo do not and surenarge for credit of chases.
 □ Prices may change.
 □ International orders welcome:
 Telex #751743 800-SOFTWARE UD.
 □ Compuserve Key Word "GO-EH"

HIGH TECHNOLOGY AT AFFORDABLE PRICES

7	Dot Matrix Printers	Modems	
	C. Itoh Prowriter (8510)\$ 369.88	Hayes Micromodem IIe\$ 259.88	Quadram QuadVue (monochrome) CALL
	C. Itoh Prowriter-2, (136 col) 589.88	Hayes Smartmodem 300	Quadram Parallel Card, RS-232C Card or
	C. Itoh Prowriter BPI 439.88	Hayes Smartmodem 1200 559.88	Clock/Calendar Card 79.88
	C. Itoh HotDot 509.88	Hayes 1200B (IBM-PC) 479.88	Tandon TM 100-2 (DSDD) 229.88
	C. Itoh HotDot-2 (136 col)	Novation AppleCat 300 baud 229.88	Titan Cygnus I/O (parallel) 149.88
	Epson RX/FX/LQ Series	Novation AppleCat 1200 baud 419.88	Titan Cygnus I/O (RS-232) 169.88
	Inforunner Riteman	Novation SmartCat 103, 300bd 169.88	TG Joystick 59.88
	Mannesmann Tally 160-L 629.88	Novation SmartCat 212, 1200bd 409.88	
	Mannesmann Tally 180-L 879.88	Novation Access 1-2-3 (IBM-PC) 409.88	Apple Peripherals
	Mannesmann Tally Spirit-80 329.88	USR Password, 1200 baud 369.88	ALS CP/M Plus Card (CP/M 3.0) \$ 329.88
	Okidata Microline 82A/83A CALL	USR PC 1200 baud Modem/Multifunction	AMT MicroDrive (half height) 219.88
	Okidata Microline 84 Step II CALL	board w/64-256K, clock, parallel port	Rana Elite-1 Disk Drive 259.88
	Okidata Microline 92	& Telpac software CALL	TBL Cooling Fan 59.88
	Okidata Microline 93 769.88		TBL Disk Drive Controller 69.88
	92/93/84 Plug-n-Play ROMs for graphic	Monitors Amdek 300G (green) \$ 144.88	Titan Accelerator II
	compatibility with IBM-PC CALL	Amdek 300G (green) \$ 144.88	Titan Memory Boards CALL
	Star Micronics Gemini 10X 299.88	Amdek 300A (amber) 159.88	Videx VideoTerm
	Star Micronics Gemini 15X 429.88	Amdek 310A (TTL, amber) 179.88	Videx ÚltraTerm (80/160 column) 289.88
	Star Micronics Delta 10 439.88	Amdek Color-1+ 319.88	Videx Enhancer II 109.88
	Star Micronics Delta 15 589.88	Amdek Color-2+ (12" RGB)	
	Star Micronics Radix 10/15 CALL	NEC JB-1205M (amber) 159.88	Kensington MacIntosh Starter Pak (swivel
	Toshiba P-1351	NEC JB-1201M (green)	stand/surge protector/dust cover) 69.88
	Toshiba P-1351 Tractor 169.88	Princeton Graphics HX-12 509.88	Kensington MacIntosh Modem CALL
		Princeton Graphics Max-12 199.88	MacIntosh Software CALL
	Letter-Quality Printers	Quadram QuadChrome 529.88	
	C. Itoh A-10 Starwriter (18 cps) \$ 549.88	Roland DG-121 (green/amber) 149.88	Accessories
	C. Itoh F-10 Starwriter (40 cps) 1079.88	Roland DG-122 (green/amber) 179.88	NEW! Apple IIc Cables \$ CALL
	C. Itoh F-10 Printmaster (55 cps) 1379.88	USI Pi-3 (12" amber)	NEW! MacIntosh Cables CALL
	Diabo Series Printers CALL		EPD Lemon/Lime/Orange/Peach CALL
	NEC 2010/2030 (18 cps) 749.88	IBM-PC Peripherals	Flip-n-File Diskette Box CALL
	NEC 2050 for IBM-PC (18 cps) 899.88	64K Memory (4164/200ns) 9/pkg \$ 79.88	Grappler+ Printer Card & cable 109.88
	NEC 3530 (33 cps)	AST MegaPlusII (64K) 289.88	Kensington MicroSaver (4-plug) 59.88
	NEC 3550 for IBM-PC (33 cps) 1779.88	AST SixPak Plus (64K)	Monitor Stand (tilt/swivel) 39.88
	NEC 7710/7730 (50 cps) 1939.88	Hercules Graphics Card 379.88	Pkasso-U Printer Card & cable 129.88
	Qume Series Printers CALL	Keytronics 5151	Printer Cables 29.88
	Silver Reed EXP-770 (25 cps) 979.88	Microsoft Mouse (parallel) 149.88	Quadram Microfazer Print Buffers CALL
	Silver Reed EXP-550 (17 cps) 559.88	Mouse Systems PC-Mouse 219.88	Trace 80 col Sound Trap 129.88
6	Silver Bood EVD EOO (12 and)	Peredice MultiDiopley 470.99	Trace 122 cal Cound Tran

ADVANCED LOGIC SYSTEMS

• ALLOY

• AMDEK

• ANADEX
• AST
• CCS
• CARDCO
• C ITOH
• COMREX
• COLUMBIA DATA PRODUCTS CURTIS MANUFACTURING ● DATA PRODUCTS (IDS) ● DIABLO ● DTC ● EAGLE COMPUTER ● EASIFEED ● EPD ● EPSON ● FRANKLIN COMPUTER HAYES MICROCOMPUTER PRODUCTS ● HERCULES COMPUTER TECHNOLOGY ● INFORUNNER ● INTERACTIVE STRUCTURES ● JMM JUKI ● KENSINGTON MICROWARE ● LEADING EDGE ● LQ ● MANNESMAN TALLY ● MA SYSTEMS ● MICROSOFT ● MILFORD NULL MODEM MOUSE SYSTEMS ● NOVATION ● NEC ● OKIDATA ● ORANGE MICRO ● PARADISE SYSTEMS ● PERFECT DATA ● PRINCETON GRAPHICS QUADRAM ● QUME ● QCS ● RANA SYSTEMS ● ROLAND DG ● SILVER REED ● SMITH-CORONA ● STAR MICRONICS ● TANDON ● TECMAR TITAN . TOSHIBA . USI . US ROBOTICS . VIDEX

Paradise MultiDisplay...... 479.88

NEW Quadram 384K Quadboard..... CALL

Quadram QuadColor-2..... 229.88

Quadram Quad 512 + (64K)

Quadram QuadColor-1.....

The right place for the right price

Silver Reed EXP-500 (12 cps)...... 439.88

Smith Corona Memory Correct III Messenger

(12 cps) w/interface module 589.88

Star Micronics PowerType (18 cps) CALL

If you live in the New England area (or plan to visit there), you should drop by our Discount Computer Store. We're about one hour's drive from Boston, the ocean or the White Mountains. From Boston, just go up Route 3 to Nashua, NH, and take Exit 7W (Route 101A). We're 5.1 miles from that exit, in Amherst NH. Take the next right after you see the Dexter Shoe factory outlet

In fact, we're near a lot of New Hampshire's factory outlet stores, and with no sales tax you can save a bundle on computer equipment, shoes and whatever else strikes your fancy. We have several systems on display, as well as printers, modems and monitors, all at the same prices you see in our ads. And if you can't fit a purchase into your car, don't worry...we'll ship it free anywhere in the 48 contiguous states.

No matter where you live-Boston or San Francisco-You don't have to strike out into the wilderness to save money. Take a short drive or drop us a line for the best advice and the best price on peripherals today.



TECHNICAL SALES DESK (603) 881-9855

Trace 132 col Sound Trap 189.88

80 Column Printer Stand...... 39.88 132 Column Printer Stand.....

4-Way Printer Switch Box 159.88

2-Way Printer Switch Box.....

TOLL-FREE ORDER DESK (800) 343-0726

Hours: 9:00 to 5:30 EST, Mon-Fri

- FREE UPS ground shipping on all orders over \$5 (under \$50 add \$2.50 handling)
- Shipments fully insured at no extra charge ■ MasterCard, VISA, American Express, Diners Club & Carte Blanche credit cards accepted
- No surcharges on credit card
- Credit cards are not charged until your order is shipped from our warehouse
- CODs accepted up to \$1000 (add \$10 for COD handling). Payable with certified check, money order or cash.
- Full manufacturer's warranty on all products sold
- 1-year extended warranty service is now available for many products (just ask us)
- Sorry, no APO/FPO or foreign orders



HIGH TECHNOLOGY AT AFFORDABLE PRICES



49.88

109.88

MILFORD, NH 03055-0423

TELEPHONE (603) 881-9855

C·L·U·B·S & N·E·W·S·L·E·T·T·E·R·S

- INTERESTED IN MSX? The MSX Interest Group (MIG) keeps members up to date with the latest developments on the MSX graphics standard, which is currently supported by several American and Japanese computer manufacturers. A newsletter is produced each month. Annual dues are \$15. Write to MSX Interest Group, Room 1009, 350 Fifth Ave., New York, NY 10011.
- CANYON DE CHELLY—FOUR CORNERS USERS GROUP The Four Corners Users Group is primarily made up of Commodore users, but users of other computers are encouraged to join. They meet bimonthly at one of the Chinle, Arizona, public schools. All group meetings serve users in the Four Corners area and the Central Navajo Indian Reservation. The club is currently seeking public-domain bulletin-board system (BBS) software for CBM 8032 or Commodore-64 computers with a 2031-, 8050-, or 4040-based disk. For information, send a self-addressed, stamped envelope to Canyon de Chelly-Four Corners Users Group, Calumet Consulting, Box 1945, Chinle, AZ 86503, (602) 674-3421.
- CHAOS ON BBS The BBS of the Capitol Hill Atari Owners' Society (CHAOS) in Lansing, Michigan, is open from 5 p.m. to 8 a.m. at (517) 373-6788. The club maintains a public-domain software library, produces a nonprofit newsletter, meets monthly, and houses several special-interest groups. Annual dues are \$12. For details or the library's listing, send a self-addressed, stamped envelope to the Treasurer, CHAOS, POB 16132, Lansing, MI 48901.
- LISA NEWSLETTER NOW INCORPORATES THE MAC. Semaphore Signal, a newsletter about Apple's Lisa, has expanded to include coverage of the Macintosh computer. The newsletter is

- created, edited, and printed using a Lisa. Any users in the United States who submit the serial number of their Lisa or Macintosh can qualify for a free subscription. Other readers can subscribe for \$10 (10 issues); \$20 overseas. Contact Semaphore Signal, 207 Granada Dr., Aptos, CA 95003, (408) 688-9200.
- MILWAUKEE'S BLINKIN CUR-SOR, Blinkin Cursor is the newsletter of the IBM Personal Computer Users Group, an assembly of Milwaukee, Wisconsin, area computer users interested in the IBM and compatible machines. The twice-monthly meetings feature hardware and software demonstrations and questionand-answer sessions for beginners. The newsletter runs a list of current members. For further details, contact Blinkin Cursor, POB 305, Elm Grove, WI 53122.
- MAC SIG IN APPLE PI The Washington Apple Pi (WAP) has formed a special-interest group for owners of the Macintosh computer. The group will hold tutorials, distribute software from its public-domain library, and publish articles about the Mac in its monthly newsletter. In addition, 75 qualified volunteers man a hot line to handle questions from members on specific programs, peripherals, and programming languages. Membership is \$25. For office hours, next-meeting details, and general information, contact the Washington Apple Pi, Suite 201, 8227 Woodmont Ave., Bethesda, MD 20814, (301) 654-8060.
- CBR ON LINE The Computer Book Review (CBR). produced bimonthly, runs more than 100 annotated reviews of recently published computer

- books under such categories as applications, business, communications, history, software, juvenile, introductions, references, languages, and specific brands of computers. An electronic version of CBR, on line with NewsNet, is issued biweekly. CBR also covers trade news, book ratings, and graphics. Subscription rates are \$15 annually; a foreign subscription is \$25. For information on subscriptions via NewsNet call (800) 345-1301. To subscribe to the hard copy, contact the Computer Book Review, 735 Ekekela Place, Honolulu, HI 96817.
- MEDICAL, COMMERCIAL, AND INDUSTRIAL MUMPS, One language that meets the requirements of the American National Standards Institute (ANSI) is MUMPS, or the Massachusetts General Hospital Utility Multi-Programming System. This programming language doubles as a database-management system with applications in more than 4000 medical, commercial, and industrial installations around the world. Its user group contains almost 1000 members. In addition to producing a quarterly newsletter, the club sponsors seminars and holds annual conferences for programmers and nonprogrammers interested in furthering their knowledge of MUMPS. For membership details, contact the MUMPS Users Group, Suite 308, 4321 Hartwick Rd., College Park, MD 20740, (301) 779-6555.
- THE MAC IN BCS The newest special-interest group to branch from the Boston Computer Society (BCS) is the Macintosh Users Group. Novice and technical people constitute the audience that meets each month to witness
- CLUBS & NEWSLETTERS is a forum for letting BYTE readers know what is happening in the microcomputing community. Emphasis will be given to electronic bulletinboard services, club-sponsored classes, community-help projects, field trips, and other activities outside of routine meetings. Of course, we will continue to list new clubs, their addresses and contact persons, and other information of interest. To list events on schedule, we must receive your information at least four months in advance. Send information to BYTE, Clubs & Newsletters, POB 372, Hancock, NH 03449.

- demonstrations, presentations, and discussions about peripherals, software, and uses of the Macintosh. Call Jack Hodgson for meeting locations and further details at (617) 354-7899, or contact the Boston Computer Society, Macintosh Users Group, One Center Plaza, Boston, MA 02108, (617) 367-8080
- TEXAS HAS HEART The Heart of Texas (HOT) TRS-80 Club meets at 7 p.m. each month in Waco, Texas, to discuss computer languages. peripherals, operating systems. and applications for all models of Radio Shack TRS-80 computers including, I, II, III, 4, 12, 16, 100, Color Computer, Micro CoCo, and the Pocket Computer. Membership dues are \$10 and include a subscription to the monthly newsletter and voting privileges; an associate membership of \$6 entitles you to receive the newsletter only. For information, contact HOT TRS-80 Club, POB 1923, Waco. TX 76703.
- COAST-TO-COAST MS-DOS. Oriented toward users of MS-DOS-based computers. SIG-86 is an international 8086 MS-DOS users group that produces newsletters and public-domain software, runs a bulletin-board system, and maintains a software library. The 300-bps (bitper-second) BBS can be reached at (617) 842-1435; the 1200-bps BBS is (617) 842-1712. Both are open from 11 p.m. to 6 p.m. Eastern time. Membership is \$18 a year. For details, contact Joseph Boykin, 47-4 Sheridan Dr., Shrewsbury, MA 01545, (617) 845-1074, or Frank Warren, 25190 Cypress Ave. #213, Hayward, CA 94544, (415) 785-7499
- ITALIAN COMPUTERISTS RALLY, Members of the Italian Society of Clinical Biochemistry work on the applications of personal computers to the clinical laboratory. The newsletter. Bio-(continued)

Product **EMACS** UPDATE FOR THE UniPress is pleased to BIVI PC the availability of MS-DOS EMACS to supplement our

announce

UniPress

existing UNIX and VMS versions, MS-DOS EMACS is full-function Gosling EMACS, including compiled MLISP, macros, command undo and much more.

UniPress Gosling EMACS: The famous multi-window full-screen editor. Edit several files at once. Interprocess communication on UNIX and VMS. Extensible via macros. and the built-in compiled MLISP language.

UniPress Gosling EMACS: The ultimate programmer's tool: C. Pascal and MLISP language assist. EMACS manages execution of Unix makefiles, and automatically points to lines containing errors in the source code. Keys can be bound as desired, macros can be named, customized MLISP routines can supplement the many included packages, and much

UniPress Gosling EMACS: Use EMACS as your session manager - Divide your screen into a "shell window" to run commands, and one or more source file windows.

ALSO NEW! MINIMACS - Special efficiencyconscious EMACS. Faster and smaller: includes all standard editing features, keybinding, and multiple windows.

PRICES: UNIX: \$395/Binary; \$995/Source VMS: \$2500/Binary; \$7000/Source MS-DOS: \$375/Binary; \$995/Source (Requires at least 384K)

UNIPRESS OFFERS A FULL LINE OF SOFTWARE FOR UNIX, VMS AND MS-DOS.

Lattice® C compilers to the 8086-family; both native and cross. Write programs on your mainframe for execution on the IBM-PC, etc. (Cross compilers for UNIX and VMS.)

Q-CALC — extraordinary UNIX spreadsheet.

LEX — Powerful interactive UNIX word processor.

PHACT — Multi-keyed ISAM database record manager for UNIX and MS-DOS.

OTHER UNIPRESS PRODUCTS:

Full UNIX System V operating system for the Apple LISA, /RDB The Menu System, UniCalc, and more.

Call or write for more information.

UniPress Software, Inc.

2025 Lincoln Highway, Rt. 27, Suite 312, Edison, NJ 08817 201-985-8000 • Order Desk: 800-222-0550 (outside NJ) Telex: 709418

Mastercard and Visa

Unix is a trademark of Bell Laboratories • VMS is a trademark of Digital Equipment Corp. • MS-DOS is a trademark of Microsoft • Lattice and UniCalc areregistered trademarks of Lattice Inc. • IBM-PC is a trademark of IBM.

chimica Clinica Notiziario SIBioC. runs book reviews and other items of interest to its 3000-reader circulation. For details, contact Società Italiana di Biochimica Clinica, Sede e Redazione: via Keplero. 10-20124 Milan, Italy,

- CADD, A NEWSLETTER FOR EDUCATORS, CADD, a monthly newsletter, is designed to provide educators with information, articles, and tips for teaching computer-aided design and drafting more effectively. One section in the newsletter, called "CADD Without a System," gives an instructor material and advice for helping the student develop qualities the computer industry seeks. For a free issue, write to CADD, POB 906028, Tulsa, OK 74112, (918) 832-7124.
- AND FORTH TO CANADA The Southern Ontario Chapter of the FORTH Interest Group meets periodically and sponsors conferences that include presentations, business meetings, and discussions. For details about the group, contact Dr. N. Solntseff, Unit for Computer Science, McMaster University, Hamilton, Ontario 1.8S 4K1. Canada, (416) 525-9140, ext. 2065.
- FOR CHAMELEONS AROUND THE WORLD. The most frequently asked questions directed at Seequa's technicians will be answered in a monthly publication produced by the International Chameleon User Group (ICUG), which is backed by Seequa. It features a listing of new software for the Chameleon and references to public-domain software for MS-DOS, CP/M-86, and CP/M-80. Questions can be sent along with the \$18 annual membership fee to Joe Verzino, ICUG. POB 265, Dewitt, NY 13214, (315) 446-2763.
- SAGE COMMUNICATION LINK, The purpose of the Sage Users Group is to share information and provide an environment to develop members' proficiency and knowledge of microcomputing. The group holds general meetings for an information exchange: sponsors a bulletin-board/database system; maintains software and technical libraries; and updates information about the group's

current events. It also produces a newsletter to enhance the group's communication links. For details, contact Randy Scott, Sage Computer, 4905 Energy Way, Reno, NV 89502, (702) 322-6868.

- WORLD TELECOMMUNICA-TIONS NEWS, International Networks is a monthly newsletter covering the technology and policy of world telecommunications. It analyzes significant security questions confronting the future of electronic mail and database networks. An annual subscription is \$375. Write to International Networks, POB 187. Moulton Hill Rd., Monson, MA 01057, (413) 267-5171.
- COLORFUL MEETINGS The Alachua Color Computer Users Group meets at 7 p.m. on the second Tuesday of each month at the Operations Center located behind the Kelly Power Plant in Gainesville. Florida. Interested persons can contact Al Kirk 4617 Southeast 2nd Place. Gainesville, FL 32601, (904) 377-6285, or George McDonald, Route 2, POB 530, Alachua, FL 32615, (904) 462-5392.
- HUDSON VALLEY COM-PUTERISTS, The Hudson Valley Personal Computing Club is a nonprofit organization that promotes interest in public-domain software available for the IBM Personal Computer. The club is a forum for information sharing. personal computer education. computer literacy, and user support. Monthly meetings are held at Ulster County Community College, Stone Ridge Campus, Stone Ridge, New York. Contact the Hudson Valley Personal Computing Club, H.V.M. Box 6057. Kingston, NY 12401.
- LOCAL GOVERNMENT APPLICATIONS, Local governments, private companies, and consultants that are interested in the local-government/microcomputer market can request a complimentary copy of a monthly newsletter. Government Microcomputer Letter. It focuses on news and software and hardware applications. City and county policies on the use of microcomputers are also covered. For subscription details or a free copy, write to Government Microcomputer Letter, POB 16645, Tampa, FL 33687.

When Lotus wanted better graphics for 1-2-3, they chose a better graphics card-HERCULES.

And then we became a standard.

When the IBM® PC was introduced over 2 years ago, the talented people at Lotus realized that it was limited by a lack of high resolution graphics. They knew that this was going to have an adverse effect on 1-2-3's graphics. And Lotus didn't want anything to hold back their revolutionary software.

So they turned to Hercules.

Lotus recognized that the Hercules Graphics Card delivered the performance they wanted. It offered high quality text and high resolution graphics on IBM's monochrome display. It completely replaced the IBM monochrome card. And it didn't cost an arm and a leg.

Since then, Hercules has sold a lot of Graphics Cards. So many that the Hercules Graphics Card has become the high resolution standard for the IBM PC. And this means that there is more high resolution graphics software available for Hercules than for any other graphics card you can buy.

Software like Microsoft® Word. Our high resolution makes Word's text much sharper and easier on your eyes. And there are other programs for business graphics, computer aided design,

call for our free information kit. See why the company that made the first graphics card for

the IBM PC still makes the best.

Hercules. We're strong on graphics. 800 255 5550 Ext. 408

Address: Hercules, 2550 Ninth St, Berkeley, CA 94710 Ph: 415 540-6000 Telex: 754063 Features: IBM monochrome display graphics resolution of 720×348; parallel printer port; text mode software compatibility; free software for programming; 2 year warranty. Foreign distributors: Compuserve/Canada; Reflex/U.K.; Computer 2000/W. Germany; Edisoft/France; SourceWare/Australia. Trademarks/Owners: Hercules/Hercules Computer Technology; Microsoft/Microsoft Corp; IBM/International Business Machines; Lotus & 1-2-3/Lotus Development.

Circle 149 on inquiry card.

PGS introduces the no-compromise monitor to meet your no-compromise needs.

High resolution

Once you've invested in a first-rate computer, you don't want to compromise with a second-rate monitor. That's why PGS introduced the first no-compromise monitor, the Princeton HX-12. It set the price/performance standard for high resolution RGB color monitors.

Super resolution

Now we're introducing the first no-compromise monitor in the super resolution class. It's our new SR-12: an RGB monitor that meets the most demanding expectations at a price that will surprise you.

Monochrome

And, for price/performance in a monochrome monitor, we're introducing the MAX-12: our new amber monitor that's as easy on the eyes as it is on your budget.

The monitor to meet your needs

All three PGS monitors are engineered for no-compromise performance to provide you with a cleaner, sharper image than any other monitor in the same price class. The HX-12 and the SR-12 both feature uncompromising color convergence for crisp whites without color bleed. The MAX-12 offers impressive clarity in a monochrome monitor with easy-on-the-eyes amber phosphor.

And all three monitors come with a non-glare screen and a shielded cable that plugs directly into the IBM PC or XT.

The HX-12 has the highest resolution (690x240) and the finest dot pitch (.31 mm) in its class. And yet its suggested retail price is comparable to many medium resolution monitors. The HX-12 brings no-compromise color to the PC and now, with the PGS RGB-80 board, to the Apple IIe as well. Suggested retail price: \$695.

The new SR-12, in conjunction with the PGS high performance color graphics card, also features a .31mm dot pitch supporting 690 horizontal resolution. However, by increasing the horizontal scan rate to 27.5 KHz, the SR-12 can support 400 vertical resolution in non-interlaced mode. This results in a very high quality, flickerless image with the ability to generate graphics and text that is truly of monochrome quality. Suggested retail price: \$799.


The new MAX-12 offers you easy-on-the-eyes amber with 720x350 resolution at a suggested retail price (\$249) that is actually lower than the leading green-on-black competitor. And the MAX-12 runs off the IBM PC monochrome card—no special card is required.

Clarity of the Max 12 is enhanced by dynamic focusing circuitry which ensures sharpness not only in the center but also in the edges and corners. Suggested retail price: \$249.

Whatever your needs, from word processing to super resolution graphics, there's now a no-compromise PGS monitor that sets the standard. Ask your dealer for a demonstration and let your eyes decide. Or call for more information and the name of your nearest dealer.

You can look to PGS for the image your eyes deserve.

Circle 252 on inquiry card.







Princeton Graphic Systems

1101-IState Road Princeton, New Jersey 08540 609 683-1660 TLX 6857009 PGS Prin

Dany and MAI Sorbus Service Company



ALGORITHMS
Robert Sedgewick, Addison-Wesley,
Reading, MA: 1983, 550 pages, \$30.95

FORTH FUNDAMENTALS Volume 1, C. Kevin McCabe, dilithium Press, Beaverton, OR: 1983, 248 pages, \$16.95

THE UNIX OPERATING SYSTEM Kaare Christian, John Wiley and Sons, New York: 1983, 318 pages, \$26.95

ARTIFICIAL INTELLIGENCE APPLICATIONS FOR BUSINESS Walter Reitman, ed., Ablex Publishing, Norwood, NJ: 1984, 343 pages, \$37.50

ALGORITHMS Reviewed by Michael O'Neill


while ago I read a summary by Robert Sedgewick of his doctoral dissertation on the fastest general-purpose sorting routine known, "Implementing Quicksort Programs," in Communications of the Association for Computing Machinery (volume 21, number 10, October 1978, page 847). I was impressed that the author did not deal only with the abstract details of the algorithm, but that he also covered the concrete aspects of its implementation. Furthermore, the tricks, trade-offs, and fine points he presented were general enough to be useful in most programming environments. And the writing style was clear and concise.

So when Algorithms was published, I was curious to see if the author would keep up the good work. I found that this book is as impressive as the aforementioned summary.

ALGORITHM CONVERSION

Sedgewick's stated goal is to teach "...a large number of the most important algorithms used on computers today well enough to be able to use and appreciate them."

The key phrases in the above quote are "large number" and "use" Professor Sedgewick deals with a staggering



number of algorithms. The book treats a wider range of subjects than any other single work I have seen. The seven major sections are: Mathematical Algorithms, Sorting, Searching, String Processing, Geometric Algorithms, Graph Algorithms, and Advanced Topics. The book covers a number of topics not usually dealt with by introductory texts: curve fitting, integration, parsing (language translation), cryptology, linear programming, and the fast Fourier transform. And these are intended to be used (and useful). The author tries to give the reader the knowledge needed to convert a given algorithm into a working program, and he provides basic information about how fast the program can be expected to run.

LIMITATIONS

The ambitious scope of the book implies that some trade-offs had to be made. The author usually only presents the basic form of each algorithm as a fully written-out program; he discusses fine points, tricks, and useful modifications but leaves their detailed implementation to the reader. He keeps theoretical discussion to a minimum. And while there is some introductory

material on how to compute running times, he generally confines theoretical considerations to semi-intuitive treatments of running time and correctness questions.

Even with these limitations, the author has tried to pack a lot of information into 550 pages. Professor Sedgewick is in the unenviable position of making his exposition coherent and comprehensible without wasting words. The chapters are short; Quicksort is covered in 11 pages; parsing in 13. Thus, Algorithms is densely written. Information content is high, repetition is low, and there is ample cross-referencing. While there are some chapters on numerical algorithms that are rough going. I think the author has succeeded in making Algorithms work within these constraints.

A few warnings are in order, however. Because many of the implementation details are left to the reader and because the book is somewhat dense, it is neither a cookbook nor a reference work. The style also precludes skimming and diving into the text at random.

My only major criticism of Algorithms is a lack of coordinated references. The author gives only 5 or 10 references for each major section of the book, without indicating which one refers to the further information you may seek on a given subject. More extensive referencing (including references in the text) would add little to the length of the book but would make it possible to locate further information about specific algorithms.

PREREQUISITES

This book is not for beginners; a reader should have moderate programming experience and, I feel, should already have some basic knowledge of data structures. A more detailed list of what the prospective reader should know may be found on page 3 of the book itself.


By keeping theoretical detail to a minimum, by presenting a unified treatment

of a wide variety of algorithms, and by treating implementation details with sufficient generality, Robert Sedgewick has written a work that will be useful to many practical programmers.

FORTH FUNDAMENTALS - VOLUME 1 Reviewed by E. Francis Avila

ntil the introduction of C. Kevin McCabe's FORTH Fundamentals-Volume 1, textbook-quality FORTH programming books that were both well written and logically organized were in short supply.

McCabe's treatise has been sorely needed for many years. (FORTH was created by Charles Moore almost 15 years ago.) However, this book is not for those with little programming experience. For the novice programmer, I would still recommend the perennial mainstay, Leo Brodie's Starting FORTH (see review in September 1983 BYTE, page 494). But for the seasoned pro-



grammer looking for a professionally written dissertation of FORTH's operation, McCabe's book is indispensable.

IMPROVING THE IMAGE

The author treats his subject matter in much the same style that college texts

cover material: technical, calculating, and concise. A book of this kind is needed if FORTH is to proceed beyond a fanatic's realm (a frequent stigma assigned to FORTH programmers) and be taken seriously in the world of professional programming. But because of an absence of professionally written texts on FORTH to date, many college computer-science departments have shunned teaching this versatile language. While McCabe's book is not intended as a college text, it is a begin-

McCabe writes with an authority and assurance that can only come from an intimate knowledge of the subject. In contrast, it could be said that Leo Brodie never fully understood the language's intricacies and subtleties. This is not to deny that Mr. Brodie was the first to pen a readable book on FORTH; instead it is to acknowledge that his enterprise was a beginning point of

SANYO SUPER SYSTEMS SYSTEM #1 SYSTEM #2 SANYO SANYO MBC-555-2 S1399 MBC-550-2 SANYO GREEN MONITOR SANYO GREEN MONITOR GEMINI 10X • SOFTWARE GEMINI 10X • SOFTWARE Sanyo MBC-555-2 Dual 360K Drive Computer, Sanyo Sanyo MBC-550-2 Single 360K Drive Computer, Sanyo Crt-36 Monitor, Star Gemini 10X, Cabling, Wordstar, Crt-36 Monitor, Star Gemini 10X, Cabling, Wordstar, Calcstar, Infostar, Spellstar, Mailmerge, MS-DOS, Calcstar, MS-DOS, Sanyo Basic. Sanyo MBC-550 System Sanyo MBC-555 System \$1499 w/160K Drives . w/160K Drives PRINTERS TERMINALS DISKETTES NEC ADDS MAXELL C-ITOH 2010, 2015, 2030 \$650 \$480 \$190 \$465 A10-20 2050 \$795 \$480 MD-2 3510, 3515, 3530 SCOTCH 5¼ SS/DD (Qty 100) 5¼ DS/DD (Qty 100) \$445 \$1225 Viewpoint 60 5625 8510 SCP \$205 \$515 \$1539 Viewpoint 90 5865 85 10 BPI 5395 7710, 7715, 7730 \$250 \$1649 **ALTOS** 8510 Prowriter \$325 ELEPHANT OKIDATA 51/4 SS/SD (Qty 100), 51/4 DS/DD (Qty 100) \$160 F-10 Parallel or Serial 5920 All Printer Models Save HAZELTINE 5220 55CPS Parallel or Serial \$1205 PANASONIC Save All Terminal Models COMPUTERS COMPUTER INTERNATIONAL All Printer Models Save OHME **ALTOS** Daisywriter 2000 \$990 SILVER REED Save QVT102, 103, 108 Save COMREX All Printer Models EAGLE TELEVIDEO CR-II Parallel or Serial Save STAR MICRONICS CR-II Keyboard \$155 NEC All Printer Models Save WYSE LON SPECIALIES 1203 ANESA ARIO OFO GOOD MESA ARIO OFO GOOD DATASOUTH TALLY All Terminal Models Save SANYO DS-180 MT 160L w/Tractors Save MONITORS DS-220 MT 180L w/Tractors Save AMDEK ZENITH DIABLO Save \$135 All Model Z-150 & Z-160 Save 620 5745 TOSHIBA \$150 300 Amber Prices reflect 3% to 5% cash discount. 630 API \$1709 \$755 \$160 P1340 Parallel or Serial 310 Amber Product shipped in factory cartons P1350 Parallel or Serial \$1455 with manufacturer's warranty. 630 ECS/IBM \$1995 P1351 Parallel or Serial \$1470 ZENITH Free shipping is on UPS ground Series 36 Save Monitor Models TRANSTAR only. Prices & availability **EPSON** \$400 MODEMS 120 Parallel or Serial subject to change with-All Printer Models 130 Parallel or Serial out notice. Send cash-INFORUNNER \$455 Smartmodem 300 Boud \$205 ier's check or money \$255 **DISK DRIVES** 5490 order...all other Smartmodem 1200 Baud IDS checks will \$435 RANA Prism 132 Color \$1500 delay ship-5220 US ROBOTICS Elite I JUKI \$315 ping two 6100 \$435 Elite III 5415 212A Autodial \$430

COMPUTERS and more. . .

is your place to buy for SELECTION, SERVICE and SAVINGS.

We know that your needs are not the same as everyone's, so we don't treat you "just like every one else." Your needs are special. That's why COMPUTERS and more. . . is your place to buy for. . .



.SCHOOL

COMPL	TIERS
IBM	EAGLE
64KPC w/2-320 drives 2295	PC-XL 3395
PC XT w/256KRAM 4795	Spirit II 2699
PCJR 128K CALL	CORONIA
A DOLE	CORONA
APPLE	DeskTop w/2 drives 2369
The MacIntosh call	Portable w/2 drives 2195
Apple Starter System 1299	TELEVIDEO
Apple IIe	TS 1605 CALL
14ew Apple Products Can	Teletote SALE
COLUMBIA	Multi-User Systems CALL
1600-1 w/1 year war, 2495	Muli Ger Sysiems CALL
1600-1 Pack w/1 yr. war. 2795	ZENITH
1600-4 CPU only 3454	Z150 ON SALE
VP Portable 2349	Z160 CALL NOW
DEC	CHARD
Rainbow 100 2295	SHARP
Rainbow 100 + 4495	PC-5000 1529
Nambow 100/ + 4495	NEC
KAYPRO	We sell and service all
	Nec Micros
Kavpro II 115	
Kaypro II + or 4+ CALL	LEADING EDGE
FRANKLIN	PC 2199
A 1000 700 #	
Ace OMS CALL	For our complete selection
ALL SAID THE CALL	call for our line cord and
COMPAQ	price list for all computers.
Compag 2-drive 128K 2599	The second secon
Compag Plus 3995	

ACCESSORIES

Access 1 2 3 389	R10-Plus 64K 269			
Keytronic 5150 189	R10 64K + 1/0 cd 269			
Keytronic 5151 219	SR10 by STB on sale			
Hercules Card 349	Optical Mouse by Visi 199			
AST 6 Pack 265	Quadboard Ex 64K 319			
AST PC Net CALL	Quadboard II 64K 249			
Plantronic Color Bd 369	Quadvue 289			
Z-Plus by CCS 679	Orchid Tech CALL			
Graphix Plus by STB 319	1200B w/Sft 429			
256K cd by STB379	Tecmar Access CALL			
APDIE				

80 Col 64K for Ile 116	80 Col Card 109			
Par Interface 54	294 K by Synetex 499			
Serial Card 79	MicroModern Ile w/Sft 239			
Buffered Grappler + . 159	Koala Pad 79			
Z-80 Card 97	Appli-Cards cal			
	The second secon			



1 Year Warranty Available
TO ORDER: Phone orders invited using Visa. MasterCard, or bank wire transfers. Visa, MC, service charge of 2%. Mail orders may send charge card number (include expiration date), cashiers check, money order, or personal check (allow 10 business days for personal or company checks to clear). Please add 3% (\$5.00 minimum) for UPS shipping, handling, and insurance. All equipment is in factory cartons with manufacturer warranty. Opened products not returnable. Restocking fee for returned merchandisc. Equipment subject to price change and availability. Retail prices differ form mail order prices. Calif. residents add 6% State Tax. Company and school P.O.'s accepted on approval. IBM. Apple are registered trademarks.

INTERNATIONAL INQUIRIES WELCOMED TELEX 697120, DATAMAX ATTN: DEPT. 322

... HOME

PRINTERS JUKI **TOSHIBA** P1351 F 6100 18 cps 419 P 1351 S P 1340 P **EPSON** Fx-100 CALL Fx-80 CALL LQ-1500 NEW RITEMAN

ABATI	Riteman Blue		
Q-20 Parallel 389 Q-20 Serial 429	MANN-TALLY We carry all		
A Street Contract	Mann-Tally Printers CA		

DAISYWRITER	Mann Tally Printers CALL
isy 2000 w/48 K Buf. 949	SIEMANS
t-Sheet Feeder 659	PT 88 Ink Jet 759 Pt 89 Ink Jet 994
RICOH	ANADEX

1600 45 cps Ser. 1395	9625 B
1200 20 cps L/Q . 689 ctor-All Models 219	STAR Power Type - New CALL
TRANSTAR	Delta IO & 15 CALL Germini IOx & 15x . CALL
nstar 120P 399	Radix 10 & 15 CALL

Transtar 1205 399 **OKIDATA** Transtar 130S Call for our low sale prices on all OKI Printers Tran 130 Sheet Feeder 329

HIPPING

A	M	\mathbf{r}	100	W
- 1	IVI.	_	Et l	n

RP RP.

A CONTRACTOR OF THE PARTY OF TH	
LICILICATION	MILIAICT
 HOUSTO	TOKIN-KIN

ENTER	C-ITOH
nplot 4 Color 719 nplot If Digital 899 Y 6-Color 949	DMP-40-2 c DMP-40-P 9

Sweet-P for Apple ... 729 Sweet-P for IBM ... 789

x-4800 549 STROBE M100 1-Pen ... 489 M260 8-Pen ... 779

DISK DRIVES

Tandon 100-2	219
CDC for IBM (320 K)	229
SPECIAL NOTE TO OUR CUSTOME	RS:
Because Hard Disk Drive companies are	re-
thinking their prices downward, please call	for
latest prices for: QUADRAM, TECMAR,	
VONG, CORVUS, PEGASUS AND OTHERS	S.

... OFFICE

SOFTWARE FOR PC & XT FOR JR.

TONTEGRAI	I OH oh.
Easywriter I 189	Home Acct. Jr5
Lotus 1-2-3 319	Tax Advantage Jr 5
Lotus Symphony call	Personal Development 6
R:Base 4000 349	Filewriter 2
R:Base 4000 349 DesQ 339	Filewriter 2
MultiMate call	Easywriter I Sys 18
Volkswriter DeLux 199	Kids on Keys Jr 2
Wordstar on sale!	Creative Calc
Home Accountant Plus . 99	Creative Filer 3
Concurrent CP/M 86 239	Creative Writer3
CP/M 86 CALL	Pipes
T.I.M 329	Save New York 2
Q Base 139	
Verse Form 279	APPLE
Ask Micro (ea package) 389	CALL STREET, S
Ask Micro (ea package) 389 Smartcom II	Friday 169
Smartcom II	Friday 169 C Dex (each 36
Smartcom II	Friday
Smartcom II	Friday
Smartcom II 99 Inview 219 Micro Terminal 69	Friday
Smartcom II	Friday 165 C Dex (each 36 Quick Code 175 Micro Pro on sale PFS: File 83 PFS: Report 83
Smartcom II	Friday 165 C Dex (each 36 Quick Code 175 Micro Pro on sale PFS: File 83 PFS: Report 83 PFS: Graph 83
99 Inview 219 Micro Terminal 69	Friday 165 C Dex (each 36 Quick Code 175 Micro Pro on sale PFS: File 83 PFS: Report 83 PFS: Graph 83 Visicalc 3.3 169
Smartcom II 99 Inview 219 Micro Terminal 69	Friday 165 C Dex (each 36 Quick Code 17 Micro Pro on sale PFS: File 83 PFS: Report 83 PFS: Graph 83 Visicalc 3.3 169 Visicalc Financed 179
99	Friday 165 C Dex (each 36 Quick Code 175 Micro Pro on sale PFS: File 83 PFS: Report 83 PFS: Graph 83 Visicale 3.3 169 Visicale Enhanced 179 Letter Perfect w/Mail 99
Smartcom II 99 Inview 219 Micro Terminal 69	Friday
99	Friday
99	Friday

MONITORS

		A CONTRACTOR OF THE PARTY OF TH	
Princeton Hx-12	. 464	Zenith 131	319
Princeton SR/12 or	n sale!	Zenith 135	. 487
Princeton Max-12	. 179	Zenith 122	109
Taxan 420	467	Amdek 310 A	159
Taxan Amber	119	Amdek Color II	.429
Taxan Kx-122	159	Amdek Color IV .	799
Quadram Quadchrome Quadram Color II	499 449	NEC 1216	.419
	ERM	INALS .	
WYSE 300	989	Televideo 914	539
WYSE 100	689	Televideo 924	687
QUME 102A	534	Televideo 910+	549
OUMF 103A	CALL	Televideo 950	905

SERVICE

EXTENDED WARRANTIES AND FAST REPAIR BY QUALIFIED TECHNICIANS FOR OUR ENTIRE LINE. CALL FOR MORE INFO.

COMPUTERS and more. . .

3620 30TH ST., SAN DIEGO, CA 92104



TO ORDER (619) 291-1442 TOLL FREE 1-800-433-9449



* On All Pre-paid Cash Orders In Cont. U.S.

'SE HABLA ESPANOL" P.O.'S ACCEPTED ON APPROVAL FORTH books and succeeding works should improve upon this early text. McCabe accomplishes that task.

A LOT TO OFFER

The language FORTH is made up of words contained in a vocabulary. These words represent specific programming operations and functions. The language is supplied with a set of core vocabulary words with which the programmer begins. As a programmer becomes proficient with the language, he normally develops extensions of the core to perform new and complex tasks. The purpose of a FORTH text is to examine and describe the function and use of each word. McCabe's job, therefore, is to describe each core word in complete detail, and he manages to do this admirably.

ORGANIZATION IS THE KEY

The author's greatest strengths are his organization of the subject matter, his

straightforward writing style, and his knowledge of the language. Organization is an important point since FORTH is based on a word vocabulary. Each new word introduced generally builds upon previous words. McCabe provides a logical progression of the FORTH vocabulary, emphasizing important words with exercises for the reader to try. In general, his exercises worked on my system using a FORTH-79 language. As each new word is introduced in the book. McCabe lets the reader know immediately on which standard the word is based. This is a real plus. A criticism of Brodie's Starting FORTH was that his book was based on PolyFORTH, a unique version of FORTH not in keeping with the proposed standards (more on that later); consequently, not all exercises would work properly, if at all. Several of Brodie's FORTH words are not available in the two most popular versions of the language, FIG-FORTH and FORTH-79.

DIFFICULTY WITH DETAIL

McCabe's weak point lies in the detail of complex subjects. For instance, the initial subjects in the beginning chapters-the stack, stack words, numeric operations, conditionals, and the likeare treated in careful detail but, as the book progresses. McCabe appears to be in a hurry to arrive at the end. I don't believe he spent as much time on the more complex aspects of FORTH as he did on the basics. This is unfortunate because it has been my experience that. in time, most users will master the operation of the stack and postfix notation, but some of the more elusive aspects of FORTH are a source of continual confusion. These include compilation, the vocabulary, array structures, floating-point math, multitasking, disk operation, and others.

Perhaps the most difficult aspect to understand in FORTH is the dictionary, (continued)

One good thing deserves another:

Excellent Hardware, Excellent Software, X'Int Diskettes.

Why settle for a diskette that doesn't measure up to the quality you're looking for in a total computer system?


Choose the diskette manufactured with added features and quality standards that make it the very best available. Choose the X'Int diskette that's backed by a lifetime warranty.

Find out for yourself. Demand the 5¼" diskette that will give you nothing less than excellent results.

Only at an X'Int dealer near you.



X'Int Diskette Products, inc. 630 International Parkway Richardson, Texas 75081



Our 10 pack features a unique Program Shelf **
X'Int's complete 5¼" product line of diskettes
are Perma Sealed and carry a lifetime warranty.

Charlie...You're too expensive!

Now you can get an AMI-PC for just

American Micronics, Inc., is proud to introduce its total IBM-PC® compatible personal computer. the AMI-PC®

AMI-PC runs under DOS, 1.1, 2.0, 2.1, MS DOS, CP/M86® and p-System®

 AMI-PC system comes with 16 bit 8088 based CPU
 128K RAM Memory upgradeable to 256K • Two 320 K DS/DD Slimline Drives • Floppy Disk Controller • Color/Graphic Adapter • Green Monitor

83 Key Detachable Keyboard with CAP and NUM Lock Indicators

Two RS-232C Serial Ports and One Parallel Port.

Option: 5, 10, or 15 MB Hard Disk upgrades available.

- SIX MONTHS LIMITED WARRANTY
- 10 DAY MONEY-BACK GUARANTEE*
- AFTER SALE TECHNICAL SUPPORT



Partial List of softwares that run on AMI-PC

IBM® Microsoft Adventure

Air Traffic Controller AST-378 and AST-SNA Benchmark IBM® Cobol Compiler

IBM® Fortran Compiler

IBM® Macro Assembler Lotus 1-2-3 Norton Utilities PFS File

PFS Write Supercalc VisiCalc® Volkswriter

WordStar

General Ledger Multiplan BPI Personal Acc. Perfect Writer

Please call or write for the dealer nearest you.



American Micronics, Inc.

17842 Irvine Blvd., Suite 122, Tustin, CA 92680, (714) 731-5201, (714) 559-1598, Telex 4722121

Dealers application accepted.

AIR TRAFFIC CONTROLLER is a registered trademark of Avant-Garde; AST-378 and AST-SNA are registered trademarks of AST Research; BENCHMARK is a registered trademark of Metasoft; FRIDAY & dBASE II® are registered rademarks of Ashton-Tate, Inc.; IBM® Cobol Compiler, IBM® P.PC, IBM® Fortran Compiler, IBM® Microsoft Adventure, IBM® Macro Assembler, PC-DOS 1.1, PC-DOS 2.0, PC-DOS 2.1, are registered trademarks of IBM Corporation; LOTUS -2-3 is a registered trademark of Lotus Development; MS DOS 1.25 is a registered trademark of Micro Network Corp; NORTON UTILITIES is a registered trademark of The Norton Utilities; PROKEY is a registered trademark of Rosesoft; PS FILE, PFS REPORT, PFS WRITE are registered trademarks of Software Publishing; SUPERCALC is a registered trademark of Software, Inc; INFO STAR, WORDSTAR are registered trademarks of MicroPro; CP/M86® is a registered trademark of Digital Research, Inc; USCD-p is a registered trademark of Microsoft; BPI is a registered trademark of Microsoft; BPI is a registered trademark of Microsoft; BPI is a registered trademark of ASK Micro; MULTI PLAN is a registered trademark of Microsoft; BPI is a registered trademark of BEECT WINTER is a registere ERFECT WRITER is a registered trademark of Perfect Software. *Special introductory price

**Shipping and insurance charges are paid by the purchaser.

dictionary fields, and linking. While McCabe devotes an entire chapter to this complex and confusing subject, I feel he would have done well to double his effort here, leading the novice FORTH programmer through more clearly mapped examples of dictionary operation. The examples he provides appear correct, but the chapter must be read more than once to fully grasp the content.

Contrary to claims made by FORTH advocates, FORTH is not an easy language to learn, especially for those unfamiliar with computer hardware concepts—an absolute necessity with FORTH. Starting FORTH takes a more fundamental, almost simplistic, approach to the language, and thus Brodie's book is best for the beginner. For instance, because Brodie assumes his readers do not know what constitutes a byte of memory, he explains it in detail, complete with drawings. McCabe does not bother.

Make no mistake, while FORTH is much more difficult to learn than BASIC, once mastered it is far easier and quicker to program in than most other popular languages; this is especially true in input/output-intensive applications.

MANY STANDARDS

One last observation. FORTH is still in the evolutionary stages of development. (I feel it always will be, due to its nature.) It can rightly be described as a roll-your-own programming language, and while there are standards, there are more unofficial variations to these standards than computer systems. This makes the job of writing a complete, accurate book covering FORTH an almost impossible task, in my opinion. McCabe wisely avoids the politics of FORTH standards and simply notes the differences between the more popular versions, generally FIG-FORTH and FORTH-79.

It's obvious, however, which standard

McCabe believes in. His book convinced me that FIG-FORTH, not the original form of FORTH, is the only way to go. As new standards emerge (FORTH-83 is the latest), less and less flexibility is available to the programmer in terms of custom implementations.

I am only reviewing the first of two volumes. The second is simply a detailed glossary of FORTH and provides a quick, expanded reference source of the language. In Volume 1, McCabe makes few references to Volume 2. Although the companion glossary is nice to have, I do not feel it is worth the retail cost.

Despite its flaws, FORTH Fundamentals-Volume 1 is a must for the serious FORTH programmer who requires an intimate understanding of the inner workings of this complex and versatile language. What is needed next is a FORTH applications book—McCabe just might be the one to do it.





The exciting world of telecomputing. With a Hayes system, you just plug it in! Communicating is so easy with a complete telecomputing system from Hayes. Hayes Smartmodem 300™ is a direct-connect modem for the new Apple IIc. Hayes Micromodem IIe® installs easily in an expansion slot in the Apple II, IIe, III and Apple Plus. Packaged with Smartcom I™

are from Hayes, the established

telecomputing leader. Just plug in— and the world is your Apple!

We connect you to all the right places. Bulletin boards, databases. information services—naturally. And that's just the beginning. Let your Apple plan your travel itinerary, including flight numbers, hotel and rental car reservations. Watch it retrieve and analyze daily stock and options prices. Work at home and send reports to and from your office. You can even do your gift shopping by computer!

Would you care to see our menu? Make your selection. Really. With

Smartcom I, you just order up what you want to do. The program guides you along the way. You can create, list. name, send, receive, print or erase files right from the menu. From the very first time you use it, you'll find telecomputing with Hayes as easy as apple pie!

We've got your number! We know

companion that's flexible and software, both Hayls, you want a system with a complete systems. Best of all, both systems is so versatile, accepting ProDOS.™ DOS 3.3. Pascal and CP/M® operating systems. It provides you with a

directory of all the files stored on your disk. And in combination with your Hayes modem, Smartcom I answers calls to your system, without your even being there.
Your Apple's telephone goes any-

where the phone lines go. Hayes modems allow your Apple to communicate with any Bell-103 type modem over ordinary telephone lines. You simply connect directly into a modular phone jack to perform both Touch-Tone® and pulse dialing. Hayes Smartmodem 300 and Micromodem He both transmit at 110 or 300 bits per second, in either half or full duplex.

Follow the leader. Over the years we've built our reputation as the telecomputing leader by developing quality products that set industry standards. Now we invite you to see for yourself just how simple it is to add powerful, easy to use telecomputing capabilities to your Apple computer with a complete, ready-to-go system from Hayes. Visit your Hayes dealer for a hands-on demonstration. And get on line


with the world. Hayes. We're here to help.

Hayes Microcomputer Products, Inc. 5923 Peachtree Industrial Blvd Norcross, Georgia 30092, 404/441-1617.

Circle 146 on inquiry card.

Smartmodem 300 and Smartcom I are trademarks and Micromodem IIe is a registered trademark of Hayes Microcomputer Products. Inc. Apple is a registered trademark, and ProDOS is a trademark of Apple Computer. Inc. Touch Tone is a registered service mark of American Telephone and Telegraph. CPIM is a registered trademark of Digital Research. Inc. ©1984 Hayes Microcomputer Products. Inc.

YOUDON'T HAVE TO REMODEL TO ADD ON.



With some computers, the more you do, the more you have to add on.

A little memory expansion here. A graphics adapter there. Next thing you know, you need

an expansion chassis. And a loan from the bank.

Corona builds memory expansion (up to 512K) and high-resolution graphics right into the main board. That saves you money. And expansion slots. Plus, our 128K standard memory and IBM® compatibility let you run thousands of software packages right out of the box. The net result is a PC that grows on you. Painlessly.

The Corona PCs.

It's a matter of simple addition.

In North America, call 1-800-621-6746 for the Authorized Corona Dealer near you. In Holland, call 020-03240-18111. There are over 1,600 dealers worldwide. And their job is to help. Service by Xerox.



THE UNIX OPERATING SYSTEM Reviewed by Irene Pasternack

When I first looked at The UNIX Operating System by Kaare Christian, the only thing I could say was "Why another UNIX book?" I read this book in order to answer that question and discovered that, yes, there is an audience for the book.

Christian's book is well suited for the person with experience using another computer system who needs to learn about UNIX. It provides a conceptual overview rather than a tutorial for beginners. The first few chapters on history and fundamentals take up only 13 pages, so I actually read them instead of skipping them and missing some important concept. The second section, 'Advanced UNIX System Topics," provides clear descriptions, examples, and relevant concepts on topics that any serious UNIX user needs to understand: shell programming, C, make, Source Code Control System, yacc and lex, system manager and programmers' utilities, and the UNIX kernel.

FOR SEVERAL LEVELS

The UNIX Operating System is also suitable for those who are learning UNIX as their first operating system but are beyond the basics. It fills in the concepts behind newly familiar commands and explains what your local system administrator or programmer is doing in a way a newcomer to computers can understand. It should be read after a class or practice with introductory books such as The UNIX Primer Plus by Mitchell Waite and Donald Martin (Howard W. Sams and Co., 1983) or A User Guide to the UNIX System by Jean Yates and Rebecca Thomas (Osborne/McGraw-Hill, 1982).

Appendixes include an abridged user's manual and a glossary of UNIX-specific terms. Christian does an excellent job of orienting you to what is relevant and what you should ignore, whether you are a novice, a programmer, or a system administrator.

The second chapter jumps into the UNIX system basics with a short warning to get you situated: "The UNIX System is harder to use than a toaster, but then it does more than a toaster. Learning the UNIX System is somewhat like learning a complex skill such as swimming or bicycle riding. At first none of your reflexes seem appropriate but eventually the skill is mastered."

People who consider themselves UNIX experts will probably remember this challenging phase of learning UNIX. The UNIX system, with all its built-in utilities and library functions, is an awe-some tool that requires patience and an understanding of computers before you can learn how to use it. This book is designed to show you the major capabilities of this tool, rather than to teach you how to use it.

The following chapter covers the shell. For those uninitiated in UNIX, the shell is the part of the system that interprets your commands and acts on them. For



There are a lot of powerful reasons to write software for HP systems.









You're looking at two of them.

An enhanced UNIX[™] operating system. And the cash bonuses you'll earn when you sell your UNIX-compatible applications with an HP system.

Those are compelling reasons to participate in HP's special program for software companies.

We have a whole range of products that can run UNIX, from our popular line of MC 68000-based machines to our powerful 32-bit systems. And we'll be expanding that range all the time.

While we're giving you a wider choice of products for your programs, we're also making it even easier for you to write them.

We've developed an especially powerful version of the industry standard UNIX, called HP-UX. Its enhancements provide for graphics, data base management and networking, to name just a few.


When you team up with HP, you have our full service organization behind you. Our factory and field support teams are dedicated to problem-

solving. So, if you or your customers have any questions about HP-UX, just give us a call. We're ready to help.

And we're ready to make your efforts very rewarding. When your customer buys an HP system because of your application, we'll give you a cash bonus of 30% of your software's sales price—up to 6% of the net HP system's price. Our only restriction is that, to qualify for the bonus, your software must sell for at least \$10,000.

There are lots of other good reasons to write HP-compatible software for UNIX or any of our other operating systems. To find out all about them, write to Hewlett-Packard, Attn: Gwen Miller, Dept. 57190,19447 Pruneridge Avenue, Cupertino, CA 95014. In Europe, contact Henk van Lammeren, Hewlett-Packard Nederlands B.V., Dept.57190,P.O. Box 529, 1180 AM Amstelveen, The Netherlands.





Graphics-Plus transforms Z19 into super terminal

The GRAPHICS-PLUS enhancement board installs easily into your Zenith Z19 terminal to give you powerful graphics capability as well as expanded user features. For a small investment, your Z19 now rivals the horsepower of very expensive terminals.

You get Tektronix 4010 compatibility to run industry standard graphics software. In the text mode, you get DEC VT100 compatible 80 and 132 column formats and 24/49 line

Northwest Digital Systems

P.O. Box 15288 Seattle, WA 98115 (206) 524-0014

*Ask about GRAPHICS-PLUS for the Z-29

displays. Plus seven pages of offscreen scrolling memory. A "plain English" Set-up mode. Sixteen programmable function keys. And many more convenience features.

Printer Port Option

To capture your graphs and text on hardcopy, you will also want our printer interface board for popular dot matrix printers. Specify if you need serial or parallel compatibility.

New Reduced Prices

☐ Send literature only	Quantit
GRAPHICS PLUS (GP-19) board	\$ 695
☐ Z19 Terminal with GP-19 installed	1395
☐ Printer I/O board	175
☐ Serial I/O ☐ Parallel I/O	
	Total \$
Name	
Company	
Address	
CitySt	ateZip

example, a common action would be to load and execute a requested program, directing its input and output streams to specific files or to the terminal. The UNIX shell also has the capabilities of performing conditional commands. Because of this, it can essentially be used as an interpretive programming language. Christian discusses the shell's capabilities and presents many examples of ways it can be used.

The structure of the UNIX file system is presented from a user's point of view. Many of the utility programs that are presented include the text editor, a few basic utilities for handling your directory and files, finding out what's going on, and formatting text.

ADVANCED TOPICS

"Advanced UNIX System Topics" is the second part of the book and it will delight programmers and systems administrators without completely overwhelming more casual users. Topics covered include make and Source Code Control System, advanced shell use, security, C, programmer's utilities, yacc, lex, system manager's utilities, and the kernel. These topics are not usually covered in books on UNIX but are important for anyone intending to do serious work with UNIX. Each new topic is introduced with a description of why it is important and the concepts behind relevant commands. Examples show format, how to use the commands, and alternative ways to accomplish a goal.

Although I am a fairly sophisticated UNIX user, I found that conceptual holes in my knowledge were filled. A less experienced UNIX user, approaching these topics for the first time, found the concepts and explanations understandable. This is quite a feat considering the levels of complexity of yacc, lex, shell programming, the kernel, and C.


Christian's explanations of yacc and lex are good examples of the quality of the book for both novice and experienced users. For the novice, the concepts and need for recognizing a command language are explained and the commands are demystified. For the experienced user, enough information is provided to begin using lexical analysis and parsing for useful tasks.

I found the description of the UNIX kernel fascinating because it explains



Less for Your Money

If you do word processing on your personal computer, you probably know that there are many programs for sale to help you with your spelling. But the biggest spelling error you'll ever make is paying too much for your spelling correction software. The Random House ProofReader gives you less for your money less trouble, that is, and fewer spelling errors. The Random House ProofReader is based on the world famous Random House Dictionary. It contains up to 80,000 words, depending on your disk capacity. You can add new words with the touch of a key. It shows you the error and the sentence it's in. It instantly suggests corrections. It even rechecks your corrections. And it costs half as much as other programs with far less power. The Random House ProofReader is compatible with all CP/M 2.28, MS-DOS® and IBM Personal Computer® systems.



For orders or information, see your local dealer or call (617) 967-4541. Master card and VISA accepted. Or write Wang Electronic Publishing, One Industrial Ave., Lowell, MA 01851. Please enclose \$50 and specify your computer model, disk size and memory.

Random House and the House design are registered trademarks of Random House, Inc. CP/M is a registered trademark of Digital Research, Inc. IBM and IBM Personal Computer are registered trademarks of International Business Machines, Inc. MS-DOS is a registered trademark of Microsoft, Inc.

why UNIX works as it does. Because the user never interacts directly with the kernel, it is rarely covered in UNIX books. The kernel is the master behindthe-scenes organizer, scheduling processes, allocating disk storage and memory, and supervising data transmission between peripheral devices and the main processing unit. This section explains why you have to reboot and what happens inside the computer when you start up your system. It explains how processes are handled. relating the concepts of parent/child processes, multiuser timesharing, block and character I/O, all the way to the functioning of the kernel.

ERRORS

As with every book on UNIX that I've seen so far, there are a few technical errors. In the chapter called "Check File Systems," the command volcopy is explained as an alternative way to back up files on Version 7, but it is not available on the Version 7 I use. Christian also errs with the phrase, "only the system is allowed to write in directory files." Any users with write permission for a directory can write in the directory file. Occasionally, introductory paragraphs contain generalizations that are not completely accurate. For example: "Many UNIX Systems have several text editors. most of which resemble. . ." ed, is misleading. Most people use a screen rather than a line editor, and only one of the popular screen editors is related to the line editor, ed.

Altogether, The UNIX Operating System is a well-written and useful book for those who are switching to UNIX from other systems or who are familiar with UNIX basics. It contains conceptual information and a wide range of topics not found in other recently published books on the UNIX operating system.

ARTIFICIAL INTELLIGENCE APPLICATIONS FOR BUSINESS Reviewed by Hunter Alexander

A rtificial intelligence (AI) interests people in business both as a tool for performing tasks that could not have been done before and as a new way of approaching old problems. Walter Reitman has edited the May 1983 proceedings of the New York University (NYU) Symposium relevant to this topic and

they are published in Artificial Intelligence Applications for Business.

According to one contributor, in 1978 Schlumberger Ltd. of New York City began recruiting and equipping an AI group. To date, it has spent more than \$21 million on researching improved techniques for locating gas and oil (the dipmeter project). Texas Instruments. Amoco, and Standard Oil of Ohio have similar programs. The fifteenth chapter. entitled "Market Trends in Artificial Intelligence," by Howard Austin, delves into this aggressive AI marketplace where. at present, large amounts of money are being spent, both by business and by the government. One knowledgeable AI businessman, Eamon Barret of Smart Systems Technology in McLean, Virginia, estimates that \$300 million will be spent on AI in 1984. The book contains many such facts arranged in useful charts showing who's who on AI, how much money has been invested in certain projects, which people to contact, and what telephone numbers to call. Other tables list all known Al investors and contacts and their telephone numbers.

The book by itself will not help business people in developing a program that will enhance the company's productivity. Rather it is designed to bring the business person up to the speed of the AI industry.

A SAMPLE PROGRAM

This book is divided into three parts: expert systems, natural language, and the future of the AI marketplace. Adrian Walker's chapter on "Databases, Expert Systems and Prolog," takes us inside IBM's San Jose research laboratory. He explains how Plantdoc, a naturallanguage system, diagnoses ailments that you enter about houseplants and then recommends remedies. Because Plantdoc is one of the easiest applications to explain, it serves as a good example of how people can enhance their businesses with increased service or productivity facilitated by an Al program. Although the program could be for home use, a customer can allegedly enter a plant store and describe a plant's symptoms, such as yellow leaves that are dropping off. The clerk then enters this information, the ailment is diagnosed, and the computer responds

Gifford has a lock on multiuser CP/M⁸-16.

It's 11:00 P.M. Do you know where your files are?

It's great when multiple local and off site users can run any 8- or 16-bit CP/M or MP/M™ program. It's even better when they can share expensive resources like printers, hard disks, and tape drives. Best of all is when they can share your most precious resource—data. Gifford has been delivering systems with all these features for over two years.

But sometimes data is sensitive. How do you keep people from taking more than their fair share?

Gifford adds a new dimension to CP/M security.

With our new security features, you can control what resources and data are shared.

Gifford's proprietary security enhancements include user login with encrypted passwords, control over access rights of modem users, secure electronic mail, and the ability to restrict users to specified terminals, programs, and directory areas. Plus, an audit log utility that keeps a permanent record of system activity. And you also get all the standard security features of Digital Research's MP/M-86.™

You select the level of security needed to get the best balance between file sharing and file safety.

Unleash productivity with Gifford's Virtual Terminals.

With our Virtual Terminals, each terminal on your system can monitor up to four different programs running concurrently. And at the touch of a key you can switch screens instantly from one program to another.

You could look up an address in dBASE II,™ jump over to SuperCalc™ to make some projections, then switch instantly to WordStar® to use this information to update a letter. If you forget what's on a screen, just touch a key to refresh your memory. You won't need to go through the distracting process of loading and unloading programs.

And since your Virtual Terminal can run any 8- or 16-bit CP/M or MP/M program, you can choose the best programs for your job from the biggest software library in the world. It's easier than 1, 2, 3!

The Gifford Security Blanket: **Total Solutions.**

Gifford delivers solutions. This means professional pre-sale consultation, expert system integration with 200 hour system burn-in, complete training, and full after sale support.

For example, our three user CompuPro® based system with a 21megabyte hard disk costs just \$9,990, and can be easily expanded for \$500 per

user. This includes MP/M 8-16, SuperCalc, and dBASE II.

Other Gifford solutions include systems with hard disks that range from 5 to 300 megabytes, 4 and 9 track tape backup, printers, plotters, and modems. Single- and multiuser 8086, 68000, and Z-80 based systems are available for immediate delivery, with 80286 and 16032 systems on the way.

Two year warranty protection.

In the unlikely event that you encounter a hardware related problem, we'll replace any defective S-100 part within 24 hours FREE for two full years. But chances are, it can be solved on the Gifford service hotline or diagnosed via modem. All at no cost to you.


Lock in on Gifford Security today.

If total support, training, on site service, obsolescence-proof upgradeable S-100 bus architecture, and complete system security sound appealing, cut the coupon or give us a call. We'll send you a free brochure that tells the whole story. Once you get it you'll see why Gifford has a lock on multiuser CP/M 8-16.


Gifford Computer Systems is a Full Service CompuPro® Systems Center.



GIFFORD COMPUTER SYSTEMS
San Leandro, CA (415) 895-0798
Los Angeles, CA (213) 477-3921
Houston, TX (713) 680-1944 Amherst, NY (716) 833-4758 ☐ Telex: 704521







Any computer, no matter how advanced, is only as good as the software that goes into it. And in micro-computers, IBM PC compatible software sets the standard. The success of the IBM Personal Computer and the resulting IBM PC compatible software industry means that today's most innovative, powerful, and useful programming is being written expressly for the IBM PC. And only a truly IBM PC compatible can take advantage of it.

Commuter offers a level of IBM PC compatibility unsurpassed in a portable or desk-top computer. With the IBM PC compatible MS-DOS™ operating system and GW Basic.™ A full 83 key keyboard with a layout identical to the IBM PC. 5¹/4″ floppy disks that are interchangeable with the IBM PC. Built-in IBM compatible color graphics and monochrome support. There's

even a port for the IBM PC expansion chassis. And unlike many so-called IBM PC compatibles, Commuter can run virtually all of the software written specifically for the IBM PC.

No computer makes \$1995 go farther.


For \$1995, Commuter not only gives you desk-top power and features, it does it in only 16 pounds. And at $3\frac{1}{2}$ " x 18" x 15" with built-in handle and carrying case, you can take it anywhere you'd take a briefcase.

For more information on Commuter, call **1-800-847-8252** (in MA call **1-800-462-5554**), or write Visual Computer Incorporated, 135 Maple Street, Marlboro, MA 01752. Or visit your local Commuter dealer today.

Commuter. Whether you compare it to desk-top models or other portables, you just can't pick up more computer for your money.

Commuter. It can take your business places it's never been.

Visual Computer Incorporated is a wholly owned subsidiary of Visual Technology Incorporated. COMMUTER is a trademark of Visual Computer Incorporated. BM is a registered trademark of International Business. Machines Corporation. MS-DOS and CW Basic are trademarks of Microsoft Corporation.



BOOK REVIEWS

Heart of TEXAS COMPUTER SYSTEMS

We carry the full line of TRS-80 computers, plus TCS upgrades. Call for our low discount prices.

Model 100 Briefcase size. CALL Model IV Portable: CALL Model 12, 16 at discount: CALL

Model 12/16 Accessories/discount.

The TANDY-2000

Check out this terrific new computer from Tandy. It's beautifully designed and very versatile. Four times faster than the IBM-PC and has twice the floppy disk capacity. MSDOS compatible. It's a great machine and we have a great price. CALL!

DISK EXPANSION

Matti Matv Controller, Pwr.Sup. Hdwr., Instruct. \$249 \$329 Kit 1, plus 1/40-trk. Tandon Dr \$429 \$479 Kit 1, plus 2/40-trk. Tandon Dr \$589 \$649 3a Kit 3 w/2 80 trk drives \$698 \$729 (dual sided 40s)

Model IV needs 64K to operate. For 64K Kit, CALL

Quality disk drives -- O.E. brand on IBM Available bare and in cabinets.

TM100-1: \$159 TM100-2: CALL

CALL US IF YOU FIND LOWER PRICES!

25% OFF LIST PRICE!

OMNINET - A high speed multi-user network that connects several computers for instant communication up to 4,000 feet away

Save over \$1,000 on a 20 mg. Corvus Hard Disk system for IBM PC and other computers.

5mg. \$1649 10mg. \$2279 20mg. \$3049



Single user or networking hard disk system for IBM & Apple. Lowest prices anywhere. Priced from \$1375. 10, 15, 21, 32 mg. & cartridge tape backup--CALL.



Fast, dependable, versatile, low price.

Gemini 10X 9in., 120cps, Friction/Tractor Gemini 15X 15in., 120cps, Friction/Tractor

DISKETTES \$1.70

CompuDisk, high quality mini floppy disks from \$1.70. Compare our prices. Disks come complete with hub rings, protective envelopes, write protect tabs, adhesive labels. Fully tested. Certified 100% Error Free. Guaranteed. SSDD or DSDD. Boxed or in Bulk, CALL

Heart of TEXAS COMPUTER SYSTEMS

P.O.Box 1327 Arlington, TX 76004 Toll Free 1-800-433-5184 Texas 1-817-274-5625

VISA, MC, cashier's check, Money Order. No tax out of state. Texans add 5%. Prices subject to change.

with the appropriate remedy. On a less simplistic note, a similar procedure could be programmed for diagnosing what ails something as complex as a nuclear power plant, though we would certainly require a great deal of trust in the system and its information. Dr. Walker also tells how the Prolog language, used extensively in AI, provides powerful and practical means for integrating techniques in databases and expert systems. Digital Equipment Corporation, for example, has used expert systems to replace manuals and oldfashioned dumb databases. The corporation is presently automating manufacturing and assembly.

Other papers describe several applications that include knowledge-based systems, expert systems, natural-language interfaces, advisory systems, robotics, and intelligent database software.

This is no easy task. For a computer to interact with you it must be able to solve problems, answer questions, and recognize and respond to misconceptions. According to the authors of Chapter 12, Webber and Finin, there are four discernible types of user misconceptions: one. "that something exists": two, "that something can participate in some relation"; three, a misconception about an object's type; and four, "that some event can occur." Further, there are times when even the user does not know how to answer or what information to supply. In these cases, the interactive process requires that the systems extract from the user the required data. "Without these capabilities," Webber and Finin claim, "interactive problemsolving systems will never be more than laboratory toys."

A CERTAIN FUTURE

Yet every discussion of AI should include some guesses about the future. The editor, Reitman, sees an increasing amount of AI software houses backed by venture capital from various sources. In the long run, AI is building and will continue to market software because certain professionals can benefit from it. "If there is a population of people who regularly buy knowledge or who could buy knowledge to avoid costly problems or who routinely perform tedious knowledge-based inference in their work, conjecture is that a commensurate knowledge system product would appeal to that market."

The opinions and stylistic problems in this book call for the reader to forgive these authors, because they are explorers of a new galaxy. Some of them will undoubtedly find more oil and copper, diagnose more diseases, invest wisely in the stock market, or maybe even win a space war.

AUDIENCE

This book would help someone setting up an artificial language department in a company, preparing to buy an AI product, and preparing to hire an AI consultant. A venture capitalist pondering an investment in AI would make a better transaction after reading this book. Someone planning to perform AI consulting, programming, or related work would do well to read Reitman. A professor teaching AI might hesitate to assign this book because of the price. but it will probably be on reserve in many libraries.

The contributors are all established experts. Reitman himself has drawn conclusions for readers to entertain about Al. He started 1983 teaching at NYU Graduate School of Business Administration. He organized or helped organize a conference on AI. The conference was a hit. Reitman got an offer he could not refuse. He now works for Bolt Beranek and Newman Inc., of Cambridge, Massachusetts, one of the more successfull AI firms and contractor for the Navy and DARPA (Defense Advanced Research Projects Agency).

Reitman considers that people considering incorporating AI in their firms encounter two obstacles. He has attempted to address the first with the symposium proceedings, namely, "figuring out what Al is." The second matter takes more grappling: determining how a firm should apply AI. Because no two firms are alike, each one must decide on its specific expectations, answering questions such as: Do you want to implement AI for marketing or productivity? Will you design your applications or rent them? How far do you want this new implementation to extend?

Reitman suggests the next steps after symposia are books and articles; seminars: consultants: product, service, and development firms; demonstrations; in-


REPORT ON NEW PERIPHERAL HARDWARE:

CHOOSING A SERIAL INTERFACE FOR YOUR APPLE*COMPUTER.

The "Second Serial Hardware Decision"...

Once you've selected the right serial printer or modem for your Apple* system, your hardware decisions are over for a while. Right?

Wrong, of course! You still have to decide on an interface card. This "second serial hardware decision" is an important one-one made much simpler



SERIALL Printer/Modem Interface

by $SERIALL^{TM}$, the new serial interface for Apple computers.

At a significantly lower cost than Apple's own serial card -\$159.00 vs \$195.00-SERIALL gives you a bunch more features. Practical, everyday features, not useless extras.

For one, SERIALL is the only interface that provides graphics capabilities for serial printers including Apple's new dot matrix Imagewriter™



Graphics capabilities for serial printers

SERIALL also offers 27 easy commands for text formatting and screen dumps, making it the most intelligent serial interface you can use with an Apple.

Equally important, SERIALL gives you complete communications interfacing capability. You can use it for modems or in the special terminal mode for timesharing and talking to other computers.

In fact, SERIALL completely emulates the Apple serial card as a communications interface.

No additional software or hardware modification is required.

Finally, consider the quality. SERIALL's five-year warranty is proof that this interface is built to work long and hard. No other serial card is backed by a quarantee like this.

After comparing SERIALL feature-for-feature with other serial interface products, we think you'll agree-seriALL truly is the Do-It-All serial card for Apple computers.




Available from Practical Peripherals—makers of MICROBUFFER™, PROCLOCK™, PRINTERFACETM, and GRAPHICARDTM.

*Apple and Imagewriter are registered trademarks of Apple Computers, Inc.







A Jungle In There? Help Is Here: ETI's Office Management System

If your office has a way of getting overgrown with bulging files and paperwork, here at last is a clear cut way back to civilization.

The ETI Office Management System is an integrated office software program that is easy to use

and easy to adapt to \$9995 your needs. And at


only \$99.95, you don't have to be a big game hunter to afford it.


Whether it's used for file management, word processing, forms design or generating reports, the ETI Office

Management System is easy to operate. By using the built-in prompts and instructional guides, anyone in the office can become productive in minutes, without overheating their pith

And, the Office Management System grows with your needs. Its flexibility is limited only by the specific needs of your office.

To find out more about the flexible. easy-to-use and inexpensive ETI Office Management System, use our reply number or phone or write ETI.







ALSO FROM ETI

Project Control

Structured Development System \$295.00 System \$49.95 Personnel System \$95.00 Micro-Reminder \$29.95

ETI • 5848 EXECUTIVE DRIVE LANSING, MI 48910 . (517) 887-2480

Requires IBM Personal Computer 128K of RAM, monochrome display, one disk drive, PC-DOS, IBM and PC-DOS are trademarks of International Business Machines. Price subject to change without notice

BOOK REVIEWS

house projects; cost; availability; and management style.

THE CONTROVERSY

"A rule-based approach may encourage a false sense of security in capturing expertise," we are told. This book both warns where the pitfalls are as well as brags about the successes of AI.

Coping with uncertainty is a concern shared by many. This book explains how some AI products have succeeded in coping better than any intuitive devices we have used in the past.

In the last chapter Reitman warns of the shortcomings of AI. Apparently, it has not yet lived up to the promise of its academic acolytes.

Questions about natural language and artificial intelligence seldom produce crisp answers. (To speculate, UFO reports began about the same time as Al research.) Some interesting results have been achieved; books come out: conferences are held. But people in business are left with the feeling that the shortage of substantial answers can be expensive. Other reports on AI can also be expensive, but this book is one of a kind and may help defer costly errors.

Michael O'Neill (2227 Dwight Way #4. Berkeley, CA 94704) is interested in mathematics, electronics, and music.

E. Francis Avila (POB 401, Auburn, CA 95603) is director of communications at Litton Engineering Labs in Grass Valley, California.

Irene Pasternack is managing director of Specialized Systems Consultants (POB 7, Northgate Station, Seattle, WA 98125) and teaches UNIX seminars. She is also Chairperson of the Seattle Area UNIX Users Group.

Hunter Alexander (4520 King St. #404, Alexandria, VA 22302, (703) 820-8304) is BYTE's Washington correspondent whose interest in AI is supplemented by past experience as a researcher in the Office of Naval Intelligence. He was also a consultant on defense and translator of technical Russian material.

BYTE is always looking for qualified book reviewers. Submit queries and proposals accompanied by a resume, writing samples, or a list of computer-related interests and expertise to Book Review Editor, POB: 372, Hancock, NH 03449.

WE MADE IT POWERFUL. BUT WE KEPT IT SIMPLE.

Until now, IBM PC users looking for a data base manager had to make an unappetizing choice: Multifile systems so powerful they're difficult to use. Or single file systems so simple they can't be used to do much.

Until we cooked up Power-base.™

Power-base is the only multifile data base manager powerful enough to get the job done, yet simple enough to be mastered in one sitting. Even if you've never used a computer.

There are no languages to learn, no commands to memorize. To tell Power-base what you want, simply keep choosing from the menu which never goes away, yet never gets in the way. To make a change, simply make another choice. And the unique DataZOOM gives you the power to move rapidly from file to file, right to the piece of information you need.

<u>Software Digest</u> awarded Power-base the highest "overall evaluation" after testing twenty IBM PC data management programs for the March 1984 issue of <u>The Ratings Newsletter</u>.

It's hard to make a simpler choice than Power-base.

Especially with a suggested retail price so easy to digest: \$395.

Get a taste of Power-base for yourself. For a demonstration copy, send us \$10. It's refundable when you

purchase Power-base at your local participating ComputerLand or other authorized dealer.

Powerbase Systems, Inc., (Dept. A), 12 West 37th St., N.Y., NY 10018. (212) 947-3590.



E-V-E-N-T Q-U-E-U-E

July 1984

- C. UNIX COURSES Courses in C Language and UNIX, Concord, MA, Somers Point, NJ, and College Park, MD. Three five-day courses are offered: "C Programming Workshop," "Advanced C Topics Seminar," and "UNIX Workshop." Contact Joan Hall, Plum Hall Inc., 1 Spruce Ave., Cardiff, NI 08232, (609) 927-3770. July-August
- DATABASE SEMINARS SoftwareBanc Seminars, various sites in the U.S. and Canada. Such seminars as "Problem Solving with 1-2-3," "dBASE II," and "Exploring UNIX" are planned. Contact SoftwareBanc Inc., 661 Massachusetts Ave., Arlington, MA 02174, (800) 451-2502: in Massachusetts, (617) 641-1241. July-August
- DBM SEMINARS Digital Consulting Associates Classes and Seminars, various sites in the U.S. Seminars and classes on information centers. database administration, and other microcomputer topics. Contact Digital Consulting Associates Inc., 339 Salem St., Wakefield, MA 01880. (617) 246-4850. July-August
- ENGINEERING SUMMER CONFERENCES, Chrysler Center, North Campus, University of Michigan, Ann Arbor. Topics include aerospace, chemical, electrical, nuclear, marine, metallurgical, mechanical/automotive, industrial, and computer, information, and control engineering. Fees range from \$450 to \$1000, depending on course length. Contact Engineering Summer Conferences, 200 Chrysler Center-North Campus, University of Michigan, Ann Arbor, MI 48109, (313) 764-8490. July-August
- WORKSHOPS FOR EDUCATORS, Compuworkshops Computer Seminars for Educators, various locations in California. Among the seminars offered are "Designing Educational Courseware," "Com-

- puter Literacy for Educators." and "How to Set Up a Computer-Based Education Program in Your School or District" Each course is \$50. Contact Compukids of Seal Beach. Rossmoor Shopping Center, 12385 Seal Beach Blvd., Seal Beach, CA 90740, (213) 430-7226; in West Los Angeles, (213) 473-8002; in Tarzana, (213) 343-4008; and in Rancho Bernardo/San Diego, (619) 451-1742. July-August
- DEC SEMINARS Technical and Management Seminars for Professionals, various sites in the U.S. Subject areas: system-performance management, networking, personal computing, applications design and programming, real-time applications design, and management development. On-site seminars can be arranged. Contact Educational Services, Seminar Programs BUO/E58, Digital Equipment Corp., 12 Crosby Dr., Bedford, MA 01730, (617) 276-4949. July-September
- EFFICIENT COMPUTING TECHNIQUES, Microcomputers: Techniques for Improving Your Computer Efficiency. Valley Inn and Tavern, Waterville Valley, NH. Four intensive two-day seminars: "Microcomputers: Programming in BASIC." "Introduction to VisiCalc," "Micro Database Applications," and "Engineering and Management Applications." Tuition is \$495, or \$679 with meals and lodging. Contact New Hampshire College. Resource Center, 2500 North River Rd., Manchester, NH 03104, (603) 668-2211, ext. 175. July-September
- MANAGERIAL SEMINARS Computer Competence Seminars, Boston University Metropolitan College, Boston, MA. A series of hands-on presentations tailored for managers who know little or nothing about computers and for those who wish to sharpen their computing skills. On the docket are "PCs for Improving Financial Analysis

- and Decision Support," "Personal Computers for Sales and Marketing Professionals," and many others. Fees range from \$225 to \$595. In-house programs can be organized. Contact Joan Merrick, University Seminar Center, Suite 415, 850 Boylston St., Chestnut Hill, MA 02167, (617) 738-5020. Julu-September
- RAINBOW SEMINARS All-Hands-On, Boston, MA, Chicago, IL, New York City, and San Francisco, CA. A series of applications seminars featuring the DEC Rainbow 100. Contact Carol Ericson, BUO/E50, Educational Services, Digital Equipment Corp., 12 Crosby Dr., Bedford, MA 01730, (617) 276-4572. July-September
- HIGH-TECH TUTORIALS Tutorial Short Courses from Hellman Associates, London, England, and various sites in the U.S. Among the courses offered are "VLSI Design," "Digita Control," and "Error Correction." Fees are generally \$895. Contact Hellman Associates Inc., Suite 300, 299 California Ave., Palo Alto, CA 94306, (415) 328-4091. July-October
- PROFESSIONAL EDUCATION Seminars from the Institute for Professional Education, various sites in the U.S. Programs in statistics, management, simulation and modeling, personal computers, and computer science. Contact the Institute for Professional Education POB 756, Arlington, VA 22216, (703) 527-8700. July-December

The 1984 National Computer Conference-NCC. Convention Center, Las Vegas, NV. Professional-development seminars. more than 650 exhibits, and nearly 100 technical sessions. Contact the American Federation of Information Processing Societies Inc., 1899 Preston White Dr., Reston, VA 22091. (703) 620-8926. July 9-12

- FIBER-OPTIC METHODS Fiber and Integrated Optics, San Diego, CA. Course topics: single- and multimode fiber cabling, photo detectors, receiver and repeater technology, and optical-fiber sensors. The fee is \$875. Contact Continuing Engineering Education, George Washington University, Washington, DC 20052, (800) 424-9773; in the District of Columbia, (202) 676-6106. July 9-13
- SPECIAL EDUCATION INSTITUTE, Microcomputers in Special Education: Today's Challenge, Lesley College, Cambridge, MA. Subjects: Logo, software evaluation, administrative applications, and model programs. Technical expertise not required. Contact Joy Nikkel, Lesley College, 29 Everett St., Cambridge, MA 02238, (617) 868-9600. July 16-20
- SIMULATION CONFERENCE Summer Computer Simulation Conference-SCSC '84, Copley Plaza Hotel, Boston, MA. Technical sessions, papers, panel discussions, exhibits, and tutorials. Contact Charles Pratt. Simulation Councils Inc., POB 2228, La Jolla, CA 92038, (619) 459-3888. July 23-25
- SIGGRAPH ACM SIGGRAPH '84, Minneapolis, MN. Technical papers, panel discussions, a design show, film and video presentations, and nearly 30 courses. Contact SIGGRAPH '84 Conference Office, 111 East Wacker Dr., Chicago, IL 60601, (312) 644-6610. July 23-27
- INTERFACING TIPS FOR TEACHERS, Microcomputerbased Instrumentation for Schools, Middletown, OH. An introductory, hands-on workshop for college and secondary teachers. Contact Bill Rouse, 301 McGuffey Hall, Miami University, Oxford, OH 45056, (513) 529-2141. July 23-August 2

DIMENSION. THE MOST POWERFUL, MOST COMPATIBLE PERSONAL COMPUTER YOU CAN BUY.

Introducing the capability the world has been waiting for. A single personal computer able to handle Apple,® IBM,® TRS-80,® UNIX™ and CP/M® based software.

The Dimension 68000 Professional Personal Computer does it all. It actually contains the microprocessors found in all of today's popular personal computers. And a dramatic innovation creates the environment that lets these systems function merely by plugging in the software.

Add to this the incredible power of a 32 bit MC68000 microprocessor with up to 16 megabytes of random access memory.

Dimension has the power of a mainframe at a personal computer price. It's obviously the best value you can find. For more information ask your dealer or call us at (214) 630-2562 for the name of your nearest dealer.

dimension^{...}

68000


A product of Micro Craft Corporation 4747 Irving Blvd., Suite 241 Dallas, Texas 75247. © 1983

Circle 211 on inquiry card.

dimension

(CRT not included)

Apple is a registered trademark of Apple Computer, Inc.; IBM is a registered trademark of International Business Machines Corporation; TRS-80 is a registered trademark of Radio Shack, a Tandy Corporation company; UNIX is a trademark of Bell Laboratories, Inc.; CP/M is a registered trademark of



LMC's 32-bit MegaMicro provides mainframe or super-minicomputer performance at prices competitive with today's far less powerful 8- and 16-bit microcomputers. This is made possible by use of the next generation of logic chips—the National Semiconductor 16000-series. LMC MegaMicros incorporate: the NS16032 central processing unit which has true 32-bit internal logic and internal data path configured on the IEEE 796 multibus; demand-paged virtual memory implemented in hardware; and hardware 64-bit double-precision floating-point arithmetic.

The LMC MegaMicro is supplied with HCR's UNITY* which is a full implementation of UNIX** and includes the Berkeley 4.1 enhancements to take advantage of demand-paged virtual memory. Also included are C and FORTRAN. Typical multiuser systems with 33 megs. of fast (30 ms. average access time) winchester disk storage, a half meg. of RAM, virtual memory, hardware floating-point arithmetic, UNIX, C, and FORTRAN 77 are available for \$20,000 (and even less with quantity or OEM discounts).

* UNITY is a Trademark of Human Computing Resources.

**UNIX is a Trademark of Bell Laboratories.

LMC MegaMicros The Logical Alternative™



The Logical MicroComputer Company

4200 W. Diversey, Chicago, IL 60639 (312) 282.9667

MARMON

A member of The Marmon Group of companies

- HEATH/ZENITH USERS MEET International Heath/Zenith Users' Group Conference, Pheasant Run Resort, St. Charles, IL. Contact the Heath Users' Group, Hilltop Rd., St. Joseph, MI 49085, (616) 982-3463. lulu 27–29
- MICROS IN EDUCATION
 Stanford Institute on Microcomputers in Education, Stanford
 University, Stanford, CA. An intensive session that provides the background necessary to serve as a school or district resource person. Hands-on programming, word processing, and administrative computing. Contact Stanford Institute on Microcomputers in Education, POB K, Stanford, CA 94305, (415) 322-4640, July 30-August 31
- WORKSTATION IN OFFICE EXPLAINED, Software and Hardware for Interactive Workstations, Washington, DC. Demonstrates how to solve business problems by using distributed information systems. The design, operations, components, and possible results of a communications workstation will be explored. Tuition: \$695. Contact Continuing Engineering Education, George Washington University, Washington, DC 20052, (800) 424-9773; in the District of Columbia, (202) 676-6106. July 30-August 1
- ROBOTICS STRATEGIES Robot Manipulators, Computer Vision, and Automated Assembly, Massachusetts Institute of Technology, Cambridge. This short course emphasizes ways of developing strategies for solving such robotic problems as sensing, spatial reasoning, and manipulation. Existing industrial robots and binary-vision systems will be covered. Contact the Director of the Summer Session. Room E19-356, MIT, Cambridge, MA 02139. July 30-August 3

August 1984

 SME CONFERENCES & EXPOS, Conferences and Expositions from the Society of Manufacturing Engineers, various sites in the U.S. and around the world. A calendar is available. Contact the Public Relations Department, Society of Manufacturing Engineers, One SME Dr., POB 930, Dearborn, MI 48121, (313) 271-0777, August

- SCHOOL COMPUTER COORDINATORS. The Computer: Extension of the Human Mind, Center for Advanced Technology in Education, University of Oregon, Eugene. For individuals responsible for the use of computers and emerging technologies at the school and district levels. Pre- and postconference workshops. Registration is \$95. Contact Summer Conference Office, College of Education, University of Oregon, Eugene, OR 97403. August 1-3
- SHOW FOR TARHEELS
 Great Southern Computer Show,
 Civic Center, Charlotte, NC.
 Hardware, software, peripherals,
 and accessories for the home
 and office. Seminars and workshops. Contact Great Southern
 Computer Shows, POB 655,
 Jacksonville, FL 32201, (904)
 356-1044, August 2-4
- HOME AND OFFICE
 The First Annual Tampa Bay
 Computer Show & Office Equipment Exposition, Curtis Hixon
 Convention Center, Tampa, FL.
 Hardware, software, accessories,
 and peripherals for industry and
 home. Contact CompuShows
 Inc., POB 3315, Annapolis, MD
 21403, (800) 368-2066; in Annapolis, (301) 263-8044; in
 Baltimore, 269-7694; in the
 District of Columbia, 261-1047.
 August 2-5
- AI INVESTIGATED
 The National Conference on Artificial Intelligence. Performing
 Arts Center, University of Texas,
 Austin. Seminars, exhibits, and
 panel discussions. Registration
 for American Association for
 Artificial Intelligence (AAAI)
 members is \$100; nonmembers
 pay \$140, Contact Claudia C.
 Mazzetti, AAAI, 445 Burgess
 Dr., Menlo Park, CA 94025,
 (415) 328-3123. August 6–10
- COMPUTERS IN ENGINEER-ING, The 1984 ASME International Computers in Engineering Conference and Exhibit, Hilton Hotel, Las Vegas, NV. More than 60 panel discussions and paper sessions. Product exhibits. Contact American Society of Mechanical Engineers, 345 East (continued)

Prescription: SemiDisk.



If you've been "patient" with slow isk drives for too long, SemiDisk telleve your suffering.

Fast-acting.

The SemiDisk, a super-fast disk mulator, stores and retrieves data nuch faster than either a floppy or ard disk. This is especially useful with programs such as editors, ssemblers, compilers, spelling heckers, and large capacity data wase managers.

Easy to apply.

Installation is as easy as plugging he SemiDisk into an empty slot of our computer, booting up formally, and running the installation software provided. No issembly language programming is equired.

Comes in regular and extra-strength.

SemiDisk I is the standard model or S-100, for use with CP/M* 2.2. SemiDisk II is just as easy to use,

and offers extra speed and flexibility for custom S-100 applications. There are also SemiDisks for TRS-80 Model II, IBM PC, and Epson QX10.

Contains gentle buffers.

CP/M®80 installation software includes SemiSpool, which temporarily stores print data in the SemiDisk, and continuously feeds the printer as it becomes ready for data. This buffering action allows the computer to be ready for other uses immediately after issuing a print command, while the printer is printing.

No blackouts: A cure for emulator amnesia.

The optional Battery Backup Unit (BBU) plugs into the SemiDisk, and supplies power even when the computer is off. It contains a battery which keeps the data alive during prolonged power outages of four hours or more.

Stops head-aches.

Unlike a hard disk, which can. 'crash' its head on the rapidly rotating disk surface, and a floppy, which grinds the disk constantly, the SemiDisk has no moving parts to break or wear out. No buzzing, clicking, grinding, or other noise. Just ultra-fast, silent data transfer.

Won't bruise your wallet.

And now the really good news! SemiDisk's price won't raise your blood pressure.

	512K	1Mbyte
SemiDisk I, S-100	\$995	\$1795
SemiDisk II, S-100	\$1245	\$2095
SemiDisk, TRS-80 II	\$995	\$1795
SemiDisk, IBM PC	1945	\$1795
SemiDisk, Epson QX10	\$995	

SEMIDISK

SemiDisk Systems, Inc. P.O. Box GG, Beaverton, Oregon 97075 503-642-3100

To help you communicate more clearly. To make tough subjects easy. To make work go faster. To visualize, really visualize what you have in mind.

Pictures of your ideas. Produced by Mindset.™ A new breed of hardware that gives you the next generation of mouse-driven graphic

Intel's true 16-bit 80186 microprocessor. Two custom VLSI processors for high speed, high resolution bit-mapped graphics from 320 x 200 pixels in 16 colors. Runs Lumena™ and other professional graphic design programs, IBM PC software, and the next generation of icon-based, mouse-driven, windowed software.



IBM is a registered trademark of International Business Machines Corporation. Lumena is a trademark of Time Arts.

power today. More impressive graphics than any we could show you on this page.

You can draw ideas. You can plot and rotate dimensional designs. Even change their perspective.

You can create charts, diagrams and ayouts with brilliant clarity from Mindset's palette of 512 colors.

Mindset works, thinks and plays as fast as your mind. It runs IBM® PC software at blazing speed. Never puts your mind on hold.

Always goes with the idea flow.

Mindset's price? About one-third less than an IBM PC.


Bring us the programs you're using today. Try them on Mindset. Watch your ideas pop on the screen the way they come to your mind. Quickly. Completely. Your ideas never looked so good. So fast.

Call 1-800-447-4700 for your nearest Mindset dealer.

Mindset: The possibilities are endless.

INTRODUCING MINDSET

Mindset Corporation, 617 North Mary, Sunnyvale, California 94086



47th St., New York, NY 10017. (212) 705-7100. August 12-16

- MICROS & VOC EDUCATION Microcomputers and High Technology in Vocational Education Conference. Vocational Studies Center, University of Wisconsin, Madison, Concurrent sessions formal classes, presentations, speeches, and videotaped programs. Preregistration fee is \$55, or \$65 at the door. Contact Dr. Judith Rodenstein, 964 Educational Sciences Building. University of Wisconsin, 1025 West Johnson St., Madison, WI 53706, (608) 263-4367. August 13-16
- COMPUTERS AND BIOLOGY The Fourth Annual Notre Dame Short Course Series: Computers in Biology, University of Notre Dame, Notre Dame, IN. Three concurrent short courses: "Computers in Bioeducation," "Microcomputers in Classroom and Laboratory," and "Computerized Data Analysis in Biological Research." Technical expertise is not required. Tuition is \$450. Contact Theodore J. Crovello, Biocomputing Short Course Coordinator, Department of Biology, University of Notre Dame, Notre Dame, IN 46556, (219) 239-7496. August 13-17
- COMPUTING IN SCHOOLS The Third Annual Harvard Institute on Computing in Schools, Harvard Graduate School of Education, Cambridge, MA. Designed for educators and administrators. Software demonstrations and group discussions will be featured. Prior computer experience not required. Contact Institute on Computing in Schools, Programs in Professional Education, Harvard Graduate School of Education, 339 Gutman Library. Cambridge, MA 02138, (617) 495-3572. August 13-17
- PROGRAM COMPUTER GAMES, Programming Games on Computers, Salzburg Inn. Stowe, VT. Presented by Monty Newborn and David Levy. computer-game experts, this course is designed to show you how to program a computer to play chess, bridge, othello, checkers, and blackjack. Ability to program in BASIC, FORTRAN, or Pascal is advised. The fee is \$550. Contact Dr. Monty

Newborn, 4874 Westmount Ave., Westmount, Quebec H3Y 1Y1. Canada, or call (514) 481-1766. August 13-17

- COMPUTERS, GRAPHICS, AND BUILDING, Computers/ Graphics in the Building Process-BP '84, Embarcadero Center, Hvatt Regency San Francisco. CA. Exhibit of equipment and services, tutorials, and technical sessions exploring the theme "The Building Process in Transition." Contact Conference Director, BP '84, Suite 333, 2033 M St. NW, Washington, DC 20036. (202) 775-9556. August 19-23
- ADA COURSE, Hands-On Programming in Ada, Washington, DC. Upon completion students will be able to design, code, and test Ada programs in an interactive environment. Enrollment is limited to individuals with programming experience in at least one high-level language. The fee is \$875. Contact Continuing Engineering Education, George Washington University, Washington, DC 20052, (800) 424-9773; in the District of Columbia, (202) 676-6106. August 20-24
- PROGRAM COMPUTER GAMES, Programming Games on Computers, Salzburg Inn. Stowe, VT. See August 13-17. August 20-24
- COMPUTERFEST/HAMFEST The Central Pennsylvania Repeater Association Eleventh Annual Hamfest/Computerfest, Hershey, PA. Indoor dealer and flea-market areas. Registration is \$3. Children and spouses free. Contact Timothy R. Fanus, WB3DNA, 6140 Chambers Hill Rd., Harrisburg, PA 17111, (717) 564-0897 (noon to 8 p.m.). August 26
- INFO CENTER CONFERENCE Information Center Conference and Exposition, Sheraton Boston and Hynes Auditorium. Boston, MA. More than 60 educational sessions on hardware, software, and organizational topics of interest to information-center managers will be featured. Contact Warren/ Weingarten Publications, 38 Chauncy St., Boston, MA 02111, (617) 542-0146. August 26-30

Better Business BASIC.

Finally! A BASIC compiler that means business.

Microsoft® Business BASIC Compiler allows you to create professional applications for MS™DOS systems that are so fast your users will never know they were written in BASIC.

Because the compiler produces native code, your software will run three to ten times faster than the same interpreted programs.

But speed isn't everything. Microsoft's Business BASIC also has busi-

The High Performance Software Based on the de facto standard Microsoft BASIC, it includes a rich set of extensions:

Decimal floating point arithmetic (14-digit precision-BCD format) for extremely accurate dollars and cents calculations.

Two types of arrays provide maximum program flexibility: static arrays for speed, dynamic arrays for expandability.

Over twenty string handling functions provide sophisticated character manipulation capa-

bilities. Strings can be up to 32K bytes.

Multi-line functions and subprograms allow you to define routines with local or globally defined variables.

Separate module compilation means complex programs can be broken down into smaller units. Coupling multiple modules together permits creation of very large programs, up to one megabyte.

Call 800-426-9400 to order the better Business BASIC. \$600*

In Washington State, call 206-828-8088. Ask for operator A5, who will rush you your order, send you more information, or give you the name of your nearest dealer to see Microsoft Business BASIC in action.



LOOK NO FURTHER! we'll get you low prices and fast service, or else!



Circle 17 on inquiry card.

ALPHA OMEGA

COMPUTER PRODUCTS

COMPUTERS
TAVA PC IBM Compatible, 128K, 3-320K Drives, Parallel Port, Monitor \$1989
SANYO MBC 555 w/software 1049 SANYO MBC 555-2 w/software1420
IBM PC 64K, 2-320K Drives, Color Graphics Board, DOS 2.1, Amdek 300G 2669
DISKETTES
SCOTCH 3M SSDD\$23 MAXELL MD2 DSDD39
PRINTERS

MAXELL MD2 DSDD39
PRINTERS
C. ITOH 8510 P. 120 cps SAVE
EPSON FX80 160 cps\$495
EPSON FX100 160 cps 695
OKIDATA Microline 92 160 cps425
OKIDATA Microline 93 160 cps699
BMC BX-80 Printer259
GEMINI 10X 120 cps275
GEMINI 15X 120 cps 409
NEC 3550 35 cps L/Q SAVE
JUKI 6100 L/Q 18 cps 445
C ITOH F-10 40 cps 1075

MODEMO		
HAYES Smartmodem 1200 482		
HAYES Smartmodem 1200B 425		
HAYES Micromodem Ile249		
ANCHOR A. Mark I 300 Baud 81		
ANCHOR A. Mark XI 300/1200 269		
MONITORS		

MODEMS

TAXAN 12" Amber	.\$115
GORILLA 12" Green	
AMDEK 310A for IBM PC	169
AMDEK 300G 12" Green	135
AMDEK 300A 12" Amber	145
AMDEK Color 13"	305
PRINCETON HX-12 RGB	495
BMC 13" Color	219

APPLE PERIPHERALS & SOFTWARE

VIDEX Videoterm 80C	
w/softswitch	\$209
VIDEX Ultraterm	. 279
MICROSOFT 16K RAMcard.	69
MICROSOFT 280 Softcard	. 245
MICROSOFT Premium Pack	479
MICROSOFT Premium Softca	rd
IIE	.345

KRAFT & TG Joystick45
HAYES Mach II Joystick 99
PROMETHIUS 1/2 Height Drives195
WIZARD IPI Parallel Interface75
PROMETHIUS Versacard 149
EPS Keyboard289
KENSINGTON Systemsaver68
COOL & TIME (fan, surge, clock)75
KOALA Pad93
PFS Filing System81
PFS Report81
DBase II
Wordstar
Home AccountantSAVE
Multiplan165
DB Master Version 4249
DB Utility 1 or 2
Magic Window II109
Zaxxon
Choplifter
Zork I/II/III
Wizardry
Sublogic Pinball
IBM PERIPHERALS

IBM PERIPHERALS & SOFTWARE

TANDON TM100-2 360K

PANASONIC 1/2 Height 360K	
Drives	.179
MICROSOFT Mouse	.139
QUADRAM Quadboard w/64K	.269
QUADRAM Quadlink S	
QUADRAM Quadcolor I	
64K RAM Kit 200 ns	55
AST 6-pack plus	.279
STB w/64K clock, par, serial,	
game	
HAYES Mach II Joystick	
MAYNARD Int. 10MB Hard Dis	k999
rBASE	
Home Accountant + S	AVE
Multimate	
PFS Filing System	
PFS Report	
Lotus 1,2,3	
DBase II	
Friday	
Mardaine	250
Wordstar	.200
Wordstar Propack w/Mailmrg,	
Wordstar Propack w/Mailmrg, Spellstar	.349
Wordstar Propack w/Mailmrg,	.349

Hundreds of available items. Call for complete pricing information.

Deadline.

We do not charge for VISA or MASTERCARD.

(213) (818) 345-4422



Zork I/II/III



4847 La Montana Circle, Tarzana, CA 91356

All products are in factory sealed packages. We guarantee all items for 30 days. Within this period, defective merchandise returns must be accompanied by RNA number. All other returns will be subject to a 10% restocking fee. For prepaid orders there will be a 3% shipping charge; 5% for UPS Blue Label; \$5.00 minimum; all orders outside U.S. at 15% shipping. There will be an additional \$4.00 surcharge on C.O.D. orders. Cash or Cashiers Dheck is required on C.O.D. orders. Call. residents add 6.5% sales tax. Prices subject to change without notice.

● PCB TECHNICAL SEMINAR The 1984 Printed Circuit Fabrication Technical Seminar, Boston, MA. Contact Donna Esposito, PMS Industries, 625 Sims Industrial Blvd., Alpharetta, GA 30201, (404) 475-1818. August 27–29

EUROMICRO

The Tenth Annual Euromicro Symposium-Euromicro 84, Copenhagen, Denmark, One of the largest European computer events. Euromicro features speeches, tutorials, and technical sessions. Also featured will be the annual Euromouse contest in which robotic mice zip through a maze, racing against time and foreign competitors. Contact Euromicro, p/a TH Twente, Department INF. Room A306, POB 217, 7500 AE Enschede. The Netherlands: tel: (31) (53) 338799; Telex: 44200 THES. August 27-30

September 1984

- ERGONOMICS CONFERENCE World Conference on Ergonomics in Computer Systems, various sites throughout the U.S. and Europe. Ergonomic experts and computer professionals and users will exchange information and observations. Contact Computer Psychology Inc., 54 East Main St., POB 16, Mendham, NI 07945. (201) 543-9009. In Europe, Telefonaktiebolaget LM Ericsson, LM Ericssons väg 4-8. S-12625 Stockholm, Sweden; tel: (8) 7190000. September-October
- SHOWS IN GERMANY Chip Microcomputer Weeks, various sites throughout West Germany. Microcomputer products, trends, and applications will be demonstrated. Sponsored by Chip, a leading German computer magazine. Contact Network GmbH, An der Friedenseiche 10, D-3050 Wunstorf 2. Bundesrepublik Deutschland (West Germany): tel: (0 50 33) 10 56; Telex: 92 45 45. In England, Network Events Ltd., Printers Mews, Market Hill. Buckingham MK18 IJX, England; tel: (02 80) 81 52 26: Telex: 83111. September-November
- INTEL WORKSHOPS Microcomputer Workshops,

various sites throughout the U.S. and Canada. Intel. the semiconductor memory manufacturer, is offering more than 20 workshops on microprocessor applications. A brochure is available. Contact Customer Training, Intel Corp., 27 Industrial Ave., Chelmsford, MA 01824-3688, (617) 256-1374. September-December

- IBM SYSTEMS SHOW
 The IBM System User Show,
 Olympia 2, London, England.
 Covers the full spectrum of IBM
 mainframes, minicomputers, and
 microcomputers. A focus on
 business. Contact EMAP International Exhibitions Ltd., 8 Herbal
 Hill, London ECIR 5JB, England;
 tel: 01 837 3699. September 3-5
- AI IN EUROPE The Sixth European Conference on Artificial Intelligence, Pisa, Italy. Covers programming languages, expert systems, natural-language processing. robotics, and computer vision. Tutorials. Contact the Programme Chairman, Institute of Educational Technology, Open University, Walton Hall, Milton Keynes MK7 6AA, England. In Italy, Stefano A. Cerri, Dipartmento di Informatica, Universita di Pisa, Corso Italia, 40, Pisa 56100, Italy: tel: Pisa 40862/3/4; Telex: CNUCE 500371. September 5-7
- SOFTWARE ONLY
 The Second Annual National
 Software Show, Convention
 Center, Anaheim, CA. An exposition and conference
 devoted solely to microcomputer software. Contact Raging
 Bear Productions Inc., Suite 175,
 21 Tamal Vista Dr., Corte
 Madera, CA 94925, (800)
 732-2300; in California, (415)
 924-1194. September 5-7
- COMPUTER INTERFACING FOR SCIENCE. Personal Computer and STD Computer Interfacing for Scientific Instrument Automation, Washington, DC. A hands-on workshop costing \$395. Contact Dr. Linda Leffel, C.E.C., Virginia Polytechnic Institute and State University, Blacksburg, VA 24061. (703) 961-4848. September 6-8
- MOTION CONTROL
 SEMINAR, Electronic Motion
 Control Seminar, Boston, MA.
 (continued)

Capable COBOL.

For over twenty years, COBOL has proved it can handle the most awesome data handling requirements of the business world.

And Microsoft® COBOL brings this power to the MS™DOS environment in an even more flexible version. It's the ideal choice for transporting and adapting the thousands of mainframe and minicomputer programs now on the market.

Microsoft COBOL was designed after the ANSI COBOL standard. Its quality and performance has been fully certified by the GSA.

Microsoft COBOL includes a complete set of file handling

MICROSOFT facilities including support for sequential, line sequential, relative and B+ tree indexed sequential (ISAM) files.

The advanced screen handling features, compatible with Data General, make it easy to create forms and menus for interactive user programs. Direct cursor positioning, highlighting, automatic format conversion, projected

fields, and automatic field skip are just some of the capabilities.

An interactive source code debugging tool allows you to step through your program in symbolic form. There is no need to wade through object code and addresses in memory to see what is going on. It's a complete development package.

Applications developed with the compiler can be distributed without a runtime support charge.

Like all Microsoft languages, the standard linking interface makes it easy to combine assembly language subroutines.

Call 800-426-9400 to order the capable COBOL. \$700*

In Washington State, call 206-828-8088. Ask for operator A5, who will rush you your order, send you more information, or give you the name of your nearest dealer to see Microsoft COBOL in action.



*Price exclusive of handling and Washington State sales tax.

Microsoft is a registered trademark and MS is a trademark of Microsoft Corporation.

Data General is a registered trademark of Data General Corporation.

Your System Deserves The Best! Key Tronic Keyboards.

To enhance the performance of your personal computer or computer terminal, ask your dealer for a plug-compatible Key Tronic keyboard.

Key Tronic Corporation is the world's largest independent manufacturer of computer keyboards.


Key Tronic keyboards are engineered for performance and reliability, and are backed by a 14-year tradition of manufacturing excellence. All Key Tronic plug-compatible keyboards feature:

- · Familiar typewriter key locations and legends
- Low-profile design
- Solid-state capacitive switches
- Positive tactile feedback

Each production element, from printed circuit boards to keytops is generated inhouse to insure high quality.

So ask your computer dealer for a hands-on demonstration of a Key Tronic keyboard.


Call Toll Free 1-800-262-6006 for the retailer closest to you. (7 am-3 pm Pacific Time). Warranty information may be obtained by writing to the address below.





KB 5151 and 5151jr — The Professional Series
KB 5151 is plug-compatible with the IBM *PC and XT.
KB 5151jr is plug-compatible with the IBM PCjr*. Both are available in **DVORAK** and foreign layouts, and special models are made for the handicapped.
Suggested Retail Price: \$255.00





"THE RESPONSIVE KEYBOARD COMPANY"

Circle 173 on inquiry card. Come see us at NCC Booth #B4206

Department E · P.O. Box 14687 · Spokane, WA 99214 (U.S.A.) · (509) 928-8000



SUPER APPLE® COMPATIBLE SUPERIOR TO APPLE. COMPARE FEATURES AMERICAN SUPER COMPUTERS Elite 4

- 1. Dual CPU's 6502 & Z80, 64K RAM
- 2. Runs APPLE & CPM, detached keyboard
- 3. Numeric keypad, 90 key keyboard
- 4. No copyright problems, completely legal
- 5. SAVES YOU LOTS OF MONEY! ONLY \$499 Disk Drive \$199 - Controller \$49 - Monitor \$109

Complete System: Computer + Controller + Drive + Monitor ONLY \$839

WE HAVE ALL APPLE CARDS - CALL! SAVE! Phone American Super Computers (919) 883-1105

COMPLITES Advanced Desize 2808 6MHz Advanced Desize 2808 6MHz Salor Size 1729 WPP NET/1 Salor Size 1729 WPP NET/1 Salor Size 1729 WPP Net Net Morrow D120 Heistatat VPU-128 North Start Horizon or Advantage BU FC Copy of 18M PC Televides 800 Televides 800 Sarvo 550 Poto 8018	\$ 565 499 5139 2578 1669 2298 1896 5925 1267 4816 784 CALL	TERMINALS Televideo 910 Televideo 924 Televideo 925 Televideo 925 Televideo 970 Addd 3Av Viewpoint Color Zenith Z-20 Visual 50 MONITORS BMC BM-12AUW BMC Amber BMC Color Amdes Color-I (1 Demo)	\$ 419 614 674 935 442 988 655 565 109 118 245 164	TEC A10 NEC 2010 Televideo Te. 720F Silver Reed 500P PRINTERS DOT MATRIX ProWriter Epson RIX 80FT Micropriter Dicidate 80 Pir Okidate 80 Pir Talfy Spirit	\$ 246 560 785 419 442 383 420 415 CALL CALL

We Sell Entire Line Of Most Compaines Call For Latest Prices, Shipping & Availabilty Factory Warranties - WE BEAT PRICES!


WHICH COMPUTER IS BEST? - FREE BROCHURE



COMPUTERS

4167 Kivett Dr., Jamestown, North Carolina 27282 Phone: (919) 883-1105 or (919) 889-4577

Prices & Specifications subject to change



51/4" DISK CONTROLLER

KEY FEATURES

- Full sector buffering
- Logical sector addressing
- Multiple sector, cylinder operation
- 11 bit burst ECC
- Self-diagnostic capability
- Automatic sector alternation for the diffective sectors
- Automatic Error Retry
- Industry Standurd SASI I/F

National Computer Ltd.

LIASON OFFICE IN CALIFORNIA PHONE: (408) 734-1006 FAX: (408) 744-0709

AKEBONO BLDG. 2-6-12 IWAMOTO-CHO CHIYODA-KU, TOKYO, JAPAN PHONE: (03)863-6705 TLX:J27542 FAX: (03)864-4581


EVENT OUEUE

Sponsored by the Electronic Motion Control Association. Contact EMCA Headquarters. Suite 1200, 230 North Michigan Ave., Chicago, IL 60601, (312) 372-9800. September 10-11

- ELECTRONICS SHOWS Midcon 84 and Mini/Micro Southwest 84, Dallas, TX. Concurrent conferences exploring practical applications and the state of the art of electronics. including computers, graphics, and networks. Contact Electronic Conventions Management, 8110 Airport Blvd., Los Angeles, CA 90045, (213) 772-2965. September 11-13
- UNIX EXPOSITION UNIX Systems Expo/84, Convention Center, Los Angeles, CA. Exhibits from more than 200 vendors of UNIX-related products and services, as well as presentations and panel discussions. Contact Computer Faire Inc., 181 Wells Ave., Newton, MA 02159, (617) 965-8350. September 11-14
- EUROPEAN COMPUTER GRAPHICS. Eurographics '84-The Fifth Annual European Computer Graphics Congress, Copenhagen, Denmark. A congress with an international lineup of speakers and product exhibits. Contact Kenness International, 1 Park Ave., New York, NY 10016, (800) 235-6400; in New York, (212) 684-2010. September 12-14
- SOFTWARE EXPO The Fifth Annual Software/Expo, Hyatt Regency, Chicago, IL. A conference and exposition. Contact Software/Expo. Suite 205. 2400 East Devon Ave., Des Plaines, IL 60018, (312) 299-3131. September 12-14
- TECHNOLOGY FOR DISABLED, Computer Technology for the Handicapped, Raddison South Hotel, Minneapolis, MN. A national conference and exhibit for special education, rehabilitation, and medical professionals. Presentations and workshops. Registration is \$150 before September 1; \$175 after. Admission to the exhibit floor only is \$3. Contact Closing the Gap, POB 68. Henderson, MN 56044. (612) 665-6573 or (612) 341-8299. September 13-16

- GULF COAST COMPUTING The Heart of Texas Computer Show, Bayfront Plaza, Corpus Christi. Seminars and displays. Contact Heart of Texas Computer Show, POB 12094, San Antonio, TX 78212, (512) 681-2248. September 14-16
- PEOPLE AND COMPUTERS The 1984 SME World Congress on Human Aspects of Automation. Hotel du Parc. Montreal. Quebec, Canada, Contact Society of Manufacturing Engineers. One SME Dr., POB 930, Dearborn, MI 48121, (312) 271-1500, ext. 369. September 16-19
- COMPUTERS AND MODERN WORLD, COMPCON Fall 84, Hyatt Regency Crystal City, Arlington. VA. Tutorials, panels, demonstrations, sessions, and papers will explore the theme 'Small Computer (R)Evolution." Contact COMPCON Fall 84. IEEE Computer Society, POB 639, Silver Spring, MD 20901, (301) 589-8142. September 16-20
- MEDICINE, BIOLOGY. ENGINEERING, The Thirty-Seventh Annual Conference on Engineering in Medicine and Biology, Los Angeles Hilton, Los Angeles, CA. Papers, short courses, and scientific and commercial exhibits will be featured. Contact The Alliance for Engineering in Medicine and Biology, Suite 402, 4405 East-West Highway, Bethesda, MD 20814. September 17-19
- ADA WORKSHOP Future Ada Environment Workshop, Miramar Hotel Bythe-Sea, Santa Barbara, CA. Workshops, addresses, presentations, working groups, and discussions. Registration: \$400 to \$700 depending on room choice. Contact ACM AdaTEC Future Ada Environment Workshop, TRW R2/1134, One Space Park, Redondo Beach, CA 90278, or register directly with Carolyn Gannon, GRC, POB 6770. Santa Barbara, CA 93160. September 17-20
- KENTUCKIANA EXHIBITION CompuFest '84, Commonwealth Convention Center, Louisville, KY. Computer consultant services and approximately 100 hardware, software, peripheral, and word-processing system vendors will display exhibits.

(continued)




Circle 202 on inquiry card.

*IBM is a trademark of the International Business Machines Corporation. "COMPAQ is a trademark of the COMPAQ Computer Corporation.

EVENT QUEUE







A Software Implementation within Your Product Hardware

If you manufacture a computer system or a computer based product, allow it to EMULATE/COMMUNICATE by installing one or more of Systems Strategies "C" Language based communication packages.

- 3270 SNA/SDLC Emulation
- 3270 BSC Emulation
- 2780/3780 HASP Emulation
- X.25 Levels 1, 2, 3 Communication

You can purchase these "C" Language packages with source code and license to distribute in your hardware product. Each package is available either "Port it Yourself" with instruction manual and training or ported to your hardware by Systems Strategies' communications staff.

Systems Strategies/Advanced Technology Division Specialists in Data Communications Software



Call For Your

Discount Prices

Systems Strategies Inc. 225 West 34th Street New York, New York 10001 (212) 279-8400 Technical sessions will be offered. A full day's worth of seminars costs \$15. Registration fee is \$2. Contact the Kentucky Society of CPAs. 310 West Liberty St., Louisville, KY 40202, (502) 589-9239. September 18-20

- PARISIAN COMPUTING The Thirty-Fifth SICOB-International Exhibition of Data Processing, Teleprocessing, Communication, Office Procedures, and Office Systems, CNIT, Paris-La Défense, Paris, France. Microprocessing and videotex will be major highlights of the exhibition. International visitors presenting their passports will have a special reception room. Some of the congresses and conferences will feature simultaneous interpretation in English and French. Contact International Trade Exhibitions in France, 8 West 40th St., New York, NY 10018, (212) 869-1720. September 19-28
- EDUCATIONAL CONFERENCE
 The First North Carolina Educational Microcomputer Conference. Benton Convention
 Center and Hyatt Hotel,
 Winston-Salem, Educational sessions, hands-on workshops, and product displays. A network of various computers will be set up. Contact Jeanette Gann, NC
 Regional Education Center, POB 21889, Greensboro, NC 27420, (919) 379-5764. September 20-21
- DOCUMENTATION METHODS How to Document a Computer System, Holiday Inn—Thomas Circle, Washington, DC, and Hyatt Cherry Hill, Cherry Hill, NJ. A series of documentation procedures will be presented. The fee is \$155. Contact Technical Communications Associates, Suite 210, 1250 Oakmead Parkway, Sunnyvale, CA 94086, (800) 227-3800, ext. 977: in California, (408) 737-2665. September 21 and September 24, respectively
- PACIFIC COAST FAIR
 The Fifth Annual Pacific Coast
 Computer Fair, Robson Square
 Media Centre, Vancouver, British
 Columbia, Canada. This event

features exhibits, user-group displays, and more than two dozen speakers. Workshops, presentations, and panels will discuss the Apple Macintosh. MS-DOS, software and hardware marketing, publishing, Modula-2, and graphics. Admission is \$4 per day. Contact Pacific Coast Computer Fair Association, POB 80866, South Burnaby, British Columbia V5H 3Y1, Canada, (604) 581-6877. September 22-23

- GRAPHICS STANDARD COURSE, Introduction to GKS, Hyatt Regency Hotel, Austin, TX. A course on the Graphics Kernel System (GKS) standard. The fee is \$495. Contact Nova Graphics International Corp., 1015 Bee Cave Woods, Austin, TX 78746, (512) 327-9300. September 24-25
- ASIAN COMPUTER SHOW
 The Fifth South East Asia
 Regional Computer Conference
 and Exhibition and Hong Kong
 Computer 84, Hong Kong Exhibition Centre, China Resources
 Building, Wanchai, Hong Kong
 Contact Cahners Exposition
 Group, 7315 Wisconsin Ave.,
 POB 70007, Washington, DC
 20088. (301) 657-3090.
 September 24-27
- COMPUTERS, COMMUNICA-TIONS, AND CONTROL Eurocon 84—The Sixth European Conference on Electrotechnics, Brighton, England. A conference that seeks to identify the impact of computerbased technology on communications and control. Contact Manager, Conference Services, Institution of Electrical Engineers, Savoy Place, London WC2R OBL, England; tel: 01-240 1871, ext. 222; Telex: 261176. September 26-28
- MID-ATLANTIC SHOW
 The Fifth Annual Mid-Atlantic
 Computer Show and Office
 Equipment Exposition, Convention Center, Washington, DC.
 Contact CompuShows Inc., POB
 3315, Annapolis, MD 21403,
 (800) 368-2066: Annapolis, (301)
 263-8044; Baltimore, 269-7694;
 District of Columbia, 261-1047.
 September 27-30. ■

IF YOU WANT your organization's public activities listed in BYTE's Event Queue, we need to know about them at least four months in advance. Send information about computer conferences, seminars, workshops, and courses to Event Queue, BYTE Publications, POB 379, Hancock, NH 03449.

homasville Boad East ro, Georgia 31728 (912) 377-7120

1-800-841-0860

MOST IMPORTANT DECISION: LL MAKE ABOUT YOUR IBM F 30 201 20 38 30 31 иć 30 Oil 38 30 38 OII. Œ. iii) OC. 50 uč R20 **QUADBOARD BRINGS**

OUT THE BEST.

Quadboard, the multifunction board from Quadram brings out the best. It's the board that's been around the longest. And just keeps on getting better.

THE PERFECT "10."

Quadboard doesn't waste space. It combines 10 of the most needed PC functions onto one board to leave lots of room for expansion. You get all this:

 Memory expansion to 384K in increments of 64K with full parity checking standard.

2. A parallel port for printers and other parallel devices (addressable as LPT1 or LPT2)

3. A serial port (RS-232C adapter) for plotters, modems, letter quality printers and other serial devices.

4. A game port for joy sticks and paddles.

5. An I/O bracket to organize expansion port connectors.

6. A battery powered chronograph for an up-to-date internal clock/ calendar.

7. QuadRAM Drive* to set up multiple RAM drives in memory.

8. MasterSpool* for a software print buffer.

9. Qswap* to swap printers without changing cables.

10. MasterCache* a disk caching system that speeds up programs that frequently read data from a disk.

THE SOFTWARE MASTER.

Part of Ouadboard's success is Ouad-Master II, the best utility software package around. The one that's updated regularly to help you get more than ever out of your PC. No other combination can offer you more.

QUADBOARD® THE PERFECT DECISION

A QUALITY DECISION.

Quadboard is the number one option board for the IBM PC. First in performance, dependability and reliability. It all adds up to Quality, from Quadram. A company you

can count on today. And tomorrow.

Before you fill another slot, consider Quadboard by Ouadram. It's the best board for the job.

*Included as part of QuadMaster II software.

©COPYRIGHT 1984 QUADRAM CORPORATION ALL RIGHTS RESERVED QUADBOARD IS A REG. TRADEMARK OF QUADRAM CORPORATION.

IBM PC, and IBM PCXT are registered trademarks of International Business Machines Corporation



QUADRAM QUALITY

INTERNATIONAL OFFICES
Interquadram Ltd. 442 Bath Road, Slough, England SL16BB
Tel: 6286-63865 Thx: 847:55 Auriema G Interquadram GmbH
Fasanenweg 7. 6092 Kelsterbach, West Germany Tel: 6107-3089
Thx: 417770 Seva G Interquadram s.a.r.l. 41, Rue Ybry, 92592 Neuilly
Tel: 758-1240 Thx: 630842 Iso Bur Chevo Computing 6581 Klimat
Road, Mississauga, Ontario, Canada L5N-2X5 Tel: 416-821-7600

The TeleVideo IBM PC The best hardware for



TeleVideo versus IBM. Make a few simple comparisons and you'll find there is no comparison.

RUNS IBM SOFTWARE.

With the TeleVideo* IBM Compatible line—PC, XT and portable computers—you'll get the most out of all the most popular software written for the IBM* PC—more than 3,000 programs.

Because every TeleVideo Personal Computer offers the highest level of IBM compatibility on the market

THE BEST HARDWARE FOR THE BEST PRICE.

Features	Tele-PC	IBM PC	Tele-XT	IBM XT
Monitor	YES	OPTIONAL	YES	OPTIONAL
Screen Size	14"	12"	14"	12"
Tilt Screen	YES	NO	YES	NO
Quiet Operation	YES (NO FAN)	NO	YES	NO
Memory	128K	128K OPTION	256K	256K OPTION
Graphics Display (640 x 200 resolution)	YES	OPTIONAL	YES	OPTIONAL
Printer Port	YES	OPTIONAL	YES	OPTIONAL
Communication Port	YES	OPTIONAL	YES	YES
MS [™] -DOS/BASIC*	YES	OPTIONAL	YES	OPTIONAL
System Expansion Slot	YES	YES	YES	YES
RGB and Video Port	YES	OPTIONAL	YES	OPTIONAL
Typical System Price	\$2995	\$3843	\$4995	\$5754

compatibles. the best software.

and has the standard—not optional—features you need to take full advantage of every job your software can do.

Study the chart at the left. It proves that TeleVideo—not IBM—offers the best hardware for the best price.

Note that TeleVideo's ergonomic superiority over IBM extends from fully sculpted keys and a comfortable palm rest to a 14-inch, no glare screen that tilts at a touch.

THE BEST MICROCHIPS.

What is perhaps most impressive about the TeleVideo IBM PC Compatible can be found deep within its circuitry. We use the same 8088 central processing unit that runs an IBM PC. But we also employ new VLSI (Very Large Scale Integration) microchips that are designed and built exclusively for TeleVideo.

These interface more efficiently with the powerful 8088 and yield numerous benefits.

For example, our tiny custom chips do the work of many of the larger, more expensive circuit boards in an IBM PC. So we can offer a computer system that comes in one attractive, integrated case, is ready to run and occupies less desk space. A computer that edges out IBM's added-cost component system for reliability, ease of service and purchase simplicity.

Fewer circuit boards to cool also allowed us to eliminate the noisy, irritating fan IBM and most other PCs force you to put up with. And TeleVideo compatibles accept



THE BEST PORTABLE FOR THE BEST PRICE.

Features	TPC II	COMPAQ
High Capacity Storage	YES	NO
2nd Disk Drive	YES	OPTIONAL
Quiet Operation (No Fan)	YES	NO
Ergonomic Display	YES	NO
Communication Port	YES	OPTIONAL
International Power Supply	YES	NO
MS™-DOS 2.11	YES	NO
Graphics Display	YES	YES
Typical System Price	\$2995	\$3710

any IBM hardware options without modification.

THE BEST LINE.

But the Tele-PC is only one element of the TeleVideo IBM PC Compatible line.

The TeleVideo XT is the best hardware for users of popular IBM XT software who would appreciate an extra 10 megabytes of storage capacity along with the advantages listed on the preceding chart.

As the chart above demonstrates, our portable IBM compatible computer, the TPC II, is far and away better hardware than COMPAQ. Better hardware—standard—at a better price.

THE BEST MANUFACTURER.

The TeleVideo IBM PC Compatible line is made by the world leader in multi-user computer systems and the number one independent manufacturer of terminals.

Our compatibles are available at participating ComputerLand and Entré (call 800-HI-ENTRE) dealers or you may call 800-538-8725 for the dealer nearest you. In California, call 800-345-8008.

Before you invest, make a few simple comparisons. You'll find that TeleVideo—not IBM or COMPAQ—has the best hardware for the best software. At the best price.

IBM is a registered trademark of International Business Machines. MS is a trademark of MicroSoft Corporation. CW Basic is a registered trademark of MicroSoft Corporation. COMPAQ is a trademark of COMPAQ Computer Corporation.



TeleVideo Personal Computers TeleVideo Systems, Inc.

Circle 303 on inquiry card.

The BDS C Compiler . . .

"Performance: Excellent. Documentation: Excellent. Ease of Use: Excellent."

That's what InfoWorld said when we introduced the BDS C Compiler four years ago. Today, the updated BDS Version 1.5 is even better.

First, the BDS is still the fastest CPM/80-C compiler available anywhere.

Next, the new revised user's guide comes complete with tutorials, hints, error messages and an easy-to-use index - the perfect manual for beginner or seasoned pro.

Plus, the following, all for one price: Upgraded file searching ability for all compiler/linkage system files. Enhanced file I/O mechanism that lets you manipulate files anywhere in your system. Support system for float and long via library functions. An interactive symbolic debugger. Dynamic overlays. Full source code for libraries and run-time package. Sample programs include utilities and games.

Don't waste another minute on a slow language processor. Order now.

Complete Package (two 8"SSDD disks, 181-page manual): \$150. Free shipping on prepaid orders inside USA. VISA/MC. C.O.D.'s, rush orders accepted. Call for information on other

BDS C is designed for use with CP/M-80 operating systems, v or higher. It is not currently available for CP/M-86 or MS-DOS.



BD Software, Inc. P.O. Box 2368 Cambridge, MA 02238 (617) 576-3828

> IBM PRODUCTS Tandon TM 100-2 Panasonic 320K ... Teac 55B 320K ...

Mega+ 269
Quadboard ØK 219
Hercules Graphics Card 369

APPLE PRODUCTS

Videx 80 col w/softswitch, 189

Ultraterm

Microsoft Prem //e ... 289
Softcard CPM...229
Multiplan... 179
MAC Multiplan ... 139

Micro Sci A2 Drives.

Grappler Work-alike... Buffered 16K. 16K Ram.....

System Saver Fan.

Basic ...

Apricorn Serial Card

STB Graphix Plus RIO+

RIO+ Super RIO..... Microsoft Multiplan

Lotus 1-2-3 ... AST 6 Pak

Dbase II..

Rana Elite I ... Teac Drive.... Chinon Drive.

189

259

259

279

289

269

119

69

109

ONE STOP SHOP for SERVICE, SAVINGS, and SATISFACTION

Call for July Specials !!



HP Ink Jet. 499 MONITORS 479 259

Taxan Amber Vision 3 ...
Zenith 123 12 Green ...
122 12 Amber ...
135 13 Color459 MODEMS Hayes 1200 ... 1200B. MM //e 210 300 baud Novation Apple Cat 2. Promodem 1200.... 369 Signalman Mark I .81 Mark X 210 XII. Volks Modem 300 baud

IBM PC 64K

2-Drives, Controller Color & Monochrome, Parallel Port

IBM XT \$4295 Call for Special Deals!

MONTH'S SPECIALS Juki 6100\$419 Gemini 10X\$259 Gemini 15X \$379 Word w/Mouse ... \$269 Slim Line Drive Apple/IBM \$189



NEW ARRIVAL!! MACINTOSH...\$2995

64K CPU, 2 Drives, Controller, 80-Col S SAVE S

VISA

Maxell S/S ... D/S ... Computer Price



16783 Beach Blvd. Huntington Beach, CA 92647

BYTE'S BUGS

Readers Catch Bugs in Real-Time Article

The lengthy code accompanying Dr. David K. Broadwell's article "Real-Time Clocks and PC-DOS 2.0" (January, page 442) received considerable scrutiny from BYTE readers. One reader, Larry Waibel, caught a bug in the INIT (i.e., initialization) code at the end of Dr. Broadwell's system clock/driver program. which is based on the IBM PC macro-assembly language. In an attempt to pass to the operating system the end of the permanent part of his program with an offset of 0 and the breakpoint in the segment register, Dr. Broadwell added a few bytes to the segment

register. The result was that the program gobbled up 12K bytes of extra memory. The fix is shown here in listing 1.

Listing 2 shows you how to maneuver the INIT section to force it to a paragraph boundary and an offset of 0.

Another problem occurs because the operating system will try to verify its Write to the clock chip after the VERIFY-ON command is executed. This issues a command to output with verify to the driver. Bill Anderson suggests a fix: Remove the OUT_VERIFY: label from the Error Return Stack and place it adjacent to OUTPUT.

Listing I. The excessive appetite of the INIT code section of Dr. Broadwell's program can be curbed with this patch.

MOV DX OFFSET INIT MOV ES:BR_ADDR_0[BX].DX MOV ES:BR_ADDR_1|BXZ|.CS make that the break address

OFFSET OF END SEGMENT OF END

Listing 2. The INIT section can be forced to a paragraph boundary and an offset of O passed using these maneuvers.

CSEG SEGMENT PARA PUBLIC 'CODE'

START = \$: gives paragraph bound for ref

IF (\$-START) MOD 16 adjust to para boundary ORG (\$-START + 16 - ((\$-START) MOD 16)

INIT:

PUSH CS POP AX

ENDIF

MOV DX,OFFSET INIT MOV CL.4

SHR DX.CL ADD AX.DX

get bytes to here get ready for div by 16 convert to paragraphs plus current code segment

MOV ES:WORD PTR BR_ADDR_0[BX],0 MOV ES:BR_ADDR_IJBXJ.AX

etc.

Communications Failure

An editing error resulted in an inaccurate description of the Frobco-Development System in May's What's New (page 514). It works in conjunction with the ColecoVision console to develop prototype software. Its cartridge adapter will operate on either the ColecoVision console or the Adam computer. Any program in the interface unit can be read, modified, and run through the

ColecoVision. The system allows users to access the Coleco-Vision's memory space and I/O channels, and the manual provides information and a disassembled listing of the Coleco-Vision's operating system. The 32K-byte interface box plugs into the ColecoVision and not the Adam. A Coleco cartridge, however, may play on either machine.

WE SUPPORT THESE FINE SYSTEMS

Altos, Apple, Columbia, Compaq, Corona, DEC, Epson, IBM, KayPro, Sanyo, TeleVideo, Zenith, Zorba, and many more.

NO CLUB FEE

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

WAIT REDUCTION MADE EASY.

You know how hard it is to wait for the printer to finish before using the computer again. It's wasteful! Counter productive!


The solution: simply install Microbuffer[™] printer buffer into the system, in seconds. And you can print and process simultaneously.

With one swift command, all printing data is dumped to the Microbuffer-it handles the printer and frees the computer for other functions.

Presto! Instant wait reduction.

Microbuffer II and II+ for the Apple II, II+, and IIe computers.

Microbuffer II comes in either a serial or a parallel version with 16K or 32K of RAM. Microbuffer II+, available with 16K, 32K or 64K, has both serial and parallel capabilities, so you can control two different printers at once. The Microbuffer II+ has on board high resolution graphics routines for 37 popular printers, and all include expanded graphics capabilities and text formatting in addition to the inherent benefit of letting you use your computer while your printer is working.





Microbuffer In-line for virtually any computer/printer combination.

These are stand-alone units that install In-line between virtually any computer and printer.

Besides printer buffering, the In-line serial interface (MBIS) can be used to efficiently transmit data from the computer to almost any device using a serial RS-232C interface. The parallel Microbuffer In-line (MBIP) is built exclusively for parallel interfacing, and works exceptionally well in virtually any parallel computer and any parallel printer.

Each of the stand-alone models have controls for making multiple copies (up to 255). With the pause control, printing may be halted at any point and continued later-it will pick up right where it left off. Even while you are printing copies of a document, additional files can be sent to the buffer and they will be processed in turn. Both

come with either 32K or 64K of RAM, and are easily upgradable up to 256K for processing greater amounts of data.

Microbuffer/E for Epson printers.

Fully compatible with Epson MX, FX, RX, and IBM-PC series printers, these easy-toinstall boards simply plug inside the printer.

For parallel interfaces, the Microbuffer models MBP-16K and MBP-64K are available.

For serial interfacing. Microbuffer models MBS-8K and MBS-32/64K are available. The MBS-8K supports both hardware and software (X-ON/X-OFF) handshaking; the MBS-32/64K supports three handshaking configurations (hardware, software X-ON/X-OFF and ETX/ACK).

SO WHAT ARE YOU WAITING FOR?





31245 La Baya Drive Westlake Village, CA 91362 USA (213) 991-8200 • TWX 910-336-5431

© 1983 PRACTICAL PERIPHERALS





PLL ELECTRONICS CORP.
905 S. VERMONT - P.O. BOX 20406 - LOS ANGELES, CA 90006

TOLL FREE ORDERS •1-800-826-5432

(IN CALIFORNIA: 1-800-258-6666)

AK. HI. OR INFORMATION . (213) 380-8000

QUANTITIES LIMITED FOREIGN ORDERS INCLUDE SUFFICIENT SHIPPING NO CO D CALIF RES ADD 6 1 2

THE PURCHASING AGENT COMPUTERS COMPUTEDS Altos 586-20 w/o term. 586-40 w/o term. 986-40 w/o term. 68000-12 Compupro Godbout* Sys. 816A RAM 17* Sys. 816A RAM 21* Sys. 816AH* Sys. 816AH* Zenith ZF-110-22 ZW-110-32 IBM PC Compatibles ZF-151-22 ZFA-161-22 ZW-151-2 1,615 2,140 1,548 487 718 1,584 1,799 Diablo 630 AP 4,378 4,489 6,283 HARD DISKS Okidata Printronix P300 Cantex 7065 Qume 11/40 winterface Tally 160L, witractor 180L, witractor Texas Instr. 1810 basic Toshiba P:1340 P:1350 P:1351 Texas Instr. 1910 Por S Corvus 12 meg. wint. 2.299 Davong, 5 meg. Univ. 3.200 Joneg a 10 meg. 2.091 Mountain Computer 10 meg, internal 3.404 Tallgrass 12 meg. w/tape 2.670 35 meg. w/tape 4.337 Okidata Sys. 816C+ Sys. 816CH+ Sys. 816D+ Sys. 816F (CPU 286)+ 9,402 *Completely Assembl 1,100 "Completely Assemble Morive-H Pragmatic 20 meg. 8" Columbia Sys. 2:320K Sys. 12 meg. NEC APC-H02 Graphics Special Softpacks APC-H26, 10 meg. 8201 portable IBM & PERIPHERALS Transtar 120 Por S IBM PC 64K mono. 2-360K 2.950 XT CALL PLOTTERS Hitachi HDG-2222 Houston Instr., DMP 29 DMP 40 DMP 41 DMP 42 Hi-Pad Keytronics 5150 keyboard 189 5151 keyboard 239 MODEMS Hayes 1200 US Robotics Password Strobe M 100 w/Dual Floppies w/5 meg w/15 meg Onyx 8001 MU 20, 256K 8002 MU 20, 512K C5002A, 256K, 14M Sanyo 555, w/2-160K 555-2, w/2-320K MONITORS TERMINALS Amdek Color IV A Color IV T NEC 1410 RGB Princeton RGB w/cable 1,007 DEC VT100 Freedom 200 Hazeltine Esprit Qume OVT102A QVT103A Televideo 924 10,454 14,338 1,9,022 1,100 1,375 CALL 580 520 542 861 713 PRINTERS Anadex 9625B, parallel Brother, DX-15P Tava Televideo TS-1605 PC TPC-1, port. 925 950 **Wyse** WY 50 Dataproducts B 300-4 Datasouth DS-220

CALL FOR YOUR PRICE ON ANY OF OUR 7,000 OTHER PRODUCTS.

(415) 964-8222

PURCHASING AGENT, INC.

2444 Old Middlefield Way, Suite J

Mountain View, CA 94043

F.O.B. shipping point. Prices subject to change without notice.

THE

Search for Marketable **Programs**

Independent Software Evaluation Services has announced its Great Software Search for Atari and Commodore 64 computers. The purpose of the search is to find effective software that has not yet been marketed. Search winners are awarded \$1000 worth of hardware for their machine. Winning entries are also submitted to software publishers for evaluation and possible marketing.

The deadline for the Great Atari Software Search is July 31. The Great Commodore 64 Software Search runs through Halloween. Before submitting your program, obtain a Software Submission Package from Independent Software Evaluation Services, POB 27463, Minneapolis, MN 55427.

Microcomputer Software Directory for Administrators and Educators

The Guidance and Counselina Directory of Microcomputer Software was developed by the Santa Clara County Office of Education for school administrators and educators. This directory describes and lists the required hardware and specifications for more than 100 computer programs. If you'd like more information about this directory, write to Janey H. Powers, Career/Vocational Education/ Guidance Department, Santa Clara County Office of Education, Mail Code 236, 100 Skyport Dr., San Jose, CA 95115.

ANSI Seeks Comments on International Standards

The American National Standards Institute is seeking comments on a number of Draft International Standards (DISs) on information systems, which are currently being considered for approval by the International Organization for Standardization (ISO).

ISO DISs can be obtained from ANSI's International Sales Department. All orders must include titles, corresponding ISO Draft International Standard numbers, and remittance. Comments should be sent to Daniel W. Smith, American National Standards Institute, 1430 Broadway. New York. NY 10018. Comments will be collated and transmitted to the U.S. Technical Advisory Group that prepares the American position for ISO work on information systems. The following is a partial list of ISO DISs being considered.

- ISO/DIS 7069. Small Computerto-Computer Peripheral Bus Interface-Data Transfer Between Computer and Peripherals, Price: \$29. Forward comments by August 11. This DIS is designed to facilitate the compatibility and common use of equipment produced by different manufacturers as well as the interchangeability of such equipment between different systems. It contains the functional, electrical, and mechanical specifications that have to be met for full compatibility of all equipment in a computer at interconnection points.
- ISO/DIS 8278/1. Data Communications-Network Service Definition. Price: \$40. Forward comments by August 11. This is one standard in a series involving the Open Systems Interconnection (OSI) Basic Reference Model. It is designed to facilitate the convergence of capabilities offered by subnetwork providers. It specifies the characteristics of a conceptual Network Service and supplements the Reference Model in guiding the development of Network Layer protocols.

User-Supported Spreadsheet

Freecalc is a user-supported electronic-spreadsheet program for the IBM PC. It has 100 rows and columns and provides a number of basic formulas that help both novices and experts create a spreadsheet. Freecalc lets you point the cursor to the cells to be included in the formula, and it has an area for you to enter your own formulas.

Freecalc comes with three sample spreadsheets and a tutorial. It requires 128K bytes of RAM for PC-DOS 1.1 and 192K bytes of RAM for PC-DOS 2.0 and 2.1. It's available for \$35, or you can send a formatted blank disk to the author and make a contribution at a later date. Contact Steve Stilwell, Stilwell Software Products, 16403 North 43rd Dr., Glendale, AZ 85306.

Since 1980

B-84-7

INTERLOCKING ASSEMBLY

31/4" BETWEEN MOUNTING CENTERS.

\$2.50 EACH

5 STATION

NON-INTERLOCKING

SAME AS ABOVE, EXCEPT


EACH SWITCH OPERATES

\$2.50 EACH

MEMORIES SHOULD ALL -BE MADE LIKE THIS-

All memories are good memories when they come from Cumana. Available for the Apple, Dragon, British Broadcasting Corporation and IBM personal computers, Cumana slimline disk drives are designed and manufactured to the highest standards to give outstanding performance and quiet operation.

Supplied with an extended 12 months warranty and fully assembled and tested before packaging, Cumana slimline drives are available in single and dual versions. All power and interface cables are supplied with the drives to enable you to plug in, switch on and go!








Cumana, Inc., Orangewood Business Center. 1701 East Edinger, Suite E12, Santa Ana, CA 92705. Call: (714) 953-7622.

Cumana Ltd., Pines Trading Estate, Broad Street, Guildford, Surrey, England. Tel: (0483) 503121. Telex: 859380.

Apple is a registered trademark of Apple Computer, Inc.
The British Broadcasting Corporation Microcomputer is
manufactured under licence by Acorn Computers Limited
Acorn is a registered trademark of Acorn Computers
International PLC

Dragon is a registered trademark of Dragon Data Ltd. IBM is a registered trademark of International Business Machines Corporation.

Circle 95 on Inquiry card





It's the new BASF Qualimetric [™] 3.5" Micro FlexyDisk. [®] Its name is a lot bigger than its size, and a lot smaller than its capacity – one astounding megabyte. Our new Micro fits into more than shirt pockets. It fits into several of the hottest new small portable personal computers – like Apple [™] Computer's new Macintosh [™] and Lisa [™] 2 and Hewlett-Packard's HP-150 Touchscreen PC.

The Qualimetric part is what makes our Micro
FlexyDisk different from the others that will inevitably follow. It indicates a new standard in design, production, inspection, and testing. This standard enables us to warranty the Micro for a lifetime.* No more, no less. In addition, we certify that each bit of every byte on or between every track on each Micro
FlexyDisk is 100% error-free. That's

*Contact BASF for a copy of our warranty.


Circle 36 on inquiry card.

because we know, while each Micro FlexyDisk may only cost a couple of bucks, the hours and brain cells you put into it are priceless.

For those occasions when you need more than a pocketful of miracles, we provide a handy and virtually earthquake-proof 5-pack. It's sized to slip easily into your briefcase, handbag, or backpack.

For a plethora of technical details about our new Micro FlexyDisk and even more important information on where to buy it, call toll-free. 1-800-343-4600.





Features

SYMPHONY: A FULL-ORCHESTRA VERSION OF LOTUS 1-2-3
by Rik Jadrnicek
A MUSICAL TELEPHONE BELL by Steve Ciarcia
THE WEST COAST FAIRE by Jerry Pournelle
An Ada Language Primer, Part 2: Tool Building in Ada by Sabina H. Saib
KERMIT: A FILE-TRANSFER PROTOCOL FOR UNIVERSITIES, PART 2: STATES AND TRANSITIONS, HEURISTIC RULES, AND FXAMPLES

by Frank da Cruz and Bill Catchings 143

THIS SUMMER'S HOTTEST BATTLE won't be between rival baseball teams or even rival football leagues, but between the purveyors of integrated software. Lotus Development Corporation's Symphony takes on Ashton-Tate's Framework while Ovation Technologies' Ovation, Business Solutions' Jack2, Peachtree's Decision Manager, and many lesser contenders scramble to offer personal computer users more action. To find out what drives this important new technology, we begin examining window-based, multifunction software this month with a product preview of Symphony. Contributing Editor Rik Jadrnicek's examination of Lotus 1-2-3's heir apparent catalogs a list of impressive functions; a future review will assess whether the added capabilities encumber or enhance an already successful product.

This month's trip to Steve Ciarcia's Circuit Cellar finds BYTE's resident tinkerer putting together a sound circuit that can give your telephone a distinctive chime instead of a standard ring. As usual, Steve's work might be a springboard for other projects, such as adding music to a doorbell, dashboard, or digital alarm clock.

The BYTE Computer Show held in Chicago's McCormick Place in May gave Steve Ciarcia and Jerry Pournelle an opportunity to visit and talk with readers. The crowds around the BYTE booth indicated that one or the other of these popular editors was holding court. If you've not yet made it to a consumer-oriented computer show, you'll appreciate Pournelle's feature on the West Coast Computer Faire, held this past March in San Francisco. Jerry reports with his usual flair and eye for interesting products.

The first computer language invented by a committee, COBOL (Common Business Oriented Language), will be 25 years old next year. Labeled archaic by most programmers, COBOL applications nevertheless number in the tens of thousands and constitute the bulk of the nation's data-processing industry output. Will the newest committee-generated language, the Department of Defense's Ada, fulfill a similar legacy 25 years from now? Last month's beginning primer on Ada explored the language's modular, unitized structure and control statements. In this month's concluding installment, author Sabina H. Saib puts together an Ada toolbox of useful functions along with the source code (written in a microcomputer subset of Ada called Janus Ada) of all the examples illustrated in both parts of the series.

Kermit, the file-transfer protocol discussed last month in an Education theme article, is investigated further this month in the second of two installments. Last month's introduction examined how this protocol, developed at Columbia University, facilitates communication among micro-, mini-, and mainframe computers. Frank da Cruz and Bill Catchings discuss states, transitions, and heuristic rules and provide a sample sequence of packets from an actual file transfer.

Next month, we'll have a product preview of Framework and we begin a two-part examination of the new 16-bit version of the 6502 microprocessor as Steve Hendrix chronicles the specs of the 65816. Also, Senior Technical Editor Gregg Williams discusses the use of software toolkits and David Hinnant reports on benchmarking UNIX systems.

-G. Michael Vose, Senior Technical Editor, Features

Spreadshest Configuration a terrific machine 84

A terrific machine May 1984

Microcomputing May 1984 Microcomputing May 1984

a great bargain May 1984

Computers and Electronics May 1984



We have the lowest prices for Sanyo 550's*

*Our prices this month are lower than any advertised in this magazine for the Sanyo 550/550-2 series. Give us a call - we'll tell you the lowest advertised price and the page No., and our price will be at least \$10 less. To find our why the Sanyo 550 is the "hot" micro of 1984 ask for our new Sanyo brochure.

SANYO

FREE LQ PRINTER



Special sale on "4-digit" Sanyo computers. All Include dual drives, Basic, Wordstar, Calcstar, Mailmerge, Spellstar and Infostar, Plus prices include a Sanyo 5000 letter quality printer (may be deducted for \$200 credit). The 1150's have dual 320K drives, the 1250's and 4050's feature 1.2 megabytes of formatted storage.

All Sanyo systems have a full one year warranty on the main board, 90 days on everything else, and can be serviced at over 50 service centers nationwide (quantities limited).

1150 w/CP/M \$1695 \$2095 4050 w/CP/M-86 . . \$2149

ALTOS

From the lowest-priced dual-floppy multi-user systems to true 16-bit 10 Mhz. multi-user systems. Local service available via TRW. We will configure, test and install your systems for an additional charge (call for paice).

dummings

(call for pr	TCA	22)	16					
580-20							\$3	629
580-40							\$5	099
586-20								925
586-40								
8000 Se	eri	es	5			٠		Call



Columbia

Now even lower prices!

Don't buy a clone alone when you can get one with MS-DOS, CP/M/85, Basica, Perfect WriterTM, Perfect SpellerTM, Perfect CalcTM, Perfect FilerTM, Fast Graphs, Home Acc't Plus, Space Commanders, a rutorial and nationwide Bell and Howell service. (Prices for 1600 ries include video card and keyboard).

V.P	\$2249	1600-1	\$2499
Xtra 128K Installed	\$100	1600-4 (10mb)	\$3695

TERMINALS



PRINTERS



VIEWPOINT \$449 Wyse 50 \$499 so great prices on the Viewpoint 60, yse. Televideo, Altos, Zenith and Qume terminals.

PLOTTERS

HI DMP-29 \$1795 HI DMP-40 \$745 HI DMP-41

MODEMS

300/1200 \$309 \$509 Mark XII \$249



Scottsdale Systems Ltd.

(602) 941-5856

Call 8-5 Mon.-Fri. Closed July 1-8 for Summer Vacation

We participate in arbitration for business and customers through the Better Business Bureau of Maricopa County

SERVICE/ORDERING

INTEGRATION: Prices listed are for new equipment in factory sealed boxes with manufacturer's warranty. We will pretest your equipment, integrate your system, configure your software, provide special cables, etc., for an additional charge, Call for prices.

Special causes, etc., for an adominal charge, Call for prices.

ORDERING: MAIL ORDER ONLY. If you plan to visit us call for an appointment, Prices listed are for cash and include 3% cash discount. No.C.O.D.'s or A.P.O.'s. We sell on a Net 30 basis to Fortune 1200 companies and Universities. P.O.'s add 2%/Visa, Mastercard add 3%. Az, residents add 6%. Prices subject to change, product subject to availability. Personal/Company checks take 3 weeks to clear. 0-20% restocking fee for returned merchandise. Shipping is extra-products are 1.0.b. point of shipment. Software is sold only with systems and is not warrantied for suitability. Registered trademarks: Wordstar-MicroPro International; CP/M and MP/M Digital Research; Televideo-Televideo Systems, Inc.



Tally Spirit Tally 160/L \$599 Tally 180/L \$777 \$180 Off \$290 Off Okidata 92 Okidata 93 Plug N' Play FREE Gemini 10X \$115 Off Gemini 15X \$140 Off Prism 132 all opts. \$1449 Toshiba 1351 \$1515 Epson Call \$1449

LETTER QUALITY \$409 Silver Reed 500 Silver Reed 550 Diablo 630 \$1669 NEC 2030 NEC 3550 NEC 7710 DTC 380Z \$675 \$1595 \$1735 \$995 Juki 6100 \$449


COLOR MONITORS

Princeton HX-12 . \$489 Zenith ZVM-133 Amdek Color 1 Roland CB-141



OKIDATA Now you can have twice the resolution of an


Now you can have twice me resolution of an Okidara 92 for about the same price. Buy an Okidata 82 at the retail price of \$349 and we'll install an Ok-Witter enhancement for \$70. You'll have the perfect double duty printer with 120 c.p.s. in draft mode and an 18x17 resolution in corespondence mode - plus a serial port. Call for sample. Oki 82 w/Ok-Writer \$419



SYMPHONY A FULL-ORCHESTRA VERSION OF LOTUS 1-2-3

BY RIK JADRNICEK

Photo 1: A threewindow display highlights Symphony's ability to depict a spreadsheet, document, and graph in color on the screen at the same time.



Editor's Note: The following is a BYTE product preview. It is not a review. We provide this advance look at this new product because we feel it is significant. A complete review will follow in a subsequent issue.

Symphony is a full-fledged integrated package created by Lotus Development Corporation. The name is an allusion to the original product's likeness to a chamber music group, while the new one's features are numerous and varied. It is priced at \$695 and current Lotus 1-2-3 users can upgrade to Symphony for \$200.

I am an experienced Lotus 1-2-3 user and I recently secluded myself in a room with a large pot of coffee, an IBM PC, and Symphony. Here is what I discovered.

In a nutshell, Symphony includes and improves upon the Lotus 1-2-3 spreadsheet, graphics, and database capabilities while adding new word-processing and data communications environments. All this is enhanced by powerful macro files and the Symphony command language.

THE MASTER ENVIRONMENT

A 256-column by 8192-row spreadsheet is the master environment for the SHEET (spread(continued)

Rik Jadrnicek is president of Micro Flow (POB 1147, Mill Valley, CA 94942), a microcomputing consulting firm. When he isn't writing or playing with micros, Rik likes sailing and traveling.

sheet), DOC (word processing), GRAPH (business graphics), COMM (data communications), and FORM (database) subenvironments of Symphony.

Like Lotus 1-2-3, the whole work environment is still memory-bound. With a 256K-byte IBM PC, Symphony showed 187,270 bytes free for modeling. I was able to fill 8 columns by 1925 rows with an 8-digit number (that's 29 single-spaced, typewritten, 8½ by 11 pages)—to take full advantage of Symphony, I would need more RAM (random-access read/write memory). (Lotus recommends a minimum of 320K bytes of RAM for Symphony,—Eds.)

You can create and name any number of windows overlooking this workspace. Each window can operate as one subenvironment (for example, as a spreadsheet). The same window can then be changed to another subenvironment. Within the same window you might start out typing a letter, then change that window environment to a spreadsheet to enter some formulas, then change back to the document environment to continue the letter.

Window names can be up to 15 characters long and include spaces. The layout of the windows can be as small as one character or as large as the screen. They can be freely moved around the screen and can be piled on top of each other like papers on a desktop, or even filed away for later use. While paging from one window to the next, you can zoom into the window of your choice, making it fill the monitor screen. You can even completely eliminate window borders or you can change them to solid lines to give your integrated model a customized appearance.

Since all the windows and subenvironments you create overlook one master environment, the entire scenario is interactive. At your option, any changes you make in one window will be reflected in the others. In fact, in the process of developing formulas you can move from window to window picking up variables. Different windows can be formatted independently, and you can restrict the area they look upon. It's easy to switch among various environments, share data among environments, and use several environments simultaneously, thus achieving a high level of integration.




Photo 2: A full complement of Symphony menus, beginning with a start-up menu followed by spreadsheet, communications, word processing, database, graph, and a window-management menu.

Modify current window or use another window

10.6. File Print Configuration Application Settings New Exit DOS




Photo 3: A text sample in a word-processing window.

SERVICES AND ENVIRONMENT MENUS

Most of the commands used with Symphony are divided into two groups: services and menus. Pressing the F10 key on the IBM PC will present a set of tiered menus for the current active environment. For example, if you are in a window with the spreadsheet environment active, pressing the F10 key will give you access to the commands pertaining only to spreadsheets. A window with the DOC environment active would display the command menu used for word processing. The menus are therefore less complex and more focused on the task at hand.

Pressing the F9 key on the IBM PC displays the service menu giving you access to the commands common to all windows. You can then manipulate windows or disk files and configure the printer or program defaults. Within the services menu, cells can be protected and the entire worksheet can be locked against the editing of protected cells. A user-defined password is needed to unlock the spreadsheet.

Special application utilities can be attached to Symphony from the services menu. One such application is the DOS (disk operating system) window. This enables you to return to DOS with two keystrokes. When you execute those two keystrokes, the screen blanks and the A > prompt appears. You can run DOS utilities or even another program, RAM permitting. Typing "exit" at the A > prompt takes you out of DOS and returns you to Symphony.

SETTING SHEETS

Symphony lets you create Setting sheets to hold default values for printer settings and characteristics of the various environment windows. For example, you can create and store a variety of Setting sheets, each describing a different printer or printout format. A catalog of the sheets is kept for your review and selection for different applications. Communications parameters, database designs, graph specifications, word-processor formats, and spread-sheet characteristics all have Setting sheets.

The sheets are filled out by selecting options from menus similar to the command menus. When making the choices, the screen goes blank briefly and the Setting sheet reappears to reflect the changes. Each sheet created serves as a recap and can be dynamically updated, so you are seeing all values and changes as they are made. The use of Setting sheets further simplifies use of the program.

The special numeric pad keys have been put to good use in Symphony. All of them are used and the functions they perform are consistent from environment to environment. The scroll key actually warrants scrolling. In the document environment, it permits jumping 25 percent of a page in horizontal and vertical directions. In the spreadsheet environment, you can easily move to the end of data, column, or row. Lotus Development makes good use of the special keys on the IBM PC, especially the function keys (see figure 1). This,

Most commands are divided into two groups: services and menus.

coupled with the more focused menus of Symphony, speeds up the process of model building considerably and minimizes confusion.

THE SPREADSHEET ENVIRONMENT

The spreadsheet capabilities of Symphony are certainly not diluted. Lotus 1-2-3 is in full force and includes some new tricks. Global formats, recalculation order (including iteration count), title fixes, and global column widths are now conveniently displayed together in a Setting sheet. As you change the values, the full-screen Setting sheet changes dynamically—a real treat.

Remember that any window can become a spreadsheet environment and all windows are viewports onto the same master spreadsheet. When in the spreadsheet environment, only the menu items neccessary for spreadsheet development are presented. Copying, moving, and erasing cells, ranges, and blocks is a breeze. Direct access is given to spreadsheet-oriented graphics and database commands to develop the Setting sheets for those environments (see graphics and database environments).

(continued on page 372)




Photo 4: A Setting window for communications parameters.




Photo 5: A Symphony database form.

The lean, mean plotting machine from Houston Instrument


Houston Instrument's brand new servo driven DMP-51 is the fastest drum plotter we've designed to date. This superb plotter offers a pen speed of up to 22 inches/second; programmable accelerations, and a pen-on-paper resolution of 1/1000 of an inch! That means you'll turn out quality 17" x 22" and 22" x 34" drawings a lot faster, increasing your firm's productivity and profitability.

Now, for more good news. The DMP-51, priced at \$4,495*, is as fast as other plotters costing three times more. At that price, you can afford to put a DMP-51 at individual drafting work stations.

This is the professional plotter that meets the needs—and the budgets—of all companies, large or small.

The DMP-51 is intelligent, too. The DMP-51 can execute complex graphics operations from the simplest commands. A mechanical/architectural version, the DMP-52, with its 18" x 24" and 24" x 36" paper size, is available for the same price from Houston Instrument.

So, watch our new plotter in action . . . it won't take much time to realize it's the best buy for your money. For the name, address and phone number of your nearest dealer or distributor, write Houston Instrument, 8500 Cameron Rd., Austin, Texas, 78753. You can also call 1-800-531-5205 or 1-512-835-0900 (Texas residents). In Europe, contact Houston Instrument Belgium NV, Rochesterlaan 6, 8240 Gistel, Belgium. Tel: 059-27-74-45. Tlx: 846-81399.









C·I·A·R·C·I·A'S C·I·R·C·U·I·T C·E·L·L·A·R

A Musical Telephone Bell

Personalizing the sound of your telephone

BY STEVE CIARCIA

bout a month ago, I was visiting an IC (integrated circuit) manufacturer that produces a line of communication and voice-synthesis chips, among others. I was there to get some firsthand information on some new chips that will be the heart of a low-cost Circuit Cellar voice-recognition project coming later this year.

The visit started like most business meetings I'm used to: it included a tour of the facility, discussions with the technical staff, and lunch. After returning from lunch, a group of us were standing in the corridor adjacent to a large divided office area deciding who should be part of the next meeting when a phone rang in the middle of the room. Everyone immediately stopped talking and looked toward their section of the office as the phone rang again.

They glanced at each other again as one said, "Is that my phone or yours?"

The consensus was, "It must be yours, it doesn't sound like mine."

I watched as all four started walking toward their offices. About halfway there, each one stopped dead and turned around. With a somewhat exasperated sigh, one of them said, "It was George's phone."

"It gets so frustrating. All the bells sound alike, and with the acoustics in here it's impossible to tell whose phone it is unless you're within 10 feet of it."

The others shared the same expression of annoyance as the discussion shifted from electronics-related topics to an area of more immediate concern: Why can't telephone manufacturers make different-sounding bells for phones? It would seem that in a freeenterprise system, adept at producing pet rocks and Cabbage Patch dolls, a custom telephone bell would be trivial.

While I didn't make any pledge to solve this problem, I recognized legitimate concerns and decided to intervene electronically. Therefore, projects on talking robots, automatic houses, and rainmaking machines will have to be put off for another month as I try to build a better mousetrap.

I hope that this month's project will solve the auditory confusion in an office or at least Copyright (c) 1984 Steven A. Ciarcia. All rights reserved.

add a little spice to an otherwise boring telephone. Rather than just ring, the Circuit Cellar Whimsi-Bell plays the first few bars of 25 preselected tunes. Instead of hearing an annoying metallic clamor, you can be greeted by the theme to Star Wars, or perhaps you would prefer the "William Tell Overture."

Cleverly disguised in this whimsical project is a discussion of the telephone system. My intention is to help you understand characteristics and specifications that govern the telephone products you purchase or the telephone interfaces you might build. It also sets the stage for future Circuit Cellar projects dealing with telephone lines.

Reading between the lines, however, you'll soon realize that the central theme is not musical phones but rather ring detection and auto-answering the phone by computer. It may seem like a trivial consideration, but the environment is hostile and connection restrictions abound. First, a little about the phone system.

THE STATUS QUO TELEPHONE

Essentially, the characteristics of the telephone have been unchanged for 90 years. It originally used a carbon microphone and electromagnetic earphone with a capacitively coupled electromagnetic ringer triggered from a hand-turned magneto. Today's Western Electric phones incorporate many of the same materials, and new electronic phones merely simulate their archaic predecessors. For example, the characteristic impedance of the early Edison phones was 600 ohms, and today's electronic units must still abide by this specification.

The design and use of telephone equipment are dominated by line resistance. When you wish to answer or initiate a telephone call, the only requirement is to place a load across the

Steve Ciarcia (pronounced "see-ARE-see-ah") is an electronics engineer and computer consultant with experience in process control, digital design, nuclear instrumentation, and product development. He is the author of several books about electronics. You can write to him at POB 582, Glastonbury, CT 06033.

phone lines (between tip and ring). The handset, or the data-access arrangement (DAA) in either your modem or your auto-dialer, will cause a DC current flow of approximately 25 to 30 milliamperes (mA). A current-sensing relay at the telephone company then signals the system that you are "off hook." If it is an outgoing call, you will receive a dial tone; if it is an incoming call, the ringing will stop and you will be connected to the incoming party.

The on-hook voltage between tip and ring of the telephone line is approximately 48 volts (V) DC. It is generally supplied by a battery from the telephone office and can range from 42.75 to 52.5 V. Tip and ring have nothing to do with the telephone ring itself; they refer to the plugs that the operators used to connect callers many years before automatic dial exchanges. The original system had large arrays of connection jacks with operators who would physically insert patch-cord jumpers between initiating and receiving calls. The two conductor patch cords made their electrical connection to the tip-and-ring portion of the plug. The tip connection was usually ground. (Anything designed for connection to the telephone line should not be polarity sensitive. Polarity is sometimes reversed, and 200-V test voltages are sometimes placed on the line.)

Once the line is captured, an off-hook situation exists and a dial tone will be heard in approximately a second. The dial tone actually consists of two tones: 350 Hz and 440 Hz. If you are contemplating building a computer-activated




Figure 1: A simple ring-detector circuit.

automatic dialer, a tone decoder should be incorporated to signal the computer that dialing can commence. It will also signal you when the call has terminated if it was not initiated at your end. (If you want to get elaborate, the awful sound that the phone company blares at you to attract your attention when you forget to hang up a phone consists of four tones: 1400 Hz, 2060 Hz, 2450 Hz, and 2600 Hz. Pulsed at a rate of 5 Hz, it is called the receiver off-hook tone.)

DIALING

Most residential telephones in this country still use mechanical pulse dialers. When you turn and release the telephone dial, the current in the telephone line through the off-hook relay is interrupted by the number of times indicated on the dial position. These dial pulses are issued at approximately 10 pulses per second (pps)—some exchanges will accept up to 21 pps—with

about a 60/40 percent on-loff-hook duty cycle. Nine breaks in succession are interpreted as a "9" digit, and three breaks define a "3" digit.

The separation of digits is determined by the *interdigit time*. Any succession of pulses occurring more than 750 milliseconds (ms) after the last pulse are considered part of the next digit. For example, if you send five pulses at 10 pps, wait 200 ms and send three more pulses, the telephone company will interpret this as the single digit "8." If you had waited 750 ms between transmissions, they would have been interpreted as the two digits "5" and "3."

The latest innovation in the telephone system is Touch-Tone, the registered trademark for AT&T's dual-tone multifrequency (DTMF) communication. The pulses go only as far as the local exchange office. From there, and throughout the rest of the telephone system, DTMF tones are used to direct calls.

The advantages of DTMF are increased dialing speed and, more important, the ability to transmit data. DTMF tones are sent with a minimum duration of 50 ms and an interdigit time of 45 ms. A seven-digit number on a pulsedial system would take 11 seconds versus less than 1 second for DTMF.

I won't dwell on DTMF because it is covered in detail in my "Build a Touch Tone Decoder for Remote Control" on page 42 of the December 1981 BYTE.

THE BUSY AND RING SIGNALS

Again, if you intend to build an autodialer at some point, you should incorporate some means to recognize a busy signal. The busy signal consists of two tones, 440 Hz and 620 Hz, that are on for 0.5 second, then off for 0.5 second. Either the tones themselves can be recognized, or the unique 50/50 0.5-second duty cycle can be monitored.

When your telephone rings, it is the result of a high AC voltage being ap-





Photo 1: Whimsi-Bell attaches to the tip and ring wires in parallel with your phone.



Sheet Feeders By Rutishauser.

Swiss-Made Quality. Competitive Prices.

Rutishauser. Remember the name. Our precision sheet feeders save you time. And Money. Rutishauser products are made to exacting standards of Swiss craftsmanship. Built to perform. Built to last. Time after time after time. Rutishauser. The very best in document and forms handling equipment...electronic or mechanical... for word and data processing systems.

MECHANICAL SHEET FEEDER (2:00)

Automatic feeding. Simple and easy to install and load. No special software, switches, controls, or adjustments needed.

PROGRAMMABLE DOUBLE BIN FEEDER (11:00)

Flexible control and consistently reliable performance — with or without electronic commands. Operator programmable, with remote/local modes. Also reacts to mechanical or electrical bin selection.

BI-DIRECTIONAL FORMS TRACTOR (9:00)

Trouble-free handling for accurate continuous forms feeding. Fits any standard word/data processing printer.

SINGLE BIN SHEET FEEDER (3:00)

One of the most widely used single bin feeders in the world. Automatic. Compact. Lightweight. A powerful microprocessor controls paper position and insertion.

DOUBLE BIN SHEET FEEDER (12:00)

Interchangeable and software compatible with our demand sheet feeder model. Each sheet fed upon command. Ample capacity with room for 450 sheets.

DEMAND SHEET FEEDER (10:00)

Feeds sheets upon command by printer system. Accommodates virtually any size paper or type of form.

FRONT FEED DEVICE (1:00)

Programmed insertion of forms for complex applications. Handles preprinted forms, ledger cards and other single or multipart documents.

Rutishauser sheet feeders are available for leading letter-quality printers. Rutishauser. Swiss standards of lasting value. Call us at (214) 343-9154 (USA) or (00-41-1) 926 46 00 (International). Isn't it... about time?

Rutishauser of America, Inc. 10345 Brockwood Rd. Dallas, Texas 75238

(An affiliate of Rutishauser Data AG.)



Swiss-Made Quality You Can Afford.




Figure 2: Texas Instruments CMOS ring-detector chips. (2a) Block diagram of the TCM1501A, TCM1505A, TCM1506A, and TCM1512A versions. (2b) Block diagram of the TCM1520A version.

If you are building a computer-activated automatic dialer, use a tone decoder to signal the computer.

plied to the telephone lines. The voltage is capacitively coupled to the electromagnetic bell. When you are initiating a call and you hear a ringing in the earpiece, you are not hearing the ringing voltage. Instead, you are hearing a pair of tones, 440 Hz and 480 Hz, used by the phone company for signaling. The on/off duty cycle depends on the exchange being dialed. When the ringing stops, it usually means the call has been completed or that you are irrevocably lost among the trunk lines.

RING DETECTION

The solution to the problem described earlier is a ring detector. Rather than try to change all the bells in an office, it is a relatively simple matter to monitor the telephone line in parallel with the existing phone (with its bell turned low or off) and generate a different sound corresponding to the incoming ring signal. This new sound can be a buzzer, a slightly different bell, or an entirely new electronic signaling device. The actual alerting mechanism is secondary. It is all triggered by a circuit called a ring detector.

The incoming ring is the highest nontest voltage encountered on the telephone line. The normal on-hook condition is a high-impedance state with approximately 50 V DC between tip and ring. When the phone rings (usually 2 seconds on and 4 seconds off), it is because an additional 86 V AC of ringing voltage has been superimposed on the line. This 20 Hz +3 Hz signal is passed through a capacitor to the telephone bell, causing it to ring. While 86 V AC is nominal, the ringing voltage can vary from 65 to 130 V AC, and the DC component can appear as much as 70 V negative.

Because the ringing voltage is so different from other telephone signals, a ring detector is simple in theory to construct. The simplest ring-detector circuit (shown in figure 1) consists of a neon lamp and a phototransistor. Neon lamps such as the NE-2 have a turn-on threshold of about 65 V and therefore would respond only to the higher ringing

(continued)

Your financial records. Confidential plans. Personal correspondence.
When you record it on Verbatim flexible disks, you always get back exactly what you recorded. That's because Verbatim disks are certified 100% error-free. And backed by a warranty to assure performance: Verex,™ 1 year; Datalife,* 5 years, Optima Series,* 17 years. No wonder one out of every four disks sold is made by Verbatim, making ours the world's best-selling disks.

For your nearest Verbatim dealer, call toll-free 800-538-1793. In California or outside the U.S., call collect (408) 737-7771.

Because Verbatim always handles your most sensitive information with the utmost discretion.

Verbatim® Nothings better than a Verbatim response.

Circle 320 on inquiry card. We'll repeat your most sensitive information word for word.

voltages. When the neon lamp lights, it in turn causes the transistor to conduct and triggers the one-shot.

Variations on this circuit employing LED (light-emitting diode) optoisolators and level-detection circuits are available, but a price is paid for simplicity. The telephone line is not an ideal environment and contains many aberrations that can lead to false triggering by crude ring detectors. Just the action of going on hook or off hook (also called tapping) generates local line transients that are sufficient to cause a neon bulb or LED to fire. We can add more components or compensate for these peculiarities in our communications software, but, fortunately, alternatives exist.

SPECIALLY DESIGNED RING-DETECTOR CHIPS

Texas Instruments produces a line of CMOS (complementary metal-oxide semiconductor) ring-detector chips that offer all the necessary features. (See figures 2a and 2b.)

The normal installation of the ringdetector chip uses a capacitor and a 2.2K-ohm resistor connected between the detector and the line. The network formed by the DC-blocking capacitor, current-limiting resistor, and full-wave bridge rectifier supplies power to the IC from the phone lines. The rectified AC signal is filtered by a 10-microfarad (μ F) capacitor attached between pins 6 and 7. The value of this capacitor determines the minimum input voltage and turn-on time of the ring detector. It is also used to suppress response to dial tapping (tapping is a false triggering of the bell due to transient-producing pulses on the phone line, usually from rotary-dial phones).

In use, the ring-detector IC stays in standby mode until the incoming (continued)




Photo 2: A view inside the Whimsi-Bell prototype. The doorbell synthesizer chip can play 25 different tunes.




Figure 3: A typical ring detector using the TI ring-detector chip.





Figure 4: A two-chip ring-detection circuit that provides an optoisolated ring-detector signal for your computer.



voltage between pins 1 and 8 exceeds 8.9 V (remember, the off-hook condition is a DC voltage on the line, and the series DC-blocking capacitor prevents the ring detector from seeing this voltage). While in standby mode, the impedance is approximately 1 megohm.

When the voltage exceeds 8.9 V, the IC begins to conduct. This energy is not transferred to the load, however, until the input reaches 17 V. Should the input voltage continue to rise beyond a predetermined limit (a transient instead of a true bell signal), an internal high-current SCR (silicon-controlled rectifier)

is triggered. The excess energy is dissipated in the 2.2K-ohm series resistor.

Two versions of the ring detectors are supplied by Texas Instruments. Models TCM1501A, TCM1505A, TCM1506A, and TCM1512A are detector tone drivers intended for use as electronic alternatives to the standard electromagnetic telephone bell. These chips incorporate an oscillator and a power audio-generator section to drive a piezoelectric transducer or speaker. Figure 3 demonstrates a typical circuit.

The TCM1520A is a ring detector only. It has a +5-V output signifying the ring

signal rather than an audio output. The TCM1520A is best utilized in auto-answer modems. Figure 4 demonstrates a two-chip circuit that provides an optoisolated ring-detection signal that can be connected to a computer. When a ring signal is applied, the 10- μ F capacitor charges until it passes the 17-V threshold. At that point, pin 4 outputs +5 V, which in turn drives the LED side of an optocoupler. The illuminated LED causes the transistor portion of the optocoupler to saturate, providing a low true signal to the computer. The computer, on recognizing a valid ring, gives




Figure 6: Block diagram of the General Instrument AY-3-1350 tone synthesizer.

an off-hook signal to the DAA or the modem to answer the phone.

BACK TO THE INITIAL PROBLEM

The office situation described earlier can be easily solved for one or two individuals with the one-chip circuit shown in figure 3. Here, a TCM1512A is used to drive a speaker. The circuit is connected in parallel to an existing phone that has had the bell disconnected or turned down. R1 sets the frequency of the "bell"; R2 sets its volume. When the phone rings, a different kind of bell is heard.

Such a circuit might be useful in some applications. Beyond a few installed in a large room, however, the same confusion would arise. Instead, a more varied signaling device must be employed.

A variety of alternatives comes to mind. Once you've detected the ring, virtually any triggerable event can occur. Initially, I thought it might be cute to attach a voice synthesizer or other equally nonstandard signaling device. However, I'd rather reserve voice synthesizers for more serious purposes. Instead, in the name of cost-effectiveness and mass production, I opted for Whimsi-Bell.

WHIMSI-BELL

The Circuit Cellar Whimsi-Bell, shown in photos 1 and 2 and schematically diagramed in figure 5, combines a ring detector and a sophisticated microprocessor-controlled doorbell synthesizer. The phone is connected to the Whimsi-Bell through a Y-junction phone-line connector. When the phone rings, it plays the first few bars of one of 25 tunes or three chimes. The switch-selectable repertoire is listed in table 1. The circuit also includes an optoisolated output so you can connect the device to a computer as well.

The heart of Whimsi-Bell is the General Instrument AY-3-1350 tone synthesizer, which is actually a PIC 1655A 8-bit microcomputer that has been specifically mask-programmed as an electronic doorbell chime. Block-diagramed in figure 6, the PIC 1655A includes thirty-two 8-bit RAM (random-access read/write memory) registers, 512 by 12 bits of program ROM (read-only memory), an on-board oscillator and real-time clock, and 20 I/O (input/output) lines on a single chip. The chip runs on +5 V.

The Whimsi-Bell is powered by a 9-V battery and consumes virtually no power until it is triggered by a ring-detect signal from IC2. This signal turns power on to IC1 through Q1. Q1 is sus-

tained for the musical period regardless of the length of the ring by the on/off signal, IC1 pin 12. The chip shuts itself off when it has concluded playing.

The ring-detect signal is attached to one of three points in the circuit (A, B, or C), depending upon the combination of tones you wish. All 25 tunes are accessible if the connection is to point A. The chimes are selected by opening all the selection switches and connecting the ring-detect input to one of the three input terminals. If A, it will play the Westminster chime; if B, it will play the simple chime; if C, it will play the descending-octave chime.

With the ring-detector connection at point A, where all 25 tunes are available, a particular tune is selected on the 10-position DIP (dual-inline package) switch SW1. SW1 positions 1 through 5 are assigned to selection codes A through E; SW1 positions 6 through 10 are assigned to selection codes 0 through 4. To select the Star Wars theme, D4, positions 4 and 10 would be closed (all others open). Every time the phone rings, that tune will be played.

The 25 tunes average nine notes each. The tunes are stored internally as a series of notes with a stop code following the last note in each tune. Each 8-bit note comprises a 5-bit pitch value and 3-bit duration. Two-and-a-half octaves of notes can be accommodated, with the durations ranging from a sixteenth note to a whole note. (I mention this only because the AY-3-1350 can be configured for external ROM should you care to play the entire "Star-Spangled Banner" when the phone rings. Contact General Instrument for an application note describing this procedure.)

There are two potentiometer adjustments. R10 varies the processor clock speed about 1 MHz to set the pitch. The other adjustment potentiometer, R12, varies the charging time on C7 to set the speed at which the notes are played.

The output of IC1 is a combination of signals. The actual tune output comes from pin 14, while pin 13 serves as an envelope generator to control the volume. A three-transistor amplifier directly drives an 8-ohm speaker.

IN CONCLUSION

This month's project is a little less taxing than the 99-chip Trump Card from the last two months. Nonetheless, ring detection and the telephone system are important subjects for discussion.

While I don't think everyone is going to want a Whimsi-Bell attached to their phone, all the people who have heard

Table 1: Tunes and switch settings for the Whimsi-Bell

the Whimsi-Bell.	
Switch Tune	Switch Tune
A0 Toreador	A3 O Sole Mio
B0 William Tell	B3 Santa Lucia
CO Hallelujah Chorus	C3 The End
D0 Star-Spangled	D3 Blue Danube
Banner	E3 Brahm's Lullaby
E0 Yankee Doodle	
Al John Brown's Body	y A4 Hell's Bells
B1 Clementine	B4 Jingle Bells
C1 God Save the	C4 La Vie en Rose
Queen	D4 Star Wars
D1 Colonel Bogey	E4 Beethoven's Ninth
El Marseillaise	
A2 America, America	
B2 Deutschland Leid	
C2 Wedding March	
D2 Beethoven's Fifth	
E2 Augustine	

my prototype have been amused enough to want one, if only as a unique conversation piece. More important, I'm encouraged by all the experimenters who have built one of the Circuit Cellar modem projects and see this as a means to add auto-answering.

NEXT MONTH

I'll be answering some of the questions I've been asked about my previous projects. In September, I'll present the Circuit Cellar AC Power Monitor. ■

Editor's Note: Steve often refers to previous Circuit Cellar Articles. Most of these past articles are available in reprint books from BYTE Books, McGraw-Hill Book Co., POB 400, Hightstown, NJ 08250.

Ciarcia's Circuit Cellar, Volume I covers articles that appeared in BYTE from September 1977 through November 1978. Volume II covers December 1978 through June 1980. Volume III covers July 1980 through December 1981. Volume IV covers January 1982 through June 1983.


To receive a complete list of Ciarcia's Circuit Cellar project kits, circle 100 on the readerservice inquiry card at the back of the magazine.

The following item is available from

The Micromint Inc. 561 Willow Ave. Cedarhurst, NY 11516 (800) 645-3479 for orders (203) 871-6170 for information

Please include \$3 for shipping and handling in the continental United States, \$10 elsewhere. New York residents please include 7 percent sales tax.

Only one company can show you so man And it isn't IBM.



Monochrome text. Color graphics.

Even a new super display adapter that provides the Best of Both, on one board.

Connect your PC to peripherals like a modem or printer, with the added efficiency of print spooling.

IBM today sets the standard in personal computers.

But what happens when you want to expand your PC's capability to something beyond standard?

That's when you have to look beyond IBM. To the one company that offers the widest range of products to make your PC work more powerfully, more efficiently. Persyst.

Display adapters. Persyst introduces a significant technical advance.

Now Persyst redefines the basic utility of display adapters for IBM personal computers.

Our BoB™ super display adapter provides the sharpest text resolution ever as well as brilliant color graph-

ics—the Best of Both—on one board. Plus a unique option that lets you design and download custom programmable character sets.

Meanwhile, for great basic performance, we also offer PC/Monochrome™ and PC/Color Graphics™ display adapters engineered to deliver the same quality as IBM's own standard adapters.

Only Persyst offers you so much choice.

Memory and multifunction boards. Persyst has the most flexible ways to expand your PC.


Here again, Persyst offers a unique array of products to expand your PC beyond the IBM standard.

Want the most capable one-slot multifunction packages available?


Choose either Time Spectrum™ with up to 512K, or Time Spectrum™ SB384 with up to 384K RAM. Other functions include a bidirectional parallel port and async serial ports to link your PC with printers, modems and instrumentation. Calendar clock. Game port. Plus, Wait-Less Printing™ print spooling and Insta-Drive™ RAM disk software.

Want to expand function without adding memory?

Our Timeport™ gives you a calendar clock, bidirectional parallel port and two async serial ports, as well as capability for ROM and static




ays to expand the power of your IBM PC.



Memory expansion to let your PC utilize the most sophisticated software.

Productivity features like a calendar clock to date and time stamp your files automatically.



RAM. Uniport™ offers a calendar clock and bidirectional parallel port. And our Async Card™ provides two async serial ports.

You can even add synchronous communications to your PC with our Multiple Protocol Communications™ (MPC) controller.

Quality and documentation. Persyst support is built into every product.

All Persyst expansion products include one important extra benefit—Persyst quality.

Each board is fully burned in. Completely system tested. And backed by a limited one-year

What's more, award-winning Persyst documentation makes using any Persyst product simple.

Expand all the way from an IBM desktop PC to an IBM intelligent workstation. You can only do it with Persyst.

Persyst is the only resource that offers display adapters. Multi-

function and memory boards. And micro to mainframe communications.

The most complete selection of innovative, technically advanced expansion products to meet your needs today. And tomorrow.

Persyst dealers are ready to serve you. For the one nearest you, call (714) 660-1010.

Persyst Products, Personal Systems Technology, 17862 Fitch, Irvine, CA 92714. Telephone: (714) 660-1010.


Telex: 467864.


EPERSYST

"You can only do it with Persyst"

IBM is a registered trademark of International Business Machines Corporation. Rainbow and DEC are registered trademarks of Digital Equipment Corporation. This a registered trademark of Texas Instruments Corporation.

*Limited warranty details available with each product or on request.





BY JERRY POURNELLE

The lord of the Manor visits his favorite computer show

he West Coast Computer Faire is my favorite computer show; how can a big publishing company like Prentice-Hall put it on the way Jim Warren did? Of course it can't and it didn't, but in justice, Jim Warren wouldn't have been able to keep it up, either. For better or worse, the micro industry has changed. Oh, sure, there are still some pretty good products for sale in the little booths along the walls, but there were fewer than in the old days for the simple reason that the big outfits also have a lot of incredible new stuff, and it's a lot harder for a newcomer to compete.

This Faire was to be four days long, with Wednesday as set-up day. I went up Tuesday evening to spend some time with some of the BYTE editors. Wednesday morning I went down to the Faire office. The press room wasn't set up, but I hadn't expected it to be. I went to exhibitor registration and asked for a press badge.

They'd never heard of press badges. Hah, thought I. Changes. Warren always let us get in early. Set-up day is a good time for interviews and private demonstrations before the crowds arrive. These people don't understand that. Ruining the Faire, they are. . .

Someone sent for David Sudkin. He listened for a mo-

ment, said "Sure!" and produced a big red "TEM-PORARY" badge. End of problem. I wandered in to talk to people.

As usual, set-up day is a study in controlled chaos. The big companies like MicroPro, Apple, and IBM have professional set-up crews working with the local San Francisco exposition services people. The smaller outfits are on their own.

At least they used to be. This year the unionized exposition troops were greedier than usual. In the past they'd let a small booth owner carry his own stuff; this year they socked everyone for a couple of hundred bucks to let them unload their trucks. It's a good racket: \$200 to carry 10 boxes a hundred feet or so.

EATING THE SEED CORN

It's also a stupid racket, like eating the seed corn, because some of the smaller outfits won't come back. Indeed, all day Wednesday the talk among exhibitors was that it was time to get the Faire out of San Francisco and into a friendlier city. More than half the exhibitors I talked with swore they wouldn't be back next year.

There were a lot fewer, anyway. That is: there was a lot of space rented. Not quite as much as last year: no one was on the garbage-collection platform, and the chair-storage area, otherwise known as the Black Hole of Calcutta, hadn't been rented, but everything else had been, including the two side halls that used to hold seminars and speeches.

Instead of lots of small exhibits, there were fewer, but much larger, setups. Three of the biggest were in a row: IBM, Apple, and Digital Equipment Corporation (DEC).

Wednesday ended with the traditional "after set-up" party thrown by Compute! magazine. As usual, there were more press people than exhibitors snarfing up the hors d'oeuvres and free beer. We also noted that there was no exhibitors' lounge: that location had been rented by Apple to let people get hands-on experience with Macintosh, or maybe it was IBM doing the same thing with PC and PCir. The party was in the concession area—and unlike last year, there were no chairs and tables, just food service counters, with booths across a narrow aisle from them. I pitied the people who had those booths.

When I left on Wednesday night, it was a scene of pure chaos. On Thursday morning, the miracle had happened again: everything was set up. I headed upstairs to the Workman and Associates booth for coffee.

No coffee. The union people had not only forced Barry to pay for work he hadn't needed, but they'd lost the box containing vital parts to the coffee maker. Mornings are not endurable without coffee; you might as well sack a city. Eventually I found some in the press room, but by then I was thoroughly prepared to make this my last

ENTER THE POPULACE

At 11:00 the doors opened and the crowds came in. There were quite a few people. Not as many as we had on the first day last year, but a respectable numberand this was, after all, Thursday. Last year the Faire was only three days and opened on Friday.

They were interested people, too. Fewer hackers—but a lot of customers. As I made my hurried cruise through the aisles, it seemed that more people were buying things. Barry Workman confirmed that when I got upstairs. There were a lot more serious customers.

All the presentations were well attended, too. The panels for hackers and hobbyists had plenty of those, but the panels for newcomers and users had crowds, too. The "All Star" speeches, which featured Bill Gates, Garv. Kildall, Bill Godbout, Steve Wozniak, Adam Osborne, and, somehow inserted into this rarified atmosphere, me, were all crowded with attentive people who asked intelligent questions. This was a serious crowd.

By Thursday night it was pretty well confirmed: there were some glitches and justified complaints, but the new staff was trying hard to take care of the problems. This was a different Faire, but it was still a good one.

Barry Workman sells a line of CP/M software, including WRITE, my favorite text editor. He had more sales the first two days than he did during the entire Faire last year. Others report the same, and that's not just software vendors. The people at the Priority One booth had lots of

business, and when they announced a big sale on CompuPro 40-megabyte hard disks (like mine), there was something approaching a feeding frenzy. Even vendors of computer furniture reported big sales.

I expect there are several reasons for this. The state of the economy didn't hurt, of course. More important, though, more people have microcomputers, so they're ready to buy software and accessories. Whatever the reason, they were buying, and by Saturday night I could tell the exhibitors by their satisfied smiles.

SOME HITS

There wasn't much new and exciting stuff. The best hardware wasn't at the Faire at all: Richard Ohran, of Modula Computers Inc., was on a panel about Modula-2 with me. He brought a couple of the U.S.-built modifications of Niklaus Wirth's Lilith computer, but they could only be seen in his hotel room. Naturally, I went. It's wonderful. It has fabulous graphics capability, better than Macintosh or even the (alas, late and lamented) Diser Modula Engine, except that the Modula Computer Lilith has a Winchester hard disk and a 51/4-inch floppy disk-much nicer than the goofy Honeywell-Bull "washing machine" hard-disk cartridge that came with the Diser.

The Modula-2 panel was interesting, if a bit frustrating. Panelists were Ohran, Tony Gorrengourt of Logitech, John M. Craig, formerly of Diser and now with Ohran's company, and Joel McCormick of Volition Systems. I'd been asked to be chairman; since I was going to the panel anyway, this gave me a good seat, although I didn't have much to say. We had a good crowd, every seat taken; there's a lot of interest in Modula-2.

Tony Gorrengourt led off with a neat presentation on the philosophy of Modula-2. Then John Craig described the U.S. version of the Lilith machine. Joel McCormick promised that Volition Systems would get the 68000 native code Modula-2 compiler finished Real Soon Now. Richard Ohran described the public-domain Modula Research Institute compiler (for the IBM PC), which is available for \$40. (Useful if you're interested in Modula-2; alas, not really in shape for doing much practical programming.)

We were also able to announce that in early March a group met in Zurich to form the International Modula Users' Association, and we even agreed on some standards for the language and library modules. With any luck, we won't have a proliferation of dialects and libraries the way things went for Pascal.

TURBO!


One very hot item was Borland International's Turbo Pascal, which was on a show special at \$46.95, not much under the standard \$49.95, but low enough to attract

(continued on page 376)

Jerry Pournelle holds a doctorate in psychology and is a sciencefiction writer who also earns a comfortable living writing about computers present and future.

Now...Draw On Your Imagination





Introducing The Gibson Light Pen System.™

The link between mind and machine has arrived. Suddenly you're free ... free to translate your every thought into professional quality computer graphics... just by touching your screen.

The Gibson Light Pen System software features *icon* menus that offer easy access to powerful graphics tools such as symbol libraries, geometric shapes, mirror-imaging, magnification and complete color and pattern editing. Even if you're not a graphic artist, you can design, diagram and draw with precision at high-speed, in high-resolution, and in full-color...right on your screen.

COMPLETE WITH FIVE SOFTWARE SYSTEMS TO MAXIMIZE YOUR CREATIVE OPTIONS.

The Gibson Light Pen System comes complete with all you need to draw, paint, design, score music and learn animation.

DRAW FREEHAND WITH PENPAINTER."

A full range of drawing tools, shapes, patterns and colors to draw or paint virtually anything on your screen.

DESIGN PRECISION DIAGRAMS WITH PENDESIGNER."

Turn your computer into your own graphic design studio. A complete selection of templates make perfect business and architectural diagrams, technical drawings and engineering schematics a snap.

CREATE COMPUTERIZED ANIMATION WITH PENANIMATOR.™

All that you need to learn the basics of animation. Develop your own animation sequences, and bring your screen to life.

COMPOSE MUSIC WITH PENMUSICIAN."


Score computerized melodies with incredible ease at the touch of your pen.

CREATE YOUR OWN LIGHT PEN APPLICATIONS WITH THE PENTRAK LANGUAGE SYSTEM."


Take advantage of the software features, and customize your own light pen programs

NOW AVAILABLE FOR THE APPLE II SERIES Coming soon for the IBM PC and PCir.









The Gibson Light Pen System

Touch the Magic of Light

THIS IS THE SECOND PART of the two-part Ada language primer that began in last month's issue of BYTE. The first part was an introduction to the fundamental structures of Ada. In part 2, I'll cover more advanced programming techniques and explore Janus Ada, a partial Ada for microcomputers.

This primer is closely modeled on "A C Language Primer" by

James Joyce, published in BYTE in August and September of 1983.

One of the reasons Ada may become very popular is its ability to package subprograms. The packaging of functions and operators enables programmers to write clean, expressive programs, as in this example:

--copyc. ada -- Copy input to output with text_io; use text _io; procedure copy is c : character; begin loop get(c); put(c): if end_of_line then new line: end if: end loop; exception when end_error = > null; end copy;

This program copies characters until an end-of-file condition is reached. end_of_file is one of many predefined functions available in the text io package. (See "An Ada Language Primer, Part 1" for an introduction to Ada and the text_io package.)

Such definitions make a program far more readable than using tests such as while c <> char\$(26) loop or other obscure means for end of file. By stating before the program that we want to access the package text_io, we can use these predefined procedures and functions.

A proper Ada program is organized into packages that normally contain data, user-defined

types, and subprograms. There is also a main procedure, which may be called main or some name meaningful to the application. In our example, our main program's name is copy. As we saw in part 1 of this primer, one organizational scheme divides up an Ada program into subprograms that are called by the main program.

In part 2, we will cover the concept of tool building-code that can be used as general-purpose subprograms.

STRINGS

Ada contains a built-in procedure, in the package text_io, to let an entire line of text read into the computer. To demonstrate the elegance of building tools from simpler subprograms, however, we will define such a program based on the primitive procedure get for characters. With this procedure, you can build a procedure that reads a line of input and package it as a procedure named get my line in a package named my_package. Then you can use the procedure when-

ever the need arises. The next two examples develop a slightly modified version of the get_line function found on page 26 of Kernighan and Ritchie's book The C Programming Language (Englewood Cliffs, NJ: Prentice-Hall, 1978); also see "A C Language Primer, Part 2: Tool Building in C" by James Joyce (September 1983 BYTE).

The first example focuses on strings, which are defined as an array of characters in Ada. The program is written as a main pro-

gram named get_line. --getline.ada --input and display a line with text_io; use text_io; procedure get_line is limit : constant := 80; subtype index_type is integer range 0..limit; index : index_type := 0; : character; line : string (1..limit) --C := (others = > "); begin for i in 1..limit loop --E begin --set exception block get (c); index := i; line (index) := c; if end_of_line then --G index := i + 1;line (index) := ascii.cr; exit; end if: exception -exit from loop when end of file when end_error = > index := index + 1; line (index) := ascii.cr; exit; end; --for exception block end loop:

> -line formed, display it for i in 1..index loop

LANGUAC RIMI BUILDING BY SABINA H. SAIB

put (line(i)); end loop; end get_line;

The example begins by defining a compile time constant named limit, which is set to 80 in line A. This value is used in the definition of a subtype in line B and in the definition of an object in line C. Line B defines an integer subtype for variables that have values between 0 and limit. Such a variable is index, which is used to keep track of how many characters are read into the object named line.

line is defined in line C as a string of length limit. It is initially set to all blanks by the assignment to (others = > ") in line D. This expression is called an aggregate. Aggregates are very useful in setting arrays (or parts of arrays) to some chosen value. This line also demonstrates the power of Ada initialization expressions.

The other declaration in this program is for the object named ${\bf c}$, a character variable used in calls to the primitive

procedure get.

The executable part of the program consists of two loops. One loop inputs the data character by character and the other loop displays the characters in a line. Line E defines a for loop, which has a loop parameter i that can step between 1 and limit. The loop has two conditions that can result in an early exit. In line F, a block is set up so that an end-of-file exception causes the loop to exit. In line G, a test is made if an end_of_line has been read. In either case, a carriage return is saved in the next character position. The example shows that there are also predefined character names for certain characters; for example, ascii.cr signifies a carriage return. In fact, all ASCII (American National Standard Code for Information Interchange) characters can be referred to by their symbolic values or by their designated names, such as If for line feed and del for delete.

In analyzing the first loop, it is apparent that there are three conditions that can stop the loop:

•the loop parameter i has reached limit

an end-of-file marker has been read
a carriage return has been read

Line H defines the for loop used to display the line by letting the loop parameter i take on the values between 1 and index. For each value of i, the character in line(i) is displayed

with the primitive procedure put.

After writing a program such as the preceding example, you should take some time to rethink the problem. Where possible, it is better to avoid the exit statement: it adds paths to the program, resulting in an unstructured program. The example that follows is written in a better style and performs essentially the same function.

```
--getline2.ada
--input and display a line
with text_io; use text_io;
procedure get_line is
  limit : constant := 80;
  subtype index_type is
                                                                --B
         integer range 0..limit;
  index : index_type := 0;
        : character := ";
  line : string (1..limit)
        := (others = > ");
                                                                --C
begin
  while index < limit and
        c /= ascii.cr and
        c /= ascii.eot loop
                                                                --D
  begin -set exception block
    get (c);
    index := index + 1;
    line (index) := c;
    if end_of_line then
      c := ascii.cr:
      index := index + 1;
      line (index) := ascii.cr:
    end if;
```

--E

The major difference between the two programs is the while loop for inputting the data. The while statement explicitly states all of the conditions for staying in the loop. This is preferable to searching for exit statements. If all conditions for staying in the loop are satisfied, the program increments the index variable, stores the character, and reads another character.

Another method uses a special character to designate the end of the string. This is done in the C language and could be done in Ada as well, but such conventions do not yet exist in Ada. The following example takes such an approach by using a carriage return to end the string. The example illustrates the use of strings as arguments to a subprogram. The code in the inner loops of the previous example are packaged in procedures named <code>get_my_line</code> and <code>put_my_line</code>.

```
with text_io; use text_io;
package my_package is
  limit : constant := 80;
  subtype index_type is
          integer range 0..limit;
  -to read a line into a string
  procedure get_my_line (line : out string;
        length : out index_type;
  --to display a line
  procedure put_my_line (line : in string);
end my_package;
package body my_package is
  -to read a line into a string
  procedure get_my_line (line : out string;
        length: out index_type) is
    index : index_type := 0;
          : character := ";
    begin
      line := (1..line'last = > ");
      while index < limit and
            c /= ascii.cr and
            c /= ascii.eot loop
      begin --set exception block
        get (c);
        index := index + 1;
        line (index) := c:
        if end of line then
          c := ascii.cr:
          index := index + 1;
          line (index) := ascii.cr;
        end if:
      exception
```

-subprograms to input and display a line

--mypackage.ada

exception

```
--set character when end of file
      when end_error = >
        c := ascii.eot;
        index := index + 1;
        line (index) := ascii.cr;
    end; --for exception block
    end loop;
    length := index;
  end get my_line:
  -to display a line
  procedure put_my_line (line : in string) is
    index : index type := 1:
    while line (index) /= ascii.cr and
        index < limit loop
      put (line(index));
      index := index + 1;
    end loop:
    new_line:
  end put_my_line;
end my_package;
with text_io, my_package;
use text_io, my_ package;
procedure main is
  my_string: string (1..limit);
  all_done : constant := 1;
          : index_type := 0;
  lenath
begin
  put (" Program to copy lines from input to output ");
  put (" Terminate program by entering just ");
  put (" a carriage return.");
  new_line;
  while length /= all_done loop
    get_my_line (my_string, length);
    put_my_line (my_string);
  end loop:
end main:
```

In packaging the subprograms, we first write a package specification, which contains any types appropriate to the package and specifications for the subprograms contained in the package. Our package, named my_package, has one type, the definition for index_type; one constant, limit, to define the string length; and two subprograms. get_my_line is defined as a procedure with two parameters: one for the string and one for the length of the line. put_my_line is defined as a procedure with one parameter. We need not specify the length of the string passed as a parameter to each subprogram. We need only specify the type of the parameter as string and whether the subprogram uses it as an input or an output.

Simple parameters in Ada are passed not as addresses but as values. This protects against side effects in subprograms. Furthermore, parameters declared as "in" cannot be assigned a value in a subprogram. For efficiency, when an array is passed as a parameter, the address of the array may be passed instead of the value of the contents of the array.

To compile and execute the program on a VAX computer with the New York University (NYU) Ada/Ed compiler, we type \$ ada mypackage. After starting execution, the program prompts us with

```
Program to copy lines from input to output Terminate program by entering just a carriage return.
```

If we type This is some normal data. followed by a carriage return or an end-of-file signal (which is normally Control-Z), we will see

```
>This is some normal data.
This is some normal data.
> ^Z
```

Execution complete
Execution time: 185 seconds
I-code statements executed: 718

\$

Two lines appear as a result of the program execution. The first echoes your input from the operating system. The second is from the combination of <code>get_my_line</code> and <code>put_my_line</code>. The input was terminated with a Control-Z, which appears as <code>^Z</code>. The actual execution time shows that this is an experimental compiler not intended to execute "real" programs. This compiler was produced to demonstrate that an Ada compiler could be written with a reasonable amount of effort and to provide an early experimental compiler for researchers investigating Ada. Near the end of this article, there is a section that shows the time taken to execute the same program on an IBM Personal Computer using one of the partial compilers. This example provides a better indication of the time that can be expected with one of the early partial compilers.

CASE STATEMENTS

The last control structure we'll discuss is the *case statement*, which lets us use a multiway decision via an elegant construct. The following example of a simple, suggestive help system for NYU Ada/Ed offers an introduction to case statements.

```
--case.ada
-- Demonstrate case statement
with text_io; use text_io;
package help_package is
  -send instructions to display
  procedure greet:
  -receive response
  -filtering out tabs, blanks, and carriage returns
  procedure get_response (c : out character);
  -show help messages
  type help_topic_type is (ada_help, syntax_help,
    library_help, error_help);
  procedure help (help_topic : help_topic_type);
end help_package;
package body help_package is
  -send instructions to display
  procedure greet is
  begin
    put (" On line help for Ada programmers ");
    new_line; new_line;
    put (" Type
                               For help about
                                                             ");
    new__line;
    put ("--
    new_line;
                                            (continued on page 386)
```



Introducing Concurrent CP/M with PC Mode* for DISCOVERY Multiprocessor Networks

Selecting the right blend of hardware and software for your computing needs can be a monumental challenge. Action Computer Enterprise, pioneer in the field of microcomputer multiprocessing, makes choosing easy. Scoring another innovative first, we have brought Concurrent CP/M with PC Mode to our full range of DISCOVERY Supermicros. This new multitasking enhancement to our already powerful multiprocessing operating system provides the capability to network multiple IBM PC

compatible workstations without sacrificing the ability to run your business in a true multi-user environment. And of course, the DISCOVERY can utilize the full complement of CP/M-80 and CP/M-86 based software including many fine multi-user applications.

If total flexibility is what your business needs, pick the system that offers all the choices. DISCOVERY.

Take Action Today!

Call Toll Free: 1-800-821-6596. (In California, it's 1-818-351-5451.)

DISCOVERY ... The Ultimate Solution.

DISCOVERY is a trademark of Action Computer Enterprises, inc. CPM, CPM Plus, CPM-86 and Concurrent CPM are trademarks or registered trademarks of Digital Research, Inc. IBM PC and PC-DOS are trademarks of IBM Corporation

aca Action Computer Enterprise

The Multiprocessing Company

Corporate Headquarters: 430 N. Halstead St., Pasadena, CA 91107 USA TWX 910-588-1201 ACTION PSD

In Europe: ACE (Europe), B.V., Paradijslaan 42, 5611 KP Eindhoven, The Netherlands Tel. (004) 045-2658 TLX: 51767 ACE E NL In Asia: ACE (Asia), G/F, Lee Wah Mansion, 171-177 Hollywood Road, Hong Kong Tel. 5-441692 or 5-442310 TLX: 75332 PACIC HX Serviced nationwide by Bell & Howell Company

* IBM PC compatible

Circle 7 for Dealer inquiries. Circle 8 for End-User inquiries.

KERMIT:

A FILE-TRANSFER PROTOCOL FOR UNIVERSITIES

PART 2: STATES AND TRANSITIONS, HEURISTIC RULES, AND EXAMPLES

BY FRANK DA CRUZ AND BILL CATCHINGS

THE KERMIT file-transfer protocol was developed at Columbia University primarily for downloading files from mainframes to microcomputers, but it has evolved into a comprehensive communication system for transferring data between numerous types of computers. Kermit is inexpensive and reliable, uses RS-232C asynchronous serial communications to exchange packets of information, and has error checking for reliable transmission of files and information.

By defining a common subset of different computers' communication capabilities, Kermit sets up the minimum standards for communication between two systems. Numerous advanced features and options make Kermit powerful and flexible; many parameters can be changed, and it can even be set up as a simple network file server. Kermit is a portable protocol that is compatible with and has already been implemented on many operating systems and brands of computers.

In part 1 we covered the design considerations and specifications for the Kermit protocol, from the different ways systems handle files and information to

KERMIT OFF CAMPUS

Although best known in educational circles, Kermit is equally suited to use by corporations, government agencies, and other organizations using a variety of large and small computers.

the encoding, error detection, and layout for the packets of information. This concluding part presents the states and transitions that take place in the Send and Receive File modes, rules that improve the performance and reliability of Kermit, examples of packets and a transfer session, the user interface, and future developments for Kermit.

Frank da Cruz is the manager of systems integration at the Columbia University Center for Computing Activities (612 West 115th St., New York, NY 10025) and is also planning the university's move toward personal computing in the coming years. Bill Catchings is the chief systems programmer of the file-transfer protocol and its principal designer.

PROTOCOL STATES AND TRANSITIONS

The Kermit protocol can be described as a set of states and a set of transitions that define, for a given event, what action to take and what new state to change to. The inherent simplicity of the design, particularly the requirement that each packet must be acknowledged, reduces the number of states and actions and the amount of state information that must be maintained to a minimum. Figure 1 shows a simplified version of a state diagram for Kermit receiving a file.

The receiver initially starts out in the Receive Init state and waits for the other side to send a Send Init packet. If any other packet is received or the Send Init does not arrive within the time-out interval, a NAK (negative acknowledge) is sent. Time-outs or NAKs can occur up to a threshold that, when exceeded for a particular packet, causes the protocol to assume that the connection has become unusable and to give up. After the Send Init arrives, the state becomes Receive File; Kermit waits for a File

Header packet containing the name of the file that is to come. When the File Header arrives, Kermit opens a new file using the name provided (perhaps transformed to suit local naming conventions or to avoid a name collision) and switches to the Receive Data state.

Kermit then receives the contents of the file, until an EOF (end of file) packet arrives. At that point, Kermit switches back to the Receive File state. If another file is to be sent, another File Header packet will follow, otherwise an EOT (end of transmission) packet will terminate the transfer. The distinction between EOF and EOT, plus the File Header itself, allows files to be sent in groups. EOF marks the end of a file; EOT marks the end of a group. This dis-

Get EOT Packet

Done 4

tinction also allows the two sides to disconnect cleanly: the EOF must be acknowledged before the sender will believe the file has been transmitted correctly: the EOT will follow, but if the ACK (acknowledge) sent in response to the EOT is lost, no harm will be done since both sides are terminating anyway.

For simplicity, some transitions are not shown in figure 1:

- If in any state a bad packet is received or a time-out occurs, a null transition back to the same state occurs, with a NAK for the expected packet.
- In any state an error may occur that can cause the transfer to terminate. For instance, the target disk


Get EOF Packet

might fill up. The side that encountered the error sends an error packet containing an informative error message and quits. Upon receipt of the error packet, the other side displays the message on the screen (if it is in control of the screen) and also quits.

 Actions that are taken on each transition, such as opening a file when a File Header packet is received, are not shown; in particular, each packet successfully received is acknowledged with an ACK.

The state transitions for a sending Kermit are similar (see figure 2). In each state, instead of waiting for particular packet types, Kermit sends the appropriate packet and waits for an ACK. If the ACK does not arrive within the allotted time, or a NAK appears instead of an ACK, the same packet is retransmitted. A send operation begins with a Send Init packet, includes one or more files starting with a File Header, followed by one or more data packets and then an EOF. When all the specified files have been sent, an EOT packet closes the connection and terminates the operation.

Base-level Kermit provides that during any particular transaction the sender is the master and the receiver is the slave. These roles may be reversed in the next transaction; any Kermit implementation is capable of acting as either the master or slave. In addition, mainframe implementations may also be put in a kind of permanent slave, or server, mode in which all commands come in command packets from the master, or user. Kermit.



Receive Init

Receive File

Receive Data

Get File

Header Packet

Get Data Packet

Get Send Init Packet

Figure 2: A simple state diagram for Kermit sending files.




Figure 3: The setup parameters in the DATA field of the Send Init packet of the Kermit protocol.

INITIAL CONNECTION

To allow a diverse group of computers to communicate with one another, an exchange takes place during the initial connection in which the two sides configure each other. The sending Kermit includes setup parameters in its Send Init packet, and the receiving Kermit responds with an ACK packet containing the corresponding parameters as they apply to itself. The DATA field of the Send Init packet is shown in figure 3. The fields are as follows ("I" and "you" are used to distinguish the two sides). Fields are encoded printably using the char function (ASCII |American National Standard Code for Information Interchange| value 32) unless indicated otherwise:

MAXL—The maximum-length packet I want to receive, a number up to 94. You respond with the maximum you

want me to send. This allows systems to adjust to each other's buffer sizes or to the condition of the transmission medium.

TIME—The number of seconds after which I want you to time me out while waiting for a packet from me. You respond with the amount of time I should wait for packets from you. This allows the two sides to accommodate different line speeds or other factors that could cause timing problems.

NPAD—The number of padding characters I want to precede each incoming packet; you respond in kind. Padding may be necessary for a half-duplex system that requires some time to change the direction of transmission.

PADC—The control character I need for padding, if any, modified by XOR with 64 to make it printable. You respond in kind. Normally the null character (NUL), some systems use the delete character (DEL). This field is ignored if the value NPAD is zero. EOL—The character I need to terminate an incoming packet, if any. You respond in kind. Most systems that require a line terminator for terminal input accept a carriage return for this purpose. (Can you see the catch-22 here?)

OCTL—The printable ASCII character I will use to quote control characters or prefix characters, normally #. You respond with the one you will use. OBIN—The printable ASCII character I want to use to quote (prefix) characters that have the eighth bit set, for transmitting binary files when one or both systems cannot use the parity bit for data. Since this kind of quoting increases both processor and transmission overhead, it is normally to be avoided.

CHKT—Check type, the method for detecting errors. I for single-character checksum (the normal method), 2 for two-character checksum, 3 for three-character CRC-CCITT. If your response agrees, the designated method will be used; otherwise, the single-character checksum will be used. Other check types may also be added.

REPT—The prefix character I will use to indicate a repeated character. This can be any printable character other than blank (which denotes no repeat count prefix), but ~ is recommended. If you don't respond identically, repeat counts will not be done. Groups of four or more identical characters may be transmitted more

efficiently using a repeat count, although an individual implementation may wish to set a higher threshold.

CAPAS—An extendable bit mask encoded printably, to indicate whether certain advanced capabilities, such as file-attribute packets, are supported.

Reserved Fields—The next four fields are reserved for future use. Those wishing to add their own parameters to the initial connection exchange should start at the fifth field after the capability mask in order to remain compatible with other Kermit programs.

Naturally, the three prefix characters must be distinct and should be chosen to be uncommonly used printable characters to minimize further overhead from having to prefix them when they are found in the data.

The trailing fields in the DATA field may be omitted, in which case they will assume appropriate defaults. Defaults for intermediate fields can be selected by setting those fields to blanks. Every parameter has an appropriate default. In fact, the entire DATA field of the Send Init packet or its ACK may be left empty to accept all defaults. The more exotic parameters are at the end and reflect more recent developments in the Kermit protocol: earlier implementations can still communicate with newer ones, since there will not be agreement to use these options. The Send Init mechanism preserves compatibility from the earliest Kermit to the most

There is no protracted negotiation; everything must be settled in a single exchange. Some parameters, however, are outside the scope of this exchange and must be set even before the first packet is sent. For instance, if the receiving computer can read only characters with odd parity, but the sending computer sends them with even parity, the Send Init packet will never arrive successfully. In cases like this, the user may have to issue some preliminary commands to inform one or both Kermit programs about the vagaries of the other system. Another example is the packet terminator (EOL) mentioned above—if the receiving Kermit requires one that the sending Kermit doesn't know about, the Send Init will never get through.


For these reasons, most implementations of Kermit provide SET commands for all the parameters listed above and some others as well. During initial connection, an exchange takes place between the computers using Kermit in which the two sides configure each other.


RULES AND HEURISTICS

During a file transfer, one Kermit sends information packets—file headers, data, and so forth-and the other Kermit sends only ACKs or NAKs in response. The most important rule in the Kermit protocol is wait for a response before sending the next packet. This prevents buffer overruns and allows participation by halfduplex systems. Of course, Kermit should not wait forever; a time-out should occur after a few seconds if the expected packet has not arrived. Upon time-out, a sending Kermit retransmits the current packet; a receiving Kermit reacknowledges the current packet or negatively acknowledges the expected

Some interesting heuristics are used in Kermit to boost efficiency and improve error recovery. A number of important rules take care of the cases when packets are lost in transmission. The first can be stated as a NAK for the next packet implies an ACK for the current packet. A NAK with packet number n+1 means the receiving Kermit got packet n, sent an ACK that was never received, and, not knowing that the ACK didn't get through (since we don't acknowledge an ACK), is now waiting for packet n+1, which was never sent. In this case, we simply send packet n+1. An important exception is when the missing ACK is for a Send Init packet; do you see why? The next rule, acknowledge and discard redundant packets, handles the situation where the same packet arrives again. The sending Kermit timed out waiting for an ACK that was sent but lost and retransmitted the packet. The receiver must discard the redundant data and acknowledge the packet again; to do otherwise could have undesirable effects, such as adding the same data to a file twice or opening the same file multiple times. Note that the situation resulting from a lost ACK depends upon which side times out

Kermit must handle another situation arising from possible lost packets: nega(continued on page 400)





To every software developer who'd written off portability as an impossible dream, Digital Research humbly announces a few monumental breakthroughs.

We not only offer languages that are portable from 8 to 16 to the 32-bit chips of the future, they're portable across all popular operating systems, too. What's more, we supply the broadest range of quality languages and development tools available today. And will tomorrow.

So rest assured. Whether you design applications at a major corporation, plan to become a major corporation or just qualify as

a hobbyist, you only have to write it once.

Simply pick the Digital Research language that's right for you. From Personal BASIC™ to Digital Research FORTRAN-77.™ The newest member of our remarkable family.

To complement languages, we offer a complete workshop of development tools. Our Display Manager™ and Access Manager™ simplify the design of screen displays and data bases. So you spend less time and effort.

If you write in COBOL, our Animator™source level debugger will get your software running in record time.

And for programmers skilled with IBM mainframe SPF, we offer micro/SPF.™ An editor that helps turn your invaluable experience into valuable new

software applications.

At Digital Research, we work as hard for you after the sale as we do to get the sale. With backup like quality documentation, software updates and a phone line to our technical support team.

With so much productivity and service to draw


on, it's small wonder IBM chose our languages for its IBM®PC, XT and the new IBM 3270/PC.

For more information, or the name of the Digital



Research retailer nearest you, call 800-227-1617, ext. 400. In California, 800-772-3545, ext. 400. Or call your IBM representative directly.

micro/SPF is a trademark of Phaser Systems, Inc. Animator and Level II Cobol are trademarks of Micro Focus, Ltd. IBM is a registered trademark of International Business Machines Corporation The Digital Research logo and products are either trademarks or registered trademarks of Digital Research Inc. © 1984 Digital Research Inc. All rights reserved.



Video

ELECTRONIC ENCYCLOPEDIAS by Peter R. Cook
TELEVISIONS AS MONITORS by Ken Coach
COMPUTER CONTROL OF A VIDEO RECORDER by Cy Tymony
VIDEODISCS AND COMPUTERS by Stan Jarvis
CONTROLLING VIDEODISCS WITH MICROS by Rod Daynes and Steve Holder207

COMPUTERS AND VIDEO appear to offer an endless variety of combinations, as this month's cover by Robert Tinney depicts. With an increase in higher-power communication satellites that require smaller, less-expensive user antennas and electronics, and with the melding of television receivers and microprocessors, we might look ahead to the day when worldwide person-to-person visual as well as aural communication is based on personal computers and not on a direct descendant of Mr. Bell's original invention. "Bulletin Boards in Space," described by John Markoff in the May BYTE West Coast column (page 88), may give way to worldwide electronic conferencing and conventioning by adding television cameras to the growing list of common personal computer user options.

Many videotex, work-alike, and other interactive cable-television-based systems already exist. With the proliferation of coaxial-cable interconnection and its high-speed data-transmission capabilities, more and more homes and businesses could be linked via computer-controlled video instead of the restricted-bandwidth, audio-frequency-based systems now

Shopping via computer is already a reality in some areas. With television- or presentation-level graphics, perhaps complicated and expensive encoding schemes could become unnecessary because you might be able to view the person to whom your message is directed. And as Rich Malloy, our product-review editor, stated in the July 1983 BYTE in his introduction to the Videotex theme, the printing presses might stop and BYTE could be delivered to you electronically.

Though with us for over a generation, until recently hardware costs made computer and video interactivity limited and expensive. In recent years, dramatic advances in digital electronics and large-scale integration (LSI) have made personal computers, videocassette recorders (VCRs), and videodiscs available to anyone with a down-to-earth application or interest in learning. In this issue, we present articles on a wide range of topics related to computers and video.

Peter R. Cook's article. "Electronic Encyclopedias," explores something that all of the major encyclopedia publishers have talked about for several years: how to develop an "intelligent encyclopedia" that uses natural means of accessing and using knowledge. Included with this article is contributing editor Mark Dahmke's look at "An Ideal Video Peripheral," a glimpse at how personal computers and videodiscs might communicate more efficiently.

In "Televisions as Monitors," Ken Coach describes some of the characteristics common to the new generation of television receivers that can double as microcomputer video monitors.

If you already have an inexpensive VCR with limited or no programming capabilities or are considering purchasing one. Cy Tymony's "Computer Control of a Video Recorder" should be particulary interesting. This construction project enables you to use your micro as a programmable control center for your VCR.

Stan Jarvis's "Videodiscs and Computers" takes a look at the videodisc industry, its evolution, and the myriad of companies and equipment facing personal computer owners.

As an example of what you can do with a CAV (frame-addressable) videodisc, Rod Daynes and Steve Holder designed a game around a generic version in "Controlling Videodiscs with Micros." They used the videodisc support commands available in the Sony SMC-70 computer.

-Gene Smarte, Managing Editor

THE END TO THE FLOPPY SHUFFLE...



BEGINS WITH THE ROSE.

OSICOM'S NEW WINCHESTER SYSTEM FOR YOUR IBM* PC.

If you're still shuffling stacks of floppies everytime you sit down at your PC, you've probably outgrown your system. We know the problem, and we have the answer. The ROSE. The Rose is the affordable new hard disk system from Osicom. Designed to give you 10 megabytes of storage, The Rose allows you to access programs and information without the floppy shuffle. Even data access time is cut to milliseconds—so you'll have less time to wait, more time to work. And no software changes or special commands are needed, because The Rose is fully compatible with your IBM PC. You can even install The Rose in 3 easy steps (system includes PC adaptor, drive and cables). And as an added bonus The Rose will give you 64KB of RAM free.

So if you're looking for quality, performance and durability at a price that makes upgrading your IBM PC downright practical—The Rose is your answer. And Osicom stands behind The Rose with the best warranty of any comparable system on the market.

For product and dealer information, call us toll free. (800) 922-0881. In New Jersey call (201) 540-0144.

Compare and Choose

FUNCTION	ROSE	OTHERS
Compatibility with IBM PC	Total	Most require special software
Capacity	Up to 2 drives of 140 MB ea.	Low performance of low capacity
Installation	Easy 1,2,3, procedure	?
Boot	Can Boot from Rose	Most require a flooppy
Expandibility	Upgrade to other Osicom products	Buy another system
Memory	64KB of RAM	None
Economy	Starts at \$1195	Start at \$1295 or more
Warranty	1 year	Most offer only 90 days
Support	Toll free number, expert advice	?



ELECTRONIC ENCYCLOPEDIAS

BY PETER R. COOK

Interactive video technologies help explore "the realm of worthwhile knowledge"

ENCYCLOPEDIAS EVOKE special memories for most people. When you were a child, you probably did research for essays and class projects, looked for "naughty" words and pictures, struggled through dull facts about dead people, or discovered fascinating facts in articles from "Aardvark" to "Zygote." Later on, maybe you used an encyclopedia to solve crossword puzzles, to help a child with homework, or to look up the location of a vacation spot or an unfamiliar country mentioned in the news.

Now there is a whole new range of associations that most people wouldn't normally connect with an encyclopedia: on-line databases, videotex systems, and laser videodiscs—new interactive technologies that, at first glance, might appear to be the very antithesis of the traditional printed encyclopedia. But major electronic publishing companies are beginning to create a new generation of encyclopedias, powerful informational/educational tools that can interact through, and with, all of these new media.

As part of a long-range development plan, Grolier is creating a massive encyclopedic database of text and audiovisual materials that can be accessed and manipulated using interactive technologies. The two major components of this plan, the text database and the audiovisual database, currently are be-

ing developed along separate but convergent tracks—one utilizes on-line or videotex technology, the other utilizes videodisc technology.

In this article, I will review both development tracks, observing from the publisher's point of view how information is enhanced by delivery via new interactive technologies. But let's begin with a look at encyclopedias delivered via a traditional interactive medium—the book. Though new technologies should not slavishly imitate those that preceded them, there is much to be gained by using the book metaphor for building the foundation of an information tool that utilizes the full power of interactive video technologies.

According to an entry in the Academic American Encyclopedia (AAE), a printed general encyclopedia "attempts to present the entire realm of worthwhile knowledge: the humanities and literature; fine, applied, and performing arts; science and technology; history and

Peter R. Cook is vice president of creative services for Grolier Electronic Publishing Inc. (95 Madison Ave., New York, NY 10016). He is responsible for coordinating the development of that firm's Multi-Component Electronic Encyclopedia, which is intended to combine videodisc and videotex technology. Cook spent five years at Arete Publishing Co., producing the Academic American Encyclopedia.

social sciences; critical issues such as bioethics and civil rights; and select data on significant places and persons."

Mechanics and economics tend to limit the size of a printed encyclopedia's "realm of worthwhile knowledge"; of necessity, the information itself is synthesized and summarized. Distillation and outlining of knowledge, along with broad coverage, make a general encyclopedia—whether it be in 1, 20, or 30 volumes—a useful reference tool.

The reference characteristics of encyclopedias are what brought about their rather unnatural, usually alphabetical, information structure. There is no inherent logic in grouping "Aardvark" with "Alvar Aalto" and "Hank Aaron," although such curious juxtapositions often create wonderfully serendipitous discoveries. Diverse subjects are thrown together for no reason other than the fact that an alphabetical, dictionary-like organization improves access to information. Some encyclopedias still cling to the earlier thematic approach in which related information is grouped together. Thematic groupings make it possible for information to be viewed in a broader context, but highly specific facts are harder to locate.

Alphabetical encyclopedias compensate for the seemingly arbitrary arrangement of their articles by using in-



Maximum IBM PC/XT Compatible System • Multi-Layered Board (Made in U.S.A., 1 Year Warranty) •256K RAM Expandable to 640K • 96 Key detachable keyboard • 2 TEAC DS/DD Slim Drives • Drive Controller • Color Graphics Card • Monochrome Monitor • 2 Serial Ports • Printer Port • Operates under MS-DOS 1.1, 2.0, 2.11, 3.1, CP/M-86, and p-System • Runs LOTUS 1-2-3, Flight Simulation, and thousands more • CALL FOR DEALERS IN YOUR LOCAL AREA.

HARD DISK System

Hard Disk 10M Byte *Auto-Boot Controller & Cables

In Large Quantity

714-630-6361 • 630-6362 • TELEX: 753197

2732 E. MIRALOMA AVE. • ANAHEIM, CA. 92806

IBM is a trademark of IBM Corporation. Qunix is a trademark of Quantum Software.

MS DOS is a trademark of Microsoft Corporation. CPM is Digital Research's trademark

Powerful Z80 emulation, priced well within your grasp. That's NICE. NICE may be only 3" square and ½" thick, but it hands you full speed, real-time emulation for the Z80—over 50 emulation functions, software breakpoints, all memory addresses and all 1/0 ports. Just plug NICE directly into the target Z80 socket and any R8232 terminal for system development, troubleshooting, debugging or testing at home, in the lab or in the field. And NICE hands you all this performance, portability and versatility for only \$498", the best emulator price / performance ratio on the market, hands down. Call in your order today using your VISA or Mastercard number: (800) NICOLET outside CA, or (115) 190-8300 in CA. Or send your check or money order to the control of the contro

tegrated cross-references that indicate the presence of related articles and draw connections between the various realms of knowledge. In its current (fifteenth) edition, the Encyclopædia Britannica attempts to overcome the shortcomings of this alphabetic tyranny by breaking the set into three resources: Propaedia, a one-volume overview of knowledge: Macropædia, a collection of in-depth articles (many of considerable length) on broad areas of knowledge; and Micropædia, containing very short articles as well as discrete, specific facts. The attempt, however, is thwarted by the awkwardness of three integrated, but separate, resources.

While encyclopedias may have to struggle with the drawbacks of their own unique organizations, they also exhibit the positive characteristics of the printed book. Books are physical entities, portable random-access devices. Their organization is universally recognized: pages, chapters, tables of contents, prefaces, introductions, indexes, bibliographies, etc. They are the framework of written language. Other characteristics inherent in books let you browse through them easily and give you a sense of scale and place. You know how to navigate in a book.

But the book also has its limitations. It is a fixed medium; once printed, it cannot be changed. The only way for a user to update a printed encyclopedia is to buy a new one, write notes in the margin, or purchase the yearbook that most encyclopedia publishers issue annually to maintain the currency of existing sets. The information is also fixed in that it cannot be dynamically rearranged for the user's convenience. Comparing all the articles on dinosaurs, for example, might require accessing more than a dozen volumes. Information access is also limited by the specificity of the article titles and by the quality of the index-nonindexed information is almost the equivalent of no information. Finally, no matter how descriptive the text or how informative the illustrations, no printed encyclopedia can capture the power of a place, person, or event more vividly than an audiovisual medium. Yet the printed encyclopedia is, and will continue to be, a highly valued information resource for most people.

Tek's best-selling 60 MHz scopes: Now 25 ways better for not a penny more!

Now Tek has improved its 2213/2215 scopes with brighter displays. Greater accuracy. And more sensitive triggering. At no increase in price.

The 60 MHz 2213 and dual time base 2215 have been the most popular scopes in Tektronix

history. Now, Tek introduces an "A" Series update with more than 25 specification and feature enhancements — things you have asked for such as single sweep — all included at no added cost.

A brighter display and new vertical amplifier design provides sharp, crisp traces.

That makes the 2213A/ 2215A a prime candidate for tasks like TV troubleshooting and testing, where fast sweeps are typical.

New features include 10 MHz bandwidth limit switch, separate A/B dual intensity controls (2215A only), and poweron light: additions customers have suggested for 1-800-426-2200

giving these scopes the final measure of convenience.

Triggering, sweep accuracy,
CMRR and many more major
specifications are better than ever.
Check the performance chart: not

Check the performance chart: not bad for scopes already considered the leaders in their class!

The price: still \$1200* for the 2213A, \$1450* for the 2215A. Or, step up to the 100 MHz 2235 for just \$1650*! You can order, obtain literature, or get expert technical advice, through Tek's National Marketing Center. Direct orders include operator manuals, two 10X probes,

15-day return policy, world-wide service backup and comprehensive 3-year warranty.

Talk to our technical experts.

Call toll-free: 800-426-2200, Ext. 197

In Oregon, call collect: (503) 627-9000, Ext. 197

	Sanona Balyoute bur	Secretary Secret	Ama Balcon	
Tektro	nix 2215A 3333			

Specification enhancement	2213/2215 "A" Series	2213/2215
CRT brightness	14 kv accel, potential	10 kv accel, potential
Vertical accuracy	3%, 0° to 50°C	3%, +20° to 30°C
Chop rate	500 kHz	250 kHz
Input capacitance	20 pF	30 pF
CMRR	10 to 1 at 25 MHz	10 to 1 at 10 MHz
Channel isolation	100:1 at 25 MHz	Not specified
A Trigger sensitivity (int)	0.3 div at 5 MHz	0.4 div at 2 MHz
TV triggering	1.0 div compos. sync	2.0 div compos. sync
Sweep accuracy (in 10X)	4%, 15° to 35°C	5%, 20° to 30°C
Delay jitter	20,000 to 1 (2215A) 10,000 to 1 (2213A)	10,000 to 1 (2215) 5,000 to 1 (2213)
Holdoff Range	10:1	4:1



Now consider an electronic encyclopedia that uses the full power of new interactive media and is designed to meet the needs of a new generation of users

ELECTRONIC REFERENCE WORK

In 1982, Grolier acquired the rights to the Academic American Encyclopedia, a new 20-volume general-reference work designed for use in homes and schools. Containing approximately 30,000 articles and 9 million words, the AAE is characterized by its currency and its short entry format (its articles have an average length of approximately 300 words). For us it had the additional virtue of being typeset entirely with computerized equipment, and thus it could be converted for on-line dissemination.

The electronic edition of the AAE has been in existence for two years and is currently available to over 250,000 online and videotex subscribers through existing information utilities. These include services such as CompuServe, Dow Jones News/Retrieval, BRS, Dialog,

"You are now entering a Gateway a link between UPENTROB and a computer in Philadelphia.

When gou altemp! a command not supported in the gateway you will receive the message "MOT RUMILEBLE IN GATEWAY" at the top of your screen.

The HELP key is always there if you need it.



and Vu/Text. We also distribute through NAPLPS (North American Presentation-Level-Protocol Syntax, or "naplips") graphics-based systems: Viewtron, Keycom, and Times Mirror's Gateway (which uses Telidon graphics, a forerunner of NAPLPS). Users accessing the encyclopedia remain customers of the information utility, which in turn pays Grolier a royalty.

The encyclopedia's inherent data structure has to be adapted to the display characteristics and access protocols of individual systems. Because these system requirements have a considerable effect on how the user interacts with the encyclopedia, it is worth reviewing some samples at length, beginning with the less complex, and consequently less powerful, systems.

VIEWTRON: AN ASCII/NAPLPS HYBRID

Viewtron, operated by Viewdata Corp. of America (a Knight-Ridder subsidiary), is the first commercial videotex service to use NAPLPS color graphics, which





Photo 1: A Viewtron subscriber selects the Academic American Encyclopedia (AAE) from one of the many submenus that list the several hundred topic areas available through the service and is then linked via a communications "gateway" (1a) to the AAE database (1b), housed on the computer of Vu/Text in Philadelphia. The user types in a search term—in this case "videotex"—(1c) and the system searches for an encyclopedia article with that title. In photo 1d, the system displays the first screen of information. While the user is accessing information from the AAE, the screen display is in a dual mode: a static NAPLPS color border surrounding an active "window" for the encyclopedia's ASCII text.

can be accessed only by AT&T's Sceptre terminal. This regional service is now available in just three Florida counties: if successful, however, the service will become available in major cities around the country.

Viewtron is a relatively simple menudriven system that stores most of its databases on preexisting frames. However, because the AAE is a large database (by videotex standards), it is actually accessed through a communications gateway. The AAE text is housed on computers at Vu/Text (another Knight-Ridder subsidiary) in Philadelphia; the computers are linked by dedicated line to the Viewtron host in Miami. A user accessing the system is connected via the gateway as soon as he selects the AAE from a menu (see photos la through 1d). The videotex terminal "paints" the appropriate NAPLPS frame, but it has an active window for displaying the ASCII (American National Standard Code for Information Interchange) text from the Vu/Text gateway. The user is then prompted to type in a search term, which is matched against the AAE's 30,000 article titles. If an exact match exists, the system displays the first 15 lines of the article and the user can "page" through the rest at his own pace. If the search term is too broad, a number of articles are selected. For example, if just "Lincoln" is entered for information on Abraham Lincoln, the system locates all articles with the word "Lincoln" in the title, including "Lincoln, Nebraska" and "Lincoln Center for the Performing Arts." The first article is displayed with the qualifier "I of n Jarticles!" and the subscriber can then use the system's "browse" function to scan the first frame of each article.

ASCII (Non-Graphic) VIDEOTEX SERVICES

Dow Jones News/Retrieval and Compu-Serve are both consumer-oriented information utilities that primarily use keyword and menu-driven access. A subscriber logging onto Dow Jones News/ Retrieval is guided to the AAE via names and enters a search term or query that is matched against article headings. If the search term is in more than one heading, the system generates a menu, listing all of the articles, and the user selects from this (see figures 1a (continued)

When it comes to superior performance, we study our lines very carefully.

Superior printer performance is not a fluke. It evolves from analyzing printed line after printed line. Taking the time to test and retest. After 30 years of manufacturing precision parts, we know that there are no shortcuts.

And so we took the Gemini-10X and methodically put it through its 120 cps pace. We achieved a print head life of over 100 million characters with an extremely precise dot alignment creating each crisp character.

So far so good.

Next, sophisticated performance demanded versatility. A wide choice of character sets, a buffer expandable to 8K, and the ability to interface with all popular personal computers. We added macro

instruction, giving Gemini-10X the capability to perform up to 16 operations with one command. We included as standard a paper feed system that has a friction and fully adjustable tractor feed. Then we even built in the dexterity to print graphics and text on the same line.

Done.

And, of course, staying the best means constant reviewing and fine-tuning. Keeping the Gemini easy to find, easy to afford and so reliable it can be warranted for up to twice as long as its major competitors.

Only the most careful engineering has built the new hard-working Gemini-10X.
You'll applaud its performance.



THE POWER BEHIND THE PRINTED WORD.

Computer Peripherals Division 2803 N.W. 12th Street, Dallas/FL Worth Airport, TX 75261



PRINTED CIRCUIT BOARDS Guaranteed into the next century...and beyond. All printed circuit boards manufactured by Apparat and sold after June 1, 1984, including RAM boards, COMBO cards and CRAMBO cards for the IBM PC, XT, PCir and portable PC, are covered by our exclusive lifetime limited warranty covering parts and labor.

4401 South Tamarac Parkway, Denver, CO 80237—Customer Service 303/741-1778

Apparat retail outlets—DENVER: 4401 S. Tamarac Pkwy. 303/771-2032 • 5224 W. Warren Ave. 303/985-1217

CHICAGO: 1844 S. Arlington Heights Rd. 312/640-0322



Imagine your PC with Apparat add-ons. Imagine where it could take you.

Special values from the hard disk experts. For example, imagine your IBM PC or Portable PC with hard disk capability. Apparat's external Hard Disk Subsystem is completely compatible, running DOS 2.0 or 2.1 without modification or device drivers. And now you can get more capacity—22 and 33 MB formatted configurations—for less money. 22 MB for \$2,295, 33 MB for \$2,995. Apparat also offers internal or external 10 MB drives at similarly low prices.

XT owners—trade in your 10 MB drive for a larger Apparat hard disk drive. Our 22 MB drive is \$1,299, but you pay just \$899 with a trade-in of your existing 10 MB drive. Our 33 MB drive is just \$1,799, but you pay just \$1,399 when you trade in your existing 10 MB drive. Call the Apparat ordering hotline for trade-in details and shipping instructions.

TEAC or Panasonic floppies. These half-height floppies are perfect for your PC, PPC, or XT. Call for trade-in prices on

full-height floppies.

New 28 pin EPROM programmer. Now Apparat has a new Prom Blaster for the PC, XT, PPC and PCjr to program most 28 pin EPROMS (including the 2764, 128, 256), in addition to our original Prom Blaster that programs most 24 pin EPROMS ...each \$129. We also make an EPROM cartridge for the PCjr to accept your newly programmed EPROMS.

PPC and PCjr. Apparat has developed new products for the IBM Portable PC. Now available is a 256K RAM card and a Combo card (P & S). Both fit the PPC short slots. New for the PCjr is a 128K RAM card and a Combo jr card (P & clk). Both fit the

side attachment.

Other Apparat add-ons. RAM cards for the PC and XT—64K \$189, expandable to 512K. COMBO II card for the PC and XT, 5 functions on one card—\$189. CRAMBO card for the PC piggybacks COMBO II on 64K RAM card—\$359. 64K internal PRINT SPOOLER with parallel interface—\$299. Stand-alone at \$319.

Warranty. All Apparat manufactured P.C. boards sold after June 1, 1984 covered by our exclusive lifetime limited warranty

covering parts and labor.



ORDERING AND DEALER INFORMATION

800/525-7674

Prices subject to change without notice.




Figure 1a: A subscriber to Dow Jones News/Retrieval can access information in the encyclopedia by typing in his search term or query. In this case, the search term is "Brazil."

through Ie). If the selected article is long, an additional menu (or series of menus) is shown, providing a numbered outline of the contents. Thus, the user can select the most appropriate section without having to page through the entire article.

Dow Jones News/Retrieval also lists the number of pages or screens of text in each article and lets the viewer know which page he is viewing (2 of 14, etc.). CompuServe gives each page an individual number, which can be used in conjunction with the GO command to go directly to the page, bypassing the intermediate menu stages. As useful as these features are, menu-driven systems are limited. Access is through the article title only, which doesn't open up the full potential of an electronic encyclopedia.


FREE TEXT DATABASES

Two much more powerful on-line database systems are BRS and Dialog. Considerably more expensive than the consumer databases, BRS and Dialog use free text search procedures in which every word in the database is indexed and therefore can be searched.

When accessing via BRS, a search term or query is entered using the required command language. However, if the search term is not properly qualified, the system may locate far too many occurrences to be helpful. For example, a search for "Einstein" produced several hundred "hits" (occurrences) of the word in 69 articles throughout the encyclopedia (see figures 2a through 2c). But the search can be narrowed down by using Boolean operators such as and, which combines two search terms in the same article; same, which combines two terms in the same paragraph; with, which combines them in the same sentence; and adj, which requires the two terms be directly adjacent. If what I really want to find out about Einstein is when he moved to Princeton, I would phrase the search as: "Einstein same Princeton" which means I'm looking for the paragraphs in which both of the words appear. This narrows the hits down to just two paragraphs, which can be quickly displayed. These paragraphs tell me that Einstein moved to Princeton in 1933 and that he died there in 1955.

This simple example doesn't really illustrate the full retrieval capabilities of free text systems. They can be powerful tools in the hands of an experienced researcher or librarian. On the other hand, their complex command syntax and Boolean search logic make them too complex for easy access by most untrained users.

In an effort to broaden the appeal and usage of their services, BRS and Dialog have both introduced easier-to-use and less expensive off-peak services: BRS After Dark and Knowledge Index, respectively. Communications software is




Figures 1b and 1c: In the top screen, the system generated a menu listing all the articles with "Brazil" in the title. The bottom screen shows that the article on the country of Brazil (selection #1 on the top screen) was selected and the first page of an outline of the article's major sections is displayed.

also being introduced; Sci-Mate and In-Search simplify command procedures and enable the user to develop a search strategy before going on line. Such efforts are the first steps in what will undoubtedly be a series of software products aimed at making these information utilities (including Dow Jones News/Retrieval and CompuServe) more powerful and easier to use.

Earlier I used the printed book as an example of a medium with which we are manifestly familiar; the reason for our familiarity is that the structure and conventions of books have been evolving for centuries. On-line databases have been in use for little more than a decade, and it is only in the last two or three years that large numbers of untrained users have started accessing them. Consequently, the learning curve for everyone-system operators, information providers, and end users—is particularly steep. There is still much to be learned about how users interact with electronic information utilities, what kinds of displays are best, what accessing protocols and commands are most effective and easy to learn, and what information is most appropriate.

ENLARGING THE DATABASE

The electronic edition of the AAE is already quite different from its printed parent. Updated twice a year instead of annually, it has no physical growth limitations, unlike the printed work. We intend to use this essentially unlimited capacity for growth: to respond directly to users' needs; to reflect areas of strong current interest; to broaden the (continued)



Through the Trap Door March 1979—\$35



Breaking the Sound Barrier September 1977—\$35

BYTE COVERS

The prints shown at left are beautiful Collector Edition Byte Covers, strictly limited to 750 prints each, and signed and numbered by the artist, Robert Tinney. Each print is 18 in. x 22 in., and is accompanied by its own Certificate of Authenticity. To order, use the coupon below. Visa and MasterCard orders may call 1-504-272-7266.

Please send	Through the	Visa	☐ MasterCard
Trap Door pri	nts (\$35),	Card No	
Breaking the	Sound Barrier	Expires: _	
	sets of both prints		
(\$55). I have incl	uded \$3 per order shipping	Address	
and handling (\$8	overseas).	City:	
	d check or money order.	State:	Zip:
	e your color brochure.		TARREST DESCRIPTION
Robert Tinne	v Graphics · 1864 N	 Pamela 	Dr Baton Rouge, LA 70815

THE MI-286 DUAL CPU BOARD IS AT LEAST TWICE AS FAST AS COMPUPRO'S 8085/88... AND IT'S A DIRECT REPLACEMENT!

The 20-second revolution. It only takes about 20 seconds to bring your S-100 system up to its ultimate speed/power potential. Just pull out the old fashioned 8085/88 board and plug the MI-286 in its place. That's all there is to it. You're off and running with more power than ever before.

The 80286 and Z-80H. The MI-286 is the first dual-CPU board using the new, high speed Intel 80286 coupled with a Z-80H. It is designed for use with a variety of operating systems, including MP/M 8-16. It will support all your current 8086/88 and Z-80/8085 software. It can accommodate an optional 80287 math co-processor. In short, it gives you the best of both worlds.

Add more users. The MI-286. It improves throughput so dramatically you can add those extra users you've always wanted. It carries S-100 technology to its logical limit. And it only costs \$1395!*


Upgrade your S-100. The MI-286 is only one of Macrotech's products designed to maximize the performance of your S-100 system. The MAX Dynamic Memory gives you up to 1 Mbyte of memory for your system memory


and virtual disk applications. ADIT lets you control up to 16 different terminals, modems or printers from a single slot in your S-100 bus. And our static board is the S-100 world's first 1/2 Mbyte static memory.

Call or write us today, and find out how easy it is to upgrade your S-100 system.



Macrotech International Corp. 9551 Irondale Avenue Chatsworth, CA 91311





Figures 1d and 1e: In the top screen, the outline started in figure 1c is continued. In the bottom screen, the user has chosen #19, the history section, and the first "page" is displayed.

database so it is more appropriate to different age and interest levels; and to develop satellite databases designed to interact with the encyclopedia.

Responding to users' needs: An electronic encyclopedia has a unique advantage over its print counterpart because it is possible to "capture" such key parts of the information transaction as search terms and usage time. Analyzing the captured data can reveal shortcomings, whether in the form of inadequate article headings or missing information. Such data also reveals areas of high and low interest—a useful guide for database growth.

Reflecting areas of strong current interest: Printed encyclopedias contain little information of transitory interest. It will be a long time before the Britannica has an article on Michael Jackson. This isn't necessarily because encyclopedia editors disdain popular culture. The physical limitations of the printed work make it difficult and costly to insert large numbers of new articles each year. Space has to be found for each new article, usually at the expense of other articles. Further, an article of fleeting interest may create a difficult hole to fill when its importance diminishes.

This is not the case with an electronic edition, in which articles can be added to and deleted from the database with considerable ease. For example, coverage of the Olympic Games and athletes can grow in anticipation of this year's meeting in Los Angeles. Next year the coverage can be reduced. An electronic encyclopedia can be a truly responsive, dynamic reference work.

(continued)

ULTRA-RES™ GRAPHICS



WHEN RESOLUTION COUNTS


ULTRA-RES, a family of graphic controllers for IBM-PC / XT and S-100 systems Advanced feature display controllers for IBM-PC / XT and compatible systems. Features include NEC7220, programmable resolution to 1024X1024, slave controllers, transparent mode allows monochrome adapter and ULTRA-RES on same monitor, DMA compatible, light pen, externally powerable. Monitor protection circuits. Video outputs are TTL direct drive or analog. Software drivers.

C.S.D. Incorporated P.O. Box 253 SUDBURY, MA 01776

(617) 443-2750

ULTRA-RES Trademark CSD Inc. IBM-PC Trademark IBM

Prices from \$995



Reliable.

You can count on 3M diskettes. Day after day.

Just like the sun, you can rely on 3M diskettes every day. At 3M, reliability is built into every diskette. We've been in the computer media business for over 30 years. And we've never settled in. We're constantly improving and perfecting our product line, from computer tape and data cartridges to floppy disks.

3M diskettes are made at 3M. That way, we have complete control over the entire manufacturing process. And you can have complete confidence in the reliability of every 3M diskette you buy.

Look in the Yellow Pages under Computer Supplies and Parts for the 3M distributor nearest you. In Canada, write 3M Canada, Inc., London, Ontario. If it's worth remembering, it's worth 3M diskettes.



Circle 310 on inquiry card.

3M hears you...






Figure 2a: On powerful on-line database systems such as BRS, every word in the encyclopedia is indexed and therefore can be searched. Here, the search term "Einstein" was located in 69 articles.




Figure 2b: Because of the large number of articles, the search was narrowed by using the Boolean operator "same." The new search term, "Einstein same Princeton," located only one article in which both words appear in the same paragraph.

Expanding for a broader audience: In its present form, the AAE spans a wide range of age and interest levels. As stated in its preface, the AAE is "for students from junior high school, high school, or college and for the inquisitive adult." By expanding that base to include young children and advanced scholars, the resulting database will be several times larger than the printed encyclopedia and will be capable of responding appropriately to the user's age and interests.

Satellite databases: Grolier has recently completed the first of a series of satellite database products designed to interact with, and be enhanced by, the electronic encyclopedia. Whiz-Quiz is a menu-driven educational game that directs the player to the AAE to find out more about a topic. We believe that children in particular will be compelled by this mechanism to explore the encyclopedia.

THE USER INTERFACE

Regardless of what shape or direction a database takes, the key to its use and value is the user interface. The user interacts with the electronic encyclopedia on several distinct levels:

entry level: logging onto a system and getting to the database search level: entering a search term to locate a specific article (or group of articles) retrieval level: once the relevant article is located, finding and retrieving the required information manipulation level: getting the information in the form of a printout, writing words down directly from the screen, or simply remembering the facts

exit level: leaving the database


The first and last levels are entirely the province of the system's operator and, in any event, are not an obstacle to most users. The search and retrieval levels, however, are areas of major concern because that is where the user works most closely with the system. The information-manipulation level will become increasingly important as software is written to take full advantage of encyclopedic databases.

The best way to analyze potential improvements at the search level is to return to the book metaphor. As an access device, a book is very forgiving. When you look something up in an index, you usually don't need to know the exact spelling to locate it. Likewise, you sometimes use a dictionary because you can't spell a word but have no problem locating it.

Databases are not so forgiving. A misspelled search term, no matter how close to the correct word, cannot be used to locate the required article. Some systems attempt to overcome this by providing a function called truncation. On Dow Jones News/Retrieval, for example, all you have to enter for an article on Zbigniew Brzezinski is "BRZ"-a nice feature, but not the complete solution. The problem isn't just misspelling; children in particular tend to use plurals for certain common nouns: cats, dogs, trees, dinosaurs, etc. This is not a problem in a printed reference work; however, when entered on a videotex system, the search terms will fail to match

LOMAS DATA PRODUCTS PRESENTS:

THUNDER 186



THUNDER 186 offers the following standard features:

- 8 Mhz 80186 processor
- Floppy disk controller (controls both 51/4" and 8" drives simultaneously)
- Two RS232 ports with hand shaking
- Centronics compatible parallel port
- 256K bytes of RAM
- Full IEEE-696 COMPLIANCE
- One year warranty

come to expect from LOMAS DATA PRODUCTS. THUNDER 186 is a complete SIXTEEN BIT SINGLE BOARD COMPUTER on a standard size S100 bus board. THUNDER's low price includes Concurrent CP/M-86* version 3.1. This allows the user to run PC-DOS**** programs, as well as, CP/M-86* programs on the same system. And, for those users that prefer, MS-DOS*** is also available.

TEST: THUNDER 186 BENCHMARK.

other advanced CPU products, against the COMPUPRO CPU86/87 10 Mhz. The test consisted of assembling the example BIOS (BIOS. was CP/M-86. Now, we put THUNDER 186 to the same test.

	LIGHTNING ONE** 10 MHZ	COMPUPRO CPU86/87 10 MHZ	LIGHTNING 286" 6 MHZ	THUNDER 186 8 MHZ
ASSEMBLY-TIME (SEC.)	47	55	41	48
RATIO TO 10 MHZ LIGHTNING ONE	1.00	1.17	.88	1.02
BOARD SET COST LIST PRICE AS TESTED	\$2545.00	\$3040.00	\$3290.00	\$1595.00
COST PERFORMANCE	\$2545.00	\$3556.80	\$2895.20	\$1629.00
RATIO	1.00	1.40	1.14	.64

RESULT: THUNDER 186 THE LEADER.

The benchmark comparisons clearly make THUNDER 186 the leader in the 16 bit price/performance race. Other THUNDER 186 advantages are too numerous to mention here. CALL US, and we'll be glad to discuss the other advantages with you.

\$100 bus board products & support for the system integrator ...

■ LIGHTNING ONE *** 8086/8088 CPU

8086 or 8088, with 8087 and 8089 coprocessors. Up to 10 MHZ operation PRICES start at \$425.00

■ HAZITALL SYSTEM SUPPORT BOARD

2 serial, 2 parallel ports, battery protected clock calendar, Hard disk controller host interface PRICE \$325.00

■ LDP 128/256K DYNAMIC RAM

Advanced dynamic RAM with LSI controller for failsafe operation, parity PRICE 128K-\$495.00, 256K-\$795.00

■ RAM67 HIGH PERFORMANCE STATIC RAM

High speed (100ns) low power CMOS static RAM. 128K bytes, extended addressing PRICE \$995.00

■ LDP72 FLOPPY DISK CONTROLLER

Single/double density, single/double sided disks, both 8" and 5 1/4" inch drives simultaneously PRICE \$275.00

■ LIGHTNING 286—80286 CPU BOARD

Offers 4 times the performance of a 5MHZ 8086 CPU while maintaining software compatibility. PRICE \$1395.00

■ OCTAPORT 8 PORT SERIAL BOARD

8 serial ports 0 to 19200 baud operation real time clock interrupt. Ideal for multi-user systems such as MP/M-86.*

PRICE \$395.00

All of LDP boards are fully tested to exacting standards and carry a one year warranty. We specialize in 16-bit products & support the four major operating systems for 16-bit processors: CP/M-86*, MP/M-86, CONCURRENT CP/M-86*, and MS-DOS (PC-DOS).

Dealer inquiries invited.



LOMAS DATA PRODUCTS, INC. D 66 Hopkinton Road, Westboro, MA 01581 (617) 366-6434 Telex: 4996272


^{*}CP/M-86, MP/M-86 and CONCURRENT CP/M-86 are trademarks of Digital Research.
**MS-DOS is a trademark of Microsoft
***Lightning One is a trademark of Lomas Data Products, Inc.
****PC-DOS is a tradmark of IBM



More speed, more memory workspace from the people who lifted the 64K limit.

In 1981, we introduced our famous Saturn RAM card to boost the Apple's memory by 32K. Now, there are 64K and 128K versions for added power.

Increased RAM lets you run bigger programs, and our VisiCalc® expansion software provides a dramatic expansion of workspace memory. Also, the extra memory can work as a pseudo disk for instant access. (No more 20-second searches!) The Saturn RAM board is a super aid for advanced word processing, data base management, spread sheet, and accounting applications. And perfect with PASCAL, CP/M®, and BASIC.



Use our easily installed cards in combination—and get a whopping 220K of VisiCalc workspace on the Apple IIe. Or sensational enhancements on Apple II, II + , Franklin, Basis and most Apple compatibles. We even have software that increases your Apple's memory in BASIC programming up to 4 megabytes!

This kind of performance requires sophisticated bank switching and supporting software that we originated, proved, and improved. Buy from the leader!

Let us help you expand your Apple's productivity. For information on our RAM boards and other Titan microcomputer products, see your computer dealer or contact: Titan Technologies, Inc., P.O. Box 8050, Ann Arbor, MI 48107; Telephone (313) 973-8422.

Sales and Marketing by The MARKETING RESOURCE GROUP, Costa Mesa, CA.



Apple is a registered trademark of Apple Computer, Inc. VisiCalc is a registered trademark of VisiCorp, Inc. CP/M is a registered trademark of Digital Research, Inc.

(2c)

Einstein, Albert

I of 14. The German-American physicist Albert Einstein, b. Ulm, Germany, Mar. 14, 1879, d. Princeton, N.J., Apr. 18, 1955, contributed more than any other scientist to the 20th-century vision of physical reality. In the wake of World War I. Einstein's theories-especially his theory of relativity-seemed to many people to point to a pure quality of human thought, one far removed from the war and its aftermath. Seldom has a scientist received such public attention for having cultivated the fruit of pure learning.

4 of 14. By 1909. Einstein was recognized throughout German-speaking Europe as a leading scientific thinker. In quick succession he held professorships at the German University of Prague and at the Zurich Polytechnic. In 1914 he advanced to the most prestigious and best-paying post that a theoretical physicist could hold in central Europe: professor at the Kaiser Wilhelm Gesellschaft in Berlin. Although Einstein held a cross-appointment at the University of Berlin, from this time on he never again taught regular university courses. Einstein remained on the staff at Berlin until 1933, from which time until his death (1955) he held an analogous research position at the Institute for Advanced Study in Princeton, N.J.

END OF DOCUMENTS IN LIST

ARTICLE TITLE

ARTICLE CONTAINS 14 PARAGRAPHS: ONLY PARAGRAPHS I AND 4 CONTAIN "EINSTEIN" AND PRINCETON

Figure 2c: Having located the one article in which both "Einstein" and "Princeton" appear in the same paragraph, a string of print commands displays the text of that paragraph on the screen.

the exact article titles, which are singular.

First-time users, especially children, make repeated errors when entering search terms. Analysis of the search terms for one of the videotex services reveals that about one-third of all terms failed to locate an article. In approximately 90 percent of those cases, the information existed but errors (misspellings, use of plurals, incorrect positioning of names) prevented the user from finding it, at least on the first try.

Clearly, the unforgiving nature of search-term entry on videotex systems is a frustrating inadequacy that can be improved by the system operators. At the same time, the information provider has a responsibility. Other aids to access are required. Current videotex systems allow only keyword access to article headings. There is no on-line index, and today's videotex systems do not have the full text-indexing capabilities of BRS and Dialog. Clearly, the specific entry headings need to be broadened so that the same information is available via several different search terms. An on-line index would broaden access still further, especially when combined with a thesaurus function.


Free text systems are not restricted to keyword access. Rather, the user can focus his search language to a highly specific degree, examining the body of knowledge with precision. The price of that precision is a high degree of practice and skill.

In the long term, both keyword and free text access to large databases probably will give way to search languages with a high degree of artificial intelligence (AI). At present, when you search for information in an encyclopedia, particularly on videotex systems. you have to think about its likely location. You cannot interrogate the database, but this is exactly what you should be able to do, posing such questions as: Who wrote The Grapes of Wrath? How many Nobel Prize winners went to Harvard? Where do icebergs come from?

Answers to all these questions can be found eventually with current systems, but a fully developed database incorporating AI search techniques would take you directly to the sources.

Having located an article, the user begins to read it. The "window" into the encyclopedia's massive database is a television or monitor. The text display (depending on the service and the enduser's hardware) varies from 16 lines by 32 characters per line (approximately 85 words) to 25 lines by 80 characters per

You don't need a computer to talk to another computer.



The new RCA APT (All Purpose Terminal) expands your data communications capabilities for a lot less money.

For business, professional and personal data communications, you'll find more user-friendly features and greater communications capabilities in the RCA APT than in other terminals selling for up to three times the price.

The new APT terminals are ideally suited to multi-data base time sharing and dedicated, direct computer-connected applications. They feature menu-controlled operation and a programmable "personality" to match specific communications requirements for your data bases.

A single keypress can dial a stored number, send the log-on sequence on the host computer, and return terminal control to the user. Password protection prevents unauthorized access to designated numbers. APT can also be used as an autodialer for voice communications.

OTHER FEATURES

RS232C port for direct computer connections at data rates to 9600 baud, or for connecting high speed modems and other accessories. Parallel printer port for hard copy. Numeric keypad, can dial phone numbers not in terminal directory. Built-in speaker with adjustable volume control for audio monitoring of phone line. Smooth scroll display. Automatic screen blanking to reduce possibility of burn. Briefcase size: 17" x 7" x 2". Weight: under 4 lbs.

Quite simply, matching features with price, there is no other professional quality terminal available today that can do as much at such low cost.

APT terminals list for \$498, in your choice of full stroke or membrane keyboard versions. Either style is also available with a display monitor for \$697 list. The data display monitor alone, VP3012D, \$199 list.

For more information—or to order—call 800-722-0094. In Penna., call 717-295-6922. Or write for fully descriptive brochure to RCA Data Communications Products, New Holland Avenue, Lancaster, PA 17604. OEM and dealer pricing available. The new RCA APT. Expansive. Not expensive.



An Ideal Video Peripheral

BY MARK DAHMKE

s a software consultant, my major complaint with most of the popular videodisc players is that they communicate with computers very poorly. Typically, the videodisc player is treated as a printer or a plotter: the user has to deal with commands that may or may not be ASCII (American National Standard Code for Information Interchange) format and may or may not be logical and consistent.

The Discovision (now Pioneer) model 7820 had a command set that looked like a selection of random numbers. The codes to send the numerals 0 through 9 were: 3F, 0F, 8F, 4F, 2F, AF, 6F, 1F, 9F, and 5F, in that order. In addition, the 7820 had an IEEE-488 external interface that wasn't compatible with most microcomputers. In an attempted remedy, Discovision built a serial converter box to change the IEEE-488 protocol to and from RS-232C levels. What they came up with was a protocol converter with a 1-byte buffer that could easily be overrun, erasing the last command before it could get to the player.

Even if the translation and protocol conversion problems are ironed out eventually, a programmer is still faced with a stiff challenge in trying to get the status and frame number back from the player. Some players won't give out this information at all. Ones that do return strangely encoded bytes that take many instructions to untangle. On some players the frame number comes back as a 2-byte integer, on another it comes back as four ASCII digits in hexadecimal, and on still another it shows up as five-decimal ASCII digits. Any software expected to run on more than one model of videodisc player has to account for all of these differences.

Timing seems to be the worst problem with interfaces. Data sent to the player at serial-port speeds just can't control a fast videodisc player in the manner required by modern interactive applications. Some new players offer parallel ports, but many computers (e.g., the IBM Personal Computer) don't support full bidirectional interfaces. IBM claims that its Centronics port is "parallel input and output." However, if you check the circuit

diagram, you will see that it isn't. It is wired so that reading the port returns only what was last sent.

Newer videodisc players operate at floppy-disk and, in some cases, hard-disk speeds. Some have worst-case access times of 2 to 3 seconds. Within a year or two, I expect to see write-once, multiple-read videodiscs with interfaces to let them be used as archives. (Some current videodiscs can hold gigabytes of data.) For this to work, however, the interface

will have to be smart enough to recover the stored data and fast enough to return it to main memory at magnetic-disk speeds. This technique can work, as shown by the fact that it is already being used in several hard-disk backup systems for videotape recording equipment. In these disk-to-tape systems, the data from the disk is recorded redundantly in the scan lines of a National Television System Committee (NTSC) signal, which is then recorded on videotape. While this prac-




Figure 1: The hardware configuration for an intelligent videodisc player.




Figure 2: A second-generation interface built around digital television.

tice could easily be transferred to videodisc hardware, much of the videodisc would be wasted and not used to its full potential. The developing direct-digital recording techniques will remedy this problem by maximizing use of the disc recording surface.


Loading software into a personal computer from a videodisc as if it were a floppy disk would greatly enhance educational applications. For example, audiovisual and computer-graphics course material (all orchestrated by an authoring language) could be combined and loaded into a personal computer from the first part of a videodisc while just the audiovisual portion is stored separately on the remainder of the videodisc. A development system would consist of the videodisc player and other end-product hardware, but the graphics and curriculum-specific data, or "courseware," would be developed on attached floppydisk or hard-disk systems.

Figure 1 shows one possible hardware configuration for a first-generation intelligent player. The main feature of the design is the videodisc interface adapter. which would plug into an expansion slot on the microcomputer. The interface adapter gives the programmer tight control over the timing of the player and also controls the video overlay circuit.

As digital television and audio reproduction become affordable and popular (I estimate that this will take five to seven years), we'll be able to define the formats that will let personal computers store and retrieve video images and sound. We'll be able to create high-resolution computer graphics and synthesized music on personal computers and write it onto a write-once videodisc peripheral. We'll then be able to play it back through digital television sets. Alternately, digital television images could be recorded from TV sets onto a videodisc and then retrieved, displayed, or processed on personal computers.

Figure 2 shows a second-generation interface built around digital television. As 32-bit processors become faster, and memory bandwidth greater, it will be possible to directly manipulate highresolution images that come from the videodisc or are created directly by the microcomputer. The video output from the TV camera can be routed to a digital television for viewing, or the output can be held in the graphics frame buffer for further modification and processing.

Mark Dahmke, a contributing editor for BYTE, is a software consultant and heads MCD Consulting Inc. He can be contacted at POB 80266, Lincoln, NE 68501.





\$109

\$219

\$266

\$129

CALL

\$179

\$249

\$219

\$209

\$999

CALL

\$466

\$179

\$599

\$149

CALL

\$529

\$429

\$699

\$49

\$25

\$30

\$888

\$1,666

\$1,888

\$209

\$209

\$209

\$499

\$399

\$499

\$499

\$369

\$549

\$366

\$379

\$349

\$399 \$499

\$399

\$1,199




Photo 2a: The "Bodydisc" is an experimental project designed to test the feasibility of delivering encyclopedia information via a laser disc. The disc incorporates several user aids and orientation features, such as this chapter on how to use the disc.




Photo 2b: Another orientation feature of the "Bodydisc" is the inclusion of several strategically placed "You Are Here" screens.

line (approximately 330 words). By contrast, the printed AAE contains 1500 words per page, and pages can be viewed two at a time. Clearly, current video-display technologies are capable

of only the most myopic view of a large text database, which is why it is all the more important to be able to rapidly shift the view, to be able to browse and move around in an article quickly and easily.


But there is a need for other orientation tools, such as sequential numbering of article pages (which Dow Jones News/Retrieval has) as well as individual numbering of pages (which Compuserve has).

A recent study of a group of eighthgraders' use of the videotex AAE produced some interesting findings. While the students searched for articles and moved around in them with varying degrees of proficiency, they confined their activities to *finding* information rather than *using* it. They actually read and manipulated the information later as printouts, which could be studied at leisure, marked up, and incorporated into their research projects. In fact, I suspect that many of our users who have access to a printer do their serious reading in ink-on-paper form.

This doesn't mean that no one reads text from the screen. Graphics-oriented videotex systems, such as Viewtron, are based on the assumption that subscribers will read from the screen. This is fine for news summaries. But the real utility of an electronic encyclopedia won't be realized until people can access, manipulate, and reorganize significant amounts of information electronically using such powerful information tools as word processors, database managers, and graphics programs.

ELECTRONIC KNOWLEDGE LAND

Grolier is working on some of the refinements I have been describing. We believe that, having freed encyclopedia information from the artificial constraints of the alphabet and the physical constraints of the book, we should be able to reshape and reorganize that information. We want to put it to new uses. We want to create a reference tool that can interact with other information tools. Additionally, we're trying to build a conceptual framework-an outline of knowledge-for intellectual pursuit and stimulation. At present, this new "knowledge land" is largely uncharted, although major landmarks are known. We hope that videotex systems will have the navigational tools to explore it fully. and that software producers will have





FEATURES INCLUDE: 16 Bit CPU With 128K RAM Memory Expandable to 256K. Two 320KB Slimline Disk Drives. Floppy Disk Controller. Monochrome Monitor and Adapter, Parallel and Serial I/O's.

BEST OF ALL! TEN DAYS FREE TRIAL! ALL YOU PAY IS SHIPPING!

FOR MORE DETAILS CALL OR WRITE TO: TAVA CORPORATION 16861 Armstrong, Irvine, California 92714 714/261-0200 Headquarters/Telex: 181667 Answer Back COMPDSHACK IRIN



© TAVA CORPORATION 1983 †California residents add 6% sales tax. dBASE II is a registered LOTUS 1-2-3 is a registered trademark of Lotus Development

IBM® COMPATIBILITY AFFORDABLE PRICE

THE SMART COMPUTER USER WANTS REAL VALUE WITH IBM COMPATIBILITY! Circle 299 on inquiry card.

THE TAVA PC. The ultimate Personal Computer. It gives you IBM PC® Compatibility at a fraction of the cost. Choosing a personal computer is a difficult decision. But, when your decision is a TAVA PC, it's not hard at all! The TAVA PC runs under DOS 1.1, 2.0, CP/M86®, and p-System®. You can choose from a large library of all the most popular IBM PC software products such as dBaseII®, Lotus 1-2-3®, Visicalc® and thousands more. IBM PC is a registered trademark of IBM Corp.

CP/M86 is a registered trademark of Digital Research, Inc. UCSDp is a registered trademark of Softech Microsystems

Visicale is a registered trademark of Visicorp



Photo 2c: This photo shows one of the Help screens on the "Bodydisc." The user can get additional assistance when needed.

created the manipulation tools to exploit it fully.

A VIDEODISC ENCYCLOPEDIA

The videodisc is another interactive medium that we believe is applicable to encyclopedia information. The ability to randomly access any frame, combined with the disc's dense storage capacity (54,000 frames per side on a laser disc) and its inherent audiovisual properties, make it a particularly powerful publishing medium.

As part of a joint venture with Long-

man, a British publisher, Grolier recently produced a pilot disc. The pilot was developed as a test vehicle to determine how the organization, content, and audiovisual treatment of encyclopedia material might best be accomplished.

Long before the pilot went into production, we had concluded that we would need a lot of discs to encompass all the information contained in a general encyclopedia. This led us to ask ourselves how each disc should be organized so that it could be both a stand-alone information resource and a

part of an integrated series. We decided to organize each disc around a specific theme or subject area. The pilot is part of what will eventually be a two-sided disc devoted to the human body (see photos 2a through 2c).

Each thematic videodisc will be a selfcontained information resource. The discs will not attempt to be the equivalent of a printed reference work. Rather, each disc will "illuminate" knowledge areas, conveying through audiovisual means only the essence of a subject.

Designed for use with a standard consumer laser videodisc player under normal keypad control, the discs will become considerably more versatile resources under microcomputer control. While the number of combined microcomputer/videodisc applications has increased substantially in the last two years—applications that include training, point of purchase, education, and games—there are few truly "generic" discs for which software can be written.

Grolier is developing two electronic databases, one in text form and one in audiovisual form. These two databases are being developed separately so that each can take advantage of the separately developing markets for on-line/videotex and videodisc products. But both databases will ultimately be brought together (although whether through telecommunications or local mass storage is yet to be determined). The result should be an innovative informational/educational resource: an encyclopedia that is appropriate to the media and appropriate to the times.

	_	T	TT	ST	0	D 2	2 100		1	001			I IO			
	CA	TOTAL		:31Y	CITY:	ADDRESS:	SHIP T		MAKE	White 50 To order f shirt, 2.50 Check or	On the	BOA OC DO	STYLE B BLACK	*° +	Bellev	presenting
				A-B-C		S	10:			/50 mo		C Power	E B-MENTAL ACK-RED IMP	***	en PC	ntin
TOTAL	Postage			QUAN.	S				CHECKS	0 - "	THE COL	-		*	PC Magle	g PC
LEN	80 @	9		Z	STATE:			P) 1	Domestic & style. & handlinder only.	STYL	V.	GIANT RINT	-	BLI	
ENCLOSED	& Handling			SIZE:				6 • Pgh., P.	YABLI	stic Talle. End	E C-PC P BLUE-BL/ IMPRINT	Scome am			STYLE /	Humor
ED	ing_	8		S-M-L	ZIP:	AGE	2	P	PAYABLE/SEND	mestic T-shirts. style. Enclose 9.9 handling per order. only.	YLE C-PC POWER T BLUE-BLACK IMPRINT	Seman guan		With a little PC DOWN	GREEN-B	
				V-T-XL	ľ	-1		15206	ND TO	9.95 per der.	WER			18	STYLE A PC MAGIC BLUE/GREEN-BLACK IMPRINT	T-Shirts
								6	10	ber				· A	×n	"

TELEVISIONS AS MONITORS

BY KEN COACH

An introduction to a new generation of television receivers that double as monitors

SOME HOME COMPUTERS will operate quite nicely with just a normal television set, as you probably know if you've usurped the family TV or dug out the old black-and-white set from the basement. But sooner or later, you'll probably want to upgrade to a monitor. If you are using your computer for word processing or 80-column applications, a television set just can't give you the same resolution that a monitor can.

If you are interested in using your computer only to display text or data, you'll need a monochrome monitor for an 80-column screen. You can choose green, amber, or black-on-white video displays to help reduce eyestrain.

If you use your computer for more varied tasks, however, and if you are interested in other television peripherals, such as a videocassette recorder (VCR) or videodisc, you probably will be considering an upgraded color system.

COMPUTER RESOLUTION

Resolution begins in your computer's ROM (read-only memory) and depends on how large a dot matrix the ROM character generator uses to produce letters or graphics. The matrix can vary from 35 dots, which produces a character 5 dots wide by 7 dots high, up to a matrix that contains more than 300 dots. The more dots, the higher the resolution and the more clearly defined

the characters. One of the most common arrays is a 63-dot matrix (7 by 9).

When the matrix for each character is displayed on a TV or monitor, its sharpness can depend on the following factors:

Bandwidth is the rate at which the screen is redrawn (or refreshed). It is measured in millions of cycles a second (MHz). Television sets normally have a bandwidth of about 4.5 MHz, while monitors can have bandwidths as high as 50 MHz. In fact, the actual bandwidth of most TV receivers is not more than about 3.8 MHz, which is adequate for the evening news but not really good enough for a computer display.

As a rule, you can expect to get about 80 horizontal lines of resolution for every MHz of bandwidth. Remember that a TV screen has 525 lines but that the viewed image amounts to only 343 lines.

TV producers make sure most of the action takes place in the center of the screen because TV manufacturers have a built-in "overscan" that compensates for the deterioration of some of your

Ken Coach has been a newspaper and TV journalist for 14 years. A cofounder of Orcavision Computer Software, he is now an independent computer writer and consultant. He can be reached at 228 East 13th St., #21, New York, NY 10003. set's parts, which might make the picture smaller than the screen. Unfortunately, that further reduces the number of lines available for computer use.

Resolution can also depend on the way a TV or monitor interlaces its picture. The 525 horizontal lines on a TV screen (called the raster) are ideally broken down so that each "frame" on the screen is made up of two scans of 262½ lines each. In order for that to work, each of the two fields must be perfectly interlaced so that the lines of one fall exactly between the lines of the other. Thirty frames are drawn on the screen each second, and each one has two fields.

Not all TVs can accommodate an interlaced 525-line raster (nor can all computers, for that matter), so many units use a 260-line noninterlaced raster that lowers the quality of resolution.

A monitor with a high number of scan lines would still be limited by, for example, an Atari computer that sends out 191 visible scan lines.

If you use a 35-dot matrix (5 by 7), it will take at least 7 scan lines to draw the character. When you add space between lines and perhaps an underline option, it can take 10 or 12 lines to draw the character. That means that a 260-line raster can display only about 20

lines of characters on the screen.

Color convergence is yet another aspect that can affect resolution. Convergence is the degree of accuracy with which each of the three color guns shoot the electron beam onto the screen. If you look closely at the screen and detect little color halos or rings around some characters, the convergence needs adjustment.

The other contributor to resolution is dot pitch, the space between the red, green, and blue phosphor dots on the screen.

Dot pitch is measured in millimeters (mm), and the smaller the pitch, the more dots are on the screen and the better the resolution. A high-resolution color monitor may have a dot pitch under 0.50 mm, but the dot pitch of an ordinary TV can be as much as twice that.

High resolution is obviously alluring, but don't be seduced by it. Make sure your computer can produce the resolution to take full advantage of the monitor you have in mind; otherwise, you may be throwing away money.

RGB vs. Composite

The letters "RGB" are kicked around quite a lot when people discuss monitors these days. They mean, of course, "red, green, blue," the basic colors that all TV sets use to produce a color picture.

The color signal standard known as "composite" video as defined by the National Television System Committee (NTSC) allows for the transmission of red, green, and blue together as one signal that is then split with a device known as a "comb filter." In early TV sets, the signal coming in was "chopped" and alternately diverted to red, green, or blue phosphor dots.

Some composite sets, such as the Sony Trinitron, use three separate electron guns to shoot the separate red, green, and blue signals, which is a great improvement, but there is still just one composite signal coming into the set. With an RGB monitor, however, each of the three colors has its own signal to control the electrons hitting the video screen. The result is a sharper image and more clearly defined color intensities.

Two types of RGB systems are currently in use: analog and digital. The analog

signal is delivered directly to the video gun, illuminating the phosphor screen dots in sync with the raster-scan pattern. This produces an almost unlimited variation in colors and brightness levels.

A digital RGB system is more restricted in its color range. Instead of sending the actual signal, a digital system works through a microprocessor and sends the instructions for the color scan.

To date, most home computers must be adapted to work with an RGB monitor. However, some computers, such as the IBM PCjr, are equipped with builtin RGB capability. As a result, some monitors and TVs are being produced with both composite and RGB inputs to allow the use of either system.

MONITORS VS. TELEVISIONS

Since monitors seem to do less than television receivers, you might wonder why they cost more. The reason is that a monitor is actually designed to do more than a normal TV set: it has been developed specifically to display signals from your computer or video recorder or videodisc player. In fact, some units let you integrate functions from one of those media to another. You can use your computer, for example, as a character generator to produce text that can be superimposed on a VCR image.

Monitors are likely to have a much greater bandwidth than receivers, which means better resolution. They are generally built to more exacting specifications, since there is not the automatic loss of quality inherent when a video signal is broadcast.

Another advantage is that monitors often have controls that TV sets lack or controls in more convenient locations for frequent adjustments. Some new color composite video monitors, for example, have color-kill switches to produce a monochrome display to make text reading easier or a reverse-video switch to produce a black-on-white display.

Brightness and contrast controls on monitors are generally located at the front of the unit, and some monitors have centering controls to adjust the picture.

Some new monitors, following the lead of the stereo industry, are being billed as "component" televisions. In fact, component TV will probably start

to take off when stereo TV broadcasting becomes more widespread.

Several manufacturers are working on stereo TV tuner/receivers that will be out late this year. Another approach is a TV tuner that would use a standard home stereo system to amplify the stereo signals.

Teletext and videotex services providing everything from banking to televised catalog shopping at home are expected to increase in the next few years as well. That will increase demand for higher-quality home monitors.

While an RGB monitor provides the best resolution and can operate with some computers, video players, and cable systems, composite video is still an option.


Picking up standard broadcast signals still requires a composite video system. As a result, many monitors are being made with the option of RGB or composite video to allow for a wider variety of use.

FUTURE TECHNOLOGY

One of the problems with any computer-related technology is that you can't tell if it will be obsolete within a year or two. Just as the mouse seems ready to change some of the basic concepts of home computing, a new technology will radically change our expectations for a computer monitor. Manufacturers of a flat-screen TV technology, for example, are about two years away from making serious inroads in the computer field. Although some portable computers have come out with flat displays, they provide only a few lines rather than a full screen.

One approach, the liquid-crystal display (LCD), works on the principle of varying the electric current applied to crystals, which makes them either clear or opaque. An LCD depends on light being reflected back from the crystals. It does not produce light on its own and therefore can be used only in a well-lit area.

A different sort of flat-screen application, the electroluminescent display, consists of a layer of zinc sulfide and manganese between two glass panels that have extremely thin, closely spaced wires imbedded in them. An electric current can produce pixels where a horizontal and vertical wire intersect.



22

499

145

119

APPLE/

FRANKLIN

d-Base II\$ 389

Bank Street Writer ...\$ 45

CDEX Each Prog. \$ 45

Copy II + \$ 34

SOFTWARE \$ Call DOW JONES \$ Call

LOGO CORNER

Krell Logo.....\$
Terrapin Logo.....\$

Wordstar (Sp. w/CP/M Card, 70 col., 64K) . . . \$ 329

Multiplan (DOS).....\$ 139

Fortran-80

Tasc Compiler.....

A.L.D.S. PEACHTREE 5 Call

SOFTWARE PUBLISHING PFS: Series, each \$ 79

SYSTEMS PLUS (Z80 req.)

ENERTRONICS

Landlord \$ 375

VISICORP \$ Call

Energraphics (3-D CAD symbol generator, cursor drawing, computer pro-

gramming, statistics/ surface drawing, electrical circuit/mechanical/archi-

tectural design) ... \$ 265

Apple Mechanic.....\$

DOS Boss

ASHTON-TATE

REAGLE BROS

BRODERBUND

CENTRAL POINT

CONTINENTAL

MICROPRO

MICROSOFT

Please call - We carry an extensive inventory... COMPUVIEW DIGITAL RESEARCH ASHTON-TATE HUMAN SOFT FOX & GELLER SOFTWARE BANC ANDERSON-BELL TYLOG SYSTEMS LEXISOFT MICROPRO PEACHTREE MICROSOFT MICROSTUF NORTHWEST ANALYTICAL

IBM/PC

ORGANIC SOFTWARE

PRO/TEM SOFTWARE

SORCIM

SUPERSOFT

	_
ALPHA SOFTWARE	10.250
Data Base Mgr. II\$	179
Apple-IBM Connection	169
AUTODESK Autocad\$	Call
CENTRAL POINT	
Copy II PC	34
DIGITAL RESEARCH	
Concurrent CP/M 86\$	225
DR Logo\$	Call
DOW JONES	
Market Analyzer\$	215
Market Manager	189
ECO-SOFT	
Microstat\$	Call
GRAPHIC/MOSAIC SOFTWARE	
Super Chartman II\$	299
Super Chartman IV	199
LIFETREE	
Volkswriter Deluxe\$	179
MDBS, INC.	
Knowledge Man\$	329
MICROPRO	
Wordstar \$	265
Wordstar \$ Infostar \$	265
Pak (WS/MWSS/INDX) \$	
Carabia and A	

MICRORIM

N SU	
MICROSOFT Multiplan \$ Basic Compiler	149
MICROSTUF Crosstalk \$	109
PEACHTREE PeachText 5000\$	249
SUPERCALC III	Call
STAR SOFTWARE Accounting Partner \$	
SYSTEMS PLUS Landlord (prop mgmt) \$ Runtime Basic	
(req'd for above)	
MACINITOCH	

MACINTOSH CORNER	
Ashton-Tate d-Base II \$ Friday	479 199
Continental Software Home Accountant \$	75
Microsoft Microsoft Basic\$ Multiplan	99
Software Publishing PFS: File-Report . ea \$	95
Davong Disk Drives . \$	Call
Kensington Microware Swivel\$ Surge Suppressor Modem	29 45
Maxell 3½" diskettes \$	Call
Memorex diskettes . \$	49

DISPLAY CARD	S
Amdek MAI Card 5	420
Fredericks/Plan- tronics Colorplus\$	Call
Hercules Graphics Board \$	359
Tecmar Graphic Master \$	499
Paradise/USI Display Card (clr/monochrome)\$	399

APPLE/ FRANKLIN BOARDS

ALS Z-Card II	120
CCS 7710 Asynch Ser \$	119
East Side Wild Card II \$	117
Microsoft 16K Ramcard \$	69
Softcard	219
Premium Softcard (IIE) .	335
Microtek Dumpling-16. \$	169

INC	WARE.	/
SOFTWARE AND H	ARDWA Microtek Dumpling-GX \$	89
TWARL	Tymac Par I/F w/cable . \$	79
N SOFTWI	Videx Display Enhancer \$ Display Enhancer II Videoterm VT-600 Ultraterm	99 99 179 249
Multiplan \$ 149		

IBM/PC BOARDS

AST RESEARCH	
Six Pak Plus (exp 384K, Ser, Par, Clk)\$	279
MegaPlus 64K, (CI/Cal, Ser Port, 512K capacity w/Megapak) \$	269
Extra ports available for Megaplus and I/O Plus II (Game, P/S)\$	40
Megapak 256K upgrade for Megaplus \$	Call
I/O Plus II (CI/Cal and Ser Port)	115
MAYNARD ELECTRONICS\$	Call
QUADRAM \$	Call
TECMAR \$	Call
XEDEX/MICROLOG Baby Blue\$ Baby Blue II	
We offer the following complete system w/ full support on technical line.*	ns

MONITORS

> Franklin 1000 & 1200

NEC APC & 8800 > Columbia > Televideo

> Corona

> Hyperion

	_
Amdek 300A Am\$ Color II +	149
NEC JB1201 - 12" Gr \$ JB1260 - 12" Gr JC1216 - RGB Clr	
PGS HX 12" RGB Clr \$ Max 12\$	Cal
Sanyo 8112 12" HR Gr \$	Cal
SONY Profeel 12" \$ C	all

Profeel 19" \$ C Profeel 25" \$ C	
Taxan	
KG 12N-UY 12" HR Am \$	139
KG 12N-12" HR Gr	132
RGB Vision 1 12" LR Clr	323
RGB Vision 3 12" HR Clr	459

USI 1200A 12" HR Am . \$ 159 MODEMS

_
Call
259 Call
459 325

DISK DRIVES

CDC 1800	224
Corona 5 MB Hard 1 Corona 10 MB Hard	,395 ,795
Davong 10/15/20 MB\$	Call
Tandon TM-100-2 \$	209
HALF HIGHS	
	199
Panasonic Shugart	199
Super 5 (Apple) \$	Call
Teac w/brackets \$	210

PRINTERS

IDS/Data Products Prism 80 (w/4 options) \$1,39 MicroPrism \$ Cal	
Mannesmann Tally	
MT160L\$ 566 MT180L\$ 810 Spirit\$ 310	0
NEC 3550 \$1,650	
Siemens Ink Jet \$ Cal	
Star Micronics \$ Cal	I
Teletex T1014 \$ 499	
Transtar T-130 P/S	5
T-120 P/S 47	5

JULY SPECIALS PANASONIC -

CT160 monitor (Dual mode, direct-etched non-glare 10" screen, built-in audio, clr. comp. graphics or b/w data display)......\$ 249

OKIDATA - 93 Parallel (Print text, charts, graphs and illustrations on variety of forms. Standard roller platen accommo-dates friction & tractor feed forms up to 16" wide Long life head. . . . \$ 699

Check May, 1984 **BYTE** ad for more products, or call toll free!

ORDER TOLL FREE — OUTSIDE WISCONSIN — 1-800-826-1589

Please:

- Wisconsin residents add 5% for sales tax.
- Add \$4.00 for shipping, handling and insurance for software
- For multiple items, hardware or accessories add 21/2% for shipping, handling and insurance.
- ▶ 1/2% discount for cash payments.
- ▶ Foreign add 15% handling & shipping for prepayment. (Int'l money order.)
- Prices are subject to change without notice.
- All items subject to availability.

We Welcome:

*For technical information, order status and in Wisconsin, please call 715-848-1374.

R-Base\$ 299

- ▶ Visa, MasterCharge & American Express. (No charge for credit cards.)
- Corporate, government and educational accounts. (For additional discounting, please ask for special accounts desk.)
- ▶ COD (Add \$2.00 per shipment. Cash or certified check required.)
- Checks. (Allow 1-2 weeks for clearing.)

Working Hours: Monday-Friday 8:30-6:00 Saturday 10:00-2:00 • Central Time

ORYX SYSTEMS, INC. CRAFTSMEN OF THE NEW TECHNOLOGY



425 First Street P.O. Box 1961 Wausau, WI 54401

Int'l Telex: 260181 **ORYX SYS WAU** So far, flat-screen displays are being used mainly for text. Their major disadvantages are limited resolution and high cost, problems manufacturers are working to solve.

Still another approach involves redesigning the video display rather than finding a replacement for it. The Sony Watchman was a significant development in the miniaturization of a screen, but more significant to computer applications may be the recently released pocket television from Sinclair Research in England.

The Sinclair pocket TV is not presently suitable for computer applications because of its size, but the technology holds promise for the future.

The Sinclair TV uses a cathode-ray tube with an electron gun on the side rather than the rear, as in conventional TV picture tubes. The company is now working on a color version of the pocket-size TV and is also developing larger flat-screen technology. The so-called "picture frame" display that's thin enough to hang on a wall may have great potential for computer applications.

A MONITOR SAMPLING

It would take a good-size book to compare the many monitors and television sets on the market today. Even a straight listing of specifications is deceiving, since our perception of color is highly subjective.

The best approach when shopping around is to look at as many different monitors as possible, preferably hooked up to your own computer or one like it. Monitor size, features, and price range are all personal decisions. What follows is a sampling of some of the monitors that are presently available.

PANASONIC

Panasonic has split itself into two companies: an industrial division aimed at business and high-end computer monitor use and a consumer division that makes televisions for the home (including computer, VCR, and cable use).

The newest product from the industrial division is the DT-H103 monitor, which became available in April at a suggested price of \$750. The 10-inch (diagonal) display is meant to be a desktop monitor for IBM, Apple III, NEC, or Panasonic's own "Sr. Partner"

computers.

The DT-H103 uses a high-resolution screen and can be used with either composite or RGB input. The monitor also has a reverse-video switch that allows black-on-white word processing and a centering lever to adjust the picture.

Picture quality is exceptional, and the monitor is appropriate for any mass-market computer now available. The 80-character, 25-line screen has a resolution of 760 by 570 pixels. An etched screen virtually eliminates reflected glare.

Some people will probably find the 10-inch screen too small for comfort. The company plans to release a 14-inch version this summer, but it will not have quite as good resolution. Panasonic officials say that increasing picture quality is expensive and that, since the demand is still not that high, the cost of an equivalent 14-inch unit would be prohibitive.

For someone with an inexpensive home computer, Panasonic offers a more modest monitor for about \$400. Though this unit has only a 40 by 25 character display, one feature will be welcomed by anyone who has tried to use a word-processing program on the Commodore 64—a color-kill switch that makes for a sharp black-and-white display for easier text reading.

For a complete home TV/VCR/computer system package, Panasonic's consumer division offers the Omni series. These sets are intended to compete with Sony's Profeel product line. The most interesting unit in the series is the CTF-1465R, which will retail for about \$680. It has a built-in TV tuner as well as VCR, cable, computer and even IBM interface connections. You can choose between composite and RGB signals. It also has remote control, an on-screen clock, and even a timer to turn off the late show after you nod off.

Meant as a multiuse receiver monitor, it has a very good picture with a 0.42 mm dot pitch and more than 350 lines of horizontal resolution in the composite mode.

You might prefer to wait until the 1495 monitor is released this summer. Although that unit is essentially the same as the CTF-1465R without a tuner, it also has the ability to display teletext and videotex.

SONY

Any discussion of top-of-the-line monitors for the home market must include the Sony Profeel series. Over the years, Sony has built a reputation of trustworthiness that results in many people buying its products without even considering anything else. Sony products have been among the best since the company's Trinitron series popularized a single-gun approach to composite video.

The latest models in the KX monitor series take advantage of the Trinitron technology and add both analog and digital RGB capability. In addition, the company has released an interface accessory so that the monitors can be used with an IBM PC.

The monitors, called "component TVs," are designed to provide access to computers, videodisc players, VCRs, cable TVs, and future stereo broadcasts.

Without tuner, interface, or stereo speakers, the 19-inch model costs about \$850 and the 25-inch set costs about \$1500.


The 19-inch monitor has an excellent picture with more than 350 lines of horizontal resolution on its composite input and more than 450 lines on the RGB input. The monitor will accept digital and analog RGB signals, which makes it capable of accepting teletext or videotex signals.

The unit has a built-in stereo amplifier with 5 watts per channel stereo output for external speakers. Picture contrast adjusts automatically to compensate for changes in the video signal.

The monitor is a good all-purpose unit for someone who might want it to display a spreadsheet program one day and the latest VCR program the next. If your taste is more to the VCR and videogames, though, you might prefer the 25-inch monitor. A larger screen, however, can be hard on the eyes if you plan to do a lot of programming or word processing.

TEKNIKA

One Japanese monitor manufacturer preparing to increase its impact on the American market is Teknika. The company presold all of its initial stock of the MJ-22, which is a 13-inch RGB/composite monitor.



STOP STRUGGLING WITH SPREADSHEETS! THERE'S AN EASIER WAY TO DO YOUR BUSINESS PLANNING: PROFIN.

If you don't have days, or even hours, to do projections with a spreadsheet, consider this:

There is now a highly specialized software tool expressly for the business person who needs the answers more than the workout.

TIME-CONSUMING WORK ALREADY DONE FOR YOU

If you want to do forecasts and budgets, return on equity, discounted cashflows, net present values, capital expenditure analysis, interest calculations, depreciation comparisons or taxation scheduling without setting up the mathematical calculations or laying out a spreadsheet, vou need Profin.

Profin is an easy-to-use (menu driven) program which leads you through your business analysis step by step. You simply answer the questions as they appear on the screen.

REPORTS AUTOMATICALLY LAID OUT

Once you've completed entry, you'll be able to see any or all of the following reports laid out for you:

- income statements
- interest schedules
- capital expenditures
- tax schedules
- · returns on equity
- · discounted cashflows

· and balance sheets.

You can then make any changes to any of the information already entered and look at revised reports.

And you can automatically load your Profin reports onto a Multiplan, VisiCalc, SuperCalc or Lotus 1-2-3 screen (or any other spreadsheet that reads D.I.F. files) to carry out further manipulations.

SPECIALIZED HELP FOR BUSY PEOPLE

Think of it this way: spreadsheets are great for the hobbyist who gains satisfaction from hours in front of the screen. But if you're a business person with little computer experience and even less spare time, you need the specialized tool: Profin.

Available under \$300 for CP/M-80, MS-DOS, and IBM

PC-DOS from your local retailer.

Also available: PLANFIN. For sales, marketing and other executives who just want simple forecasts and budg-

ets, Planfin gives you operating income statements plus net income and discounted cashflow reports in less than 15 minutes. Under \$200.



☐ Please send me more information about how P Planfin beat the spreadsheets for budgets and for	
Name	

Address

City/State/Zip_

Computer Brand Owned or Planned to Buy. Mail to: Business Software, Inc.

12021 Wilshire Blvd., #194 Los Angeles, CA 90025

The first of a series of monitors that Teknika plans to release, the MJ-22 is priced at \$539. It has a 0.50 mm dot pitch and 320 lines of resolution in the composite mode. The Teknika monitor is compatible with IBM and Apple RGB boards and with virtually all home computers in the composite mode. For its price, the Teknika is an excellent monitor and probably more than adequate for most home computer users.

By the end of this year, the company will release a high-end monitor with greater resolution and a 0.31 mm dot pitch. That unit, the MI-40, will have a suggested retail price of \$650.

Although other companies deny it, Teknika officials predict that monitor prices will come down as consumer interest in the product grows and production increases. The other factor, of course, is pressure from competitors to lower prices or improve quality. Happily for anyone who may be in the market for a monitor, Teknika may be starting to apply that pressure.

NEC

Anyone who has already considered purchasing a high-quality monitor is familiar with NEC. Recently, the company brought out two new monitors in what it calls its "91" series.

The CM-1991A and CM-2591A are, respectively, a 19-inch RGB monitor that sells for \$850 and a 25-inch RGB monitor for \$1100

These monitors can be used with either analog or digital RGB signals. They have a dot pitch of 0.70 mm with 370 lines of horizontal resolution and are designed to be compatible with a number of computers, including the IBM PC. A built-in intensity control allows the monitors to take advantage of the color potential of the IBM PC.

In addition, the circuitry will let users combine a video source with characters or graphics created by their PCs. This could be used, for example, to create titles and superimpose them onto a VCR recording.

NEC also has a 13-inch receiver with RGB capabilities. It carries a suggested list price of \$599 and has a dot pitch of 0.50 mm with 330 lines of horizontal resolution. The CT-1305A offers the same control functions as the more expensive units and wireless remote control.

PROTON

Proton's 600M, a composite monitor, proves that a high-quality color monitor doesn't have to be RGB.

The 19-inch color unit boasts better quality than conventional component TV. According to company specs, the 600M has large filter capacitors and a stable power supply that reduces fluctuations in the DC voltage. The result is a truer black that produces better color. The Proton also claims to have less overscan, about 5 percent compared to 20 percent on other models.

Of interest to computer users is the Proton's linearity and convergence. The 600M has more windings than is usual on the wire coil deflection voke. That means stronger, more precise magnetic control can be used to deflect the electron beams for straighter lines near the perimeters of the picture tube. The same yoke design helps convergence, and the company says color fringing is eliminated.

The 600M has a horizontal resolution of 370 lines. Company officials are quick to point out that it also has a video frequency response of about 4.7 MHz. Broadcast video generally drops off at about 4.2 MHz.

The 600M retails for about \$650, and, although it has no special controls or connections for computer use, it would fit well to a component system containing a computer. Proton also makes a tuner and a monitor/receiver.

For those who simply must have RGB. Proton recently released the 602M for \$1050. It is identical in performance to the 600M but is a 25-inch color monitor. In addition to an RGB input, the 602M has a more powerful stereo amplifier, separate video/audio inputs. and a video output.

AND MORE

Presently, 20 or so manufacturers make color monitors for computer use, and even more will soon enter the market. A monitor is one of the fastest selling computer peripherals, and increased competition may mean lower prices and new technological developments.

Some other representative manufacturers of RGB and composite color monitors include Amdek, Conrac, Electrohome, Sakata, Sanyo, Taxan, USI, and Zenith.

Where to buy Toshiba's P1351 and P1340 printers:

ı	EASIEMN	
	CYBER/SOURCE Southfield, MI Columbus, OH Pittsburgh, PA	(313) 353-8660 (614) 451-9559 (412) 323-6265
Ì	DIGITAL ENTRY SYSTEMS Waltham, MA	(617) 899-6111
	GENERAL BUSINESS COMPUTERS, INC. Cherry Hill, NJ	(609) 424-6500
	MICROAMERICA Framingham, MA	(800) 343-4411 In MA (617) 877-8500
	MONROE DISTRIBUTING COMPANY Cleveland, OH	(216) 781-4600
i	R & D/CAMELOT ASSOCIATES, INC. Northampton, MA	(413) 253-7378
	ROBEC DISTRIBUTORS Montgomeryville, PA	(215) 368-9300

Montgomeryville, PA	(215) 368-9300
CENTRAL/SOUTHERN	
B & W DISTRIBUTORS St. Louis, MO	(314) 569-2450
COMPU SHOP Richardson, TX	(214) 783-1252
CRYSTAL COMPUTERS, INC. Lenexa, KS St. Louis, MO	(800) 541-3030 (913) 541-1711 (314) 434-2667
CYBER/SOURCE Atlanta, GA Chicago, IL Indianapolis, IN Nashville, TN	(404) 422-2029 (312) 789-3366 (317) 845-3461 (615) 255-4030
EASTERN COMPUTERS Virginia Beach, VA	(804) 340-2496
KALTRONICS DISTRIBUTORS, INC. Northbrook, IL	(312) 291-1220
MICROAMERICA Schaumburg, IL Tampa, FL	(800) 323-6827 In IL (800) 942-4690 (813) 623-6526 In FL (800) 282-3385
Norcross, GA	(800) 241-8566 In GA (404) 441-0515
Rockville, MD	(800) 638-6621 In MD (800) 492-2949
MICROUNITED, INC. Forest Park, IL	(312) 771-1550
ONE STOP MICROPRODUCTS South Bend, IN	(219) 277-4972
PRICE ELECTRONICS CORPORATION Glenview, IL	(312) 998-6400
SYCOM DISTRIBUTING COMPANY Norcross, GA	(404) 441-3451 (800) 241-8579
SYSPRINT, INC. Sarasota, FL	(813) 924-8278

ALMO I PLILA	
BYTE INDUSTRIES, INC. Hayward, CA	(415) 783-8272 or (800) FOR BYTE
COMPUTER RESOURCES Inglewood, CO	(303) 771-8930
CYBER/SOURCE Denver, CO Houston, TX	(303) 744-2461 (713) 956-1423
CYPRESS DISTRIBUTING COMPANY, INC. San Jose, CA	(408) 297-9800
GRIFFIN COMPUTER SALES, INC. Carrollton, TX	(214) 446-6701
MICROAMERICA Carson, CA Richardson, TX	(800) 421-1485 In CA (800) 262-4212 (800) 527-3261 In TX (800) 442-5847
MICROWARE DISTRIBUTORS, INC. Aloha, OR Bellevue, WA	(503) 642-7679 (206) 451-8586
P.G.I. CORPORATION Tempe, AZ	(602) 967-1421 or (800) 528-1415
PREMIER SOURCE DISTRIBUTING Irvine, CA	(714) 261-2011
SMC INTECH SYSTEMS CORP. Carrollton, TX	(214) 446-9055
SYSPRINT, INC. Richardson, TX	(214) 669-3666

(312) 870-7400 or (800) 323-4138

(301) 644-2900

In Ontario/Quebec (800) 268-1701 Outside Ontario/Quebec (800) 268-1732

TEK-AIDS INDUSTRIES, INC. Arlington Heights, IL

ZAMOISKI COMPANY

WESTERN

CANADA

IRWIN ELECTRONICS Etobicoke, Ontario

OR THESE TOSHIBA AMERICA, INC. **REGIONAL OFFICES:**

(201) 326-9777 (314) 991-0751 (714) 250-0151 EASTERN CENTRAL/SOUTHERN

Circle 312 on inquiry card.

Two ways to show off your IBM PC.



There's no better way to show off your IBM PC - or any other micro - than with the new line of Toshiba printers. They offer stateof-the-art features, high reliability and low price.

P1351

The new Toshiba P1351 printer has a unique high-density 24-pin dot-matrix print head. It lets you print crisp, clean letter copy at 100 cps, draft copy at 192 cps. And with the software-selectable downloading fonts, you get to pick from a variety of type styles.

The P1351 has more stuff to show. Like 180 x 180 dots-perinch high-resolution graphics, 132-columnwidth platen (great for spreadsheets and Lotus™1-2-3™ data processing and graphics), Qume SPRINT 5™ emulation, and a choice of either a forms tractor or automatic sheet feeder.

P1340

For considerably less, the new P1340 gives you just a little less. But it still has the same highdensity 24-pin dot-matrix print head, the 180 x 180 dots-per-inch graphics resolution, and the Qume SPRINT 5 emulation. In addition to true proportional spacing and a

built-in forms tractor.Whichever printer you choose, nationwide service within 24 hours by Western Union technicians is available.


So the choice is yours. But when you choose Toshiba, you know you're putting on the best show possible.

For more information, call one of the distributors listed on the adjacent page.

IBM PC to P1340 and P1351 graphics utilizes PaperScreen and the IBM PC with color graphics adapter. IBM PC is a trademark of International Business Machines. Lotus and 1-2-3 are trademarks of Lotus Development Corporation. SPRINT 5 is a trademark of Qume Corporation. © 1984 Toshiba America, Inc.

In Touch with Tomorrow

Information Systems Division, TOSHIBA AMERICA, INC.



THE PRINTER TO PICK WHEN THE PACE QUICKENS.

It's happening all over the PC and micro worlds.

You're getting hit with a ton of increased throughput requirements. Your applications are generating a deluge of paper. You need more printer speed. A lot more.

You're also looking for more professional-looking presentations so you need better print quality. A lot better.

Who's got the best of both worlds for you?

Okidata's Pacemark 2350 and 2410 dot matrix printers.

They'll not only help you keep pace with your world, they'll help you set new and exciting ones. In print speed. In print quality. And in vastly increased compatibility and capability.

Take throughput. The 2350 and 2410 can quickly get you out of the waiting game to where you're *really* cranking it out. And with flexibility, too: up to 5 pages per minute.

But wait. Cranking *what* out, you may ask? A single, restrictive printing mode? No way. The 2410 can give you DP, draft,

and a correspondence quality that truly rivals the daisywheel.

And the 2350 and 2410 can both print at up to 350 cps. While producing 120 to 420 lines a minute for you. With bidirectional printing and short line seeking logic. And both high speed horizontal and vertical slew.

PC COMPATIBILITY. SOFTWARE COMPATIBILITY.


The 2350 and 2410 use industry standard interfaces making them hardware compatible with most mini and microsystems on the market today. In addition, they are supported on the menus of most of the important software being offered to microsystem users like Visicalc, Lotus 1, 2, 3, DBASE 2, Peachtree 500 and General Ledger, Multi-Mate WP, Wordstar, etcetera, etcetera.

But wait, there's more. Like an outstanding all points addressable graphics capability with 144 x 144 dots per inch resolution.

Two color printing for highlighting. Down line loadable font sets for flexibility. Subscripts and superscripts so your scientific and technical usage won't bog down. Six-part forms handling. The capability to print 132 columns on eight-inch paper using 17.1 characters per inch to save paper costs and make output easier to handle.

And—so that you can depend on getting all that good stuff, all the time—a mean time between failure of 2200 hours. A mean time to repair of only 30 minutes. An average printhead life of 200,000,000 characters. And an industry low warranty claim rate of less than 2%.

No doubt about it, the quicker the pace at your place, the more you need Pacemark from our place. For more information, call toll free 1-800-OKIDATA. In New Jersey, 609-235-2600. Or write OKIDATA, Mt. Laurel, NJ 08054.





We're keeping pace with your business.

COMPUTER CONTROL OF A VIDEO RECORDER

BY CY TYMONY

Extend the capabilities of a VCR with any sound-generating computer

SHORTLY AFTER I acquired a VCR (videocassette recorder), a Realistic Model 10 with one-event programmability, I became frustrated playing the morning "programming game." Should I record this show or that show? I felt somewhat limited having only one programming option, especially when Icompared the capabilities of more expensive systems that can be programmed for multiple events on different channels. I decided I would control my VCR with my TRS-80 Color Computer.

This project is designed for VCRs that have varactor tuners. You can recognize this type of recorder by the way you change its channels. If you turn a dial to select a channel, then your VCR has a dial (or turret) tuner. If you use softtouch control switches, a keyboard control, or an up/down-counter control, then your VCR has a varactor tuner. For our purpose of controlling a VCR's functioning via a computer, the varactortuned unit is required because it uses an electrical signal instead of physically moving switches to select channels. (For more information on VCR tuning techniques, see references 1 and 2.)

INTERFACE HARDWARE

By connecting external switches in parallel to the VCR's record, stop, and channel-selection switches (as shown in figure 1), you can control the VCR's functions with LM567 tone decoder ICs (integrated circuits). If your VCR has a remote control, then you can wire the switches to the remote control's switch contacts. The circuit shown in figure 2 uses the sound output from a TRS-80 Color Computer to activate the tone decoders, which turn on reed relays wired in parallel to the VCR's control switches. (Table 1 contains a list of parts you'll need to build the circuit.) The tone decoders and the reed relays provide total electrical isolation between the computer and the VCR. The tone decoders can be set to respond to any frequency from 0.01 Hz to 500 kHz. (For more information on 567 tone decoders, see Cy Tymony (POB 2387, Beverly Hills, CA 90213) attended the University of Wisconsin and works as a technical writer. His latest book, 99 Fun-to-Make Electronic Projects, was published by Tab Books. He is currently developing projects for low-cost computer-controlled video editing and special effects.

reference 3.)

Inside the 567 tone decoder IC, a current-controlled oscillator operates at a frequency set by the values of the potentiometer connected between pins 5 and 6 and the value of the capacitor connected to pin 6 and ground. The input signal (in this case the computer's sound output) and the internal oscillator are fed to two phase detectors. When the internal oscillator frequency is within about 14 percent of the input signal, the output pin 8 sinks up to 100 milliamps to ground.

To tune the 567s, write a short program to make your computer produce a tone, and tune one of the tone decoders to this signal. Check the leads of all the other tone decoders used in the circuit to make sure they do not turn on to this tone. Repeat this procedure until every tone decoder in the circuit will turn on only to its own individual sound from the computer. For very low frequency tones under 800 Hz, the tone decoder may take a full second to lock on to a signal. Be sure that the duration of the sound command in your program is long enough for the tone decoder to

lock on the signal and actuate the reed relay.

The tone decoder is fine-tuned by adjusting the potentiometer connected between pins 5 and 6. For high-frequency operation, you may substitute another value for the capacitor connected to pin 6 and ground; also, see the data sheet that comes with the 567 tone decoder IC for more information.

The reed relay uses a small reed switch that is surrounded by a coil of wire. When current is applied to the coil, the contacts in the reed switch close, which completes the circuit. Because there is no direct connection between the coil and the contact switch, complete electrical isolation is obtained. A power supply for this project is shown in figure 3. Table 2 lists the parts you'll need.

If your computer has an external sound output, then send the signal to the tone decoders with a 10- μ F (microfarad) bypass capacitor. If the computer's sound output is not externally available, you can tap the signal just before it enters the computer's RF (radio-frequency) modulator, if it has one. If the power level of the sound output is too low, you can increase it by using an LM386 amplifier IC to build it up to a usable level (see figure 4).

THE CONTROL PROGRAM

The control program, shown in listing 1, keeps track of time. When the "start" time matches the "present" time, the computer produces a tone that selects the programmed channel and also produces another tone that momentarily closes the record switch contacts to start the VCR recording the event. When the "end" time matches the present time, the computer closes the stop switch contacts with another tone. When in counting mode, most personal computers are between 1 and 5 percent accurate within a 24-hour period. This is good enough if you set the start and end times a few minutes before and after the scheduled times of the programs you want to record.

Lines 5 to 75 request input data about the event to be recorded (channel, start time, end time). Line 80 requests present time to start the computer clock. Line 90 produces a one-second delay for the clock. (This is based on the TRS-80 Color Computer's internal clock




Figure 1: An example of external switch connection.




Figure 2: The computer-VCR interface circuit.

Table 1: The parts needed to build the computer-VCR interface. The number of parts required depends on the number of channels you need to select.

Part	Radio Shack Catalog Number
567 tone decoder IC (as many as	
needed)	276-1721
25k-ohm potentiometer	271-335
I-F capacitor	272-996
2.2-F capacitor	272-135
10-F capacitor	272-1013
16-pin DIP jumper ribbon cable	276-1976
Reed relays	275-232
Perfboard	276-1394
IC sockets	276-1995




Figure 3: The regulated power-supply circuit.

Table 2: Power-supply parts list.

Part	Radio Shack Catalog Number
3-amp transformer	273-1511
Full-wave bridge rectifier	276-1171
7805 5-volt regulator	276-1770
1000-μF capacitor	272-1018
Fuse holder	270-739
Fuse	(capacity depends on number of components)
Perfboard	276-1394
Cabinet	270-224
AC cord	278-1255

Note: A ready-made power supply is available from Radio Shack (22-127). You will still have to use the 7805 5-volt regulator to drop the power down to a constant 5 volts.




Figure 4: The sound-amplifier circuit.

speed. Other computers would use a different delay sequence, which you can find through experimentation.) Line 100 compares the start time of event one with the present time; if they match, the computer selects a channel by adding the channel number to 100 and producing a tone. It also produces a different tone to actuate the record switch on the VCR. Line 110 compares the end time of event one with the present time; if they match, it produces a tone to actuate the stop switch on the VCR. Lines 130 to 180 are reserved for more event data. Lines 181 to 300 reset the clock.

COUNTER-TUNER VCR PROCEDURE

With this method, a reed relay is wired in parallel to the channel "up" switch on the VCR. A tone decoder IC is connected to the reed relay that can be turned on by a unique tone from the computer's sound output.

The computer selects the first event's channel by producing the number of tones needed to reach the desired channel. For example, if the VCR is set on channel 2 when it is first turned on, and the first event to be recorded is on channel 5, then the computer produces three tones with pauses of one-half second between the tones. For the next event, the computer sounds the number of tones equal to the difference between the present channel and the desired channel.

The program for selection of channel 5 could be:

IF AB=H AND AC=M THEN SOUND 100,1: FOR I=1 TO 190: NEXT I: SOUND 100,1: FOR E=1 TO 190: NEXT E: SOUND 100,1: SOUND 150,1

KEYBOARD-TUNER VCR PROCEDURE

With this method, every number on the keyboard has a reed relay wired in parallel to it. A tone decoder IC is connected to each reed relay that can be turned on by a unique tone from the computer's sound output.

The computer produces two different tones (one-half second apart) that represent a channel selection. To program channel 4, the computer sounds a tone for tone decoder 0, pauses for one-half

MEGABYTES FOR MICROBUCKS

In a field where so-called "breakthroughs" are proclaimed nearly every day, SORD's new M68 is the genuine article. Incredible memory, processing speed and software flexibility at simply unbelievable prices. Ideal for your business, scientific and engineering applications.

DUAL PROCESSOR ARCHITECTURE

Not just any two processors, either. The state-of-the-art MC68000™ 16-bit main CPU runs at a blinding 10 MHz. A Z80A™ CPU runs thousands of 8-bit applications, and the AMP9511 Arithmetic Processing Unit can make them faster than ever before.

A MAINFRAME'S WORTH OF MEMORY

The base M68 model starts with 256K of parity-checked RAM and is expandable up to 3.2 megabytes. The M68-1M starts with a megabyte and can be expanded to an incredible four megabytes with available plugin boards. Even large mainframes don't enjoy such power. Think of the number-crunching you can do with four megabytes on your desk.

ADVANCED GRAPHICS

High resolution graphics are standard on all M68's. 640 x 400 pixels in either monochrome or up to 16 colors, with a detailed 8 x 16 character grid for easy readability hour after hour, even in color. Special LSI circuitry and the super fast CPU make high speed drawing a reality.



EXPANDABILITY PLUS

M68's are now available with high-capacity 51/4-inch disks; 8-inch floppy disk and hard disk drives available this fall. Two serial ports, a Centronics-compatible printer port, a light pen port and a GPIB/IEEE-488 port are standard.

SOFTWARE VERSATILITY

The M68 can run more software than any machine in its class. Operating system choices include CP/M-68K™ RDOS, UCSD P-system,™ CP/M-80,™ KDOS and the PIPS software system that has revolutionized Japanese management and is now used by Citibank and other major corporations in over 45 countries. Choose from C, FORTRAN, Pascal, COBOL, BASIC and more. Supports mainframe communications links, graphics, and a wealth of applications software.

MIND-BOGGLING PRICING

If this kind of power sounds expensive, guess again. M68 systems start at less than \$5,000, and even four megabyte systems start at approximately \$13,000! Each 1MB plug-in board is \$2395, available separately as required.

FIND OUT MORE NOW

SORD may be the new guy in the U.S. market, but they're big news around the world. SORD, Japan's fastest growing company, and one of Japan's largest manufacturers of business microcomputers, is an international leader in both hardware and software.

GET STARTED NOW

Find out how you can benefit from the most powerful desktop systems available.

1-800-223-1796

IN NEW YORK: (212) 206-4045



THE NEXT GENERATION...NOW

SORD COMPUTER OF AMERICA, 723 West 7 Street, Los Angeles, CA 90017 645 Fifth Avenue, New York, NY 10022

Listing 1: The VCR control program.

- 5 PRINT "CHANNEL";; INPUT AA
- 10 PRINT "START TIME H,M,S":: INPUT AB,AC,AD
- 15 PRINT "END TIME H.M.S";: INPUT AE,AF,AG
- 20 REM LINES 25 TO 75 ARE RESERVED FOR MORE EVENT DATA
- 80 PRINT "PRESENT TIME H,M,S";: INPUT H,M,S
- 90 PRINT H,M,S: FOR T= 1 TO 800: NEXT T : S= S+1
- 100 IF AB = H AND AC = M AND AD = S THEN SOUND (AA+100),1: SOUND 150,1
- 110 IF AE = H AND AF = M AND AG = S THEN SOUND 200,1
- 130 REM LINES 130 TO 180 ARE RESERVED FOR MORE EVENT DATA
- 181 IF S> 59 THEN GOSUB 200
- 182 IF M> 59 THEN GOSUB 250
- 183 IF H> 23 THEN GOSUB 300
- 184 GOTO 90
- 200 S = 0 : M = M + I : RETURN
- 250 M = 0: H = H+1: RETURN
- 300 H = 0 : RETURN

second, and then sounds a tone for tone decoder 4 (04).

The program for channel selection would be as follows:

IF AB=H AND AC=M THEN SOUND 80,1: FOR Z=1 TO 390: NEXT Z: SOUND 90.1: SOUND 150.1

OTHER INTERFACING METHODS

Sound output is just one of the many possible interfacing techniques that can be used to control a VCR with a micro-

computer. You can use a parallel port, a serial port, or a cassette output port to relay data to an interface device. Since the computer's only function is to count the time and momentarily send an output signal, even a portable or a pocket computer can be used to control a VCR with a phototransistor placed near its liquid-crystal display to sense screen changes.

You'll probably want to obtain an inexpensive personal computer for this purpose; many are available, including the Timex/Sinclair 1000, the Texas Instruments 99/4A, the TRS-80 MC-10, and the Commodore VIC-20. (For more information on interfacing microcomputers to control external devices, see references 6 and 7.) After using the interface for a few days, the biggest problem you will be confronted with will probably be obtaining enough videotape to satisfy your programming needs.

REFERENCES

- 1. Spillane, John. TV Field and Bench Servicer's Handbook. Blue Ridge Summit, PA: Tab Books, 1979.
- Goodman, Robert. Maintaining and Repairing Videocassette Recorders. Blue Ridge Summit, PA: Tab Books. 1983.
- 3. Mims, Forrest. 103 Projects for Electronics Experimenters. Blue Ridge Summit, PA: Tab Books, 1981.
- 4. Radio Shack Semiconductor Reference Guide. Fort Worth, TX: Tandy Corporation, 1983.
- 5. Barden, William. TRS-80 Models I, III, and Color Computer Interfacing Projects. Indianapolis, IN: Howard W. Sams and Co., 1982.
- Carr, Joseph. Microcomputer Interfacing Handbook: A/D and D/A. Blue Ridge Summit, PA: Tab Books, 1980.
- 7. Wolfe, Gordon. Computer Peripherals That You Can Build. Blue Ridge Summit, PA: Tab Books, 1982.

ACKNOWLEDGMENT

The author wishes to extend special thanks to Mario Gonzales for his contribution to this project.



At long last, there is the business mind with the business system, effortlessly. Software so totally different and uniquely intelligent that it can create and carry through complex projects by itself. Extraordinary software with the capacity to adapt to a range of users' abilities, and grow in sophistication as their needs expand.

Introducing Smart Software from Innovative Software. There's never been a software system like it before. Nor is there anything else

like it today.

That's because no other software has the capability to complete and repeat complex projects—from start to finish—on its own. Not by memorizing keystrokes (like a macro), but by adjusting to your project changes; and open-endedly performing dedicated applications.

Entire projects—spreadsheet to data base to graphics to word processing—can be completed without supervision; freeing your time for running your business, rather than running your business software.

In addition, Smart Software puts to rest, once and for all, the ease-of-use versus power dilemma, because this unprecedented soft-



For more information on the fully-integrated Smart Software System, call 800-GET-SMART or visit your local computer dealer for a demonstration.


ware is as workable for beginners, as it is powerful for experts.

Smart Software was created to work for you, relentlessly. Structured to integrate with its smart mates, automatically. And designed to communicate with not-so-smart software, brilliantly.

The one-of-a-kind Smart Software System. Undoubtedly the most productive tool ever conceived for the business mind.

INNOVATIVE Software

software that links



Thinking of buying a modem? You owe it

de Uniside

to vourself to check out the Oubie' 212A modems.

Just a few years ago, computers needed big air-conditioned rooms to operate in, balefuls of money to buy, and a team of wizards to keep them running. The constant march of technological progress has given more and more powerful machines which cost less and less. Desktop computers more powerful than the early mainframe computers are the result of the evolution. The Qubie' modems represent the latest extension of this progress. Because up until now, a 212A compatible modem cost at least \$500. Through the use of four low-cost, state of the art microprocessors, we can now offer two versions of our full featured 212A modem at prices the competition sells 300 baud modems for.

In The Beginning

In September of 1983 we introduced the first 212A modem card for the IBM PC available for under \$300. The PC212A/1200 is a complete communications package including PC-TALK III software, modular phone cable, card edge guide, and instruction manual. The modem is an auto-dial, auto-answer type, which uses all the Haves software commands so it can be used with any of the popular software packages including Crosstalk™ and Smartcom™ We picked the best software package we could find based on it's ease of use and features, PC-TALK III. Our modem includes features the old industry standard missed out on. Like being able to fit in one slot in a Portable PC or PC/XT.

C TALK II

Or an optional connector to use the modem's serial port when not using the modem. Of course the topper is the \$299 price, hundreds less than the competition.

Now Available Outside

Our standalone modem, the 212E/1200 can be used with any computer or terminal with a RS-232C serial port. You can use any Haves compatible communications software on anything from an Apple to a Zenith. Many owners of IBM PC's are using it because they lack available expansion slots, or have more than one computer they want to use their modem with.

It's attractive gold anodized case houses seven status lights (who says low prices means a shortage of features). It fits comfortably under a standard telephone. It is also a 212A compatible auto-dial, autoanswer modem which supports all Haves software commands. Even the switch settings are the same, so any software giving recommended switch settings for a Hayes modem can be used, without knowing what the switches do. There is a volume control knob for easy adjustment of the speaker's output. Included in the package is modular phone cable, a cable to hook it to your computer or terminal, and instruction manual. Choose the communications package right for your needs, and you're ready to go!

Four Hearts

The heart of the Oubie' modems are four digital signal microprocessors. Two handle sending, and two do the receiving. Rather than attempt to filter all but the relevant tones used for modem communications, the

PC212A/1200 Includes: Modem Card, PC-TALK III software, card edge guide, modular phone cable, quick reference card, and instruc-

tion manual. \$299 Optional external serial port con-nector \$20.

212E/1200 Includes: Standalone modem with cable (specify male or female), modular phone cable, and instruction manual. \$329. 212A/1200E HS AA CD OH RD SD TR MR microprocessors measure the tones digitally. This allows them to overcome line noise and static better than analog filter based modems

Why Buy From Qubie'

Because you will get a product as good or better than any available, pay less for it, and get factory direct help if you need it. If at any time during the one year warranty period your modem should require service, we will fix it or replace it within 48 hours. Notice also there are no hidden charges in our prices. No extra for freight, insurance, credit cards, or COD fees. In a hurry? UPS 2nd day air service is just \$5 extra. If you are like many who say, "Nah, it's too good to be true," just apply the acid test and find out. Then you will be asking yourself, "Why should I pay what these modems used to cost?"

The Acid Test

Qubie' gives you a 30 day satisfaction quarantee on your modem. If you are not completely satisfied we will refund the entire amount of your purchase including the postage to return it. If you can, get anyone selling another modem to give you the same quarantee. Buy both, and return the one you don't like. We know which one you will keep.

IBM is a trademark of International Business Machines Corporation Crosstalk is a registered trademark of Microstul Inc. PC-Talk III is a registered trademark of The Headlands Press.

Order Today, Shipped Tomorrow!

All prices include UPS surface freight and insurance. Add \$5 for two day air service. For fastest delivery send certified check or credit card. Personal checks take 18 days to clear. Calif. residents add 6% sales tax. Corporations and Institutions call for purchase order details.

(800) 821-4479

Toll Free Outside California

(805) 987-9741

Inside California



4809 Calle Alto Camarillo, Ca. 93010

Tempo House, 15 Falcon Road, London SW11 2PH, United Kingdom -----

Copyright Ouble' 1984

Circle 260 on inquiry card

VIDEODISCS AND COMPUTERS

BY STAN JARVIS

Hardware, formats, and interfacing

THE EMERGENCE OF the home videodisc player as a storage medium for images has focused the attention of businesspeople and programmers alike on the advantages of linking realistic video with computer graphics and programs.

The videodisc itself is not new: its history begins in the early 1880s when Paul Gipkow received the first videodisc patents in Germany. About this time, Alexander Graham Bell produced optically recorded 12-inch audiodiscs using a solar-powered ink-jet modulating device in Washington, DC. Bell licensed his audio-recording patents to Thomas Edison, who introduced waxcylinder audio players. They were soon replaced in the marketplace by 12-inch audiodiscs developed by Deutsche Grammophone. Edison later founded Westrex to develop talking movies, matching the running length of a reel of movie film to a 12-inch audiodisc spun at 331/3 revolutions per minute

England's John Logie Baird created a mechanical scanned video system in the late 1920s. The Baird television used 12-inch pressed-wax audiodiscs containing video test signals to assist in its daily adjustment. The British Broadcasting Corporation (BBC) provided an even greater advance a few years later with the introduction of an electronic scanning television system, replacing Baird's technology.

By 1940, German radio stations were using innovative magnetic audio-recording technology. In the United States, Ampex Corporation used parts carried into the country after World War II to develop its first magnetic-tape audio recorders. Later, Ampex turned its attention to developing the first successful videotape recorders, and Westrex developed the first stereo records.

The modern videodisc is a hybrid, the result of crossing a number of technologies. Special recognition is due 3M Corporation, which funded the first working videodisc players in the early 1960s. The company used silver-halide media read optically with a lightbulb illuminating source. Initially, the company's signal-pickup system decoded considerable "noise" (or interference) from adjacent video tracks. However, because there is little difference between consecutive movie frames (except for the movement of people or objects), 3M reasoned that image noise would seem reduced by spinning a videodisc at an even number of frames per revolution, or 1800 rpm. The company's patent on this concept in the

Stan Jarvis (POB 151044, Salt Lake City, UT 84115) is president of ISW Inc. He holds a bachelor's degree in product development and an M.B.A., and he uses an Otrona.

early 1960s immediately prompted industry leaders to view the videodisc as a potential video-image storage peripheral for a computer system.

The forces behind the development of video are distinct from influences that led to modern personal computers. Characteristics such as scan rates, interlace, and data formats were all established long before the emergence of popular cathode-ray-tube computer systems. Video data can be sourced from broadcast transmissions, videotape, videodiscs, or from digital frame buffers. One need only consider the amount of RAM (random-access read/ write memory) allocated to a typical screen control function in a personal computer to appreciate the difference between video requirements (in excess of 300K bytes for a single frame buffer) and computer display requirements. Developers of video systems usually avoid the need for massive amounts of screen memory by refreshing the cathode-ray tube directly from the video source's incoming data stream. Practical relationships between videodisc players and computers have been driven by two forces, broadcast applications and nonbroadcast interactive-video uses.

Broadcast television applications are annually introduced to eager buyers at the SMPTE (Society of Motion Picture

Printed On An Epson Printer By The Fancy Font System

Letter Quality

Say goodbye to correspondence quality and hello to Fancy Font's high-resolution, proportionally spaced letter quality Font provides fonts in sizes from 8 to 40 points, styles include Roman, Bold, Italic, Script, Old English, and more. All this on low-cost Epson (MX, RX, FX) and Gemini 10X printers. Fancy Font is an easy-to-use software package for CP/M and IBM PC compatible systems; no special hardware or installation is required.

Create Your Own Characters

You can use over 30 font sets in the Fancy Font package and furthermore, can create any new characters or logos you like, up to 1 inch by 1 inch. A database of over 1500 characters is included that makes it possible to print foreign languages and mathematical notations

Font Style Samples

small medium large Bold Italic Sans Serif Script Old English

 Φ Ψ Ω \mathfrak{B} \mathfrak{C} б д ж \pm \div \neq \leq \geq \Leftrightarrow @ \S \S

Numerous Applications

Fancy Font customers, numbering in the thou

constantly discovering new applications.

- Business and personal letters
- Custom forms invoices labels signs
- Foreign Languages
- Mathematical Notation Greek
- Super- and Sub-scripts
- View Graphs
- Custom Letterheads
- Resumés
- Articles for publication
- Newsletters, brochures
- Complete manuals
- Advertisements
- Invitations, place cards

(This ad was printed on an Epson MX-80 printer. Call fo Highlight: IBM and CP/M order now - (800) 351-0500 - M/C Visa

"The quality of print	SoftCraft, Inc., 222 State St. Suite 400, Madison, WI 5370	
is excellent, and the	(We've moved from California) phone: (608) 257-3 Fancy Font System \$180.00	300
variety of type styles	Fancy Font Demo Disk \$ 10,00 ¹ Calif, and Wis. residents add sales tax	
and sizes is even better.	" Outside US add \$10 (only \$2 for demo) postage	
Pat McKeague, InfoWorld, 5/2/83	Diskette Format: Byson QX10 Osborne OKavp	ro
Available for Bpson FX, MX, RX, Gemin 10X, IBM Graphics Printer, Riteman Inforumer, Tl 855/850,	B' CP/M Epson QX10 Osborne Kayp IBM PC ² Victor 9000 ² Apple CP/M ³ 1 \$750 applicable towards purchase of Fancy Font PCDOS/MSDOS systems require 128K memory. IBM printer wo	

ands, are	_	_		
InfoW	lo	rI.	d	
Software Re				
	-			
Fancy For	ı t			
				-
	4	-	p	llent
	Poor	Fuir	poog	Excellent
Performance	Poor	- Fuir		N Excellent
				N N Excellent
Performance Documentation Ease of Use				N

phone: (608) 257-3300

Fully transparent 8-bit printer interface required

and Television Engineers) and NAB (National Association of Broadcasters) shows. These are the video equivalents of the annual National Computer Convention. An excellent recent example of state-of-the-art commercial equipment is the VSP (Video Sequence Processor) from Picture Element Ltd. PEL's new offering can accept video signals from any of the international standard video formats and process signals recorded in 525-line and 625-line interlaced rasters, or even proposed 1125-line formats. It outputs finished video signals in the selected formats. Further, it can process computer-developed images such as 512- by 512-pixel, or 1024- by 1024-pixel resolutions and output them to standard video. It can also record and play up to 8 minutes of video in real time. slow motion, or one frame at a time. Another broadcast device of potential

interest is the Cox CVP100 Computer Video Processor. This \$13,000 device accepts a wide range of computer video formats, different scanning rates and logic pulses and outputs standard NTSC (National Television System Committee) video. Shintron has a similar product to interface home computers to NTSC video outputs.

In nonbroadcast applications, computer/video developments have been driven by the interactive requirements of video recorders and players used as a video signal source. A few years ago, small computer/video systems tended to be home built or one of a kind. Today, many companies market excellent products that feature integrated computer/video capabilities.

INTERACTIVE TRAINING AND EDUCATIONAL SYSTEMS

Instruction and training is a widely accepted application and a strong impetus for integrating computers and video equipment. Many early CAI (computeraided instruction) projects failed to reach their expected potential because they lacked audio and realistic video images. Some educators and developers concluded that the addition of videodisc peripherals to CAI programs could improve the success rates of users. This has proven to be the case.

Training systems incorporating videodiscs are usually categorized in levels. Level 1 systems are the simplest, con-

Cltoh and NEC8023 (IBMPC only)

Micro Age®

"THEY GAVE US THE COMPETITIVE EDGE!"

"Since opening our Orland Park store in 1981, we've doubled our square footage and are opening a second store in Oak Lawn; it's MicroAge's 100th store. MicroAge showed us how to develop a professional atmosphere, build a knowledgeable sales force, and provide the technical assistance needed to reach small to mid-size businesses in the Chicago suburbs."

"MicroAge is the franchise organization you like to have supporting you because they maintain high professional standards. With MicroAge, we've gained the type of reputation that brings referrals from satisfied customers."

"If we had to do it all over again, we'd do it with MicroAge!"



sisting of a video player and a monitor. The player may just as easily be a video-cassette player, if the material is to proceed linearly with user intervention. Home videodisc players have internal microprocessors to handle drive house-keeping functions. All except the least-expensive players have sufficient power to accept commands for search, auto

stop, chapter stop, and still-image display through either the player's keypad or via a CAT (computer-aided testing) plug. CAT is used to test machines under computer control at the end of the manufacturing process.

Table 1 lists four videodisc formats available today ranked in order of popularity. The majority of all videodisc drives are of the CED format (capacitance electronic disc), but only top-of-the-line players have ports and capabilities needed for computer connection. Currently, the LV (laser video) format is the easiest to work with because of the number of player brands and videodisc-pressing sources now available.

The VHD (video high-density) format is a technically neat compromise, able to play NTSC or PAL (Phase Alternate Line) from the same disc, but currently it is not available in the U.S. Panasonic's OMDR (optical memory disc recorder) allows you to record your own videodiscs. Blanks run several hundred dollars each. The not-yet-available (and unlisted) McDonnell-Douglas format will have a player, recorder, and duplicator, using a photographic film medium. Readily available Level 1 players include Pioneer-manufactured machines sold under the Pioneer, Sony, Magnavox, and Sylvania brand names.

Level 2 systems consist of a videodisc player and a controller, either internal or external. Control data can be decoded from a videodisc with a limited command set to handle most of the requirements. Level 2 systems are best limited to simple, dedicated applications, although this is a constantly changing area. For example, printers have been driven by Pioneer industrial players. The Sony player can drive a still-frame audio adapter.

Level 3 systems consist of a computer, videodisc player, video monitor, and any number of related peripherals. At a minimum, the computer controls the sequence of image strings from the videodisc player based on input from the user and control data stored on the videodisc, floppy disk, or other magnetic storage device.

Applications increasingly require computer-generated graphics to overlay a videodisc image. The earliest Level 3 systems, Apple or TRS-80-driven units using home-brew interfaces, demonstrated how difficult good-quality video overlay could be (see the text box "The Difficulty of Computer-Graphic/Video Overlay" on page 192).

Since that time, a number of video computer systems have shown significant improvement.

Terak is a specialized manufacturer whose equipment is often found in uni
(continued)

Table 1: Videodisc formats available today.

	Speed	Capacity in	NTSC	Speed	Capacity in	PAL	Techi	nology
Type	RPM	minutes	images	RPM	minutes	Images	pickup	disc
CED	450	60	27,000	375	75	27,000	Capacitive	Grooved
LV	1.800	30	54,000	1.500	30	45,000	Optical	Reflective
VHD	900	60	54,000	750	60	45,000	Capacitive	Grooveless
OMDR	1.800	13	22,000				Optical	Recordable

Table 2: A list of manufacturers and contact numbers for many of the products mentioned.

Platter Pressers			
Laser Video	(714) 630-6700	Anaheim, CA	
Pioneer	(201) 573-1122	New York, NY	
Sony	(201) 930-6432	Park Ridge, NJ	
Technidisc	(313) 352-5353	Troy, MI	
3M	(612) 733-3906	St. Paul, MN	
Players			
Hitachi	(312) 981-8989	Chicago, IL	
Panasonic	(201) 348-7000	Secaucus, NJ	
Philips	(212) 697-3600	New York, NY	
Pioneer	(201) 573-1122	Montvale, NJ	
Sony	(201) 930-6432	Park Ridge, NJ	
VHD	(714) 660-9294	Irvine, CA	
Videodisc Recorders			
Dover Instruments	(617) 366-1456	Westborough, MA	
Optical Disc Corp.	(714) 522-2370	Cerritos, CA	
Panasonic	(201) 348-7000	Secaucus, NJ	
Hardware and Systen	ns		
Bell & Howell	(312) 328-5175	Chicago, IL	
Compuvision	(212) 532-9113	Santa Cruz, CA	
Digital Controls	(404) 441-3332	Norcross, GA	
DEC	(617) 276-4111	Bedford, MA	
Digital Techniques	(617) 273-3495	Burlington, MA	
Hazeltine	(703) 827-2300	McLean, VA	
IEV	(801) 531-0757	Salt Lake City, UT	
Micro Ed	(800) 642-7633	Eden Prairie, MN	
NCR	(305) 323-9250	Lake Mary, FL	
New Media Graphics	(617) 272-8844	Burlington, MA	

Information Sources and Conferences

Nebraska Videodisc Symposium, August 27-30, Lincoln, NE (402) 472-3611 Optical Memory News, POB 14817, San Francisco, CA 94114, (415) 621-6220 SALT 6th Annual Interactive Videodisc Conference, August 22-24, Washington, DC (703) 347-0055

Park Ridge, NI

Scottsdale, AZ

Madison, NI

Natick, MA

Videodisc Monitor, POB 26, Falls Church, VA 22046, (703) 241-1799

(201) 930-6432

(602) 998-4800


(201) 377-0302

(617) 655-1503

Terak

Visage

Video Vision



☐ Send me the complete LIFEBOAT

LATTICE, C-FOOD SMORGASBORD and

LATTICE WINDOW,TM @ Lattice, Inc.

Circle 182 on inquiry card

software catalog. \$3.00 enclosed for postage and handling.

State

Telephone

LIFEBOAT TM Lifeboat Associates

HALO,TM Media Cybernetics PANEL,TM Roundhill Computer, Ltd Zip

FLOAT87.TM Microfloat

IBM and PC,®TM International Business Machines
MS.TM Microsoft

versities and in industry. (Table 2 lists the phone numbers and addresses of companies mentioned in this article.) Terak offers a PDP 11-23-based processor, 512K bytes of RAM, and a 10-megabyte Winchester hard disk integrated with a videodisc player. The graphic system provides 256 simultaneous colors, 640-by 480-pixel resolution, and full video overlay. The Terak color computer costs less than \$20,000.

The DEC IVIS (Interactive Video Information System) was announced last spring, based on Digital's top-of-the-line PRO-350 personal workstation. The IVIS includes most of the PRO-350 features

such as a PDP 11-23 processor, up to 512K bytes of RAM, a 10-megabyte Winchester hard disk, and a VR241 RGB (red-green-blue) color monitor. The IVIS module attaches to the back of a PRO-350 chassis and accepts analog video signals from a Sony disc player. These signals are converted to RGB for display, with overlays capable of 960-pixel by 240-line resolution with up to eight simultaneous colors. Options include a mouse, joysticks, and a graphics pad. An IVIS system costs \$18,600 with a membrane touch panel on the RGB monitor, and \$16,600 without the panel.

Converting NTSC signals directly to

RGB works well in the IVIS. The display is iitter-free and impressive. The RGB display approach is preferred by other manufacturers including Terak because overall resolution can be more easily optimized, eliminating the need to reconvert to NTSC. This is a case of adapting video to conform to the computer rather than adapting the computer to video. Early systems, such as TICCIT (Timesharing Interactive Computer Controlled Instructional Television-sponsored by the National Science Foundation) used standard analog television monitors, conforming the computer to the requirements of NTSC.

NCR (National Cash Register) introduced its first video/computer at the semiannual SALT (Society for Applied Learning Technology) conference on interactive systems. NCR has replaced the standard monochrome tube for an RGB color monitor in one of its personal office computers. Unlike the IVIS, the videodisc interface controller and RGB graphics-overlay boards are contained internally in the slots for expansion cards. The first model shown uses a Pioneer player and will retail for about \$8000. A lower-priced IBM PC-compatible model, scheduled for a summer introduction, will receive the same video treatment. That model's price is targeted at \$6500. This may indicate the start of a trend among office-computer manufacturers, where the video-enhanced models may be sold to a corporation as trainers for all the users of regular machines. Other companies are believed to be completing similar modifications, including Zenith, Some expect the forthcoming IBM "Vision Machine" to be a similar device.

Next year Sony should introduce its own videodisc recorder and a single box system with digital data decoding from the videodisc. Sony's VIPS (Visual Information Processing System) is based on the SMC-70 video-support microcomputer which controls its videodisc player(s), U-Matic, or Beta-format VCRs (videocassette recorders). The SMC-70 uses a 4-MHz Z80 with an optional 8086 Supercharger. Factory options include two types of graphicimage superimposers, still-frame audio, control of multiple players, touchscreen monitors, and a range of analog/RGB monitors. The VIPS has several graphic

The Difficulty of Computer-Graphic/Video Overlay

o combine two NTSC signals to form a composite, both must be phase locked in the vertical, horizontal, and chroma, lest the image roll, flicker, or change color with time. Video sourced from videodiscs is usually more stable and accurate than that which comes from videotape, yet the signals still leave a great deal to be desired. There may be dropouts in the horizontal sync, vertical sync, or during the video. Some players turn off the video when they jump to relock on the start of the spiral at the end of each still frame.

Either the player can be locked to the overlay system or the system can be locked to the player. Sync locking often employs analog-phase looped systems to generate internal horizontal and vertical sync pulses. Locking the player and system to the vertical and horizontal syncs is relatively straightforward compared to locking to the chroma for two reasons.

First, as the size of single pixels on an overlay may be close to the same size as the chroma subcarrier, it is essential that a pixel clock not drift in relation to chroma lest its position or color change. For example, a single video line may contain about 256 color pixels. Out of some 50 usable microseconds per video line, each pixel's width would be about 200

nanoseconds, or a pixel frequency near 5 MHz. The 3.579545-MHz chroma subcarrier frequency has a period of 279 nanoseconds, close to the pixel frequency.

Second, NTSC specifies that the phase of the chroma signal will rotate 180 degrees every line and every black-andwhite field (horizontal scanning frequency is 2/455th burst frequency or 227.5 cycles/line). With an odd number of lines (525) in every frame, the chroma will be out of phase 180 degrees with the chroma at the rising edge of the subsequent video frame. Because in every frame the phase rotates as well, it takes four fields for the chroma pulse to come back to zero-phase relationship. This presents little trouble when overlaying video-motion segments, or, for that matter, still-frame images from VHD or CED capacitance discs. (They record still-frame images as four and eight fields, respectively.) However, it is a problem when overlaying still frames from 1800 rpm videodiscs where a single two-field image is repeated continuously, so that chroma is out of phase 180 degrees every other frame. This problem can be resolved under master-computer control so that the overlay knows whether the disc is doing a still-frame or video-motion segment.

the sudden obsolescence Announcing of the floppy disk.



HALF-MEGABYTE MEMORY BOARD


The first bubble memory board for IBM PC/XT and compatible computers.

- · NON-VOLATILE: You don't lose data when
 - Eight times faster than a floppy disk.
 - · For fixed or portable use without need
 - Impervious to dust, dirt, humidity, cold
 - as reliable in the North Sea, the Sahara, a Space Station, as in your office.
 - Mean time between failure (MTBF) Rugged enough to withstand vibration
 - and shock up to 200Gs. For complete details contact:




Helix Laboratories, Inc., 8123 Remmet Ave., Canoga Park, CA 91304 (818) 710-0300—outside California, 800-468-0004 Dealer Inquiries Welcome


Prentice-Hall speaks an IBM language other publishers have forgotten. English.



THE IBM PC/XT GRAPHICS BOOK by John Fowler, Ph.D. An example-packed IBM BASIC graphics tutorial. Covers both simple and advanced concepts for business and pleasure. \$16.95




CROSS REFERENCE UTILITY (CRF): A Programming Aid for the IBM PC by The Sumar Corporation. Provides a complete reference listing of variables in a BASIC program in order to review, analyze, and modify programs for maximum capability. \$29.95




TELECOMMUNICATIONS WITH THE IBM PCjr by David W. Carroll. How to use the new IBM PCjr as a home communications terminal for gaining access to data-bases, sending and receiving electronic mail, and communicating with other computers all over the world. \$15.95



IBM PC 8088 ASSEMBLY LANGUAGE TUTOR by Richard Haskell. Part of the leading series in assembly language tutorials, this edition covers 8088 arithmetic, branching instructions, graphics, addressing modes, and much more. Enables mid-level users to maximize machine potency. \$34.95



GETTING THE MOST FROM WORDSTAR "
AND MAILMERGE" Things Micropro Never
Told You by M. David Stone. Exciting new ways to
take full advantage of these two highly popular wordprocessing programs. \$14.95.



SCIENCE AND ENGINEERING PROGRAMS FOR THE IBM PC by Cass Lewart, With comprehensive prompting and error trapping, these programs cover problems in electrical engineering statistics, queuing theory, reliability, curve fitting, along with many other related technical disciplines, Book/disk available, \$9.95

PRENTICE-HALL BOOKWARE THE LEADER IN COMPUTER PUBLISHING

For more information about our computer books and software, write to us at the address below. Dealer inquiries welcome. Prentice-Hall, General Publishing Division, Englewood Cliffs, N.J. 07632

* We guarantee that all our guides are easy to read and simple to apply without the aid of a reference library, a computer salesperson, or a niece who just graduated from M.I.T.

modes including a 400- by 240-pixel, eight-color overlay onto video. Costs for single systems run \$4000 to \$8000, depending on options.

Japan Victor, the leading developer of the VHS (Video Home System) VCR format and the VHD videodisc format. sells an integrated system aimed at the home user. The system consists of a video microcomputer, an RGB graphicoverlay interface, a VHD videodisc player, and an analog/RGB monitor. (Analog/RGB monitors are being offered for home and business by most Japanese TV manufacturers.) The company's HC-6 personal computer runs MSX Microsoft BASIC with a Z80 processor and 32K bytes of RAM. Program data is sourced from either audiocassettes or ROM (read-only memory) cartridges. Options include a printer, modem, joysticks, and other peripherals. The HC-6 provides a 16-color text and graphic overlay at a resolution of 256 by 192 pixels, with up to 32 sprite planes. The visual performance is impressive, especially considering its retail price is well under \$2000.

Similar MSX systems are offered by other VHD-format manufacturers in Japan, and by Sony for use with Beta VCRs. I especially like Sharp's inclusion of television channel and audio controls in the keyboard unit of its X-7 model. Even though the manufacturers project dramatic price reductions for these integrated home-video computers next year, it's unlikely that MSX systems will be introduced in the U.S. because none of the companies that manufacture them have strong home computer marketing channels.

COMPONENTS AND INTERFACES

In addition to integrated solutions offered by major manufacturers, boards are available that allow you to hook up videodisc players to almost any computer. These boards enable you to overlay computer signals over video as well. Over a dozen companies sell boards to connect Pioneer home videodisc players to Apple IIs. A similar number offer IBM boards. Here's a representative sample.

Starting again at the high end, New Media Graphics' \$9850 GraphOver 9500 features a 768- by 480- by 4-bit display window, control, and switching for two video players, and both RGB and NTSC output. Software routines provide pan, step zoom, and split screens. A 6809 display processor is used, together with an NEC 7220 graphics generator. This device connects to any computer with an RS-232C interface.

Visage is releasing its first product for the IBM PC—the VDC-1000 videodisc controller card. The \$1150 card features 15-color still and animated graphics with up to 32 sprites at a time. Four planes of overlays provide resolution of 190 by 256 pixels. The board also reads data


(continued)



MS-DOS is a trademark of Microsoft Corp. IBM is a registered trademark of International Business Machines Corp. Utah Pascal is a trademark of Ellis Computing, Inc.

San Francisco, CA 94122

(415) 753-0186



SAVE MORE THAN EVER

3M Scotch® DISKETTES

AND OTHER COMPUTER NEEDS!



LIFETIME WARRANTY!

3M BULK DISKETTES AT TREMENDOUS SAVINGS!

These are genuine 3M diskettes with a lifetime war anty. But they are bulk packed in cartons of 50 with separate white Tyvec envelopes. No identification labels, write protect tabs or cartons are provided! A great buy for volume users.

514" DSDD -

51/4" SSDD-96TPI

\$2.20

51/4" DSDD-96TPL

\$2.75

All have reinforced hub SOFT SECTOR ONLY

(for IBM, APPLE, KAYPRO, DEC and about 99% of all computers.) Must be ordered in multiples of 50!

BOXED 3M DISKETTES WITH ALL THE TRIMMINGS!

Factory-fresh 3M packaging with envelopes, 3M logo labels, ID labels and write-protect tabs.

51/4" SSDD 51/4" DSDD -

51/4" DSDD-96TPI

\$2.05 \$2.50

Minimum order of 20 diskettes. Additional diskettes in multiples of 10.

3M HEADCLEANING KITS

Stop swearing and start cleaning. This non-abrasive cleaning kit has everything you need for thirty applica-

SAVE MONEY WITH A CLEAN COMPUTER! INTRODUCING MINI-VAC



Most computer malfunctions are caused by dust. MINI-VAC is ideal for cleaning keyboards, screens, drives and printers. (Great for photo equipment, tool) Equipped with an easy-empty bag, two directional wands and two fine-brush nozzles. Don't compute without it. (Requires

AT LAST: A DISK DRIVE DIAGNOSTICS SYSTEM THAT WORKS!

The Dymek Recording Interchange Diagnostic (RiD) is a professional, but easy to use, drive diagnostic disk. It tests drive speed, radial position, hysteresis, write function, erase crosstalk, signal-to-noise and clamping. In short, it's a professional's system that will help you keep your machine in prime condition...and avoid the evils of data loss.

\$29.95 + \$1.50 Shpng



MEDIA-MATE 50: A REVOLUTION IN DISKETTE STORAGE

Every once in a while, someone takes the simple... and makes it elegant. This unit holds 50 5 1/4" diskettes, has grooves for easy stacking, nipples to keep diskettes from slipping in the case and several other features. We like it. \$10.95 + \$2.00 Shpng



DISKETTE 70 STORAGE: STILL A GREAT BUY

Dust-free storage for 70 51/4" diskettes. Six dividers included. An excellent value.

\$14.95 + \$3.00 Shong.

FRINTER RIBBONS AT BARGAIN PRICES.

EPSON MX-70/80	\$3.58 + .25 Shpng
EPSON MX-100	\$6.99 + .25 Shpng.
Okidata Micro 84	\$3.66 + .25 Shpng.
Diablo 630 Myla	\$2.60 + .25 Shpng.
Diablo 630 Nylon	\$2.93 + .25 Shpng.

THE END TO RS-232 CABLE PROBLEMS: SMARTCABLE

Now interfacing almost any two RS-232 devices is simple and quick. Just plug in SMARTCABLE and flip two switches. The logic of both devices is figured out two switches. The logic or both simmediately and you can get to work. \$79.95 + \$1.50 Shpng.

Shipping: 5% DISKETTES—Add \$3.00 per 100 or fewer diskettes. 5" DISKETTES—Add \$4.00 per 100 or fewer diskettes. DTHER TIEMS Add shipping charges as shown in addition to diskettes shipping charges. Peyment: VISA and Mastercard accepted, COD orders crity, add \$3.00 handling charges. Taxes: Illinois residents, please add 8% sales tax:

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PHODUCTS AND QUANTITIES!

> Nationwide: 1-800-621-6827 Illinois: 1-312-944-2788 Hours: 9AM - 5PM Central Time Minimum Order: \$35.00

DISK WORLD!, Inc. 30 EAST HURON STREET CHICAGO, ILLINOIS 60611

Authorized Distributor Information Processing Products

VIDEODISCS

that has been encoded on the videodisc. Visage is a well-financed start-up company with good field support.

IEV is another recent start-up. founded by engineering managers from a broadcast television charactergenerator company. IEV introduced a series of video boards for the IBM PC including a \$400 video-overlay board. The board accepts NTSC composite video from tape or disc sources and RGB from one of two companion bitmapped graphics boards. The baseboard provides a 16-color 640- by 400-pixel overlay for \$750.

For some time, the lowest-price videodisc interface solution consisted of a year's subscription to BYTE and parts to duplicate Steve Ciarcia's Circuit Cellar interface, all for around \$100. No commercially available interface is under the three-digit figure in the U.S., but some are coming close.

Micro-Ed has an interface connecting a Commodore 64 to Pioneer-manufactured consumer laser video players for \$199. Video Vision Associates offers its VAI-135 interface to connect the same videodisc players to Apple II and IIe computers for \$125. Neither offers video overlays. Coleco is rumored to have a videodisc interface for Adam in the works for home disc games.

Level 4 systems are at the esoteric end of interactive video. They are characterized by complexity, additional image post-processing, multichannel (up to 32) audio, windowing, digital-screen assembly, etc. Few are driven by single microcomputers. The cost of the videodisc hardware is rather insignificant to the overall price of Level 4 systems. Power and capabilities constantly change, so many features of developing Level 4 systems may be found in smaller systems in the near future.

COMMERCIAL AND POINT-OF-PURCHASE SYSTEMS

Whereas most of the training video/ computer applications tend to be used in companies or organizations, commercial uses are finding a broader audience. One emerging application is the pointof-purchase (POP) information presentation in retail stores.

POP computers and peripherals are similar to Level 2 and 3 training systems. A menu is presented on screen or on

Powerful CP/M° Software.

For Apple, Osborne, Kaypro, Rainbow, NEC, Epson, Heath, Xerox and others.

NEVADA

When we introduced Nevada COBOL in 1979, it was loaded with innovations. Today's, Edition 2.1 is even better!

□ Extremely Compact. You can compile and execute up to 2500 statements in 32K RAM, 4000 statements in 48K, etc.

☐ It's based upon the ANSI-74 standards with level 2 features such as compound conditionals and full CALL CANCEL.

☐ You get a diskette, 165-page manual with lots of examples and 16 complete COBOL source code programs.

Also available: COBOL Application Packages, Book 1 \$9.95

NEVADA SCA

This newest addition to the 8-bit Nevada product line has many advanced features:

- ☐ 14-digit precision, BCD Math, no round-off errors with decimal arithmetic for business and floating point +63 -64 for scientific.
- □ A very nice TRACE style debugging. Arrays up to 8 dimensions and 64K strings.
- ☐ External procedures and functions with dynamic auto-loading.
- One-step compile, no assembly or link required.
- No limits on size of procedure, nesting levels, recursion.
- ☐ Requires 60K RAM and one disk drive with at least 90K storage. ☐ You get a 184-page manual and diskette rev. 4.1.

NEVADA FORTRAN

- ☐ FORTRAN IV based upon ANSI-66 standards with some 1977 level features.
- ☐ IF . . THEN . . ELSE constructs.
- ☐ A very nice TRACE style debugging.
- ☐ 150 English language error messages.
- You get a diskette, including an 8080 assembler and Nevada FORTRAN rev 3.2, 214-page manual and five sample programs. Requires 48K RAM.

NEVADA

- This interpreter has a built-in full-screen editor.
- Single- and Multi-line functions.
- □ BCD Math—no round-off errors.
- □ Full Matrix operations.
- ☐ Requires 48K RAM.
- ☐ You get 220-page manual and diskette rev. 2.5.

NEVADA **EDIT**

- ☐ A full-screen video display text editor rev. 3.1 designed specifically to create COBOL, PASCAL and FORTRAN programs.
- ☐ See the review in May 1983 Microcomputing.

NEVADA PILO

☐ See review in January 1983 MICROCOMPUTING. ☐ You get a diskette rev. 6.1, 131-page manual and ten useful sample programs.

3

This is a limited time offer, so order yours today!

ELLIS COMPUTING, INC.

3917 Noriega Street San Francisco, CA 94122

Phone (415) 753-0186

The CP/M Operating System, an 8080, 8085 or Z-80 microprocessor, and 32K RAM are required, unless stated otherwise above.

Diskette format:

- □ 8" SSSD (Standard CP/M IBM 3740)
- 51/4" Diskette for:
- ☐ Apple CP/M☐ DEC VT 180
- DEC Rainbow Epson QX-10

- ☐ Epson QX-10
 ☐ Heath Hard Sector (Z-89)
 ☐ Heath Soft Sector (Z-90, Z-100)
 ☐ IBM-PC (Requires Z-80, CP/M-80 card)
 ☐ Kaypro Double Density (NCR)
 ☐ Micropolis Mod II
- ☐ NEC PC 8001

- North Star Double Density North Star Single Density
- Osborne Single Density Sanyo 1000, 1050 Superbrain DD DOS
- 3.X (512 byte sec)
- Televideo
 TRS-80 Model I Base
- 0 mapper

 ☐ Xerox 820 Single Density

Satisfaction is guaranteed—or your money back. If for any reason you're not completely satisfied, just return the package—in good condition with the sealed diskette unopened—within 30 days and we'll refund your money.

Please send me: Software Packages □ FORTRAN □ EDIT □ PASCAL □ BASIC COBOL packages @ \$39.95 each Total Send my order for COBOL Applications Package @ \$9.95 each Total California deliveries add 6% or 6.5% sales tax Outside North America, add \$6.00 per package for shipping. (Postage paid within North America.) Checks must be in U.S. Dollars and drawn on a U.S. Bank. ☐ COD if COD add \$4.00 ☐ Check enclosed TOTAL_ ☐ VISA MasterCard Card#. Signature Ship to: Name. Street City/St/Zip

CP/M is a registered trademark of Digital Research, Inc. Microsoft is a registered trademark of Microsoft Corp. TRS-80 is a registered trademark of Tandy Corp. Apple II is a trademark of Apple Computer, Inc. Osborne is a registered trademark of Osborne Corp. Merox 820 is a trademark of Xerox Corp. Kaypro is a trademark of Non-linear Sys. Heath/Zenith is a trademark of Heath Corp. IBM is a registered trademark of International Business Machines, Corp. Nevada BASIC, Nevada COBOL, Nevada FORTRAN, Nevada PILOT, Nevada EDT, Nevada PASCAL, and Ellis Computing are trademarks of Ellis Computing, Inc. © 1984 Ellis Computing, Inc.

Sony should introduce its own videodisc recorder next year, and a single-box system with digital-data decoding from the videodisc.

a printed graphic panel. Viewers punch in the required digit(s) causing the videodisc drive to branch to a motion segment. At its conclusion, either another menu is presented for your selection or the program defaults to the starting menu.

Such systems are satisfactory, but more interesting things are possible when you add computer control. By Video, a Nolan Bushnell start-up, is sampling a kiosk with a videodisc player, touchscreen monitor, keyboard, and credit-card reader. The objective is to use interactive-video catalogs for shopping that is not assisted by human operators. Digital Techniques has introduced its similar Touchcom II intelligent POP/information terminal with options including a videodisc player and credit-card reader. A number of others are about to emerge as well.

Another market niche that rapidly is being filled with offerings is POP in computer stores. Compuvision introduced a POP system at the last COMDEX trade show using an RCA interactive player driven by a Commodore 64 hidden within a stand-up cabinet. Compuvision charges advertisers, whose product information the video player holds, for customers' viewing time in computer stores where the Compuvision machines are located. With expected usage fees, the machines are essentially free to the retailer. The computer keeps track of how often each "commercial" is selected by a customer and periodically transmits this information via modem to substantiate advertiser charges. Being a subsidiary of Softsel, a major software distributor, is a big plus for Compuvision.

Digital Controls has another approach. This company, a manufacturer

of countertop video-arcade games, has been producing integrated training systems with its own Apple interface cards for several years. Digital Controls essentially swapped out the coin mechanism from its 6809-based game machine, added a keypad, and is marketing it as the Learning Center. It creates videodisc training courses for popular software packages, as well as monthly POP demonstration videodiscs for a wide variety of products. Retailers can easily program out products not offered in their stores. Digital Controls claims retailers can pay for the Learning Center in under three months by selling time to train customers to use new software products.

LOCAL VIDEO RECORDING FOR COMPUTER SYSTEMS

One appeal of the integrated video/ computer system is the practicality of creating custom video material. This is simple with videocassette integrations. because videocassette recording equipment is widely available. Discs present more of a problem. One can make custom laser videodiscs at Sony, 3M, Pioneer, Technidisc, Laser Video, Hitachi, or Sonopress. Expect to pay a \$2000 to \$3000 master cost plus a perdisc price of \$20 or more in low volume. In higher quantities you may pay less than \$10 apiece. Most factories require all video material to be submitted on 1-inch videotape.

If you need more confidentiality or security in making discs, or if you need only one disc, there are a number of alternatives. The Panasonic OMDR format uses recordable, preformatted, 20-centimeter diameter, optical discs. Two disc formats are available: 15,000 tracks for the lower-end recorder/ players, and 22,000 tracks for the newest machine that also records in motion with stereo audio. The 15,000-track machines record one frame at a time and have variable playback speeds up to 30 frames per second, but they offer no audio. Panasonic's new \$3000 player is being introduced to accompany the recorder/players priced from \$20,000 to \$30,000.

Other Japanese companies are developing videodisc recorders that are compatible with existing laser videodisc players, but none will introduce products in the U.S. before 1985.

Optical Disc Corporation (ODC) has announced a recorder using its own proprietary, unformatted recordable media. Recorded discs can be played on existing laser videodisc players. The ODC recorder has a base price of about \$160,000. ODC is a start-up founded by former associates of DiscoVision.

Dover Instruments sells its Mastermaker for roughly the same price. It can be configured for any format including compact discs. Dover has supplied similar equipment or air-bearing turntables to most of the optical-disc manufacturers in the world.

Note that all the above are for making single masters only. (You can make copies on the OMDR using a recorder and a player for direct transfers.) If you expect to buy a recorder and go into business making any kind of discs, be aware that there are no real sources to sell you duplication equipment. Technically, making masters is easy when compared to the complexity and cost of making copies.

Vertically recorded magnetic videodiscs may be offered at affordable prices before optical-videodisc recorders. One of my Japanese associates showed me a paper comparing the vertical-recording head design and performance of Sony, Matsushita, Sharp, and other videodisc recorders. All the manufacturers reported current data densities four times greater than current optical videodisc densities and claimed to be interested in standardization of recording format. Whether that means a useful floppy videodisc is imminent is speculative.

INTERACTIVE VIDEO COMPUTER SOFTWARE

Video-enhanced computer systems need good software to take advantage of the user interaction and possible visual capabilities. As with hardware, there has been a noticeable improvement in educational, training, and exhibition software.

Authoring systems deal with the mechanical requirements of running courseware on computers. Author software deals with display creation, response acceptance, analysis of constructed response, and conditional branching. More sophisticated authoring systems deal with broader areas of

Announcing the Only 97 Function Key Detached Keyboard for Your Apple II/Apple II Plus




Enhance and Upgrade Your Apple II/Apple II Plus

The new detached keyboard from DATA SPEC™ offers you a convenient, cost-effective upgrade for your Apple II/Apple Il Plus. Experience more versatility than ever before with 97 effortless pre-programmed functions. Functions include basic keywords, operating system com-mands, CP/M commands and much more. 0 20 of the most used functions are conveniently located on a separate keypad for handy access. And all four mathematical functions sit next to a 10-key numeric pad 6 for added ease-of-use. Eliminate the need to enter commands manually. Find your programming time cut by 50% or more.

State-of-the-Art Design Keeps You in the Forefront

The new, sleek low-profile design on the DATA SPEC detached keyboard includes a convenient 3-position tilt adjustment @ to correspond to your ergonomic needs. Familiar "posi-touch", quality typewriter style keys give you "room to work". Separate LED power-on 6 and "cap" lock 6 indicators add to your visual comfort. In addition, a handy 10 foot coiled cable @ lets you move your keyboard without the burden



of relocating your computer. And, durability is never compromised in this scientifically formatted design.

You Can Depend On DATA SPEC

The APL-KB-825 detached extension keyboard is brought to you by DATA SPEC, from Alliance Research Corporation where quality, service and reliability have been our primary concerns. See the 97 Function Keyboard at a DATA SPEC dealer in your area, or contact us today for a retailer near you.

- Suggested List Price: \$299.95
- Warranty-One Year. Parts/Labor
- Watch for our Apple IIe and IBM PC Detached Keyboards Available Soon.
- Dealer and Distributor Inquiries Welcome.

Apple is a trademark of Apple Computer, Inc. CP/M is a trademark of Digital Research IBM is a trademark of International Business Machines Corporation

The Family of High Integrity Computer Support Products 18215 Parthenia Street . Northridge, CA 91325 (818) 993-1202

critical concepts and variables, curriculum design, production, and revision. Authoring software can be categorized in levels on the basis of power and sophistication.

Authoring Level 0 includes software that simply controls the operation of the delivery hardware. Usually written in machine language or general-purpose language like BASIC or Pascal, this level is useful for single, unique applications where speed of delivery or size of produced code are the overriding factors.

Authoring Level 1 languages have commands and facilities expressly designed to support interactive video, but they require that you understand design

philosophy and programming languages. Examples of Level 1 authoring systems include the powerful Tutor language used in Plato. Originally designed in the early 1970s for Control Data Corporation's CDC 6000-series mainframes. succeeding versions have been developed for a number of other computers. The Simpler system running on Modcomp equipment and DEC's recently announced DAL language for use on its VAX are direct descendants of the original Tutor language. Other examples include Coursewriter, used on the early IBM 1500 and now adapted for microcomputers and variations of the Pilot language that are used on home

Authoring Level 2 provides a selection of elements or templates from which nonprogrammer authors can create lesson content. Some Level 2 authoring systems such as SMS support the structure of the courseware as well as the content. The earliest example of a Level 2 system was TICCIT, which merged video segments into instructional presentations. Other examples of the template approach are the Bell and Howell Pass system (for Apple II), Hazeltine's MicroTICCIT, and many others.

Authoring Level 3 is the most sophisticated type. Its metalanguage defines generic instructional elements that are grouped into sets of tools. It augments the instructional support available at Level 2 for nontechnical authors, where a specialist can design general instructional environments that are compatible with the hardware on which the produced courseware is to execute.

Most known authoring systems restrict users to a specific set of instructional components, yet it is not certain that these will be acceptable to the client or author who must use them. Level 3 systems provide a completely general facility so users can create their own instructional elements, if desired, to augment those supplied by the manufacturer.

An example of a Level 3 system is CDS (Courseware Design System). CDS, originally designed by Dr. James Schuyler in 1973-1975, provides a basic Level 1 language similar in many ways to Tutor, but additionally allows a lesson written in CDS to create or spawn another lesson. Electronic Information (continued)

EE/EPROM PROGRAMMERS & UV ERASERS R eliability # ffordability Maintainability P rogram GANGPRO 8

Choose from our Stand Alone, Intelligent, RS-232 units. COMPATIBLE WITH ANY COMPUTER OR TERMINAL.

GANGPRO-8.....\$995.00

High throughput. Gang 8 EPROMS with the fast Algorithm. Optional 512K buffer. Programs **ALL** 24 pin & 28 pin EPROMS. Other units to gang 24 EPROMS.

PROMPRO-8 \$689.00

Powerful commands, easy communications, 128/256K buffer. Alpha Display, Simulation and Keypad option. Programs **ALL** EPROMS & MPU's.

PROMPRO-7 \$489.00 32K RAM buffer, ideal for programming 8748, 8749, other Intel MPU's and 16K-128K **EPROMS**

BIPOLAR & PAL Programmers...Call!

UV ERASERS

ECONOMY MODEL QUV-T8/1....\$49.95 Erases over 15 EPROMS. Plastic case.

INDUSTRIAL QUV-T8/2N.....\$68.95 Metal case, UV indicator, tray, erases over 15

EPROMS in 15 minutes.

INDUSTRIAL QUV-T8/Z..... Fast Eraser, 15 EPROMS in 7 minutes, 30 EPROMS in 15 minutes

PRODUCTION UNIT \$149.95 Model: ULTRA-LITE** . Erases 50 EPROMS in

TOLL FREE 1-800-EE1-EPROM (331-7766) · FLORIDA (305) 974-0967

AVAILABLE SOFTWARE DRIVERS 2. APPLE II 3. Intel-MDS

4 CPM 1 IBM PC 5. TEXTRONIX8002 6. COMMODORE 64 7. TRS-80 COLOR 8. FLEX

DEPT. 6, 1321-E N.W. 65th PLACE FT. LAUDERDALE, FL 33309 DISTRIBUTORS INQUIRY WELCOME

Finally, there is a full line of ni can'i quality printers available to meet a variety of needs. And all from a single manufacturer... FUJITSU. From dependable dot matrix printing to advanced thermal printing, you can't buy more performance for the price. Ouality That's Built In: Fujitsu quality is built into every printer manufactured. That quality translates into high reliability (MTBF), versatile print capability, low maintenance, low noise, and high speeds. And Fujitsu printers are serviced by TRW, a nationwide service organization.

A Complete Printer Line: Fujitsu's dot matrix printer, with its 24 wire head, offers letter quality printing at 80 CPS. With its ability to also produce draft quality, correspondence quality and high resolution graphics, the Fujitsu DPL24 leads dot matrix technology.

In daisy technology, Fujitsu's SP830 is the fastest letter quality printer in the industry at 80 CPS. Fujitsu's SP320 daisywheel printer also provides cost effective letter

quality printing at medium speeds. Fujitsu offers thermal printing with its TTP16 printer. The low-cost printer accepts a wide variety of papers and operates quietly at less than 50 dBA.

Call Us Today: Contact Fujitsu America, Inc., at 408-946-8777 for the printer distributor nearest you.

DISTRIBUTORS: Algoram Computer Products (415) 969-4533, (714) 535-3630, (206) 453-7136, (916) 481-3466; Allen Edwards Associates, Inc. (213) 328-9770, (714) 552-7850, (619) 273-4771, (805) 498-5413; Four Corners Technology (602) 998-4440, (505) 821-5185; Gentry Associates, Inc. (305) 859-7450, (305) 791-8405, (813) 886-0720, (404) 998-2828, (504) 367-3975, (205) 534-9771, (919) 227-3636, (803) 772-6786, (901) 683-8072, (615) 584-0281; Hopkins Associates, Inc. (215) 828-7191, (201) 273-2774; Inland Associates, Inc. (913) 764-7977, (612) 343-3123, (314) 391-6901; Logon, Inc. (201) 646-9222; Lowry

3123, (314) 391-6901; Logon, Inc. (201) 640-9222; Lowry Computer Products, Inc. (313) 229-7200, (216) 398-9200, (614) 451-7494, (513) 435-7684, (616) 363-9839, (412) 922-5110, (502) 561-5629; MESA Technology Corp. (301) 948-4350; NACO Electronics Corp. (315) 699-2651, (518) 899-6246, (716) 233-4490; Peak Distributors, Inc., (An affiliate of Dytec/Central) (312) 394-3380, (414) 784-9686, (317) 247-1316, (319) 363-9377; R² Distributing, Inc. (801) 298-2631, (303) 455-5360; S&S Electronics, (617) 458-4100, (802) 658-0000, (203) 878-6800, (800) 243-2776; USDATA (214) 680-9700, (512) 454-3579, (713) 681-0200, (918) 622-8740.

重量重量

PERIPHERAL PRODUCTS DIVISION

Quality Lives



"Thoughtware, How Can I Become A More Effective Leader?"



Thoughtware is new, easy-to-use software that will help you see and understand how to become a better manager. It's a unique series of personal, computer-based management diagnostic and training programs.

® Thoughtware is a registered trademark of the Institute for Management Improvement.

How can you become a more effective leader? Thoughtware Program 2.1, "Leading Effectively," will tell you. This four part program has been designed to help managers improve their effectiveness as leaders. It gives you an opportunity to assess your own management style and to compare your results to the self-assessments of other managers.

O

Unit 1 defines leadership and discusses its three key elements—style, situation and strategy. It stresses the importance of matching the leadership style to the situation and of getting and giving feedback.

Unit 2 is designed to improve your leadership style

and increase your ability to perform more effectively. You will see the difference between the kinds of power you exert and the importance of using your influence to affect the behavior of others. You'll also learn about three factors affecting your leadership style: the assumptions you make about people, the degree to which you are task- or peopleoriented, and the attitudes you have about the competence of those you supervise.

Unit 3 asks you to analyze a leadership situation

you currently face in order to determine what style of leadership is appropriate for your particular situation.

Unit 4 offers guidance on how to use eight effective leadership conditions.

To take advantage of the incredible new technology that is Thoughtware, see the adjacent column.

Thoughtware Programs run on the following: IBM® PC and compatibles with color graphics card.
Apple® II Plus and IIe.



Expanding The Universe Of Learning.

Thoughtware Is The Future.

It's a new way to learn, a logical and innovative approach to management training. It will revolutionize management training now, and in the future. Thoughtware utilizes the latest research in management development from leaders in the field, and has been tested nationally.

For individuals and their organizations, the educational, economic and operational benefits of Thoughtware's computer-based learning programs are enormous. But Thoughtware isn't just the future.

Thoughtware Is The Present.

Some of the corporations and organizations who have purchased Thoughtware's Assessing Personal Management Skills Program include:

American Express American Mgt. Assoc. Apple Computer AT&T Avon Bankers Life Blue Cross & Blue Shield Bank of Boston Bureau of the Census Chevron USA Ciba-Geigy Citibank City of Dallas Crown Zellerbach Dow Jones Dun & Bradstreet Du Pont Ernst & Whinney Exxon Federal Reserve Bank Fireman's Fund General Electric General Foods Georgia-Pacific Gov't of Canada Gulf Oil Corporation Hewlett Packard Horn & Hardart Hughes Aircraft Co. Husky Oil IBM

Ingersoll-Rand IRS Johns Hopkins Univ. Levi Strauss Marriott Marsh & McLennan Mass. Mutual McGraw-Hill MCI U.S. Navy NCR NYU Owens-Illinois Owens-Corning Fiberglas Royal Cup Coffee Sentry Insurance Singapore Embassy Stone & Webster St. Regis Paper

Tampax
The Nestle Co.
The Rouse Co.
3M Corporation
TRW
Univ. of Illinois
United Parcel Service
United Way
Univ. of Mass.
Westmoreland Coal
Westinghouse Corp.
Xerox

And hundreds more. What they've learned, you can now discover.

You can reap the benefits of Thoughtware by visiting your local IBM Product Center, computer dealer, or call toll-free 1-800-THT-WARE for the dealer nearest you. Or write:

Thoughtware Inc. Suite S, 2699 So. Bayshore Dr. Coconut Grove, Florida 33133.

Thoughtware Programs include: 1.1 Assessing Personal Management Skills (\$350)

2.3 Defining Goals And Objectives (\$450)2.6 Managing Time Effectively (\$450)

VIDEODISCS

Table 3: Videodisc players available in the U.S. that include computer interface capability.

Brand and model	Unit price	Worst case access time	Computer port type	special features
Hitachi				
8500	\$1200	6	RS-232C	
9500	\$1600	3	RS-232C	external sync and subcarrier
Magnavox				
8010	\$800	17	CAT plug	home model
Philips				
VP 832	\$1400	5	RS-232C	250-frame instant jump
Pioneer				
LD 1100	\$800	17	CAT plug	home, top loader
LD 700	\$800	12	serial 8-pin DIN	home; front loader
LD V1000	\$1200	3	parallel 24-pin	100-frame instant jump
LD V4000	\$900	12	serial 8-pin DIN	industrial, front load
PR 8210	\$950	17	CAT miniplug	low end industrial
LD V6000	\$1600	3	RS-232C	built-in microcomputer
Sony				
LDP 1000A	\$2500	3	RS-232C	ext. sync and subcarrier
Lasermax	\$800	12	serial	home front loader
Sylvania				
VP 7200	\$800	17	CAT plug	home model
Panasonic				
TQ 2020	\$18,900	0.5	RS-232C	still video recorder
TQ 2021	\$18,900	0.5	RS-232C	high-resolution black and white
				recorder
TQ 2022	\$24,900	0.5	RS-232C	videodisc recorder
TQ 2023	\$34,900	0.5	RS-232C	records motion and stereo
TQ 2024	\$2985	0.5	RS-232C	player only

Systems Inc. currently develops microcomputer versions of CDS. CDS is unique in that courseware written on one manufacturer's hardware may also be delivered on other equipment as well. Sony recently announced CDS for its VIPS. IBM. Zenith, Terak, and Macintosh versions are expected soon.

CONCLUSION

The interface between computer and video systems has come a long way over the last few years. There is a positive trend toward greater product commitment from traditional corporations, and better-quality products from well-financed new companies. (Table 3 lists videodisc players available in the U.S. that have computer-interface capability.) In this article I've tried to present a sample range of the developments in this area.

Upcoming developments will include improved performance or less-expensive versions of currently available products. This indicates an expanding market in the future. Further ahead are new areas of technological developments such as vertical-magnetic recording. Some labs are working on solid-

state, nonrotating videodiscs (not that farfetched when you consider that the marks on current videodiscs are about the size of the smallest elements in current silicon chips).

Another hotbed of development is multilayer optics used to bend and reflect X rays. Because X rays have shorter wavelengths than visible light, some envision vastly more compact memory devices, including videodiscs. Yet if any of these technological developments reach fruition by the end of the decade, their impact probably will be invisible to the user. The one near-term area of development that could be appreciated by users is the advent of high-resolution video hardware such as 1125-line HDTV (high-definition television). Users who have wanted more RAM in their computers can relate to those who want more resolution in their video.

There has yet to emerge a product that might have the same dynamic effect on the videodisc market that VisiCalc had on the microcomputer market. Yet it is fair to conclude that the quality and range of today's video/computer offerings can satisfy most of today's applications.

THINNIN THE	Number of Pins of each I.C. for easy Socket purchase	MICROPROCESSOR COMPONENTS	Digitalker™
Part No. "Pins Price Part No. "Pins Price SAT7400N 14 25 SAT740N 14 29 SAT740N 16 29	National	Part No. **Pint Function Prior Prior Prior Prior Part No. **Pint Part No. **Pint	DT1050 — Applications: Teaching aids, appliances, clocks, automotive, telecommunications, language translations, etc. The DT1050 is a standard DIGITALKER kit encoded with 137 separate and useful words, 2 tones, and 5 different silence durations. The words and tones have been assigned discrete addresses, making it possible to output single words or words concatenated into phrases or even sentences. The "voice" output of the DT1050 is a highly intelligible male voice. Female and children's voices can be synthesized. The vocabulary is chosen so that it is applicable to many products and markets. The DT1050 can be applicable or among products and markets. The DT1050 can be applicable or among products and markets. DT1050 Digitalker TM \$34.95 ea. MM54104 Processor Chip. DT1057 - Expands the DT1050 vocabulary from 137 to over 260 words. Includes 2 R0Ms and specs. Part No. DT1057 * Explusion R/IS **Explusion R/IS **Explusion R/IS **Explusion R/IS **DT1057 - Explusion R/IS **DT1057 - S24.95 ea. **T1057 - S24
74.505 14 29 74.596 16 89 74.506 14 29 74.506 16 89 74.506 14 29 74.506 16 89 74.50	741.5197 14 79 741.5240 21 18 99 741.5240 21 18 99 741.5240 21 18 99 741.5240 21 18 99 741.5240 21 18 99 741.5240 21 18 99 741.5240 21 18 99 741.5240 21 18 99 741.5240 21 18 99 741.5240 21 18 99 741.5240 21 18 99 741.5240 21 18 99 741.5250 21 18	MCM887979 49 Multi-Protection Comm. Controllets 34 95 27160-5 28 204848 (250ms) 4.48 Multi-MCM8678-6 45 45K FFROM (250ms) 6.69 6 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	
74532 14 45 745156 16 99 74530 14 38 745160 16 249 74540 14 38 745160 16 249 74540 14 35 745160 16 119 74581 14 35 745175 16 119 74581 14 35 745175 16 119 74582 14 35 745175 16 119 74582 14 35 745186 16 149 74574 14 35 745186 16 149 74584 14 35 745189 16 149 74585 16 249 745199 14 129 74586 15 249 745199 14 129 74586 15 57 745112 16 55 745112 10 2.55 745112 16 55 745141 20 2.55 745112 16 55 745141 20 2.55 745112 16 55 745141 20 2.55 745112 16 55 745141 20 2.55 745112 16 55 745141 18 20 2.55 745112 16 55 745141 18 159 CA30361 14 55 745141 18 19 CA30361 14 59 CA30361 16 19 CA30361 14 19 CA30361 15 29 CA30361 16 19 CA30361 15 29 CA30361 16 19	745471* 20 5.85 745471* 20 4.95 745471* 20 4.95 745471* 20 4.95 745471* 20 4.95 745471* 24 4.95 745471* 24 4.95 745471* 24 4.95 745471* 24 4.95 745471* 24 4.95 745471* 24 4.95 745471* 24 4.95 745471* 24 4.95 745571* 18 4.95 745571* 18 4.95 745571* 18 4.95 745571* 18 4.95 745571* 18 4.95 745571* 18 4.95 745571* 18 4.95 745571* 18 4.95 745571* 18 4.95 745571* 18 4.95 74571* 18 4.9	DAC1020 S 10-0-01 A 2-0-01 DAC1020 S 10-0-01 A 2-0-01 DAC1020 B 2-0-01 DAC1020	TLB2TCP 8 .79 LINEAR LM739N 14 195 TLB2TCP 8 .139 T
Ch0409	CDMS29 16 1.95 CDMS20 14 6.95 CDMS20	\$10.00 Minimum Order — U.S. Funds Only California Residents Add 6½% % Sales Tax Shipping — Add 5% plus \$1.50 Insurance Send \$1.00 Postage for your FREE 1984 JAMECO CATALOG Prices Subject to Change MatterCard MatterCard MatterCard 1355 SHOREWAY ROAD, BELMONT, CA 94002 7/84 PHONE ORDERS WELCOME — (415) 592-8097 Telex: 176043	UASSIGNE 1.19 NESSSY 8 3.59 LAMSSIGNE 1.29

RS232 ADAPTER FOR VIC-20 AND COMMODORE 64







The JE232CM allows connection of standard RS232 printers, modems, etc. to your VIC-20 and C-64. A 4-pole switch allows the inversion of the 4 control lines. Complete installation and operation instructions included.

Plugs into User Port • Provides Standard RS232 signal levels • Uses 6 signals (Transmit, Receive, Clear to Send, Request to Send, Data Terminal Ready, Data Set Ready)

VOICE SYNTHESIZER FOR APPLE AND COMMODORE



Over 250 word vecabulary-affixes allow the formation of more than 500 words * Built-in amplifier, speaker, volume control, and audio jack * Recreates a clear, natural male voice * Plug-in user ready with documentation and sample software * Case size: 7\%"L × 3\%"W × 1-3/8"H

- APPLICATIONS: Security Warning Telecommunication Handicap Aid Games

The JE520 VOICE SYNTHESIZER will plug right into your computer and allow you to enhance almost any applica-tion. Utilizing National Semiconductor's DIGITALKER™ Speech Processor IC (with four custom memory chips), the JE520 compresses natural speech into digital mem-ory, including the original inflections and emphases. The

result is an extremely clear, natural vocalization.					
Part No.	Description	Price			
JE520CM	For Commodore 64 & VIC-20	\$114.95			
JES20AP	For Apple II II. and IIe	\$149 95			



JE664 EPROM PROGRAMMER 8K to 64K EPROMS - 24 & 28 Pin Packages

ON TO 64'N EPROMS — 24' & 28' PIN PACKAGES Compiletely Self-Contained — Requires Ne Additional Systems for Departition - Programs and validates EPROMs - Chacks for properly ensand EPROMs - Emulaise PROMs or EPROMs - 82202 Compouter Interface for editing and program loading - Loades date in PAM by Mysboard - Changes also a RAMM followed to Compile Self-Compile Compilete (PSPOMs for content program loading - Loades and PAM or proper EPROMs - Power Inspect 15/34C, 56tz, leas them TOW program or consumption - Enclosure, Colon-contribute, light ma pamels with model and process in mocha brown - Size: 15'4''Y, 28'4''O', 3'39'+4''-Weight - model and process in mocha brown - Size: 15'4''Y, 28'4''O', 3'39'+4''-Weight - Mysboard - Pam or Pam

JE665 - RS232C INTERFACE OPTION - The RS232C Interface Outlook imp naces in access in science or law — The Resease sections opposed in presents and later access to the LEG64's RAM. This allows the compared in mampalities, some and later EPROM data to and from the LEG64. A sample program listing as supplied in MBASC for computers. Documentation is provided in adapt the software to other computers with an 2 port. 9600 Based, 8-bit word, odd partly and 2 stop late.

FOR A LIMITED TIME A SAMPLE OF SOFTWARE WRITTEN IN BASIC FOR THE TRS-80" MODEL I, LEVEL II COMPUTER WILL ALSO BE PROVIDED.

	Jumper Mac. Ho.	EPROM	Veltage	EPROM MARLFACTURES	PRICE
	.34084	2708	25/r	AMI), Molerato, Nat., 5194, 31	\$14.95
	JM16A	2716, TMS2516 (TI)	25V	Intel Motorola, Nat., NEC, 11. AMC, Hitachi, Mostelli	\$14.95
	JM16B	1MS2716 (3-V's)	-5V.+5V.+12V	Motorota, TL	\$14.95
	JM32A	TMS2532	25V	Motorda, Tl. Hrlachi, GHI	\$1495
	JM328	2732	25V	AMD, Fuetsu NEC, Hitachi, Intel, Mitsubistis, National	\$14.95
	3M320	2732A	211/	Fujitsa, imili	\$1495
	JM54A	JM64A MCM68764, MCM68L764		Meteria	\$14.95
L	JM648	2764	219	Intel, Fanchild: 010	\$1436
7	3H6H0	TMS2564	259	8	\$1436

HI-TEK 14-KEY NUMERIC KEYPAD

Great keypad for many home and business computer applications: SPST switching • Mounted on P.C. board • Size 5" L x 3" W x 11s" H Color: Grey - Weight: 1 th. - Spec available K-14

KEYBOARDS

MICRO SWITCH

ASCII Encoded Keyboards





Mitsumi 54-Key Unencoded Matrix All-Purpose Keyboard

SPST keyswitches - 20 pin ribbon cable connec-tion - Low profile keys - Festures: cursor control, control, cape (lock), function, enter and shift keys - Color (keycapa), grey - Wi - 1 b. - Pinout Include KB54. \$14.95



76-Key Serial ASCII Keyboard

Simple scrial interface - SPST mechanical switch ng - Operates in upper find lower case - Five use function keys: F1-F5 - Six finger edge card connec-tion - Color (keys); tan - Weight: 2 lbs - Data incl KB76.....\$29.95

Nationally Known Manufacturer!



21%"Lx98"Wx3%"H

1416"L x 516"W x 116"H

106-KEY 8-BIT SERIAL ASCII KEYBOARD

 The terminals were designed to be daisy chained • The terminals were designed to be daisy chained around a certain host computer and used as individual work stations. • Hall effect switching in unerside and cursor keypara. • To user definable keys. • 50° interface cable with 9-pin sub-ministure connector. • TED function displays. • Society lock. • New Jordinary Cover. • Automatic key repeat function. • Color (case): withe w/black panel. • (key capa). grey and olue. • Weight. • 61s. • Data Included.

KB139 . \$59.95

68-Key Keyboard with Numeric Keypad for Apple II and II+

Plugs directly into Apple II or II - motherboard with 16-pin ribbon cable connector - 26 special func-tions - Color (keya) white/grey - Weight: 2 lbs.

POWER SUPPLIES



TRANSACTION TECHNOLOGY, INC. 5VDC @ 1 AMP Regulated Power Supply

 Output: +5VDC € 1.0 amp (also +30VDC regulated) • Input: 115VAC E0 Hz
 Two-tone (black/beige) self-enclosed case • 8 fcct, 3-conductor black power cord • Size: 6 3 L x 7" W x 214 H • Weight: 3 lbs PS51194

Power/Mate Corp. REGULATED POWER SUPPLY

 Input: 105-125/210-250 VAC at 47-63 Hz - Line regulation: ±0.05% - Three mounting surfaces - Overvoltage protection - UL recognized - CSA certified Per No. Output Size Weight Price

EMAS/6B 5V@3A/6V@26A 4% L x 4W x 2% H 2 lbs \$29.95

EMAS/6C 5V@6A/6V@5A 5% L x 4% W x 2% H 4 lbs \$39.95

New!

ASTEC SWITCHING REGULATED POWER SUPPLY

Apple III Power Supply - Multiple outputs for bench top uses and other applications - Input: 115WAC, 50-60 Hz is 3.0 amps - Output: +5VDC @ 1.0 amp, -12VDC @ 1.0 amp, -12VDC @ 1.0 amp, -24VDC @ 2.5 amp -24VLC @ 2.5 amp -Size: 15° Lx 334° W x 2°4" H - Weight: 2°h ibs.



POWER SUPPLY +5VDC @ 7.6 AMP, 12VDC @ 1.5 AMP SWITCHING Input: 115VAC, 50-604z 8 3 amp/230V/C, 50Hz 8 1.8 amp - Fan volt power supply select awitches (115/230VAC) - Outsit 5VDC 97.6 amp ; 2VDC 97.6 amp = 8 foot black power cord - 9/be: 119 1. x 121-W x 9/hr - Weight 6 film.

KEPCO/TDK 4-OUTPUT SWITCHING POWER SUPPLY

PS94VOS.....\$39.95

 Ideal for disk drive needs of CRT terminals, inferecomputers and video games - Input - 15/22/WA - 50/50/tz - Output - #3V @ 5 Amp, - 12V @ 1.8 Amp, - 12V @ 2 Am - 12V @ 0.5 Amp - UL, recognized - CSA certified - Size, 7 MT, x 6-3/16 W x 14/6 H - Weight 2 ibs. MRM 174KF.....



4-CHANNEL SWITCHING POWER SUPPLY

 Microprocessor, mini-computer, terminal, medical equipment and process control applications: lehout 90-130/Wit, 47-440/Hz, *Cutput: 45VC & 5A, 5VC & 5A, 5VC & 5A, 12VDC & 5A, 1-2VDC FCS-604A.... \$69.95 each



Switching Power Supply for APPLE II, II+ & IIe111

• Can drive four floppy disk drives and up to eight expansion cards • Short circuit and overload protection - Fits inside Apple computer • Fully regulated +5V ® 5A, +12V @ 1.5A, -5V ® .5A, -12V © .5A • Direct plug-in power cord included - Size 9 %*L x 3%*W x 2%*H

· Weight: 2 lbs.

KHP4007....

\$10.00 Minimum Order — U.S. Funds Only California Residents Add 6½ % Sales Tax Shipping — Add 5% plus \$1.50 Insurance Send S.A.S.E. for Monthly Sales Flyer!

Spec Sheets — 30s each Send \$1.00 Postage for your FREE 1984 JAMFCO CATALOG Prices Subject to Change







1355 SHOREWAY ROAD, BELMONT, CA 94002 7/84 PHONE ORDERS WELCOME - (415) 592-8097 Telex: 176043

88.88 200

NEW!

Automatic display dimmer

 Bright 4-digit 0.5" high display • 10 minute snooze alarm The JE750 Clock Kit is a versatile 12-hour digital clock with 24-hour alarm. The clock has a bright 0.5" high blue-green fluorescent display. The display will aluminate all with changing light conditions. The 24-hour alarm allows the user to disable the alarm and immediately re-enable the alarm to activate 24 hours later. The kit includes all documentation, components, case and wall transformer, Size: 6%"L x 3%"W x 1%"D.

JE750 Alarm Clock Kit. \$29.95

DISK DRIVES AND SUPPLIES

5¼" APPLE™ **Direct Plug-In** Compatible Disk Drive



Microcomputer

+5VDC @ 6 Amps +12VDC @ 4 Amns -12VDC @ 0.5 Amps

200

Power Inc. Regulated Power Supply

Perfect for computer or disk refrect for computer or disk drive systems · Supply has AMP connectors for direct connec-tion to two 5% disk drives · Cooling fan · Input: 100/115/ 200/230VAC, 47-63Hz · Output (above) · Weight: 9 lbs.

CP167.....\$59.95



Eliminates voltage spikes and EMI-RFI noise before it can damage your equipment or cause data loss - 6 month warranty - Power dissipa-tion (100 microseconds): 1,000,00 waits - 6 sockets - 6 foot power cord - Normal line volt-age indicator light - Flowm out/black our reset

. \$69.95 Model 100.

Yourself...

DATASHIELD® Back-Up **Power Source**

Provides up to 30 minutes of continuous 120 VAC 60Hz power to your computer system (load dependent) when you have a black out or voltage sag • Output rating; 200 watts • Six month warranty • Weight: 24 lba.

Model 200 (PC200). \$349.95

IBM MEMORY EXPANSION KIT COMPAQ COMPATIBILITY

SAVE HUNDREDS OF \$\$\$ BY UPGRADING MEMORY BOARDS YOURSELF!

Most of the popular memory boards allow you to add an additional 94K, 192K, 192K, or 256K. The IBM64K kit will populate these boards in 94K byte increments. The kit is simple to Install — just insert the nine 94K RAM chips in the provided sockets and set the two groups of switches. Directions are Included.

IBM64K (Nine 200ns 64K RAMs) \$49.95

TRS-80 MEMORY EXPANSION KIT

TRS-80 to 16K, 32K, or 48K

"*Medel 1 = From 4k to 16k Requires (1) One kit

Model 3 = From 4k to 48k Requires (3) Three kits

Color = From 4k to 16k Requires (1) One kit "Model 1 equipped with Expansion Board up to 48K Two Kits Required — One Kit Required for such 16K of Expansion —

TRS-16K3 *200ns for Color & Model III\$12.95 TRS-16K4 *250ns for Model I...

TRS-80 Color 32K or 64K Conversion Kit

Easy to install kits comes complete with 8 ea. 4164-2 (200ns) 64K Easy to install kits comes complete while the activities of advancing RAMs and conversion documentation. Converts TRS-80 color computers with D, E, ET, F and NC circuit boards to 32K. Also converts TRS-80 color computer it to 64K. Flex DOS or OS-9 to utilize full 64K RAM on all computers.

TRS-64K2.....\$44.95

UV-EPROM Eraser



1 Chip — 37 Minutes Erases 2708, 2716, 2732, 2764, 2516, 2532, 2564. Erases up to 8 chips within 51 minutes (1 chip in 37 minutes). Maintains constant exposure distance of one inch. Special conductive to am liner eliminates static build-up. Built-in safety lock to prevent UV exposure. Compact — only 9.00° x 3.70° x 2.80°. Complete with holding tray for 8 chips.

DE-4 UV-EPROM Eraser ... \$79.95 UVS-11EL Replacement Bulb ...\$16.95

COHERENT™ IS SUPERIOR TO UNIX* AND IT'S AVAILABLE TODAY ON THE IBM PC.

Mark Williams Company hasn't just taken a mini-computer operating system, like UNIX, and ported it to the PC. We wrote COHERENT ourselves. We were able to bring UNIX capability to the PC with the PC in mind, making it the most efficient personal computer work station available at an unbelievable price.

For the first time you get a multi-user, multitasking operating system on your IBM PC. Because COHERENT is UNIX-compatible, UNIX software will run on the PC under COHERENT.

The software system includes a C-compiler and over 100 utilities, all for \$500. Similar environments cost thousands more.

COHERENT on the IBM PC requires a hard disk and 256K memory. It's available on the IBM XT, and Tecmar, Davong and Corvus hard disks.

Available now. For additional information, call or write,

Mark Williams Company 1430 West Wrightwood, Chicago, Illinois 60614 312/472-6659



CONTROLLING VIDEODISCS WITH MICROS

BY ROD DAYNES AND STEVE HOLDER

A programming example in BASIC for the Sony SMC-70

SUPPOSE YOU WANT to control a laser videodisc player with a personal computer, perhaps to create a game. And suppose you happen to have a constant angular velocity (CAV) version of an adventure movie (there are some good candidates available in this category). [Editor's Note: In any instance in which you use a copyrighted videodisc you may have to obtain a license from the copyright owner.] This article will give you a few pointers on what to look for and how to get started. In addition, a sample listing is included to demonstrate a few strategies for actually coding your creation.

Listing 1 is written for Sony's SMC-70 (system monitor controller) system, which includes Sony's Z80A-based computer with two 3.5-inch microfloppy disk drives, CP/M (R) operating system, an overlay (SMI-7073 RGB [red-green-blue] Superimposer), and an RGB/NTSC (National Television System Committee) monitor (PVM 1270Q), serially interfaced to the Sony LDP-1000A videodisc player. You can also use the LDP-1000, version 1.7 and newer versions.

The listing was written in Sony's Disk BASIC, which links a videodisc utility called "VX.PAC" (video extension package). VX.PAC includes all of the video-

disc control commands designed specifically for the LDP-1000A disc player (an updated version of the utility just released also includes controls for Sony's still-frame audio unit and touchscreen). Sony also has a cache disk (disk emulator), which we did not have with our system.

VX.PAC has all of the commands you would expect for controlling a disc player. They include: LDPINIT, call videodisc intitialize; LDPOUT, call videodisc commands out; LDPDSEG, call videodisc define segment (a segment can be one frame long); LDPXSEG, call videodisc execute segment; LDPSSEG, call videodisc start playing segment; LDPSRCH, call videodisc search; LDPFRM, call videodisc frame;

Rod Daynes is vice president and principal of Interactive Technologies Corporation of San Diego, California. He is interested in videodisc-based games and simulations and is author of "The Videodisc Interfacing Primer," June 1982 BYTE, page 48.

Steve Holder is a programmer and author of two books, Elements of BASIC and Elements of COBQL.

Both authors may be contacted through ITC at 1131 G Street, San Diego, CA 92101.

LDPSTART, call videodisc start; LDPWAIT, call videodisc wait; LDPEND, call videodisc end; LDPSTAT, call videodisc status; and LDPDISCID, call videodisc identification.

Commands for controlling the superimposer (overlay) include: INTSET, call interlace mode set; ASW, call audio switch; and VSW, call video switch.

You control the graphics display (which supports Sony's graphics package in the superimpose mode) by invoking: GLOAD, call graphic load; SLFONT, call select font; and TEXT, call text.

Particularly useful commands resident in the VX.PAC utility are: LDPEND, which holds the execution of a program until a particular video sequence has been completed; LDPFRM, a frame status request that can be used for timed waits; LDPSTAT, which reads all kinds of status from the LDP-1000 (or LDP-1000A) videodisc player; and LDPWAIT, which holds execution of the BASIC program until the disc frame number comes up.

A nice feature of the SMC-70 is that it is totally integrated with the LDP-1000A player, which is entirely capable of dealing with commands. You can

tell the player to do something, e.g., play to the end of a sequence, and go on about your business. You do not have to keep your eye on it all the time.

BEFORE YOU BEGIN

First of all, a CAV laser disc is required. Superior to constant linear velocity (CLV) laser discs for interactive video, CAV discs are frame addressable. Thus, they can use all the inherent functions of a laser disc, including fast frame accurate access, freeze frame, variable motion control, and frame step. In addition, they can handle data dumps from the second audio track, from the vertical interval, and from horizontally nested data. CLV discs, on the other hand, are not frame addressable, which eliminates the possibility for any meaningful external control.

However, CAV movie discs are harder to come by and more expensive. This is because CAV discs can only store about 30 minutes of linear footage per side. CLV discs can store roughly 60 minutes per side.

With CLV discs, less raw material is needed and movies can be pressed in less time, thus they are considered more economical by mastering facilities and distributors.

Until recently, CLV movie discs were a source of frustration for computer hobbyists and film buffs. Fortunately, several significant new releases are now available in both CLV and CAV formats, with more on the way.

Creating an interactive program from an existing movie can be almost impossible because some of the desired sequences are not on the disc. One development strategy is to let the program (game) grow naturally from the movie itself. After you decide on an objective (to "get the waiter to notice you," for example), take some time to separately catalog the desired edits, both the "ins" and the "outs". Next, determine which of these edits can be reassembled into entirely new scenes. Flowchart these segments so you can visualize all the various outcomes. After that you can write your program.

Be aware that the pacing and style of your program is just as important in an interactive mode as it is in a linear mode. Do not become a slave to the logic of your flowcharts. Long search times and short choppy sequences can be deadly. So become a film editor and try several alternatives before you commit yourself to a particular strategy. The operative word here is "orchestrate."

THE DEMONSTRATION PROGRAM

There are nine modules in the demonstration program (eight programs and one subset). This is due to restricted memory space. When one program has been completed successfully, the computer calls the next program via the CHAIN statement, passing variable values, such as the score. We structured the programs so that any one of them could be run separately. For example, you can begin the program in the middle if you implement the command RUN "TURN2." Or you can skip the title sequence and use RUN "FIRSTSEQ."

Since we divided the demonstration into separate programs, we faced the problem of writing the same set of subroutines in every program, with the exception of the TITLE program, which did not use any of the subroutines. To solve this redundancy/overhead problem, we wrote the subroutines as a separate file. This file is called "SUBSET". Each program merges the SUBSET file as needed. (Note: In order to be merged, SUBSET must be saved in ASCII format.) In other words, once you go through the title sequence the first time, lines 1-145 of the TITLE program are filed away and play no further part in the game. After the first run, if your hero meets with a grim demise, one of your choices is to pop into the SUBSET file that does all of the preliminary setup to take you through the first (continued)




Figure 1: Merging the subroutine set.





Figure 2: Chaining the demonstration modules.

Pascal-2

PROVING GROUNDS

Pascal-2 Performs in Medical Neuroscience Lab at Scripps Clinic and Research Foundation. Division of Preclinical Neuroscience and Endocrinology.



ascal-2 is the language of our computerized imaging system. We hope to increase scientific objectivity, reduce labor costs during neuroanatomical analysis, and increase the quality of scientific research. Pascal-2 is the language of choice.

Dr. Warren G. Young Biosystems Analyst Scripps Clinic and Research Foundation La Jolla, California

r. Young and his colleagues are investigating clinical disorders in the neural system. Pascal-2 is instrumental in maintaining a data base for the geometric attributes of neural cells.

Why is Pascal-2 Dr. Young's choice in software? "Structured programming, excellent records and file constructs, efficient coding, fast program execution, good documentation and customer support are some of the reasons why we chose Pascal-2".

To see how Pascal-2 meets your application needs call

1-800-874-8501.

Oregon Software

2340 S.W. Canyon Road Portland, Oregon 97201 (503) 226-7760

The Pascal-2 system is available on Digital's PDP, VAX and Professional Computer systems running on the RSTS, RT-11, RSX and Unix Operating Systems.

Digital, PDP, VAX, RSTS, RT-11 and RSX are trademarks of Digital Equipment Corporation. Unix is a trademark of Bell Laboratories. Pascal-2 is a trademark of Oregon Software.




Figure 3: Two program entry points.




Figure 4: A typical game sequence, the third program entry point.

"play" sequence again.

The CHAIN/V/M statement (chain, variables, merge) merges the SUBSET file, preserving the value of all variables, then starts executing at the beginning of the newly merged program. The CHAIN/V/M statement is line 170 in every program other than TITLE. Since the same SUBSET file is merged into seven different programs, they had to be somewhat standardized. The lines in the SUBSET file are numbered 1–145, and every program is numbered from

line 150 upward. In this way, no linenumber conflict occurs when the two files are merged. The main body of every program begins at line 190, and the first instruction in the SUBSET file is GOTO 190, effectively continuing the program after the merge (see figure 1). Each program enters the next one at line 170, where the SUBSET file is merged with the newly called program (see figure 2).

Since each action sequence was written as a separate program, we had to allow for the possibility that one of them might be inadvertently run without the benefit of the original initialization. Therefore, the first lines of each program (lines 150–165) initialize arrays, screen, and disc player before the subset is merged. If the program is RUN instead of being merged, it will not crash (see figure 3).

Using scenes played from the videodisc, each program presents a problem (or two) that you must solve or overcome. If correct, you are rewarded with points and the game continues. If incorrect, play is interrupted with an appropriate "bad ending" scene played from the disc (whenever possible). You are then given the choice of quitting or trying again.

To preserve your score to this point, if you choose to try again, we chain the program back to itself. This presents the third entry point at line 155, reinitializing the disc player to repeat the scene

(see figure 4).

To take advantage of the sound track (audio is defeated in the still and variable motion modes) and to maintain the feel of the original film, we let the motion run continuously wherever possible. This has the effect of luring you into the adventure. But you have to stay on your toes. Quick decisions, which can take you by surprise, are demanded at various points. You may be watching a sequence and suddenly there is a closeup of a waiter approaching and the chair being pulled back. You must make a choice: (1) drop your spoon, (2) use your fork, or (3) duck. The correct choice is to use your fork, which is acknowledged by a flashing score in the upper right corner as the disc continues to play. If you: (1) do not respond in time, or (2) choose the wrong option, the computer turns the NTSC video off and searches the disc for a short sequence with the sound of a sniff. Simultaneously, in the RGB mode, IGNORED is printed. After a short pause, the text is erased and another graphic appears while the disc searches for an appropriate reaction shot. The RGB is turned off, the NTSC is turned on, the motion sequence of the reaction shot is played, and at the completion of the motion sequence, an overlay is turned on that asks you if you would care to play again (see figure 5).



Cost Breakthrough!

NOW YOU CAN MIX CAMERA VIDEO WITH YOUR PERSONAL COMPUTER DISPLAY FOR ONLY \$375.00!

WINDOW OVERLAY SOURCE INTENSITY

COMPUTER COMPUTER VIDEO

MIX.

VIDEO

VIDEO C-77

ON OVERLAY SOURCE INTENSITY

VIDEO

Think of what you could do with this capability right now...mix live or recorded instruction with program code; computer graphics with camera video; provide a moving cursor over a live image for all types of medical and industrial uses; even tape the results on any home or professional type video recorder...the applications are only limited by your imagination.

FULL WINDOW CONTROL

The C-77TM Video Combiner features full window control, allowing you to place any size window anywhere you wish on the screen. It also allows a choice of combined or super'ed images inside the window...allowing the moving-cursor-over-camera-image and other useful, exciting effects.

APPLICATIONS IN EDUCATION, MEDICINE, INDUSTRY, ETC.

Almost any video training session can be greatly enhanced with the C-77!™ You can use it to scroll computer text alongside a live or taped presentation of the function, procedure or lesson being taught. Or you can prepare programming lessons in which the teacher appears right on the students' monitors, next to the code lines, giving instruction. As the lesson progresses the window may be enlarged to full screen for blackboard chalk-talks or other demonstrations, and then reduced to nothing to allow the students to use what they've just learned "on their own."


Medical CAT-scans and other video-displayed medical imaging can now have computer-accurate grids super'ed over them for precise, repeatable location of lesions and other areas of interest. The moving cursor offers substantial benefits here too, especially for training sessions, as does the valuable text-scroll ability mentioned above.

Industrial imaging can also be enhanced via grids, cursors and text scroll, with substantial benefits accruing to training, research & development and CAD/CAM applications. Plus, the excitement and vitality that the C-77™ can lend to sales presentations will pay for the unit many times over in the form of increased sales!

RAPID SOLUTIONS ... FROM RAPITECH

565 Fifth Avenue, New York, N.Y. 10017

The C-77™ Video Combiner lets you display camera video together with computer output, on your computer's composite monitor or television receiver.



Other applications in video, art, HamTV, trade show displays and commercial communications are being discovered daily. You can be one of the discoverers, if you take advantage of our no risk, ten day free trial. The price? Well, up to now, this kind of video mixing capability normally required a table full of gear costing thousands of dollars...but thanks to Rapitech's advances in LSI technology and miniaturization, the C-77™ comes in a mini-box chassis (only 6" x 61/2" x 2") with a mini price tag. Complete with all necessary cables and software allowing use as a character generator, it lists for only \$375.00 for the C-77™ standard model; \$399.00 for the C-77RF modulated RF video model which works with any TV receiver. And these prices include

IBM is a registered trademark of IBM Corp.
APPLE is a registered trademark of Apple Corp.
ATARI is a registered trademark of Atari Corp.
Dealer inquiries invited.

handling & shipping via UPS within the continen-

Order now via our 24-hour, toll-free ordering hot line. Dial 1-800-227-3800 ext. 7700, and have your Visa or Mastercard ready. Or order by mail to the address below, enclosing check or money order with your letter. (Checks accepted upon clearance: NY residents add sales tax.)

Utility software on diskette for IBM PC, Apple or Atari is included, as well as printed listing upon request if you have another computer. Both units require camera with external sync. capability, (cameras with lens available — order # SGM 1348 @ \$385.00 plus tax for NY residents). IBM owners please note: requires IBM, TECMAR or comparable graphics board.



For More Information Call 212-687-6255, Monday-Friday, 9-5 EST

GET ORGANIZED

With Our New Line Of Quality Products



PR#1 16x 13x4 .. \$29.95 PR#2 24 x 13 x 4 . \$39.95

Both made of 1/4 inch smoked acrylic, featuring a bottom feed slot and non-skid feet. (other sizes available)

Sturdy Acrylic Copy Holder



Office Quality Gas Operated **Ergonomic** Computer



Retails for \$179.95

MIDAMERICA Priced At only \$99.95 add \$45.95 for arms

MIDAMERICA WHOLESALERS, INC. COMPUTER ACCESSORIES

8135 215th St. Lakeville, MN 55044



MN residents add 6% sales tax. Dealer inquiries invited. Add \$2.50 shipping for each item. CALL FOR COMPETI-

TIVE DISKETTE PRICES.

TO PLACE ORDERS CALL ANYTIME 1-800-328-2977

MN residents 612-469-4666

VIDEODISC CONTROL

Listing 1: The following action sequences, with appropriately chosen sound effects, dialogue, and screen prompts, show the personal computer's great range as a videodisc game creator and controller. Program 1, the "subset" file, is automatically invoked whenever your hero meets with a bad end. It returns you to the main program, gives you your score, and asks you whether or not you want to continue.

Program 1:

1 5	INTSET (I.0): GOTO 190: 'Enter main program after merging	
10		
	Standard Routines Merged to Each Module	
20	EVAL INKEYS	TIMED WAIT
25	LDPFRM (F#): A\$= INKEY\$	'Subroutine
30	IF A\$= " " THEN IF F# < LIMIT GOTO 25	(Uses LIMIT)
35	RETURN	
40		
45	CCOLOR 4,2: LOCATE(19,0): PRINT "YOUR SCORE:	FLASHSCORE
50	CCOLOR 4,2,2: LOCATE(31,0): PRINT SCORE:	Subroutine
55	CCOLOR 6,0,0: RETURN	'(Uses SCORE)
60	* * * * * * * * * * * * * * * * * * * *	
	GCLEAR 8: SCORE = SCORE + POINTS	SCORE
	GOSUB 45: 'FLASHSCORE	'Subroutine
1100	FOR K% = 1 TO 4: BEEP: PAUSE 2: NEXT K%: PAUSE 30	(Uses POINTS)
	CCOLOR 4,2: LOCATE(31,0): PRINT SCORE	
1000	CCOLOR 6,0,0: RETURN	
90		
	LOCATE (20 - LEN(MSG\$)/2, 20)	BAD END
1 2 2	CCOLOR 6: PRINT MSG\$	Routine
	LOCATE (12,22): PRINT "PLAY AGAIN? (Y/N)"	(Uses MSG\$,
	GOSUB 45: EVAL INKEY\$	PRGM\$)
	A\$ = INKEY\$: IF A\$ = "" THEN 115 "	
	CCLEAR: IF A\$= "Y" OR A\$= "y" THEN CHAIN /V PRGM\$,155	
	VSW(0): CONSOLE 80: GCLEAR 8: GCOLOR 8: CCLEAR	or reset screen.
	DELETE 1-145: END	Deleting enables main module to be rerun.
135		
	VSW(0): CONSOLE 80: GCLEAR 8: GCOLOR 8: CCLEAR	ERROR
145	PRINT "ERROR "; ERR; " ON LINE "; ERL: GOTO 130	'Routine

Program 2:		
1 '		
5 'Written in SONY SMC-70 Disk	BASIC using VX.PAC utility of	commands.
10 CONSOLE 40: CURSOR OFF: 0	GCOLOR "4: GCLEAR 4	'Screen red.
15 CCLEAR: _LDPINIT: _INTSET(1,0)	'Set raster interlace
20 _LDPOUT (&H51): _LDPSTAR	T (1000,1001)	'Start disc
25 DIM FONT%(1600);SLFONT(FONT%(0), "ROM70")	'Load overlay font.
30VSW(2) : GCLEAR 8: GCOLO	R 8,8.8: CCOLOR 0.1.0	'Set up screen.
35LDPWAIT (1002)		'Wait for title.
40TEXT(129.56,"THE",FONT%(0)	(1,0,0,1)	'First in black,
45TEXT(128,55,"THE",FONT%(0)),7,7,1)	'then overlay white
50TEXT(123,146,"GAME",FONTS	6(0),0,0,1)	for drop shadow.
55TEXT(122,145,"GAME",FONT9	6(O).7,7,1)	
60LDPWAIT(1003): GCLEAR:I	LDPWAIT(1004)	'Wait, erase, wait.
70 LOCATE(4,16) :PRINT SPACES(3	2) :LOCATE(4,17) :PRINT SPA	CE\$(32)
75 LOCATE(4,18) :PRINT "	DEVELOPED BY	**
80 LOCATE(4,19) :PRINT SPACE\$(3	2)	'Mask and overlay.
85 LOCATE(4,20) :PRINT "	ROD DAYNES	
90 LOCATE(4,21) :PRINT SPACE\$(3	2) :LOCATE(4,22) :PRINT SPA	CE\$(32)
95TEXT(58,80,"NIGHT OF THE"	FONT%(0),0.6.1.1)	'Superimposed.
100 _TEXT(76,100, "BIG DINNER".	FONT%(0),0,6,1,1)	
105LDPWAIT(1005)		'Wait original timing.
110 LOCATE(4,16) :PRINT SPACES(3)	2) :LOCATE(4,17) :PRINT SPAC	CE\$(32)
115 LOCATE(4,18) :PRINT "	PROGRAMMING BY	**
120 LOCATE(4,19) :PRINT SPACES(3	2)	
125 LOCATE(4,20) :PRINT "	STEVE HOLDER	

(continued)

130 LOCATE(4,21):PRINT SPACE\$(32):LOCATE(4,22):PRINT SPACE\$(32)

THE FORTH SOURCE™

M	VP-FORTH	FORTH DISKS
	table - Iransportable - Public Domain - Tools	FORTH with editor, assembler, and manual.
	ou need two primary features in a software development package a	APPLE by MM, 83 \$100 Z80 by LM, 83 FEW \$100
st	table operating system and the ability to move programs easily and	☐ APPLE by Kuntze \$90 ☐ anasias by I M 83 100
qı	uickly to a variety of computers. MVP-FORTH gives you both these	
	eatures and many extras. This public domain product includes an editor,	ODINA LIMIT OF THE OR
	ORTH assembler, tools, utilities and the vocabulary for the best selling book "Starting FORTH". The Programmer's Kit provides a complete	
	ORTH for a number of computers. Other MVP-FORTH products will	☐ HP-85 by Lange \$90 cartridge \$50
	mplify the development of your applications.	☐ HP-75 by Cassady \$150 ☐ C64 by HES Commodore 64
	AVP Books - A Series	IBM-PC® by LM, 83 \$100 cartridge \$60
		□ NOVA by CCI 8" DS/DD\$175 □ Timex by HW \$25
L	☐ Volume 1, All about FORTH by Haydon. MVP-FORTH glossary with cross references to fig-FORTH, Starting FORTH	Enhanced FORTH with: F-Floating Point, G-Graphics, T-Tutoria S-Stand Alone, M-Math Chip Support, MT-Multi-Tasking, X-Othe
	and FORTH-79 Standard. 2 nd Ed. \$25	Extras, 79-FORTH-79, 83-FORTH-83.
E	☐ Volume 2, MVP-FORTH Assembly Source Code. Includes	☐ APPLE by MM, ☐ C64 by ParSec. MVP, F, 79,
	CP/M®, IBM-PC®, and APPLE® listing for kernel \$20	F, G, & 83 \$180 (C & X \$96
	□ Volume 3, Floating Point Glossary by Springer \$10	☐ ATARI by PNS, F,G, & X. \$90 ☐ FDOS for Atari FORTH's \$40
	Volume 4, Expert System with source code by Park \$25	CP/M by MM, F & 83 \$1.40 Extensions for LM Specify
-	□ Volume 5, File Management System with interrupt security by	☐ Apple, GraFORTH by I \$75 ☐ Software Floating
-	Moreton \$25	☐ Multi-Tasking FORTH by SL, Point \$100
		CP/M, X & 79 \$395
N	IVP-FORTH Software - A Transportable FORTH	(IBM-PC or 8086) \$100
E	MVP-FORTH Programmer's Kit including disk, documen-	TRS-80/I or III by MMS 9511 Support
	tation, Volumes 1 & 2 of MVP-FORTH Series (All About	F, X, & 79 \$130 (Z80 or 8086) \$100
	FORTH, 2 nd Ed. & Assembly Source Code), and Starting	☐ Timex by FD, tape G,X, ☐ Color Graphics
	FORTH. Specify □ CP/M, □ CP/M 86, □ CP/M+, □ APPLE,	& 79 \$45 (IBM-PC) \$100
	☐ IBM PC, ☐ MS-DOS, ☐ Osborne, ☐ Kaypro, ☐ H89/Z89,	☐ Victor 9000 by DE;G,X \$150 ☐ Data Base Management \$200
2	☐ Z100, ☐ TI-PC, ☐ MicroDecisions, ☐ Northstar, ☐ Compupro, ☐ Cromenco, ☐ DEC Rainbow, ☐ NEC 8201,	Management \$200
ME	☐ TRS-80/100 \$150	☐ fig-FORTH Programming Aids for decompiling, callfinding,
-	MVP-FORTH Cross Compiler for CP/M Programmer's Kit.	and translating. CP/M, IBM-PC, Z80, or Apple \$200
_	Generates headerless code for ROM or target CPU \$300	FORTH MANUALS, GUIDES & DOCUMENTS
	and the state of t	☐ ALL ABOUT FORTH by ☐ 1980 FORML Proc. \$25
	■ MVP-FORTH Meta Compiler for CP/M Programmer's kit. Use for applications on CP/M based computer. Includes public	Haydon, See above. \$25 1981 FORML Proc 2 Vol \$40
	domain source \$150	☐ FORTH Encyclopedia by ☐ 1982 FORML Proc. \$25
-	MVP-FORTH Fast Floating Point Includes 9511 math chip on	Derick & Baker \$25
-	board with disks, documentation and enhanced virtual MVP-	The Complete FORTH by Proc. \$25
	FORTH for Apple II, II+, and IIe. \$450	Winfield \$16 1982 Rochester FORTH
Г	MVP-FORTH Programming Alds for CP/M, IBM or APPLE	Understanding FORTH by Proc. \$25 Reymann \$3 □ 1983 Rochester FORTH
	Programmer's Kit. Extremely useful tool for decompiling,	Drag \$05
	callfinding, and translating. \$200	A Pibliography of FORTH
	MVP-FORTH PADS (Professional Application Development	References 1et Ed \$15
	System) for IBM PC, XT or PCjr or Apple II, II + or IIe. An	The lowest of FORTH
	integrated system for customizing your FORTH programs and	Application & Research
	applications. The editor includes a bi-directional string search	Vol. 1. No. 1 \$20
	and is a word processor specially designed for fast	Declaries 50074 by
	development. PADS has almost triple the compile speed of	Chirlian \$17
	most FORTH's and provides fast debugging techniques.	Threaded Interpretive
	Minimum size target systems are easy with or without heads. Virtual overlays can be compiled in object code. PADS is a	Pocket Guide \$7 Languages \$23
	true professional development system. Specify	And So EODTH by those A
	Computer. \$500	tos Cassady \$60
- N F	MVP-FORTH Floating Point & Matrix Math for IBM or	Systems Guide to fig-
AF.	Apple \$85	Scanlon \$17
- N F	MVP-FORTH Graphics Extension for IBM or Apple \$65	FORTH on the ATARI by F
		Floegel \$8 PDP-11 User Man. 520
	MVP-FORTH MS-DOS file interface for IBM PC PADS \$80	☐ Starting FORTH by Brodie. ☐ FORTH-83 Standard \$15
VEW	MVP-FORTH Expert System for development of knowledge-	Best instructional manual FORTH-79 Standard \$15
-	based programs for Apple, IBM, or CP/M. \$100	available. (soft cover) \$18 FORTH-79 Standard
FO	RTH CROSS COMPILERS Allow extending, modifying and compiling	☐ Starting FORTH (hard Conversion \$10
for	speed and memory savings, can also produce ROMable code.	cover) \$23 \square Tiny Pascal fig-FORTH \$10
	ecify CP/M, 8086, 68000, IBM, Z80, or Apple II, II + \$300	☐ 68000 fig-Forth with ☐ NOVA fig-FORTH by CCI
The state of		assembler \$20 Source Listing \$25
F0	RTH COMPUTER	Jupiter ACE Manual by NOVA by CCI User's
	□ Jupiter Ace \$150	Vickers \$15 Manual \$25
Ord	lering Information: Check, Money Order (payable to MOUNTAIN VIEW PRESS,	☐ Installation Manual for fig-FORTH, \$15
INC	.), VISA, MasterCard, American Express. COD's \$5 extra. Minimum order \$15.	Source Listings of fig-FORTH, for specific CPU's and computers. The
	billing or unpaid PO's. California residents add sales tax. Shipping costs in US	Installation Manual is required for implementation. Each \$15
	uded in price. Foreign orders, pay in US funds on US bank, include for handling shipping by Air: \$5 for each item under \$25, \$10 for each item between \$25 and	□ 1802 □ 6502 □ 6800 □ AlphaMicro
	and \$20 for each item over \$100. All prices and products subject to change or	□ 8080 □ 8086/88 □ 9900 □ APPLE II
with	hdrawal without notice. Single system and/or single user license agreement	☐ PACE ☐ 6809 ☐ NOVA ☐ PDP-11/LSI-11
	uired on some products.	☐ 68000 ☐ Eclipse ☐ VAX ☐ Z80 ☐ IBM WEN
req	SWOOD TO SO AND A CONTROLLED TO	

MOUNTAIN VIEW, CA 94040

JULY 1984 • BYTE 213

(415) 961-4103

PO BOX 4656



- Implements the entire IEEE-488 standard transfer commands and data, perform serial and parallel polling.
- A resident firmware interpreter simplifies programming and accepts any ASCII string or code including Tektronix Standard Codes and Formats and IEEE-488 command mnemonics. Interpreter routines support BASIC, PASCAL, C and other languages.
- Supports the PrtSc (print screen) key, and all BASIC print statements for IEEE-488 printers and devices.
- Small size see BYTE 11/83, p. 314
- Accepts a standard IEEE-488 cable.
- Uses only 16 bytes of RAM and no I/O ports.
- A 116 page Reference Manual provides a tutorial and programming examples for digitizing, interactive bus control, bus diagnostics, and many other applications.
- \$395 complete. There are no extra software or cabling charges.

CEC CAPITAL EQUIPMENT CORP.

10 Evergreen Avenue Burlington, MA. 01803 (617) 273-1818

IBM is a trademark of International Business Machines Cor.


VIDEODISC CONTROL

135 _LDPWAIT(1006)	Wait next credit.
140 LOCATE(3,15) :PRINT SPACE\$(34) :LOCATE(3,16) :PRINT SPACE	
145 LOCATE(3,17) :PRINT SPACE\$(34)	'Larger mask need here.
150 LOCATE(3,18) :PRINT " PRODUCED BY	44
155 LOCATE(3,19) :PRINT SPACE\$(34)	
160 LOCATE(3,20) :PRINT " INTERACTIVE TECHNOLOG	
165 LOCATE(3,21) :PRINT SPACE\$(34) :LOCATE(3,22) :PRINT SPACE	
170 LOCATE(3,23) :PRINT SPACE\$(34) :LOCATE(3,24) :PRINT SPACE	
175 CCOLOR 7.0.0:LDPWAIT(1007	'Get ready to clear.
180 GCLEAR: CCLEAR: CCOLOR 4.1 185 FOR K%= 15 TO 22:LOCATE(3,K%) :PRINT SPACES(34) :NEXT	'Go. :Mask, then print
	'first line.
190 LOCATE(6,17): PRINT "THE OBJECT"" 195LDPWAIT(1008)	'Wait for sound.
200 LOCATE(15,19) :PRINT "GET THE WAITER TO NOTICE YOU"	Second line.
205 _LDPWAIT(1009)	Wait for scene change.
210 FOR K%=16 TO 22:LOCATE(4.K%) :PRINT SPACE\$(32): NEXT	Smaller mask.
215 LOCATE(6,17) :PRINT "YOU ONLY HAVE ONE SHOT AT IT."	
220LDPWAIT(1010)	'Wait for music.
225 LOCATE(12,19) :PRINT "A WRONG DECISION"	Second line.
230LDPWAIT(1011)	'Wait for music.
235 LOCATE(5,21) :PRINT "AND IT'S ALL OVER FOR YOU, PAL!"	
240LDPWAIT(1012)	'Wait scene change.
245 FOR K% = 16 TO 22:LOCATE(3,K%) :PRINT SPACE\$(34):NEXT	
250 LOCATE(5,17) :PRINT "YOU CAN EARN MUCH NEEDED POIN	
255LDPWAIT(1013)	'Wait scene change.
260 LOCATE(5,19) :PRINT "WITH YOUR POWERS OF OBSERVATION	N"
265LDPWAIT(1014): LOCATE(10,21)	'Wait for sound.
270 PRINT "AND QUICK REACTIONS."	
275LDPWAIT(1015)	'Wait for next credit.
280VSW(3): CCOLOR 6,0,0: CCLEAR	'We're done.
285 CHAIN /V "FIRSTSEQ", 170	'Warm entry, First Sequence.
	Sequence.
Program 3:	
150 DIM FONT%(1600): CONSOLE 40: CURSOR OFF	'Cold start (if RUN).
155 GCOLOR8: GCLEAR 8: CCOLOR 6.0.0: CCLEAR	'Restart entry point
160 _LDPINIT: _LDPOUT (&H51): _INTSET(1.0)	'(see line 120,
	"SUBSET")
165LDPSTART (1016, 1017)	
170 CHAIN /V/M "SUBSET"	'Warm start entry point
175 '	'After chain/merge,
180 "FIRSTSEQ"	'execution begins at 'first instruction,
185 * 190VSW(3); ON ERROR GOTO 140	'(line 1, "SUBSET"); a
195SLFONT(FONT%(0),"SSER70")	jump to line 190.
200 _TEXT(0,135,"QUICK!", FONT%(0),6,6,1)	This prints off
205 _TEXT(5,150,"1 = DROP SPOON", FONT%(0),6.6.1)	screen. We wait
210TEXT(5.165,"2 = USE FORK", FONT%(0),6.6.1)	for the right
215TEXT(5,180,"3 = BELCH", FONT%(0),6.6.1)	'moment, then
220LDPWAIT(I018) :BEEP:VSW(2)	'raise the curtain.
225 LIMIT = (1019): GOSUB 20: 'TIMED WAIT	'Answer quick!
230 IF AS = "2" THEN 285	'Right answer?
235 GCOLOR "I; GCLEAR I	'Screen blue (masked).
240LDPSTART(1020,1021)	'Let's hear gunshot
245TEXT(105.80,"CLATTER", FONT%(0).4.5.10.4:	'timed with graphic.
250 PAUSE 5:GCLEAR I	'Notes: screen is
255TEXT(70,120,"AARRRGGHH", FONT%(0),4.5.3.3)	masked when gcolor,
260LDPSTART(1022,1023)	gclear not = 8.
265 PAUSE 1: GCLEAR 8: GCOLOR "8	Pause for disc access.
270 MSG\$ = "TOO BAD. YOU LOSE."	'He falls down. 'BAD END
275 PRGM\$ = "FIRSTSEQ": GOTO 95	BAD END
280 ' 285 POINTS = 375: GOSUB 65	'Yes. You score.
285 POINTS = 375; GOSUB 65 290 CHAIN /V "TURNI", 170	'Warm entry, next
270 CHAIN (V TURN), 170	module
Program 4:	MI CECUT
150 DIM FONT%(1600): CONSOLE 40: CURSOR OFF	'Cold start.
155 GCOLOR "8: GCLEAR 8: CCOLOR 6,0,0: CCLEAR	'Restart entry point.
160 _LDPINIT: _LDPOUT (&H51): _INTSET(1,0)	'Out byte turns off
165LDPSTART (1024, 1025)	'disc index display.

(continued)

ARE YOU TIRED OF FLOPPY EXCUSES?

"EXCUSE ME, I REALLY HATE TO BOTHER YOU AT A TIME LIKE THIS BUT THIS DISK IS COMPLETELY FULL."



QuadDisk has all the answers

Quadram presents QuadDisk, the Winchester hard disk system that lets you leave all those floppy disks—and their excuses—behind. QuadDisk does everything that floppies do, only better. And faster.

A lot of storage in a little space For starters, QuadDisk will take care of your storage problems in more ways than one. QuadDisk

in more ways than one. QuadDisk comes in 5, 10, 16, 22 and 65 megabyte capacities for all the

on-line storage space you need. That's any-where from about 20 to 225 floppies worth of information. Or up to 36,000 pages of material—and then some.

What's even more amazing is that this powerful hard disk drive simply slips into your second 51/4" floppy drive space to become an integral part of your system.

Ready when you are

It takes just minutes to install and QuadDisk is there to stay. QuadDisk is always there when you need it. And it works fast. QuadDisk accesses information faster than a floppy. And can perform up to 9 tasks at once.

It comes complete with its own software. And a file utility that guides you when you want to run and manipulate files and programs. There's nothing hard

about using this hard disk system. Just follow the simple commands on the screen.

Safety first

QuadDisk protects your work like no floppy can.

And for added data security, there's QuadDisk with removable cartridges for up to 5MB on-line mass storage and virtually unlimited off-line storage capacity. Just pop one in when you're ready. Pop it out when you're done.

Quadram Quality

You'll find that QuadDisk is backed by reliable Quadram

Quality. It's the mark of dependability and performance from the leader in microcomputer enhancements.

Visit your local computer retailer today and ask to see QuadDisk in action. When you compare it to the floppies, there's no excuse

it to the floppies, there's no excuse not to buy QuadDisk,

QuadDisk by Quadram:





4355 International Blvd. Norcross, GA 30093 (404) 923-6666/TWX 810-766-4915 (QUADRAM NCRS)

©Copyright 1984 Quadram Corporation. All rights reserved.

How HP business graphics

Enhance your reputation for being more professional, persuasive, credible and effective than your competition with the new HP 7475A Business Professional's Plotter.

Make a first impression that lasts

The vital importance of graphics to today's business professional cannot be overstated. In survey after survey, statistics prove graphics can help you spot trends and relationships quickly, analyze data accurately, and communicate vour ideas with more clarity and power than in any other way. Even more important, graphics can actually increase personal and company productivity. And create a first impression of quality and professionalism that lasts and lasts.

Graphics: the end to meetings that go nowhere

In a fascinating research project conducted by The University of Pennsylvania, 123 MBA candidates were involved in a study designed to test the effectiveness of business graphics in meeting situations. The results were startling. In the group where visual aids were used:

- Meetings were shorter: The study showed a 28% reduction in meeting length when transparencies were used.
- Group consensus was faster: Agreement was reached by 79% of the group using transparencies, compared with only 8% among the control group using no visual aids.
- The decision process was accelerated: 64% of study participants said they made their business decisions *immediately after the visual presentation*. When overheads were not used, the control group said they delayed decision-making until some time after the group

discussion following the presentation.

Presenters with visual aids were perceived as being more professional, persuasive, credible and effective than those not using visual aids.

Now, with the new HP 7475A Business Professional's Plotter, your meetings can have immediate and productive results like these.

How the quality look of HP graphics can help

The way you present your information can be equally as important as the actual information you're presenting. And that's where the new HP 7475A Business Professional's Plotter lets your professionalism shine through.

Standards unsurpassed in the plotter business

The technical standards of the HP 7475A have no equal for producing quality graphics. With a resolution of one-thousandth-of-aninch, curved lines are smooth, not jagged, and straight lines are consistently straight. Its exceptional repeatability (the ability of a pen to return precisely to a given point) assures that intersecting lines and circular shapes will meet exactly. The result is high-quality charts and graphs you'll be proud to present.

Why 6 pens when experts say 4 will do?

Graphics industry experts maintain that good graphics contain four colors per chart. But Hewlett-Packard goes the experts two better by providing a six-pen carousel, so you can store and use pens of different widths—thick pens for bold headings and thin pens for details. And with six pens, you won't have to waste valuable time changing them. That's important when "the boss wants to see your presentation in twenty minutes!"


With the HP 7475A, you also get automatic pen capping to prevent pens from drying out between uses, and special "pen damping" (gently lowering the pen to the paper or

transparency) to increase pen life and ensure better line quality... use after use after use. You also get a rainbow of 10 colors to choose from, in two line widths.

Your choice: 2 paper sizes and today's most popular graphics software packages

While most professional business applications will be satisfied with standard $8\frac{1}{2} \times 11^{\prime\prime}$ paper or transparencies, the HP 7475A adds the

can be the key to your success.



It's supported by a variety of professional graphics software packages for both HP and non-HP desktop and personal computers.

Naturally, speaking of software compatibility leads us to hardware compatibility....

Compatible with almost any personal computer in the marketplace today

With two interfaces available, the HP 7475A quickly "makes friends" with most models of today's most popular personal computers, including IBM,[®] Apple,[™] Compaq,[™] Osborne[®] and Commodore[™] --as well as a host of HP computers.

The cost? Surprisingly affordable

The new HP 7475A Business Professional's Plotter is an amazingly affordable \$1895. When you consider that a typical fee for a single five-color transparency from a graphics service is \$50-and that the same transparency can be prepared for about \$1 in materials on the HP 7475A—the return on your investment is almost immediate.

Another choice: HP's low-cost, high performance Personal Computer Plotter

For the "business on a budget," you may also want a look at our 2-pen Personal Computer Plotter, the 7470A. Its low cost (only \$1095) is as remarkable as the quality of its plots. With many of the same features as the new HP 7475A, the HP 7470A plots on a single paper size (81/2 x 11"). It stores and caps two pens,

For the name of your nearest



Hewlett-Packard dealer call toll-free 800-547-3400.

YES! I'm ready to gain	a reputation for being more profes-
	and effective than my competition.
Please send me your FREE '	Better Presentations Package," so
I can learn more about the	new HP 7475A Business Profes-
sional's Plotter and the HP 7	470A Personal Computer Plotter.
	nis valuable package without cost
	The state of the s

For a FREE sample plot, overhead transparency, and more

details, mail the coupon below today. We'll also enclose a list

of software packages you can use with the HP 7475A or HP 7470A.

Name	Title
Company	
Address	
City/State & Zip	
Phone Number ()_	25
My computer is	

VIDEODISC CONTROL

DeSmet The fastest 8088 C Compiler available

FULL DEVELOPMENT PACKAGE

- · C Compiler
- Assembler
- · Linker and Librarian
- · Full-Screen Editor
- · Newsletter for bugs/updates

SYMBOLIC DEBUGGER

- · Monitor and change variables by name using C expressions
- · Multi-Screen support for debugging PC graphics and interactive systems
- · Optionally display C source during execution
- · Breakpoint by Function and Line #

COMPLETE IMPLEMENTATION

- Both 1.0 and 2.0 DOS support
- Everything in K&R (incl. STDIO)
- · Intel assembler mnemonics
- · Both 8087 and Software Floating Point

OUTSTANDING PERFORMANCE

Sieve Benchmark

COMPILE 4 Sec. RAM -

22 Sec FDISK

LINK 6 Sec. RAM -

34 Sec. FDISK

RUN 12 Sec.

SIZE 8192 bytes

DeSmet C Development Package \$159



To Or	der Specify:	
Mach	ne	-
OS	□ MS-DOS □ CP/M-86	
Disk	□ 8" □ 5¼ SS □ 5¼ DS	



P.O. BOX 710097 San Jose, CA 95171-0097 (408) 736-6905

California residents add sales tax. Shipping U.S. no charge, Canada add \$5, elsewhere add \$15. Checks must be on a US Bank and in US Dollars.

		CHAIN /V/M "SUBSET"	'Warm start entry point.
	175 180	"TURNI"	'_ is abbrev, for 'call',
		_VSW(3): ON ERROR GOTO 140	'VideoSWitch(3) = disc
		SLFONT(FONT%(0),"SSER70")	'video only.
		$_{\text{TEXT}(100,20,"1} = \text{GO STRAIGHT"}, \text{FONT}\%(0),6.6.1)$	'Print off screen
		TEXT(5,180,"2 = TURN RIGHT",FONT%(0),6,6,1)	and wait.
		CCLEAR:LDPWAIT(1026):VSW(2): BEEP	Overlay on.
		LIMIT = 1027: GOSUB 20: 'TIMED WAIT	'Choose fast.
		IF A\$= "2" THEN 265	'Choice correct? 'Screen red.
		GCOLOR ,,4:GCLEAR 4 _LDPSTART (1028, 1029)	'No. You lose.
		GCLEAR 8: GCOLOR "8:LDPWAIT(1030)	'Wait for effect.
		LOCATE(2,19)	wait for circu.
		PRINT "YOUR WAITER REFUSES TO SEAT YOU."	'He's arrogant.
		PAUSE 20: PRGMS = "TURNI"	'Pass this program's
		Contracts where sometimes in a financial	name
	255	MSG\$= "NOW YOU MUST PAY A BRIBE": GOTO 95	'so it can be restarted.
	260		
		GCLEAR 8: POINTS = 490: GOSUB 65	'Yes. You score!
	270	CHAIN /V "TURN2", 170	'Warm entry, next
			module
	Prog	gram 5:	
		DIM FONT%(1600): CONSOLE 40: CURSOR OFF	'Cold start.
		GCOLOR ,,8: GCLEAR 8: CCOLOR 6,0,0: CCLEAR	'Restart entry point.
		_LDPINIT: _LDPOUT (&H51): _INTSET(1,0)	
	0.70	LDPSTART (1037, 1032)	The state of the s
		CHAIN /V/M "SUBSET"	'Warm start entry point.
	175		'SelectFONT reads file 'of graphic data into
	180 185		1600 element array.
		VSW(3): ON ERROR GOTO 140	1000 element array.
		SLFONT(FONT%(0),"SSER70")	
		TEXT(10,10,"1 = GO STRAIGHT".FONT%(0),6,6,1)	'Off screen.
		TEXT(10,180,"2 = TURN RIGHT", FONT%(0),6,6,1)	
		CCLEAR: _LPDWAIT(1033):VSW(2): BEEP	'Overlay on.
		LIMIT = 1034: GOSUB 20: 'TIMED WAIT	'Answer quick!
		IF A\$= "1" THEN 255	'Right way?
		GCOLOR ,,6: GCLEAR 6:LDPSTART(1035,1036)	'Oops. Wrong way.
	230	TEXT(40,100,"DON'T STEP IN THE".FONT%(0),4.4.1)	
	235	PAUSE 11: GCLEAR 8: GCOLOR8	'Pause for timing.
		TEXT(120,100,"GRAVY",FONT%(0),6.6.1)	
		MSG\$= "DIDN'T MAKE IT!"; PRGM\$ = "TURN2"	INTER FAIR
		GOTO 95	BAD END
	500000	POINTS = 615: GOSUB 65: PAUSE 10: CCLEAR STICKY BUNS	You score!
	260	VSW(3):TEXT(0,120,"HURRY!", FONT%(0),6.6.1)	'Next test.
		TEXT(0,135,"PICK ONE!", FONT%(0),6.6.1)	THERE TEST
		LOCATE(0,19): PRINT "1 = NAPKIN"	'List of tools.
		PRINT "2 = SHIRT": PRINT "3 = FINGER BOWL"	
	285	PRINT "4 = PANTS": PRINT "5 = HAIR"	
	290	LDPWAIT(1037):VSW(2): LIMIT = 1038: GOSUB 20	TIMED WAIT
	295	GCLEAR 8: CCLEAR: IF A\$ = "3" THEN 350	'Right one?
	300	LDPWAIT(1039):LDPOUT(&H4F): BEEP	'Freeze.
	305	LOCATE(10,18): PRINT "OH NO! STICKY BUNS!!"	'No. Ouch!
		PAUSE 30: PRINT : BEEP: BEEP	
		PRINT "WHEW! HE SURVIVES BUT HE DRAWS FLIES"	
		LOCATE(10,21): PRINT "YOU LOSE 290 POINTS."	Lose points
		PAUSE 30: POINTS = (-290) : GOSUB 65	'but game
		PAUSE 20: CCLEAR: GCOLORI: GCLEAR I	'continues.
		LDPSTART(1040,1041)	
	340	GCLEAR 8: GCOLOR ,,8: GOTO 375	
		LOCATE (2,22): CCOLOR 6:LDPWAIT(1042)	'Right tool.
		PRINT "THE NAPKIN MAKES STICKY BUNS HARMLESS."	Albite soot.
	-	POINTS = 960: GOSUB 65: PAUSE 20: CCLEAR	
		_LDPWAIT(1043)	'Wait next sequence.
	370		
		'LOCATE(14,20): PRINT "PRESS ANY KEY"	'Instructions.
			(continued)
_			

CompuPro...

for Performance, Quality and Reliability

Anyone can sell you a box full of hardware. But is it too much computer? Too little? Will it run the appropriate software? What about service? If you need the right answers both before and after the sale, call your nearest Full Service CompuPro System Center. For product information, see pgs. 264-5.

ALABAMA

Birmingham **CPC Computers** (205) 879-5976

ARIZONA

Scottsdale S-100 (602) 991-7870

CALIFORNIA

Bakersfield Creative Computing (805) 835-1118

Berkeley

American Computers & Engineers (415) 849-0177 Track Computer Center (415) 845-6366

Burlingame

Mentzer Computer Systems (415) 340-9363

Canyon Country

Creative Computing (805) 251-9877

Chatsworth

Priority One Electronics (818) 709-6789

Hayward

Best Computers (415) 886-4732

Irvine Priority One Electronics (714) 660-1411

Los Angeles

American Computers & Engineers (213) 477-6751 Gifford Computer Systems (213) 477-3921

Mountain View

ACC (415) 969-4969

Oakland

Track Computer Center (415) 444-8725

Pacific Palisades System Interface

Consultants (213) 454-2100

Pasadena

Omni Unlimited (818) 795-6664

Petaluma

Advanced Information Management (707) 763-7283

Pleasanton

Best Computers (415) 463-2233

Sacramento Logic Systems

(916) 922-3377 San Leandro Gifford Computer Systems

(415) 895-0798 San Rafael

Computer House (415) 453-0865 Santa Barbara

Data Bank (805) 962-8489

Santa Cruz Cochlin Computer Systems (408) 429-6728

Santa Maria Data Bank

(805) 922-1333 Santa Rosa Matrix Computers

(707) 542-0571 Simi Valley

Micro Power Unlimited (805) 584-6789

Sunnyvale

Pragmatic Designs Inc. (408) 736-8670

COLORADO

Lakewood Rocky Mountain Microsystems (303) 232-4545

FLORIDA

Gainesville Online Computing (904) 372-1712

Orlando Data/Office

(305) 629-6776 Satellite Beach Binary Magic, Inc. (305) 777-7080

Tampa

Micro-Computer Technology (813) 985-0919

West Palm Beach Steve's Computer Works, Inc. (305) 683-5900

HAWAII

Kahului Maui Capacity Plus Computers (808) 871-7984

ILLINOIS

(217) 636-8491 La Grange Park

(312) 579-3311

Mart, Inc. (312) 674-1383

INDIANA

Terre Haute (812) 234-9421

KANSAS

(316) 564-3636

Boston New England Electronic Exch.

Chestnut Hill (617) 738-7306

Pascagoula

(601) 769-2937

RRRI (816) 753-5900

Amherst Systems

Deer Park

Athens Computers Plus

Small Business Systems, Inc.

Skokie Lillipute Computer

General Software, Inc.

Ellinwood Genesys Systems, Inc.

MARYLAND

Bethesda JR Systems (301) 657-3598

MASSACHUSETTS

(617) 491-3000

Key Micro Systems

MISSISSIPPI

Automated Accountants

MISSOURI

Kansas City

NEW YORK

Gifford Computer (716) 833-4758

Datapro Systems, Inc. (516) 595-1311

New York Park Plaza Computer Center, Inc. (212) 759-5820 Park Plaza Computer Center, Inc.

(212) 505-8200 Park Plaza Computer Center, Inc. (212) 344-5151 Park Plaza Computer

Center, Inc. (212) 595-5353 Staten Island

John D. Owens Assoc. (212) 448-6283 **NORTH CAROLINA**

Greensboro General Semantics Computers (919) 378-1500

OREGON

Portland Microwest Computer Products (503) 238-6274

PENNSYLVANIA

Philadelphia Forefront Technology (215) 386-1500 Reading Fraser Business

Equipment (215) 378-0101

RHODE ISLAND Coventry Key Micro Systems (401) 828-7270

TEXAS

Austin CPA Systems, Inc. (512) 458-9281 Informa, Inc. (512) 459-4216 Omegax Systems

Dallas Dator Systems (214) 521-0915

(512) 476-6069

Ft. Worth Dataworth Computer Systems (817) 877-4041

Houston Gifford Computer Systems (713) 680-1944 Informa, Inc.

(713) 861-7612 San Antonio

RFCanon, Inc. (512) 657-0444 Seguin CPA Systems, Inc.

(512) 379-0660 VIRGINIA

Woodbridge Office Networks Corp. (703) 690-3312

WASHINGTON

Bellevue North Ridge Computer Systems (206) 453-0596

Seattle

American Computers & Engineers (206) 583-0130

WISCONSIN

Madison Beam International (608) 233-2326

Milwaukee Byte Shop of Milwaukee

(414) 281-7004 **AUSTRALIA** Bankstown

Automation Statham

Pty., Ltd. (02) 709-4144

CANADA Coquitlam, B.C. CSC System Center, Ltd. (604) 941-0622

Vancouver, B.C. Dynacomp Business Computers, Ltd. (604) 872-7737

THE PHILIPPINES Quezon City Corona International.

78-34-71 **UNITED KINGDOM** Swansea Comcen Technology, Ltd.

(0792) 796000

ompuPro.

A GODBOUT COMPANY 3506 Breakwater Court, Hayward, CA 94545

FREE SHIPPING

WEST OF MISSISSIPPI EAST — ½ UPS CHARGES

> CALL FREE 1-800-841-2748

COMPUTERS

ALTOS 580-20	. \$3645
ALTOS 586-20	. \$5565
ALTOS 986-40	
APPLE LOOK-A-LIKE	\$CALL
SANYO 550-555	\$CALL
TELEVIDEO	
803 \$1769 1603	.\$2019
PORTABLE	SCALL
NORTHSTAR	
ADVANTAGE	.\$2135

PRINTERS

ABATI.	1271 1								.\$389
BROTH	ER HE	315	Ρ.			100	9.		.\$479
DAISYV	VRIRE	R 4	18K						
DATAS	HTUC	DS	220) .					.\$1575
GEMINI									\$275
JUKI 61	00	**: *:					 		\$459
OKIDA"	TA (LO	WC	PR	ICE	S) .	-	*	\$CALL
QUME 1	140+								.\$1275
QUME 1	155+						14		. \$1475
ALTEN ISCAMINE STATE			CIT						
00.0						0			05.00

6010	1330		2039
F10-40C PS .\$9	70 F105	5	\$1299
	DIABLO		
620 \$7	99 630.		\$1689
	NEC		
3550 \$15	3510	+ + c	\$1235
3550 \$15 7710 \$16	355 2030		\$659

TERMINALS - MONITORS

ALTOS II				,							.\$875
QUME 102G											.\$529
TELEVIDEO 914											.\$540
TELEVIDEO 924										į.	\$689
TELEVIDEO 950											.\$905
TELEVIDEO 970											
AMDEK 300G				a)							\$129
AMDEK 300A.						Ç.					\$145
AMDEK COLOR	1-	+	6								.\$275
AMDEK COLOR	11	+	9	1							\$429
B.M.C. GREEN					ů.	2	1				. \$89
B.M.C. COLOR .			12					-	82		\$235
PRINSTON HX1											

DISK DRIVES - MODEMS

INDUS APPLE.	+>>						,	,	.\$259
MICRO SCI A2.	£.			4		0.0			\$229
ATARI 1050	¥00								.\$365
INDUS ATARI.								•	\$345
RANA 1000						¥.	*5		. \$310
PROMODEM			×	×		-			\$359
HAYS SMART M	10	DE	M						.\$199
SMARTMODEM	12	00							\$475
SMARTMODEM	12	00	В				50		\$415
MICROMODEM I									
RIXON 212A									.\$449
U.S. ROBOTICS I	PA	SS	W	0	R	D			J\$325

1st PLACE

COMPUTER SYSTEMS 13422 N. CAVECREEK RD.

PHOENIX, AZ. 85022 OTHER INFORMATION: 602-867-9897



Free shipping is on UPS ground only er's check or money order ... all other checks will delay shipping two weeks.

355 RANDOMIZE: Q = IRND(7)

KITCHEN."

360 ON Q GOTO 375, 385, 395, 405, 415, 425, 435

365 Q\$ = "NAME THE WAITER WHO SEATED YOU IN THE

VIDEODISC CONTROL

380 LOCATE(9,21): PRINT "WHEN NAME SAYS 'S	
385 LIMIT = 1044: GOSUB 20:LDPOUT(&H4F	
390 IF F# > 1045 THEN 445:	Too slow.
395 IF F# < 1046 THEN 455:	Too fast.
400 SPD = INT((F# - 1047)/3) 405 ON SPD GOTO 415, 420, 425, 430	'Reaction speed = ? 'Select score.
410 AS = "EXCELLENT": POINTS = 2440: GOTO	
415 A\$ = "GREAT": POINTS = 2170: GOTO 435	'from LDPFRM
420 A\$ = "VERY GOOD": POINTS = 1950: GOTO	
425 A\$ = "GOOD": POINTS = 1640: GOTO 435	'WAIT subroutine.)
430 A\$ = "O.K.": POINTS = 100	
435 LOCATE(2,20): PRINT A\$; "REACTION, SCOR	E "; POINTS; " POINTS."
440 GOTO 465	CE 200 POINTS!
445 LOCATE(6.22): PRINT "TOO SLOW!" YOU LO 450 POINTS = (-200): GOTO 465	SE 200 POINTS.
455 LOCATE(6,22): PRINT "YOU OVER-REACTED.	LOSE 200 POINTS!"
460 POINTS = (-500)	DOSE 200 I OILVIS.
465 GOSUB 65: PAUSE 20:LDPOUT(&H3A): CO	CLEAR 'Play forward.
470 _LDPWAIT(1048): _LDPOUT(&H4A): LOCAT	E(4.20) 'Wait, then freeze.
475 PRINT "POOR GUY. HE DIDN'T GET DESSEI	
480 PAUSE 25: LOCATE(11,21): PRINT "YOU MAY	NOT, EITHER!"
485 PAUSE 25: GCOLOR ,,1: GCLEAR I	***
490 CHAIN /V "GRAVY", 170	'Warm entry, next module.
	module.
Program 6:	
150 DIM FONT%(1600): CONSOLE 40: CURSOR (
155 GCOLOR ,,1: GCLEAR 1: CCOLOR 6,0,0: CCLE	
160 _LDPINIT: _LDPOUT (&H51): _INTSET(1,0)	
165 '	Whom start outer point
170LDPSRCH(1049) :CHAIN /V/M "SUBSET" 175 '	'Warm start entry point.
180 "GRAVY"	'VideoSWitch(2) = super-
185 '	'imposer + computer
190 _VSW(2): ON ERROR GOTO 140: CCLEAR	'screen overlayed on
195SLFONT(FONT%(0),"SSER70")	'videodisc.
200 PAUSE 5: GCLEAR 8: GCOLOR ,,8: LOCATE(3	
205 PRINT "YOU'LL HAVE TO AVOID THIS GRAV	Y STAIN." 'Over still frame.
210 PAUSE 50: CCLEAR: GCOLOR ,,1: GCLEAR 1	All and will former
215LPDSRCH(1050): PAUSE 5	'Next still frame.
220 GCLEAR 8: CGOLOR ,.8: LOCATE(7,18) 225 PRINT "A LADLE STICKS OUT OF THE GRAV	/V"
230 PAUSE 25: LOCATE(12,19): PRINT "CAN YOU	
235 PAUSE 35: IF SCORE > 2100 THEN 295	'Minimum score to qualify.
240 ' Low score, little chance,	E DAMES DE ANCIONES DE SECURIO DE COMPANS DE
245 LOCATE(11,21): PRINT "YOU HAVE NO CHOI	
250 LOCATE(2,22): PRINT "PRESS ANY KEY AND	
255 CH = INT(SCORE/49 + .5): LOCATE(3,23)	'Chance = % of 4900 pts.
260 PRINT "(YOU HAVE A OUT OF 100 CH/	ANCE) ;
265 LOCATE(15,23): PRINT CH; 270 EVAL INKEYS	
275 A\$ = INKEY\$: IF A\$ = "" THEN 275	'Wait until ready.
280 RANDOMIZE: K = RND(Q): CCLEAR	'Pick random #.
285 IF K (SCORE/4900 THEN 565 ELSE 485	'High score, good odds.
290 ' Trivia, anyone?	
295 CCLEAR: LOCATE(0,16)	
300 PRINT "YOU'VE SCORED WELL SO FA	
305 PRINT "THE MAITRE'D SMILES ON YOU AN 310 PRINT "GUARANTEE YOUR PASSAGE AROU!	
315 PRINT "YOU AGREE TO ANSWER A RANDO	
320 PRINT "IF NOT, YOU TAKE YOUR CHANCES.	
322 PKINT IF YOU AGREE AND ANSWER WRO	
325 PRINT "IF YOU AGREE AND ANSWER WRO! 330 PRINT "IT'S DEATH! YOU WANT THE QUEST	
330 PRINT "IT'S DEATH! YOU WANT THE QUEST 335 EVAL INKEY\$ 340 A\$ = INKEY\$; IF A\$ = " " THEN 340	TION? (Y/N)"
330 PRINT "IT'S DEATH! YOU WANT THE QUEST 335 EVAL INKEY\$	GOTO 250 "Trust the odds?

'Pick random question.

'Save memory; load only

(continued)

'Go get Q & A.





COMPUTERS

ALTOS 586-20 (8086, 512K, 5 U	se	rs		XE	NI	X	R	Τ,	20 MB
Hard Disk & 1 Floppy)	-				4		4	4	\$Call
986-40 (9 Users, 42 MB) .							4	d	\$Call
COLUMBIA									
1600-1 (128K, 2 Drives)		5	47					· e	\$Call
1600-4 (10 MB Hard Disk).						-			\$Call
1600-VP (Portable)					,				SCall
	郾	MI,							



COMPUPRO All Models	SCall
CORONA Desktop & Portable PC's	\$Call
EAGLE	
PC-Plus 2/PC-Plus XL	\$Cal
Spirit-2 (Portable, 128K, 2 Drives)	\$2295
Spirit-XL (128K, 10 MB Hard Disk) FRANKLIN	\$3649
CX Series (NEWI) Apple DOS, MS-DOS, CP/M	\$Cal
ACE PRO PLUS System	\$Cal
ACE 1200 OMS (6502/Z80B, 2 Drives, Wor	dStar
MailMerge, ACE Calc)	\$Cal
HeadStart VPU 512 (Z80A/8086, 512K)	\$Cal
HeadStart VPU 1000 (1 MB RAM)	\$Cal
NEC	
PC-8201A (w/16K RAM)	\$479
PC-8801A (Z80A, 64K, 2 Drives, 12" M	onitor
WordStar, MailMerge, Multiplan, NBASIC)	\$1199
PC-8801-16 (Optional 8086 w/MS-DOS)	\$Cal
PC-8881 (Optional Dual 8" Drives)	\$Cal
MBC 550 (8088, 128K, 1 SSDD Drive (
WordStar, CalcStar, EasyWriter)	\$Cal
MBC 555 (550 Plus 1 Add. Drive, EasyWri	
EasyMailer II, EasyFiler, EasyPlanner)	\$Cal
Double-Sided Drive Systems Available Now!	
SEEQUA Chameleon (IBM Compatible)	\$Cal
SWP Micro Computer Products	
Co-Power-88 Board (8088 w/ 256K)	200000
For KAYPRO 2, 4 & 10	\$Cal
For MORROW DESIGNS Micro Decision	\$Cal
TAVA IBM Look-Alike (128K, 2 Drives)	\$194

FOR IBM-PC

AST RESEARCH INC.					
MEGA PLUS II (64K, Ser & Clk)	0				\$269
MEGAPAK 256K Module		+			\$289
SIX PACK PLUS (64K, Ser/Par, Clk)		,			\$279
COMBO PLUS (64K, Ser/Par, Clk) .					\$275
I/O PLUS II (Serial Port, Clock/Cal)			4	-	\$125
** OPTIONS **					
Each 64K Increment Is \$60.					
Serial/Parallel/Game Port	. 7				\$4
QUADRAM					
a on o in the interest of the					

1605 (8088, 128K, 2 Drives, DOS 2.0) . . .

QX-PC (8088 w/ 192K) For EPSON QX-10. .

VISUAL Commuter (IBM Compatible Portable) \$Call

\$Call

\$Call

UNDRAM	
EXPANDED QUADBOARD (S, P, Clock, Game)	
64K \$279 384K	\$529
QUAD 512+ (Serial Port, Maximum 512K)	
64K \$239 512K	\$599
QUADCOLOR I (Video Board)	\$209
QUADLINK (6502 w/ 64K)	\$489
MICROFAZER	
Parallel/Parallel	
16K \$139 64K \$185 128K	\$239

UUAULI	NK (PDO	2 W/ 64K)			à F.	\$489
MICRO! Parallel						
16K	\$139	64K	\$185	128K		\$239
Serial/S	erial, Se	erial/Parl,	Parl/Seri	al		
8K	\$145	16K	\$155	64K	4140	\$209
AMDEK	MAI Bo	ard (128K	(640 x 41	00)).	4130	\$409
		n (132 Col				\$499
HERCUI	LES Grap	hics Boar	d (720 x	348).	(P) (P)	\$349

INTEL 8087 Math Co-Processor	\$249
KEYTRONIC IBM Keyboard (5150)	\$189
MA SYSTEMS PC Peacock (RGB & Comp Parallel Port)	\$279 llel &
Serial Ports, Clock/Calendar)	\$539
PERSYST Color Graphics Board	\$219
PLANTRONICS ColorPlus	\$Call
RANA 5 MB Disk Drive w/ Controller	\$Call
STB SYSTEMS Graphix Plus	\$349
TANDON TM 100-2 (DSDD Disk Drive)	\$209
TEAC FD-55B (DSDD Thinline Drive)	\$185
TECMAR Graphics Master (640 x 400 RGB)	\$519
The Captain (w/ OK)	\$259
1st Mate (w/ OK)	\$229
FOR APPLE II/IIe Franklin ACE	

ALS CP/M Card	\$289
Smarterm II (80 Column Card)	\$135
DIGITAL RESEARCH CP/M Gold Card	\$349
FOURTH DIMENSION 16K RAM Card	\$49
80 Column Card w/ 64K (Ile Only)	\$159
Super Drive (143K)	\$219
INTERACT. STRU. PKASO Universal	\$125
Shuffle Buffer (32K)	\$225
KOALA TECH. Koala Pad	\$85
MICROSOFT Premium Softcard (IIe)	\$289
Softcard (Apple/Franklin)	\$229
MICROTEK Dumpling-16	\$149
RV-611C (Parallel Interface)	\$59
ORANGE MICRO Grappler +	\$119
Buffered Grappler + (16K)	\$169
PROMETHEUS Graphitti	\$89
RANA Elite I	\$235
Elite II/Elite III	\$Call

HAND DISK			
CORVUS			
6 MB	\$1649	External Mirror .	\$63
12 MB	\$Call	Disk Server	\$78
18 MB	\$Call	Printer Server	\$78
Transporter	\$399	The Bank	\$174
Omnidrive (New!)	* * * * * *		\$Ca
DAVONG (Univers	al Exter	nal)	
10 MB	\$1925	15 MB	\$222
21 MB	\$2645	32 MB	\$324
	-	GENERAL SECTION	
		-	



GREAT LAKES				
10-MB Internal For IBM				\$1059
10 MB External (w/ Controller)	,			\$1219
23 MB External (w/ Controller)	Ü			\$1799
QCS				
10 MB w/ 5 MB Cartridge Back-Up.				\$2995
20 MB w/ 5 MB Cartridge Back-Up.		+		\$3495
TALLGRASS				
12 MB External w/ Tape Back-Up				\$2799
20 MB External w/ Tape Back-Up				\$3199
TANDON TM 5112 (10 MB External) .	10			\$1595
TECMAR				
Remov. Cartridge Winchester in PC (51	М	B)	\$1479
10 MB w/ 5 MB Cartridge in Chassis				\$2999

XCOMP 16 MB External (For IBM, Apple, Kaypro &

DOT MATRIX PRINTERS

Morrow Designs).

UNIVATION 11 MB w/ 192K For DEC.

ANADEX			ī	•		
DP 9625B (60 C)						\$1199
DP 6500 (500 CI	PS, 15" (Carriage)		0	1	\$2375
C-ITOH Prowrite						\$329
DATASOUTH DS-	-180/DS-	220				\$Cal
EPSON						
LQ-1500	\$1195	RX-100				\$519
RX-80	\$279	RX-80 F	/T	* .		\$339
FX-80	\$469	FX-100				\$699
	MONEY.	8008. ·				
E.	FILLY (FILE	DOMON TO				
1	-	SANSON DE	B	¥		
_	Serions	stronos de	H	1.8		

FLORIDA DATA (600 CPS, 4 Fonts)	\$299
INFO RUNNER Riteman Plus	\$299
MANNESMANN TALLY	
MT 160L \$599 MT 180L	\$79
Spirit-80 \$299 1602	\$Ca

NEC							
P2 Pinwriter (18	0 CPS, 1	0" Carriage)					\$649
P3 Pinwriter (18	0 CPS, 1	5" Carriage)					\$879
OKIDATA	11/1	100					6
ML 92	\$Call	ML 93	1		v	40	\$Call
ML 84(P)	\$Call	Pacemark.	-+:	4			\$Call
PANASONIC KX	-P1090				į.		\$299
SMITH CORON	A D-200						\$459
STAR MICRONI	CS						
Gemini 10X	\$289	Gemini 15X		ı	·		\$389
Delta 10	\$409	Delta 15.					\$549
Radix 10	\$589	Radix 15			ŀ	93	\$699
TEXAS INSTRU	MENTS						
850 RO	\$489	855 RO			,		\$759
TOSHIBA							
P1340	\$789	P1350/1351	١.		,	,	\$Cal
TRANSTAR T315							\$459
				÷		2	

LETTER QUALITY PRINTERS

BROTHER/DYNAX	
DX-15 (13 CPS, Diablo	Compat.) \$449
HR-25 (23 CPS, 3K Buf	fer) \$749
COMREX ComRiter II (5	K Buffer) \$459
DAISYWRITER	
2000 EXP (25 CPS, 4	8K Buffer) \$985
DIABLO	
620 R-105 \$Call	630 ECS/IBM . \$1995
830 ECS/API E-109	\$2195
JUKI 6100 (17 CPS, Dial	blo Compat.) SCall
NEC	
2010 \$699	2015 \$699
2030 \$699	2050 \$829
3510 \$1295	3515 \$1295
3530 \$1295	3550 \$1615
7710 \$1749	
OLYMPIA	
Compact RO \$459	Compact 2 \$429
	\$1299/\$1479
LetterPro 20P	\$Call
SILVER-BEED	

PLOTTERS

EXP 500(P) . .

AMDEK				
DXY-100	\$609	Amplot II		\$899
ENTER COMPUT	ERS			
Sweet-P	\$Call	Six Shooter.		\$Call
HOUSTON INSTR				
DMP-40	\$779	DMP-29		\$1849
DMP-41				
MANNESMANN ROLAND	TALLY	Pixy-3	0.00	\$599
DXY-101 STROBE	\$559	DXY-800		\$739
Model 200	\$529	Model 260 .	111	\$689

\$419 EXP 500 (S) . . . \$519 EXP 770(P) . . .

EXP 550(P) . \$519 EXP 770(P) . STAR MICRONICS PowerType.

MONITORS



AMDEK						
Video 300/300A/3	310A		22		\$135	/145/165
Color I+						
Color III +	\$379	Color	IV.	2002		\$719
GENTECH 9"/12"						
PRINCETON GRAI						
SR-12 (690 x 48	30)					\$639
Max-12 (12" Ar	nber, T	TL)	1111			\$189
QUADRAM Quads						
ROLAND						
MB-122G	\$169	MB-1	22A			\$175
CB-141	\$289	CC-14	1			\$579
SAKATA SC-100/S	C-300					65/SCall
TAXAN						Decree of the second
KG-12N	\$119	KG-12	N/U	Y .		\$129
210 (380 x 262)		420 (
USI Pi-2/Pi-3						

TERMINALS

П	ESPRIT						
1	Esprit I	\$Call	Esprit II		,	4 :	\$Call
ı	Esprit III	\$Call	ESP-6310.			(41)	\$589
1	ESPRIT Esprit I Esprit III LIBERTY Freedom	110/20	00	+	*	6	\$Call

QUME 102	/102A .		(1)		(6)									/\$559
103/108 .											\$	8	59	/\$649
TELEVIDE	914/9	24.						-	1					SCal
950/970 .														SCal
Personal T														\$429
w/300 i	Baud M	ode	m	Ü	Ĭ.	Û					Ĺ			\$538



WYSE		100000	-		\$559	9/\$689
WY-50	\$539	WY-75.				\$625
WY-100 ZENITH	\$659	WY-300				\$995
Z-29						\$329
ZTX-11 (w/ 300 Bau	d Mod	lem)	5.35		9000	\$399
MODEMS				ī		

Address of the Control of the Contro	
ANCHOR	
Mark VI (IBM) \$189 Mark XII	\$265
HAYES	
Micromodem IIe (w/ SmartCom I)	\$235
Smartmodem 300/1200	\$Call
Smartmodem 1200B (IBM)	\$439
NOVATION	
Access 1-2-3	\$419
J-Cat (Auto Orig/Answer, 300 Baud)	\$105
Apple Cat II (300 Baud)	\$225
212 Apple Cat II (1200 Baud)	\$409
103 Smart Cat (300 Baud)	\$169
103/212 Smart Cat (1200 Baud)	\$399
TRANSEND (Formerly SSM)	4000
Modemcard w/ Source (For Apple)	\$239
PC Modem Card 300 (For IBM)	\$279
U.S. ROBOTICS	4210
Password (1200 Baud)	\$319
Auto Dial 212A	\$459
AULU DIGI ZIZA	9409

SOFTWARE

\$449

\$899

\$419/\$579

ANICOPUL ANIFOLIO	_	-	7.00
SORCIM SuperCalc 3			\$23
SOFTWORD SYSTEMS Multimate			\$31
SATELLITE SOFTWARE WordPerfect .			\$28
PS WordPlus-PC w/ BOSS.			\$34
MICRORIM R:Base 4000			\$31
MICROPRO WordStar Pro Pack (IBM)			\$39
MBSI, STAR Accounting Software	: SA:	10	\$Ca
LOTUS 1-2-3		*	\$32
BUSINESS SOLUTIONS Jack 2			\$34

MISCELLANEOUS

SINGLE-SIDED DISKETTES

3M	\$25	Dysan		\$2
Maxell	\$29	Verbatim		\$2
DOUBLE-SIDED DIS	KETT	ES		
3M	\$31	Dysan	10	\$3
Maxell	\$38	Verbatim		\$3
CARD CO Card?+ 6	i			\$6
HOUSTON INSTRUI	MENT	5		
DT-11 Digitizer (1-Bu	itton C	cursor)		\$69
DT-114 Digitizer (4-				\$77
ORANGE MICRO G	rapple	CD (For C-64)		\$10
QUADRAM Quadjet	(Ink J	let Printer)		\$78
RANA 1000 Disk Dr	ive w/	DOS (For Atari)		\$30

CUSTOMER SERVICE

401-273-2420

800-843-4302

150 Broadway, Suite 2212, N.Y., NY 10038

Money Order, Cashier's Ck, Personal Ck (3 Weeks To Clear). Add 3% MC/VISA, 5% AMEX Charge. Add 2% On COD Orders. APO Orders Add 6%. Add 3% For Net Terms. All Returned Non-Defective Merchandise Are Subject To 20% Restocking Charge. GenTech Reserves the Right to Change Advertised Prices.







VIDEODISC CONTROL

370 A\$ = "CARBUNCLE": GOTO 445	'Q & A needed.
375 Q\$ = "NAME THE WAITER WHO BROUGHT YOU OUT."	
380 A\$ = "INGEMAR": GOTO 445	
385 Q\$ = "WHO GOT TO THE TABLE FIRST?"	
390 AS = "MOOKY": GOTO 445 395 QS = "NAME THE KITCHEN DWELLERS."	
400 AS = "FRED": GOTO 445	
405 Q\$ = "STAND-UP COMIC?"	
410 A\$ = "RASPUTIN": GOTO 445	
415 Q\$ = "WHAT IS THE SOUND OF ONE HAND CLAPPING?"	
420 A\$ = "YES": GOTO 445	
425 Q\$ = "WHAT GOES WITH CORNED BEEF?" 430 A\$ = "CABBAGE": GOTO 445	
435 QS = "CAN YOU KISS THE OUTSIDE OF YOUR ELBOW?"	
440 A\$ = "NOT DURING DINNER": GOTO 445	
445 CCLEAR: LOCATE(0,1): PRINT Q\$	'Print question.
450 PRINT "(UPPER CASE ONLY, PLEASE,)"	
455 INPUT /L, RESPS: CCLEAR: Q\$ = ""	'(Release memory.)
460TEXT(40.80, "YOUR ANSWER IS",FONT%(0),6.0,3.1): PAU 465 FOR K% = 1 TO LEN(RESPS) - LEN(AS) + 1	
470 IF MID\$(RESP\$,K%,LEN(A\$)) = A\$ THEN A\$ = "RIGHT": GO	'Search resp for right ans.
475 NEXT K%: A\$ = "WRONG"	'Didn't find it.
480 ' Doesn't quite get around	
485 GCLEAR 8:LDPSTART(1051,1052)	'Start him across.
490LDPWAIT(1053):LDPOUT(&H3C): D = 1	'Slow motion.
495 FOR K% = 5 TO I STEP - I: PAUSE K% * 6	Decaying loop.
500LDPOUT(6H44 + D * 6H8) 505 D = D * (-1): NEXT K%	'Fwd or reverse 'depending on D's sign.
510 PAUSE 3: GCOLOR "4: GCLEAR 4: CCOLOR 6	Screen turns red.
515 MSG\$ = "AAAIIIYYYEEEEE": C% = 19 + IRND(2)	Server tarns rear
520 FOR L% = 1 TO 14	
525 LOCATE(C%,L% + 5): PRINT MID\$(MSG\$,L%,1)	Print msg in random
530 C% = C% - 1 + IRND(2): PAUSE 1: NEXT L%	pattern down screen.
535LDPSTART(1054,1055,1056)	'Slow motion of
540 PAUSE 3: CCLEAR: GCLEAR 8: GCOLOR "8 545 IF A\$ = "WRONG" THENTEXT(110,140,"WRONG!",FONT%	'silverware falling.
550 PAUSE 20: MSG\$ = "THAT'S IT FOR YOU, PAL!"	(0).4,4.1)
555 PRGM\$ = "GRAVY": GCLEAR 8: GOTO 95	BAD END
560 ' Gets by	
565LDPSTART(1057,1058)	
570 GCLEAR 8: GCOLOR "8: _LDPWAIT(1059)	'Wait until he's around.
575 IF A \$ = "RIGHT" THENTEXT(90,150,"CORRECT!",FONT% 580 PAUSE 20: POINTS = SCORE: GOSUB 65	'Double the score.
585 PAUSE 10: CHAIN /V "TURN3", 170	'Next challenge.
Program 7:	
	-2 VV
150 DIM FONT%(1600): CONSOLE 40: CURSOR OFF	Cold start.
155 GCOLOR "8: GCLEAR 8: CCOLOR 6,0.0: CCLEAR 160LDPINIT:LDPOUT (&H51):INTSET(1,0)	'Restart entry point.
165 _LDPSTART(1060,1061)	
170 CHAIN /V/M "SUBSET"	'Warm start entry point.
175	50
180 ' "TURN3"	
185 '	
190VSW(3): ON ERROR GOTO 140	'Print off screen.
195INTSET(I,0):SLFONT(FONT%(0), "SSER70") 200TEXT(55,0," I = TURN", FONT%(0), 6,6,1)	Three choices
205TEXT(180,0,"2=TURN",FONT%(0),6.6.1)	Timee choices,
210TEXT(80,15; 'RIGHT',FONT%(0),6.6.1)	
215TEXT(210,15,"LEFT";FONT%(0),6,6,1)	
220TEXT(60,180,"3 = GO STRAIGHT".FONT%(0),6.6,1)	
225 CCLEAR: _LDPWAIT(1062):VSW(2): BEEP	Show choices.
230 LIMIT = 1063: GOSUB 20 235 IF A\$ = "I" THEN 350	'Don't wait long.
240 GCOLOR ,,4: GCLEAR 4: IF A\$ = "3" THEN 300	'Not right: screen red.
245 IF A\$ = "2" THEN 265	'What's your choice.
250TEXT(120,100,"? ? ?",FONT%(0),6,0,5,1)	'No selection.
255 GOTO 270	
260 '	
265TEXT(75,100,"TURN LEFT??",FONT%(0),6,0,3,1)	'Scene of Heimlich
270 _LDPSTART(1064,1065) :PAUSE 3	ocene of Heimilch


Enter CompuServe's Electronic Mall™ and shop at your convenience in these exciting departments.

The Micro Mart
The General Store
The Travel Agent
The Book Bazaar
The Record Emporium
The Photo Booth
The Software Shop
The Financial Market
The Magazine Kiosk
The Gardening Shed
The Newsstand

A sample of the companies participating in CompuServe's Electronic Mall includes:

Amdek American Airlines American Express AST Research Bank of America Bantam Big T Automotive Buick CBS Publishing CDEX Colonial Penn Commodore Computer World Digital Equipment dilithium Press 800 Software 47th Street photo Grolier Harvard Business Review Heath Heinold Commodities Hertz E.F. Hutton Inmac Innovative Software Knapp Press Magazine Entree Magazine Supply House Manufacturer's Hanover Trust Max Ule McGraw-Hill Metropolitan Life Microsoft Miracle Computing Misco Newsnet Novation Official Airline Guide Pan American Electronics Peachtree Software Practical Peripherals Program Store Professional Color Labs RCA Record Clubs Record World Sears Select Information Exchange Sim Computer Products Simon and Schuster Small Computer Book Club Software Advisor Stark Brothers Supersoft Vanguard VisiCorp Waldenbooks Woman's Day Books Ziff-Davis

Merchants and manufacturers who want to participate in the Electronic Mall " may contact: Stephen A. Swanson, L.M. Berry & Co., P.O. Box 6000, Dayton, OH 45401, (513) 296-2015.



By The Year 2000, The World May Catch UP With The Way Compuserve's New Electronic Mall Lets You Shop Today.

Introducing the irst computer shopping service that brings you convenience, savings and enjoyment.

Here's your chance to expand the practical uses of your personal computer.

Sign up for CompuServe and shop in our new Electronic Mall. It's easy to use. It ells you more about the products you're ouying. It lets you order faster. And it's otally unique.

CompuServe's new Electronic Mall* offers you all these shopping nnovations.

- It's enormous! So it gives you in-depth nformation on thousands of goods and services, and lets you buy even hard-to-find merchandise. - Its unique "Feedback" servce lets you ask the merchants themselves specific questions. - It's incredibly efficient in ordering the products and services you want. Its special discount opportunities make it economical, purchase after purchase. – And its name-brand merchants assure you of top-quality merchandise.

Make the CompuServe Electronic Mall 15-Minute Comparison Test.

What you can do in 15 minutes shopping the Electronic Mall way,

- Call up on your computer screen full descriptions of the latest in computer printers, for instance.
- Pick one and enter the order command.
- Check complete descriptions of places to stay on your next vacation.
- Pick several and request travel brochures.
- Access a department store catalog and pick out a wine rack, tools, toys... any thing!
- Place your order.

What you can do in 15 minutes shopping the old way.

• Round up the family and get in the car.

The Electronic Mall, a valuable addition to the vast world of CompuServe.

CompuServe's Consumer Information Service brings you shopping information, entertainment, personal communications and more.

You can access CompuServe with almost any computer and modem, terminal or communicating word processor.

To receive your illustrated guide to CompuServe and learn how to subscribe, call or contact...

CompuServe

Consumer Information Service P.O. Box 20212 5000 Arlington Centre Blvd.

Columbus, OH 43220

800-848-8199

In Ohio call 614-457-0802

An H & R Block Company

Circle 65 on inquiry card.

Multi-function RS-232 Transfer Switches

MFJ-1240 \$ 79 95 Choice of 8 models



Multi-function RS-232 transfer switches let you switch your computer among printers, modems, terminals, any RS-232 peripherals; monitor data/line failure, protect data lines from surges, and use as null modem for less cost than a switch alone.

Switches 10 lines (2,3,4,5,6,8,11,15,17,20). LED data/line indicators monitor lines 2,3,4,5,6,8,20. Metal oxide varistors protect data lines 2, 3 from voltage spikes and surges. Push button reverses transmit-receive lines (2,3). PC board eliminates wiring, crosstalk, line interference. Connects any one input to any one output.

Model MFJ-1240 MFJ-1241	Price \$79.95 \$99.95	1 2	2 2	Model MFJ-1244 MFJ-1245	\$169.95	3 3	Out 3 5
MFJ-1242 MFJ-1243		1	4	MFJ-1246 MFJ-1247 switches 2	\$199.95 \$99.95 0 lines	1	2

AC Power Centers
MFJ-1108 MFJ-1108, \$99.95. Add conven-

95 ience, prevent data loss, head bounce, equipment damage. Relay latches power off during power transients. Multi-filters isolate equipment, eliminate interaction, noise, hash. MOVs suppress spikes, surges. 3 isolated, switched socketpairs. One unswitched for clock, etc. Lighted power, reset switch. Pop-out fuse. 3 wire, 6 ft. cord. 15A, 125V, 1875 watts. Aluminum case. Black. 18x2¾x2 in. MFJ-1107, \$79.95. Like 1108 less relay. 8 sockets, 2 unswitched. MFJ-1109, \$129.95. Like 1107 but intelligent. Switch on device plugged into control socket and everything else turns on. Others available.

Acoustic/Direct Coupled Modem



Use with any phone anywhere

* 129 95

MFJ-1233 Acoustic/Direct Coupled 300 baud modem. Versatile. Use with virtually any phone, anywhere. Use battery or 110 VAC. Direct connect mode: Plug between handset and base. Use with single or multi-line phones. Acoustic coupled mode: Use with phones without modular plugs. Quality muffs give good acoustic coupling, isolates external noise for reliable data transfer. Originate/answer. Self test. Carrier detect, ON LEDs. RS-232, TTL compatible. Reliable single chip modem. Crystal controlled. Aluminum cabinet. 9x1½x4 in. Other models available.

Order from MFJ and try it. If not delighted, return within 30 days for refund (less shipping).
One year unconditional guarantee.

Order yours today. Call toll free 800-647-1800. Charge VISA, MC. Or mail check, money order. Add \$4.00 each for shipping and handling.

CALL TOLL FREE . . . 800-647-1800 Call 601-323-5869 in MS, outside continental USA.

ME ENTERPRISES

921 Louisville Road, Starkville, MS 39759

VIDEODISC CONTROL

	Maneuver
275 GCLEAR 8: GCOLOR8:LDPWAIT(1066) 280TEXT(65,120,"CRUNCH!",FONT%(0),4,0,10,3)	
285 MSG\$ = "SORRY, NAME. WRONG WAY!"	into min
290 PRGM\$ = "TURN3": GOTO 95 295 '	'BAD END
300 _TEXT(60,100,"GO STRAIGHT??",FONT%(0),6,0,3,1)	
305 _LDPSTART(1067, 1068): PAUSE 2	'Run between tables.
310 GCLEAR 8: GCOLOR8: _LDPWAIT(1069)	Run between tables.
315 GCOLOR4: GCLEAR 4	
320 _LDPSTART(1070,1071)	Jump the gravy.
325TEXT(45,100,"RUN, NAME, RUN!",FONT%(0),6,0,3,1)	James are Brands
330 PAUSE 14: GCLEAR 8: GCOLOR8	'Music behind graphic.
335LDPWAIT(1072): MSG\$ = "THIS IS THE CHECK, NAME!"	
340 PRGM\$ = "TURN3": GOTO 95	BAD END
345	
350 GCLEAR 8: POINTS = 3490: GOSUB 65: CCLEAR	
355LDPWAIT(1073)	
360 LOCATE(15,20); CCOLOR 4,2,2; PRINT " WARNING "	'Print flashing.
365 LOCATE(6,21): CCOLOR 4,2,0	
370 PRINT "TAKE POSITIVE ACTION OR DIE!"	
375 LOCATE(9,22): PRINT "TYPE YOUR RESPONSE NOW:"	MINI-EDITOR:
380 CCOLOR 4,0,0: C% = 15: L% = 23	'Set col & line.
385 RESP\$ = "": EVAL INKEYS: CURSOR ON	'Initialize.
390LDPFRM(F#): IF F# > 1074 THEN 450 395 LOCATE(C%,L%): A\$ = INKEYS: IF A\$ = "." THEN 390	'Is time up?
400 IF AS = CHR\$(13) THEN 450	'Key pressed? 'Return key?
400 IF AS = CHR\$(15) THEN 450 405 IF AS <> CHR\$(150) OR LEN(RESP\$) = 0 THEN 425	'Left arrow key?
410 RESP\$ = LEFTS(RESP\$, LEN(RESP\$) - 1): C% = C% - 1	then back up,
415 IF C% < 0 THEN C% = 39: L% = L% - 1	update cursor,
420 LOCATE(C%, L%): PRINT " ":: GOTO 390	erase character.
425 IF AS < CHR\$(32) OR A\$ > CHR\$(122) THEN 390	'Valid character?
430 IF LEN(RESP\$) > 60 THEN 390	'60 character limit?
435 RESP\$ = RESP\$ + A\$: LOCATE(C%, L%): PRINT A\$	'Add character typed,
440 C% = C% + 1: IF C% > 39 THEN C% = 0: L% = L% + 1	update cursor.
445 GOTO 390	'Check the time.
450 CURSOR OFF : CCLEAR	'Time's up.
455 FOR K% = 1 TO LEN(RESP\$) - 4	Search response
460 IF MIDS(RESPS,K%,5) = "FLOOR" THEN 510	for right answer.
462 IF MIDS(RESPS,K%,5) = "floor" THEN 510	lower case, too.
465 NEXT K%:LDPWAIT(1075) 470 GCOLOR ,,4: GCLEAR 4:LDPSTART(1075,1076)	'Must be wrong. 'New threat!
475 PAUSE 1: GCLEAR 8: GCOLOR8	New Ullead
480 PAUSE 5: GCOLOR "4: GCLEAR 4: _LDPSRCH(1078)	'Looks grim.
485 PAUSE 5: GCLEAR 8: GCOLOR ,,8	DOOL GIIII.
490TEXT(100.120,"LOST HAT CHECK STUB!",FONT%(0),4,0,5,2)	'It's all over.
495 MSGS = "TOO BAD, NAME.": PRGM\$ = "TURN3"	
500 SCORE = SCORE - 3490: GOTO 95	'Can't keep points if
505 '	restarting this module.
510 _LDPWAIT(1079)	
515TEXT(115,170;"WISE!".FONT%(0),4,0,3,1)	
520 PAUSE 30: CCLEAR: GCLEAR 8	
525 CHAIN /V "WYSTEP", 170	'What's next?
Program 8:	
WIDNESS AND ACCOUNT AND ADMINISTRATION OF A PROPERTY OF A	
150 DIM FONT%(1600): CONSOLE 40: CURSOR OFF	'Cold start.
155 GCOLOR ,.8: GCLEAR 8: CCOLOR 6,0,0: CCLEAR	Restart entry point.
160 _LDPINIT: _LDPOUT (&H51): _INTSET(1.0)	31
165LDPSTART(1080,1081)	MAN TO A TO
170 CHAIN /V/M "SUBSET"	'Warm start entry point.
180 "WYSTEP"	
185 ' W151EP	
190VSW(3): ON ERROR GOTO 140	
195SLFONT(FONT%(0), "SSER70")	
200TEXT(20.180,"1 = WATCH YOUR STEP",FONT%(0),6,6,1)	
205LDPWAIT(1082):VSW(2): BEEP	'Only one choice.
210 _LDPWAIT(1083); LIMIT = 1084; GOSUB 20	'Question is 'when'.
215 IF AS = "1" THEN 230 ELSELDPWAIT(1085)	'Pressed at right time?
220 MSG\$ = "YOU DID'NT WATCH YOUR STEP.": GOTO 280	
225	(continued)



Two more great reasons to buy the Canon AS-100 Microcomputer.

1. Incredibly low price. 2. Free software.



Now there's even more incentive to buy Canon's AS-100 Microcomputer.

Because not only will you get one of the most advanced, small business micro-computers you can buy, but with a price that's now dramatically reduced, you'll also get value that's just as far ahead of its time. Plus free business management programs

That's an unprecedented saving on this elegantly compact, yet powerful microcomputer.

It has a high-speed, 16-bit microprocessor with standard 128K-bytes RAM expandable to 512K bytes.

A high-resolution, color display system for easy-to-read figures, charts and graphs (monochrome green display if you prefer).

The convenience and versatility of a lightweight keyboard that's adjustable for maximum comfort. Plus external storage capacity that includes 5½-inch mini or 8-inch floppy disks, with hard disk drive

also available.

And if all this isn't reason enough, the AS-100 now comes fully equipped with a choice of popular business software packages. Software such as WordStar* for word processing, CalcStar* and SuperCalc 2*** for spreadsheet analysis and dBase II**, InfoStar* and Friday!** for data base management. There's also a choice of Canon's exclusive software—Canowriter† and Canobrain II†.

Terrific savings and a choice of software packages.

Two more great reasons to buy the only microcomputer that comes with the assurance, reliability and technological quality of Canon.

The Canon AS-100.

For more information: Call 1-800-323-1717, Ext. 302. (In Illinois call 1-800-942-8881, Ext. 302.) Or Write Canon U.S.A., Inc., Systems Division, P.O. Box CN 11250 Trenton, N.J. 08638.

*InfoStar, CaicStar and WordStar are trademarks of MicroPro. **Friday! is a trademark and dBase II is a registered trademark of Ashton-Tate. ***SuperCalc 2 is a trademark of Sorcim. *Canowriter and Canobrain II are trademarks of Canon, Inc.

Available through Canon authorized dealers. Offer good through October 31, 1984. © 1984 Canon U.S.A., Inc.

Canon Systems Division

VIDEODISC CONTROL

ERG/68000 MINI-SYSTEMS

☐ Full IEEE 696/S100 Compatibility

HARDWARE OPTIONS

■ 8MHz, 10 MHz, or 12 MHz
68000/68010 CPU
■ 68451 Memory Management
■ Hardware Floating Point
■ Multiple Port Intelligent I/0
■ 64K/128K Static RAM (70 nsec)
■ 256K/512K/1MB Dynamic RAM (150 nsec)

Graphics-Digital Graphics
CAT-1600

DMA Disk Interface

SMD Disk Interface

¼" or ½" Tape Backup

5¼" or 8" Floppy Disk Drives

5MB-474MB Hard Disk Drives

7/10/20 Slot Back Plane

20 or 30A Power Supply Desk Top or Rack Mount Encl.

SOFTWARE OPTIONS

☐ 68KFORTH¹ Systems Language
☐ CP/M-68K²O/S with C, 68K-BASIC¹,
68KFORTH¹, FORTRAN 77, EM80
Emulator, Whitesmiths' C, PASCAL
☐ IDRIS³ O/S with C, PASCAL,
FORTRAN 77, 68K-BASIC¹, CIS
COBOL⁴, INFORMIX⁵ Relational
DBMS

UNIX⁶ SYS V O/S with C, PASCAL, FORTRAN 77, BASIC, RM COBOL⁷, ADA⁸, INFORMIX⁵, Relational DBMS

□ VED 68K Screen Editor
 □ Motorola's MACSBUG and FFP Package

Trademark ¹ERG, ²Digital Research,
²Whitesmiths, ⁴Micro Focus, ⁴RDS,
Inc., ⁴Bell Labs, ¹Ryan McFarland,
°U.S. DoD

30 Day Delivery - OEM Discounts



since 1974

Empirical Research Group, Inc. P.O. Box 1176 Milton, WA 98354 (206) 872-7665

230 SCORE = SCORE + 12380; GOSUB 45	
235 LIMIT = 1086: GOSUB 20: GCLEAR 8	'Don't hold key down
	Don't hold key down.
240 IF A\$ = "1" THEN 260	'It's a trap.
245 MSG\$ = "TOUGH LUCK, NAME."	'Can't keep points if
250 SCORE = SCORE - 12380: GOTO 280	restarting this module.
255 '	
260 LOCATE(9,20): PRINT "YOU'RE NOW IN A POSITION"	
265 LOCATE(12,21): PRINT "TO WIN THIS GAME"	1427-147-1-142-1W-97-
270 CHAIN /V "WEIGHT", 170	'One more test.
275 STREET SCENE	
280 GCOLOR ,,4: GCLEAR 4: CCLEAR	
285LDPSTART(1087, 1088)	
288 PAUSE 1: GCLEAR 8: GCOLOR ,,8	'Wait for disc access.
290 PAUSE 2: GCOLOR "4: GCLEAR 4: PAUSE 1	'Show, then mask picture,
295LDPSRCH(1089): PAUSE 2: GCLEAR 8: GCOLOR ,,8	but play the sound.
300TEXT(105,130,"TAXI!",FONT%(0),4,0,5,2)	'Grim scene.
305 PRGM\$ = "WYSTEP": GOTO 95	'BAD END
Program 9:	
150 DIM FONT%(1600): CONSOLE 40: CURSOR OFF	'Cold start.
155 GCOLOR ,,8: GCLEAR 8: CCOLOR 6,0,0: CCLEAR	'Restart entry point.
160LDPINIT:LDPOUT (&H51):INTSET(1,0)	
165 _LDPSTART(1090,1091)	
170 CHAIN /V/M "SUBSET"	'Warm start entry point.
175 '	warm start entry point.
180 ' "FARE"	
185 '	
190VSW(2): ON ERROR GOTO 140	
195INTSET(1,0):SLFONT(FONT%(0);"SSER70")	
200 CCLEAR: LOCATE (6,20?	
202 PRINT "JUST ANSWER THIS ONE QUESTION"	
205LDPWAIT(1092): CCLEAR:LDPTWAIT(14077)	
210 LOCATE(1,20)	
212 PRINT "WHAT IS THE FARE FOR THE FIRST 1/16 MILE?"	
215 LOCATE(0,22)	
217 PRINT "YOU HAVE 20 SECONDS TO TYPE YOUR ANSW	ER."
220 C% = 18: T = 15: EVAL INKEY\$: CURSOR ON	'MINI-EDITOR.
225LDPFRM(F#): IF F# > 1093 THEN 290	'Time up?
230 NT = (1094 - F#) \ 32	'New time remaining.
232 IF T = NT THEN 245 ELSE T = NT	'Different from last time?
235 CURSOR OFF : CCOLOR 4, 2	Then print new
240 LOCATE(9,22): PRINT SPACE\$(-(T<10)).T.	'time, flashing.
242 CCOLOR 6,0: CURSOR ON	dire, nasinig.
245 LOCATE(C%,23): A\$ = INKEY\$: IF A\$ = " " THEN 225	'Key press?
250 IF A\$ = CHR\$(13) THEN 290	'Return key?
255 IF A\$ <> CHR\$(150) OR LEN(W\$) = 0 THEN 270	'Backing up?
[발발: 유럽 : [문문 [일] [24] - [인글 [인스 -] [인글 [인크] [인글 [인크] [인] [인크] [인크	
260 W\$ = LEFT\$(W\$) - 1): C% = C% - 1	'Take character away
265 LOCATE(C%,23): PRINT " ";: GOTO 225	and erase it.
270 IF A\$ < CHR\$(32) OR A\$ > CHR\$(122) THEN 225	'Valid character?
275 IF LEN(W\$) > 20 THEN 225	'20 character limit?
280 W\$ = W\$ + A\$: LOCATE($C\%$,23): PRINT A\$;	'Add character typed,
285 C% = C% + 1: GOTO 225	'update cursor, check
	time.
290 CCLEAR: CURSOR OFF:LDPWAIT(1095)	'Time's up.
295 FOR K% = 30 TO 70 STEP 20: PAUSE 10	'No right answer.
300TEXT(165 + K%/2, K%,"WRONG!",FONT%(0),4,0,5,2)	
305 NEXT K%:LDPWAIT(1096): GCLEAR 8	'Pothole gaping ahead.
310 LOCATE(5,24): PRINT "P = PLAY AGAIN E = END	r*;
315LDPFRM(F#): IF F# > 1097 THEN 325	'You can watch til end
320 A\$ = INKEYS: IF A\$ = "" THEN 315	'of segment or take
325 GCOLOR1: GCLEAR 1: CCLEAR:VSW(0)	'shortcut out (P or E).
330 IF A\$ <> " " THENLDPSTART(1098,1099)	'Music behind graphic.
335TEXT(50,40,"BETTER LUCK",FONT%(0),6,0,5,1)	'(Actually, any key leads
340TEXT(65,60,"NEXT TIME.",FONT%(0),6.0,5.1)	'to this final frame.)
345TEXT(30,100,"TO PLAY AGAIN",FONT%(0),6,0,5,1)	so one maintaine,
350 _TEXT(70,120,"TYPE",FONT%(0),6,0,5,1)	
: 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
355TEXT(150,120,"BIG DINNER.",FONT%(0),4,6,5,1)	'Show final score
358 GOSUB 45	Snow final score

360 CCOLOR 4: LOCATE(18,22): INPUT /L, RESP\$

370 GOTO 125

365 IF RESP\$ = "BIG DINNER" OR RESP\$ = "big dinner" THEN RUN "FIRSTSEG"

'Reset screen and end.



Now you don't have to sacrifice print quality for speed.

The Canon Impact Matrix Series Printers.



High speed and high quality in one functional, compact unit. That's what Canon's Impact Matrix Printers offer you.

They print hard copy at a rapid 160 characters per second. While in the double pass mode you get an impressive, high-density 23 X18 dot matrix that gives near letter quality printing suitable for word processing.

Canon's unique technology has also dramatically reduced bothersome clatter down to a muted noise level of less than 60dB.

Even at high speed.

And that, unlike many other impact matrix printers, makes them a pleasure to work with.

Plus there's limitless flexibility with the optional down-loading function that lets you print

© 1984 Canon U.S.A., Inc.

whatever character fonts your host computer can create. As well as a choice of four different character styles (all printable on the same line) that you can enlarge or condense.

The Impact Matrix Series
Printers give you a convenient
choice of special paper widths—the
PW-1080A for 80-character
column printout and the PW-1156A
for 156-character column.

Exceptional quality and high speed.

The Canon* Impact Matrix
Series Printers give you the best of both worlds.

For more information: Call 1-800-323-1717, Ext. 300. (In Illinois call 1-800-942-8881, Ext. 300.) Or Write Canon U.S.A., Inc., Printer Division, P.O. Box CN 11250, Trenton, N.J. 08638.

Canon Printer Division

The combination of the overlay and RGB graphics makes it possible to add new elements to an existing program.

All of this happens very quickly, and without a "glitch." That is, the combination of the overlay and RGB graphics makes it possible to add new elements to an existing program, weaving them into the action so everything seems normal.

In writing these programs, we discovered that timing was critical. In some instances, we changed the sequence of the disc player and screen commands so that videodisc scenes, graphics, and screen-clearing functions coincided.

We found that the best way to lock in the timing was to use LDPWAIT. The LDPWAIT command suspends program execution until the computer spots the specified videodisc frame. In some cases, we detected as much as one-tenth of a second lag between the appearance of the desired frame and the execution of the command following LDPWAIT. So we "fudged" (prerolled) the frame numbers as needed to improve the timing.

We had to use the Sony Disk BASIC PAUSE statement several times as a fudge factor. PAUSE 10 is approximately one second.

We might add that in the GRAVY program, we developed a random-question generation sequence with our own (slightly ridiculous) questions and answers from lines 365–440. If you do not like ours you can add your own as long as you do not exceed 40 characters per line.

There are several other examples of how to use a personal computer to reformat an existing disc. Without going into further detail here, we suggest you refer to the listing for additional examples.

Conceptually, there is nothing new about using an existing disc to create a game. The exciting part is that two years ago integrated systems and soft-




Figure 5: A sample flowchart for the "FIRSTSEQ" program, one of eight programs in the listing.

ware support for them were generally unavailable. Today, systems like the SMC-70 are widely available. More importantly, with the kind of software that is also available, you do not need to be an expert to write a program like this. Everything you need is likely to be found in the manual that accompanies the videodisc interface.

For those of you with IBM PCs, Visage (12 Michigan Drive, Natick, MA 01760) has just released a universal videodisc controller card, the VDC-1000, which can run with either the consumer or industrial players. At the time of this writing the card was not yet available, thus

we had no chance to use it for this game. But we are impressed with the purported features. Some of them include: graphics overlay on any NTSC signal; 15 available colors (including "transparent"); full-sprite animation; data dump from disc to PC memory; frame status; and a keyed-to-frame (TM) feature that links graphics and animation to the video.

For those of you with Apple IIs and IIes, Video Associates Labs (3933 Steck Ave., Suite B109, Austin, TX 78759) has a similar overlay system that has been well received, particularly by the broadcast and industrial video businesses.



What's more incredible about Canon's color ink-jet printer? The quality... or the price?



Take a look at the beautiful clarity of the Canon® PJ-1080A's color ink-jet printing. Then discover that Canon's color printer actually costs well under a thousand dollars. You'll be hard-pressed to decide which is more amazing.

What makes the quality so incredible? Features like:

- The advanced drop-on-demand printing system. Canon's patented ink-jet technology gives a sharp 640 dot-per-line scan mode, for dazzling high-resolution color and exceptionally clean, crisp printouts.
- Whisper-quiet operation of less than 50dB and an impressive speed of 37 c.p.s.
- A choice of seven bold colors for bright, imaginative graphics.
- A special dual-ink cartridge system that gives cleaner
 1984 Canon USA, Inc.

- resolution on blacks and saves you money, because when black is used up only the black cartridge need be replaced.
- The ability to print high-fidelity characters and images on transparencies for overhead projection.
- Compatibility with most computers you can buy.
 And how much does all this cost?
 Far less than a thousand dollars.


So what's more incredible about the PJ-1080A color ink-jet printer? There's only one way you'll really be able to find out.

And that's to buy one and decide for yourself.

For more information: Call 1-800-323-1717, Ext. 300. (In Illinois call 1-800-942-8881, Ext. 300.) Or Write Canon U.S.A., Inc., Printer Division, P.O. Box CN 11250, Trenton, N.J. 08638.

Canon Printer Division

IORUN W(ORID)



MS-DOS Without software you're nowhere.

> That's why the Corona PC runs virtually everything. Word Star. dBASE II.2 Lotus 1-2-33* Thousands of packages in all. But we didn't stop there.

We give you 60% better graphics than IBM® (640x325 pixels). So your pie charts look tastier. We doubled the memory: 128K memory expandable to 512K on the main board. For power that won't quit. And we bundle software. For instant


productivity right out of the box. All at a price about 20% less than IBM's. The Corona PC. Once you can run the world, running your business looks easy. In North

America, call 1-800-621-6746 for the Authorized Corona Dealer near you. In Holland, call 020-03240-18111. There are over 1600 dealers worldwide. And their job is to help. Service by Xerox.



MultiMate

GW BASIC



Reviews

THE SAGE II AND SAGE IV COMPUTERS by Allen Munro
THE COMPAQ PLUS by Mark Dahmke
XENIX FOR THE IBM PC XT by Steven H. Barry and Randall Jacobson 25
TURBO PASCAL by Tom Wadlow
LISP FOR THE IBM PERSONAL COMPUTER by Jordan Bortz and John Diamant28
THE SMITH-CORONA L-1000 PRINTER by Richard S. Shuford
REVIEW FEEDBACK

REVIEWER'S NOTEBOOK

Business Solutions Inc., a software house located on Long Island, has been sponsoring contests for integrated software packages running on the IBM PC. Guess whose product usually wins? Business Solutions' Jack2, a descendant of its Apple II product called The Incredible Jack, has been the subject of some impressive claims.

For the most part, the claims about this \$495 program seem to stand up to scrutiny. Jack2 is a database-management program that can handle spreadsheet calculations, word processing, and graphics. All of these functions can be integrated fairly easily. For example, a letter, or database report, can include several different "blocks." One block could be a single record from a database; another block might be a small spreadsheet; a third, a bar graph. When one item of information changes, the spreadsheet and bar graph can change automatically. All this power is fairly easy to set up, too.

Jack2 has two problems, though. If you take any *one* of its four capabilities—database management, spreadsheet, word processing, or graphics—and look at it by itself, none is close to being as good as single-function programs such as pfs:Write or Multiplan. And second, the program runs on the p-System, not on PC-DOS. This means that you're going to have trouble transferring information from your spreadsheets, word processors, and databases running on MS-DOS. Business Solutions has announced the availability of a utility program that can transfer data from and to PC-DOS files, but we have not received it yet. A review of Jack2 will appear here soon.

Someday we'll have supersophisticated debugging programs that will allow us to customize our software exactly the way we want it. That day may not come too soon, but for now we are fortunate to have keyboard modification programs such as ProKey. The latest version of ProKey (version 3.0) for the IBM PC sells for \$130 and allows you to substitute any combination of keystrokes for almost any key on the IBM keyboard. For example, in Word-Star, you can change the Delete and Backspace keys into *real* Delete and Backspace keys. Or one keystroke can be used to insert your return address into a letter. And in spread-sheet programs, ProKey's "macro" key sequences are easier to use than those of Lotus's 1-2-3.

And that's not all. Another program in the ProKey package called Layout lets you easily change the layout of the IBM keyboard. For example, you can change the dreaded Backslash key into a Shift key, just like it's supposed to be, or you can set up a Dvorak keyboard. One problem, though, is that while most of the ProKey programs run on most of the IBM compatible systems, the Layout program is one of the few programs I've found that seems to run only on the IBM.

This month Allen Munro looks at the Sage II and IV, a 68000-based family of machines that has received some good notices elsewhere in this magazine.

Mark Dahmke looks at the Compaq Plus, the hard-disk version of the successful portable IBM clone.

Speaking of the IBM PC, we ran an article last year about a 68000 board for the PC produced by a company called Sritek ("Modular Architecture," by Sudha Kavuru, June 1983, page 194). Since this board comes with the XENIX operating system, we had Steven H. Barry and Randall Jacobson, our UNIX experts, report on it.

One product that has received tremendous raves all over the industry is Turbo Pascal, a powerful, easy-to-use version of Pascal for the IBM PC and CP/M-based machines. Tom Wadlow checks out whether the praise is deserved.

While we're on the subject of languages, we have Jordan Bortz and John Diamant reviewing two LISP systems: muLISP and IQLISP. Messrs. Bortz and Diamant examine how much intelligence—artificial or otherwise—went into these products.

And Richard Shuford takes a look at the Smith-Corona L-1000, a descendant of the TP-1, the first really affordable daisy-wheel printer. Richard reports on whether things have gotten better at Smith-Corona since the TP-1 came on the market.

-Rich Malloy, Product-Review Editor

\$675 GETS YOU THE WORKS.



F or about half the price of anything like it, now there's a complete plotting system with all you need for creative and professional graphics.

Everything's included: The Pixy microplotter, its dedicated Pixygraph software, paper, mylar film for overheads, two 8-color pen sets and a

concise, easy-to-follow manual.

Even if you've never used a plotter before, it's never been easier to turn numerical data into pie charts, bar comparisons and area graphs. Or use your imagination to create unique designs.

Just connect Pixy to your IBM®-PC, Apple® or IBM compatible computer and you'll be turning out colorful graphics in no time.

Everything shown is specially offered at

the one low suggested retail price for a limited time only. So if you've ever wanted to make your point with graphics, the

right time is right now.

See your Mannesmann Tally dealer today or call toll-free for more in- MANNESMANN formation: 800-447-4700. TALLY

In Illinois, 800-322-4400



S·Y·S·T·E·M R·E·V·I·E·W

The Sage II and Sage IV Computers

The Sage computers display the power of the p-System

BY ALLEN MUNRO

ome personal computer users like to claim that they have no need for greater computing power. They say that a Z80-based system with 64K bytes of RAM (random-access read/write memory) can handle all the tasks that most people would ever want to do on a computer. With all due respect, such users are letting their current systems set the limits of their imaginations.

Those who adopt a personal computer that uses the powerful 32-/16-bit Motorola MC68000 chip (32-bit internal data bus, 16-bit external data bus), such as the Sage II or Sage IV, are likely to discover new computing potential that they will soon decide they would rather not live without.

Does it make sense to put more than one user on a microcomputer? Probably so, if you are paying for the system but won't actually be using it. Probably not, if you want to use it yourself.

The Sage II and Sage IV let you go either way. The 68000 was originally designed as a minicomputer chip and can support multiple-or single-user systems. The standard operating system on the Sage is the UCSD p-System, a single-user computer system. Sage lets you optionally install a multiuser version of the operating system, in which multiple users have access to copies of the p-System, each in his or her own memory partition.

HARDWARE

The two Sage computer models are virtually identical machines from the viewpoint of the applications software and operating system. Sage Computer Technology offers a finely graded series of systems solutions ranging from a single floppy-disk Sage II with 256K bytes of RAM through a variety of dual floppy-disk Sage II systems, to a Sage IV system with one floppy disk, a 40-megabyte Winchester hard disk, and 1 megabyte of RAM.

The crucial difference between a Sage II and a Sage IV system is that a Sage II can be expanded up to 512K bytes of RAM and has only floppy-disk drives, while a Sage IV can have up to 1 megabyte of RAM and has at least one hard-disk drive. A Sage II has two serial ports, one for the terminal and another

for a modem or serial printer, and one parallel port. A Sage IV has these peripheral interfaces plus an IEEE 488 instrumentation bus and four serial interfaces for the connection of terminals in a multiple-user mode.

Both the Sage II and the Sage IV can be used as single-user or multiuser machines. The Sage II can support two users (with the modem port configured for a second terminal) and the Sage IV can support up to six users. As many as 15 tasks can be run, which means you can run some extra programs that don't require a terminal, such as printing. Running either machine in a multiuser mode requires the installation of the Sage multiuser environment, a task likely to daunt anyone unfamiliar with the p-System or microcomputer systems in general.

When the Sage II first arrived, I was impressed that the computer arrived in a packaging box not much larger than the one used for an Apple IIe. I was even more impressed when I opened the box and found that almost all the space was taken up by foam padding and documentation. The Sage II itself is smaller than an Apple IIe. Here is a computer with 512K bytes of memory installed, two dual-sided 5¼-inch 80-track disk drives, each with a 640K-byte capacity, and the whole thing weighs only 16 pounds. (The Sage IV weighs 20 pounds.)

The Sage has no bit-mapped graphics capaability built in. It communicates to the user through a separate terminal, connected through an RS-232C serial port. If your applications require graphics, you can purchase a terminal with graphics capability. Sage's approach to graphics has the advantage that only those users who require the capability must pay for it. It also makes it possible for users to select exactly the graphics resolution and color they require and can afford. It has the disadvantage that there will be few applications available off the shelf for any particu-

Allen Munro is assistant director of the Behavioral Technology Laboratories at the University of Southern California, 1845 South Elena Ave., Redondo Beach, CA 90277. lar combination of Sage plus graphics terminal. In fact, Sage's approach to graphics is probably reasonable only for those who are prepared to program their application themselves.

The Sage printer port supports Centronics-type parallel-printer interfaces. I had no trouble using my Epson MX-80 to print from the Sage, either by using the file-manipulation utility (the Filer) to transfer text to the printer, or from my own programs. To use any printer with the available applications, find out whether the printer is supported by the software vendor, and, if so, how the correct printer parameters can be installed for that software.

I had some trouble when I decided to hook up the Sage II to an NEC Spinwriter Model 5525 with a serial interface. Thanks to many previous experiences trying to get RS-232C devices to communicate, and to the use of a Carroll breakout box (the RS-232 Line Tester, available from Carroll Touch Technology, 1212 Hagan St., Champaign, IL 61820), a friend and I were able to drive the printer from the Sage's modem port after about two hours of work.

The fact that it took time to complete this hookup is not a criticism of Sage in particular. There simply are not enough constraints on how manufacturers can implement the RS-232C standard to assure compatibility.

Neither of the Sage computers is particularly noisy. Both have fans that seem to do a good job getting the warm air out of the beige-and-black cabinets that house the computers, and they aren't loud enough to interfere with normal conversation. You just notice the sound if you happen to think of it. The hard-disk-equipped Sage IV made a high-pitched whine for the first 20 hours of operation, but it's been quiet since then.

Both Sages seem to be reliable. When

the Sage IV first arrived, it had a dead hard-disk drive. The carton looked as though it had been handled pretty roughly, and Winchester drives just aren't built to be abused. A call to the Sage service department was promptly answered by someone who suggested some simple tests. Sure enough, there was something wrong with the drive. The Sage service department sent me the replacement unit at the same time I sent the defective unit to them.

The new Sage IV arrived in fine working order. The Winchester disk comes formatted and had been set up with all the necessary volumes (virtual disks) and floppy disks for p-System use. The system is set up to boot from the hard disk, but a simple back-panel switch setting change makes it possible to boot from a floppy disk, if you'd rather.

PERFORMANCE

The only really reliable way to compare the performance of two computer systems is to actually use them. Benchmark programs are too narrowly focused to fully reflect system performance in the real world.

That caveat stated, four benchmarks are reported in table 1. Although any single benchmark should be taken with a grain of salt, a group of benchmarks may reveal a consistent trend. For comparison, the benchmark results for the IBM PC XT and the Apple IIe are presented here as well.

Virtually the same operating systems were used for all of the tests. Three of the benchmarks—the Pascal version of the Sieve of Eratosthenes, the floating-point benchmark, and the disk-transfer rate test—were performed using versions of the UCSD p-System. Both the Sage and the IBM PC XT ran under version IV.1 of the p-System. The Sage's p-System was produced by SofTech Microsystems; the IBM's came from Net-

work Consulting Inc. (NCI). The Apple IIe ran under Apple Pascal version 1.1, an implementation of UCSD Pascal version II.0. (A version IV p-System is available from SofTech Microsystems for the Apple, but it is not widely used because it costs more and runs significantly more slowly.)

The Modula Sieve test for all three machines was done with the Modula operating system from Volition Systems of Del Mar, California. Volition uses a modified version of the UCSD Pascal Operating System, version II, as the basis for its operating system in support of Modula-2.

The first benchmark presented in table I is the Sieve, written in Pascal, as presented by Jim Gilbreath and Gary Gilbreath in "Eratosthenes Revisited: Once More through the Sieve" (January 1983 BYTE, page 283). This classic benchmark tests a computer system's speed at performing loops. As the results show, the IBM PC XT takes almost 2.5 times as long as the Sage machines, and the Apple IIe takes over 6.8 times as long.

The Modula version of the Sieve is also taken from the Gilbreaths' article. Here, running under a slightly different operating sytem, the Sage performs more than 3.5 times as fast as the IBM PC XT, and almost 6.7 times as fast as the Apple. This particular benchmark may actually be the fairest comparison of the speeds of the three machines because all were performed using the same operating system, based on UCSD Pascal version II.

This operating system may be a bit faster than SofTech's version IV.1. The Modula operating system includes a Pascal compiler as well as the Modula-2 compiler. When the Pascal version of the Sieve benchmark was compiled on the Sage in this operating system, it ran in 69.3 seconds, a little faster than it did under version IV.1.

The third set of benchmark figures in table 1 is the result of a Pascal floating-point benchmark adapted from a similar program written in C. The original program appeared in "Comparing C Compilers for CP/M-86" by Jerry Houston, Jim Brodrick, and Les Kent (August 1983 BYTE, page 82). The Pascal version used for this comparison appears in listing 1. Here the IBM PC XT took about 1.9

(continued)

Table 1: Speed (in seconds) for four benchmarks, using UCSD Pascal.

	Sage II/IV	IBM PC XT	Apple IIe
Pascal Sieve	74.8	184.6	512.1
Modula Sieve	66.7	246.0	444.6
Pascal Floating Point	73.6	139.4	506.8
Pascal Disk Transfer			
Floppy disk	42.9	44.6	53.5
Hard disk	7.9	8.7	75.6
RAM disk	0.6	2.1	

AT A GLANCE

Name

Sage II

Manufacturer

Sage Computer Technology 4905 Corporate Way Reno, Nevada 89502 (702) 322-6868

Components

Size:

4 by 12.5 by 17 inches Processor: MC68000, 8-MHz Memory: 256K bytes standard 512K bytes max Mass Storage: half-height floppy disk, double-sided 40-track (IBM PC compatible) 80-track (640K bytes each) Interfaces: parallel, serial, modem

Software

Operating system: UCSD p-System Included software: Word/7 Text Processing System Teletalker Communications

Optional Hardware

Sage Terminal (Qume 102), other terminals RAM expansion units to above maximums

Optional Software

Pascal compiler, Timberline spreadsheet, 68000 assembly language, and over 200 commercial application packages from a variety of software vendors.

Operating Systems

10 available, including CP/M-68K, IDRIS, Modula


Prices


I floppy-disk drive, 256K bytes RAM \$3200


Options


additional floppy-disk drive \$700 additional 256K bytes RAM (to 1 megabyte on Sage IV) \$500 Sage terminal (Qume) \$590












The memory graph shows the standard and optional memory available for the computers under comparison. The graph of disk-storage capacity shows the highest capacity of a single floppy-disk drive for each system. The bundled software packages graph shows the number of software packages included with each system. The price graph

shows the list price of a system with two high-capacity floppy disk drives, a monochrome monitor, graphics and color-display capability, a printer port and a serial port, 256K bytes of memory (64K bytes for 8-bit systems), the standard operating system for each system, and the standard BASIC interpreter for each system.




The rear panel of the Sage II/IV.




Top view of the Sage II/IV with the cover removed.


SIEVE



BASIC PERFORMANCE
250
200
150
150
100
8

CALCULATIONS





The graphs for disk access in BASIC show how long it takes to write a 64K-byte sequential text file to a blank floppy disk and how long it takes to read this file. (See the June BYTE, page 334.) The Sieve graph shows how long it takes to run one iteration of the Sieve of Eratosthenes prime-number benchmark. The calculation graph shows how long it takes to do 10.000 multiplication and division operations using single-precision numbers. The system utilities graphs show how long it takes to format and copy a disk (adjusted time for 40K bytes of disk data) and to transfer a 40K-byte file using the system utilities. The spreadsheet graph shows how long the computers take to load and recalculate a 25- by 25-cell spreadsheet where each cell equals 1.001 times the cell to its left.

All Sage benchmarks were executed on a Sage IV computer with an 8-MHz 68000 microprocessor, 512K bytes of memory, and two 514-inch disk drives containing 640K bytes each. The operating system was the UCSD p-System version IV.13.

*Note that a BASIC interpreter is not available for the Sage II/IV. The BASIC tests were executed using the Softech p-System BASIC Compiler, version IV b5-4. The compiled code was then interpreted by the p-System. The BASIC calculation test was run using 64-bit real arithmetic.

The format/disk-copy operation on the Sage involves three separate operations: format, zero directory, mirror-image copy. The Timberline spreadsheet, version 1.0, was used for the Sage spreadsheet tests.

c := a * b;

c := c / a;

writeln ('Done', count)

end:

times longer than the Sage and the Apple IIe took about 6.9 times longer.

Finally, I wrote a simple program. shown in listing 2, to test the disktransfer rates of the three machines. The program opens a file for reading and another file for writing and then repeatedly reads 25K bytes (50 blocks in the p-System) and writes 25K bytes to the same device. The time it took all three computers to perform this action of a floppy disk was remarkably similar. The Sage was only slightly faster than the IBM PC XT, and only 1.25 times as fast as the Apple. Hard-disk speeds were also similar for the Sage and the IBM, but the Apple's Corvus 11-megabyte hard disk was much slower-even slower than the Apple's floppy disks. This result was puzzling. I knew that the Corvus made working with disk-intensive programs a lot faster on the Apple. Why did the benchmark show exactly the opposite result? The answer, of course, is that disk-transfer speed is not an important part of disk performance for most personal computer applications. Disk-access time usually is much more important.

The last line of data for the disk-transfer benchmark compares the Sage and the IBM when a RAM disk (virtual disk in semiconductor memory) is used. Here the Sage again enjoys a 3 to 1 speed advantage. This result probably reflects the superiority of the MC68000's memory-addressing method over the 8086 family's.

SOFTWARE

The Sage II and IV, with the operating system and available applications software, are very much p-System machines. The UCSD p-System is provided with both computers. Also available are Pascal and FORTRAN compilers and a 68000 assembly language that produces linkable assembly code. This means that computation-intensive portions of programs can be written in assembly for speed, while the bulk of the programs are written in Pascal for readability and compactness.

A number of typical p-System utilities are included, such as a cross-reference program and a teletalk utility for transferring files over the RS-232C interface to another p-System computer. The most important utility is a BIOS (basic input/output system) manipulation util-

```
Listing 1: A simple floating-point benchmark.
program fobench:
const const1 = 3.141597;
      const2 = 1783.9032:
      count = 10000:
var a, b, c: real:
   i: integer:
begin
  a := constl:
  b := const2;
  for i := 1 to count do
    begin
      c := a * b:
      c := c / a:
      c := a * b:
      c := c / a:
      c := a * b:
      c := c / a:
      c := a * b;
      c := c / a:
      c := a * b:
      c := c / a:
      c := a * b;
      c := c / a;
```

```
Listing 2: A disk-transfer speed benchmark.
program testdisk:
 var fromblocks, toblocks, numblocks, i: integer;
     infile, outfile: file:
     anarray: packed array [0..25599] of char; (* 50 blocks worth *)
 writeln ('test disk')
 from blocks := 0; toblocks := 0;
 reset (infile, 'test.text');
 rewrite (outfile, 'test.data');
 for i := 1 to 10 do
 begin
     numblocks := blockread (infile,anarray,50,0);
     fromblocks := fromblocks + numblocks;
     numblocks : = blockwrite (outfile,anarray,50,0);
     toblocks := toblocks + numblocks
 end:
 close (outfile, lock):
 writeln (fromblocks,' blocks read; ',toblocks,' blocks written.')
```

ity called SAGE4UTIL. This program is the one that lets you change features such as bps (bits per second) rate and number of stop bits for the RS-232C interface or treat one of the floppy-disk drives as an IBM PC-format drive.


Also included is Word7, a word-processing program. Word7 creates and accesses p-System files of type text. The files are not given the ".TEXT" suffix that other p-System text editors assign to the names of files they access and create. Instead, Word7 appends a "/D" to the name of the document. It is simple to use the Filer utility to change the names of files between the "/D" and "TEXT" versions, making it possible to work on the same files.

Unlike other p-System editors, such as the standard editor and Volition's Advanced System Editor, Word7 provides filing and printing functions from within the program. Word7 is not as mode-

(continued)

Put great deals together with LetterPro.

Introducing the professional-quality printer for small business.



LetterPro 20[™] — the small business printer that costs no more than the leading office typewriter. LetterPro provides all the productivity and convenience of word processing, with better print quality than most typewriters.

LetterPro plugs right into most popular desktop computers and delivers your work as fast as three good typists. And because Letter-Pro comes from Qume, one of the world's largest manufacturers of letter-quality printers for large corporations, you can be sure it will

stand up to the everyday demands of your business. For years.

Remember, a word processing system can only be as good as its printer. So choose the small business printer with big-time quality:

Qume's LetterPro 20. It may be the best deal you've closed in years.

Ask for LetterPro at your Qume distributor or computer dealer. Or write Qume Corporation, 2350 Qume Drive, San Jose, CA 95131.

LetterPro20





For your best investment in printers.

Call your nearest Qume distributor today.

United States:

American Calculator & Computer (205) 933-2344-AL

Almac Electronics (206) 643-9092 - WA

Anacomp (206) 881-1113-CA, UT. WA Anthem Systems (415) 342-9182-CA

Bohlig & Associates (612) 922-7011 - MN Butler Associates (617) 964-5270-CT, MA

Byte Industries (800) 972-5948 (CA Only) (800) 227-2070 (Outside CA)

David Jamison Carlyle (213) 410-9250-CA, CO, HI, IL, NJ, TX

Computers & Peripherals Int. (315) 476-6664-NY

The Datastore (609) 779-0200-NJ Equipment Resources (404) 955-0313-GA

Future Information Systems (212) 732-3905—NYC

Gentry Associates (305) 859-7450—FL. GA. LA. NC. SC. TN Inland Associates (913) 764-7977 - KS

InterACT Computer Systems (704) 254-1949—FL, GA, NC

Kierulff Electronics (800) 338-8811—AZ, CA, CO, CT, FL, GA, MA MD, MN, MO, NC, NJ, OH, OK, TX, UT, WA, WI

MA/COM-Alanthus Data (301) 770-1150-MD MicroAmerica Distributing

(800) 431-7660 (MA Only) (800) 343-4411(Outside MA)—CA, MA, TX

Midwest Microcomputers (419) 782-1115-OH

National Computers Syndicate (312) 459-6400-IL, MN **Pacific Mountain States**

(800) 272-3222-CA, WA **PAR Associates** (308) 371-4140-CO, UT

PCA Microsystems (512) 654-4711-TX PCS, Inc. (214) 247-9946-TX

Pioneer Electronics (301) 921-0660-AL, FL, GA, MD, NC, PA

Polygon Industries (504) 834-7658-LA

Printer Warehouse (213) 829-5493—(CA Only) (800) 245-9812—(Outside CA)

R.C. Data (408) 946-3800-CA

Rudor Communcations (212) 245-5509-NYC

Schweber (800) 645-3040—AL, CA, CT, FL, GA, IA, IL, MA, MD, MI, MN, NJ, NY, OH, OK, PA, TX, WI

Southern Microcomputer (305) 621-4237-FL Tek-Aids Industries (312) 870-7400-IL, PA, TX

Terminal Rentals (714) 832-2414-CA

Terminals Unlimited (800) 336-0423-24 Locations Tricom (516) 483-9700-NY

Unico (512) 451-0251-TX

Western New York Computer (716) 381-4120—NY

Canada:

Abacus Data Services (416) 677-9555 - Ontario Datamex (416) 781-9135-Ontario, Quebec DataTech Systems (604) 479-7117 — Alberta, BC, Ontario **Data Terminal Mart** (416) 677-0184-Alberta, BC, Nova Scotia, Ontario, Quebec **Future Electronics**

(416) 697-7710-Alberta, BC, Ontario, Quebec Micro Distributing (604) 941-0622-BC Printerm Data (416) 977-1711 - Ontario



Table 2: A comparison of Word7 on the Sage IV with WordStar 3.3 on the IBM PC. The tests measure (1) how long it takes to load a 4000-word document from a floppy disk, (2) how long it takes to save the document to a floppy disk, (3) how long it takes to find the last word in the document, and (4) how long it takes to scroll through the document to the end.

Test	Sage IV	IBM PC	
Software	Word7	WordStar 3.3	
I. Document load	7.7	. 9.9	
2. Document save	13.1	24.2	
3. Search	7.2	10.5	
4. Scroll forward	58.5	41.2	

oriented as other p-System editors, although it does have two basic modes. one for insertion and the other for exchanging or overstriking text, much like word-processing programs such as WordStar. Rather than presenting a oneline menu of available options, as the standard editors do, Word7 requires that the user know which keyboard function keys to use to accomplish tasks like deletion or centering of text.

Both the modeless and mode-type editors have adherents. There may be some advantage to a system such as Sage's that allows users to share the same text files even though they use different editors.

Table 2 shows a comparison of Word7 running on a Sage IV with WordStar running on an IBM PC. As you can see, Word7 is somewhat faster at loading a document and searching, quite a bit faster at saving a document, and somewhat slower at scrolling forward. It should be noted that the Sage IV was equipped with a 640K-byte floppy-disk drive, while the IBM PC had two 320Kbyte floppy-disk drives, 512K bytes of RAM, a monochrome monitor and adapter, and DOS 2.0.

CONFIGURATION

The Sage is an excellent p-System development machine because it is faster than any other widely available p-System computer. Furthermore, its floppy-disk drives can be configured to read a large number of disk formats in addition to its own 1280-block (640Kbyte) 80-track format. Other formats the Sage can read include IBM PC disks in several formats (double- and singlesided, standard 8-sector, or Network Consulting Inc.'s 10-sector) and the SofTech Microcomputing "universal"

medium-280-block disks in IBM PC format. Although Sage does not recommend that its 80-track drives be used for writing to 40-track disks, I found I could ignore the warning messages and safely transfer data from Sage disks to disks that had been formatted on an IBM PC in the standard 640-block (320Kbyte) format. To do this, I simply chose the option in the Sage configuration utility program called SAGE4UTIL that let me make on-line changes to the system's BIOS.

The Sage can directly write to the disks of most p-System computer sustems that use 51/4-inch floppy disks.

The Sage computers can directly write to the disks of most p-System computer systems that use 514-inch floppy disks. For those systems with disks that a Sage computer cannot write to directly, a standard utility program is provided for transfer of files over RS-232C lines.

Not every novice computer user would find it easy to configure a Sage system after unpacking it. In the best of all possible worlds, your friendly and competent computer dealer would be right there beside you, configuring the computer and giving you detailed training on its use. But in the real world, the computer dealer is all too likely to hand over the boxes and wish you luck. When a computer uses a built-in bit-mapped graphics display, it doesn't have to be

(continued)

Postscript

hortly after this review was prepared, Sage released a new set of documentation for the Sage II and IV and unbundled (or rebundled) its software. The new manuals and packaging go a long way toward eliminating my concern for novice users who might buy a Sage, and make the Sage a good choice for computer users who need extra power or want an inexpensive multiuser system.

Currently, both Sage computers are shipped with the UCSD p-System, communications software, utilities, Word7 word-processing software, two manuals, and a book about using the UCSD p-System.

The new documentation is more attractively packaged than before. Each of the 6- by 8½-inch binders is separately boxed, in the same manner that IBM PC manuals are. The layout of text in the manuals is attractive, with examples from the screen shown against a light green background. Line drawings are used sparingly and with good effect.

The star among the included manuals is Getting Started, which is going to save new Sage owners a lot of time and aggravation. Getting Started helps you set up the computer and terminal. It tells you how to power up, boot, and back up the system disks, as well as how to execute a demonstration program. The manual also contains primers on the p-System and its disk-file management program, the Filer.

Chapter topics in Getting Started include: electronic information services, including Sage's own SageMail; configuring the system for use on nonstandard terminals; setting up the system for use with a variety of printers; using the configuration control program; and setting up the system for multiple users. There is no question that novice Sage users are much better off with this new manual.

The same binder that contains Getting Started holds the manual for Word7. Another binder contains the p-System manual, which describes the Filer program and the standard p-System editor. In addition, it describes utility programs for printing files created with the standard editor, reducing a program's start-up time, maintaining the p-System code library, setting up the system for new terminals, and recovering lost files.

Also included is the 500-page Sage Technical Manual, which contains everything anyone might want to know about the Sage hardware and low-level operating system features.

Among the new, optional binders are The p-System Program Development Manual and manuals for the 68000 assembly language and the Sage debugging tool.

Software that is now available separately for the Sage II and IV includes Pascal and FORTRAN compilers and several spreadsheet programs.

Finally, the standard document set includes a copy of Personal Computing with the UCSD p-System, by Mark Overgaard and Stan Stringfellow (Prentice-Hall). Overgaard has been one of the principal forces behind the UCSD p-System since its inception, so this book is likely to contain a great deal of worthwhile information.

set up for use with a separate terminal. The Sage, however, does use an external terminal (or up to five of them if the multiuser system is employed), and it has to be configured to treat the terminals of different manufacturers correctly.

Configuring the terminal involves several steps. First, the terminal and the computer must be set to the same communication parameters, such as bps rate. The terminals I received from Sage for use with the machines were set for 9600 bps, while the terminal ports on the Sage were configured for 19,200 bps. To make the serial communications

ports compatible, I had to look up tables in two different documents to find the correct switch settings. Compatibility is not a matter of bps rate alone; it concerns the number of stop bits, parity, and length of characters as well. To find out how the terminal's switches should be set, I had to find the information in the documentation of the terminal and also in the Sage manual.

The second part of configuring the system concerns making the necessary software modifications to customize the operating system for your terminal. This requires transferring some files and changing file names to get the appro-

priate set of terminal parameters to load when the system boots. If you are using a terminal other than one of those for which Sage provides preconfigured files, you will have to first write a new cursor-positioning procedure (GOTOXY) and bind it into the operating system. Then you will have to run a program that lets you customize the terminal parameters. This program sets up a system file that records, for example, which ASCII (American National Standard Code for Information Interchange) character moves the cursor up a line.

The novice user is going to find it takes time and patience to make an unusual terminal work properly with the Sage. Fortunately, Sage does provide the required files for the terminals it sells with the system, as well as many other common terminals. When the Sage II arrived, it came with a terminal labeled Sage. A search of the preconfigured terminal parameter files did not reveal any Sage terminal information. Turning over the keyboard, I found a Liberty Electronics label that identified the terminal as a renamed Freedom 100. The set of terminal-parameter files included one called F100, and that proved to be the one I needed.

Even if the correct files are on your disk, there is no clearly labeled set of instructions describing how to perform the setup. When I began this review, Sage was waiting delivery of new documentation that is said to solve all of the novice user's configuration problems (see the text box "Postscript" on this page for a description of the new documentation), but I would suggest that prospective Sage purchasers who are not familiar with the p-System make sure that they have access to someone who is.

THE VERDICT

The Sage II and Sage IV computers are wonderful systems for p-System developers and serious p-System users. Sage is trying to appeal to a wider user base by making important types of business-software packages available and through improved user documentation.

If you are committed to the p-System, get one of these machines. If you aren't, but you're in the market for a system that has demonstrated powerful performance, you should check out the Sage II or IV. ■

PURE POWER CONTROL CENTER

Introducing a powerful new link for your computer system: The Power Directors from Computer Accessories



Power Directors incorporate UL approved TranZorb** semiconductor technology and exceed the 1983 IEEE-587 Guide for surge voltages in low voltage AC power circuits. So you can protect your computer system from line surges and noise, giving it the pure power it needs. Voltage spikes are stopped in less than a nanosecond, EMI/RFI line noise is filtered out, and current

overloads are prevented Now your system can be truly integrated with

central power control like the Model P12 shown above. Instead of a haphazard maze of power lines and extension cords, each component plugs into the fully shielded Power Director. You can turn on each component individually, or power up the entire system with a single switch.

Look for the full line of Power Directors wherever personal computers are sold. *TranZorb is a product of General Semiconductor Industries of Tempe, Arizona.

computer

Computer Accessories Corporation, 7696 Formula Place, San Diego, CA 92121 (619) 695-3773

ALL MAIL: Conroy-LaPointe, Inc. 12060 SW Garden Place, Portland, OR 97223 SHOWROOMS AT: PORTLAND, OR and SEATTLE, WA -- BOTH OPEN M-SAT 10-6

HARDWARE for your APPLE CALL

APPLE III, STARTER SYSTEM BY APPLE



APPLE MACINTOSH
UMITED WARRANTY is 100% Parts & Labor for 90 days by us

DISK DRIVES

AMDEK Amdisk I, 3" Micro-Floppy, 143K \$ 299 \$249

* CENTRAL PT., Filer, Utility & Apple DOS \$ 20 \$ 15

µ−SCI MICRO-SCI	* A2, 143K Disk Drive A2 Controller Card * A40, 160K, Drive * A70, 286K, Drive A40/A70 Controller	\$479 \$100 \$449 \$599 \$100	\$219 \$ 79 \$299 \$299 \$ 79
1/2 HIGH ALPS	AAN Relt Drive 163K	\$ 299	\$199

1/2 HIGH DRIVES	ALPS, A4Q, Belt Drive, 163K TEAC, T4Q, Direct Drive, 163K TEAC, T8Q, Double Sided, 326K Controller Card by ComX	\$ 349	\$219
Rana	Elite 1, 163K, 40 Track	\$ 379	\$239

45	Elite 2, 326K, 80 Track Elite 3, 652K, 160 Track Elite Controller	\$ 849	\$399 \$499 \$ 89
-	DAM EVDANG	MOL	

THE PARTY OF TAXABLE PARTY OF TAXABLE PARTY.	-		
* ComX, 80 col. +64K RAM, for Ile, 1	Yr.Wty	\$ 199	\$ 99
* RAM Card, 1 Yr. Wty. (II+)	16K	\$ 179	\$ 39
* Microsoft, RAM Card (II+)	16K	\$ 100	\$ 69
* Titan /Saturn RAM Card (II+)	32K	\$ 249	\$169
RAM Card (II+)	64K	\$ 425	\$299
RAM Card (II+)	128K	\$ 599	\$399



VIDEO CARDS					
* ALS, Smarterm II(+ or e) SP * CoemX, 80 cd. +64K RAM(IIe) 1 yr. * Videox, Video Fern 80 cd. (+ or e) * UltraTerm (+ or e) Soft Video Switch (II+) Enhancer II (II+) Function Strip (II+) We Have Full Videox Lina, Call.	\$ 279 \$ 1 \$ 379 \$ 2 \$ 35 \$ \$ 149 \$	19 99 89 79 25 99			

MIS	CE	IΔ	NE	ous
	CE	LLA	NE	JUS

100	MISCELLANEO	US	
		\$ 399	\$269
		\$ 169	\$109
	IR, RF Modulator, to use TV	\$ 35	\$ 25
	Serial Interface 7710 (Set BAUD)	\$ 150	\$ 99
	cboard, Power Pad	\$100	\$ 75
* Easts	ide, Wild Card (copier, II+ only)SPL	\$ 110	\$ 59
	Wild Card 2 (copier, + or e)	\$ 140	\$ 99
Kensi	ington, System Saver	\$ 90	\$ 65
	ronic, KB200 keyboard (II+)	\$ 298	\$219
	, Touch Tablet w/Micro Illustrator	\$ 125	\$ 85
Kraft,	Joystick (Ap II /II+)	\$ 65	\$ 49
	Paddle(Ap II / II+)	\$ 50	\$ 39
	Sup R fan (+ or e)	\$ 50	\$ 39
* Micro	osoft, Z80 Softcard (+ or e)	\$ 345	\$345
*	Z80 Softcard Plus (+ or e)	\$ 465	\$465
*	Z80 Softcard Premium(II+)	\$ 695	\$479
*	Z80 Softcard Premium (IIe)	\$ 495	\$339
Micre	oTek, Dumpling 64, Buffer	\$349	\$269
* Oran	ge Micro, Grappler Plus (e or +)	\$149	\$119
16	Buffer Board for Grappler Plus	\$175	\$119
But	fered Grappler Plus, 16K	\$245	\$179
Рауп	nar, Lower Case Chip, Rev. 7 (II+)	\$ 50	\$ 39
* PCPI	Applicard, 14 features 6Mhz	\$375	\$275
RHE	lectronics, Super Fan II	\$ 75	\$ 59
	/Saturn, Accelerator II	\$ 599	\$399
Trans	send/SSM, AlOll, Serial/Para I/F	\$ 225	\$169
TG P	roducts, Game Paddles (II+)	\$ 40	\$ 29
	Joystick (II+)	\$ 60	\$ 45
Video	k, PSIO I/F Card	\$229	\$169
), Mouse, Complete	\$179	\$119
	THE PROPERTY OF THE PARTY.	Section 2	

SOFTWARE for your APPLE

	BUSINESS & TRAIN	IING	
	* Applied Soft Tech., VersaForm	\$ 389	\$259
	Artsci, Magic Window II	\$ 150	\$ 99
	* Ashton-Tate, dBase II (Req CP/M 80)	\$ 700	\$375
	Friday (Requires CP/M 80)	\$ 295	\$199
	BPI Systems, GLAR, AP, PR or INV, each	\$ 395	\$269
	* Broderbund, Bank St. Writer or Spell, ea.	\$ 70	\$ 45
	Continental, GL,AR,AP or PR, each	\$ 250	\$165
	★ Home Accountant Tax Advantage	\$ 75 \$ 70	\$ 49
	CDEX, for Visicalc, Multiplan or Supercalc		\$ 40
	Dow Jones, Market Analyzer	\$ 350	\$ 275
	Market Manager	\$ 300	\$ 235
9	Market Microscope	\$ 700	\$ 525
9999599	Fox & Geller, Quickcode or dGraph, ea.	\$ 295	\$185
9	dUtility (for dBase II)	\$ 99	\$ 66
5	Hayden, Pie Writer (Specify 80 col. bd)	\$ 150	\$ 99
9	* Howard Soft, Tax Preparer, 1984	\$ 250	\$185
9	LJK, Letter Perfect w/Mail Merge	\$ 150	\$ 99
	Micro Pro, (all require Z80-CP/M Card)		1000
	★ WordStar w/applicard &CP/M SPECIAL		\$295
	* InfoStar w/applicard &CP/M SPECIAL		\$ 295
0	 ★ WordStar™ + Training Manual SPECIAL ★ SpellStar™ or MailMerge™, ea. SPECIAL 	\$ 450	\$ 239
ă	Spelistar for Mailmerge , ea. SPECIAL WordStar Professional 4 Pak SPECIAL		\$ 355
5	Options Pak, SS/MM/SI SPECIAL		\$ 155
ě	Microsoft, Multi-Plan, Apple DOS	\$ 195	\$ 129
99595995999559	* Osborne/CornX, (Disk and Book) (Stat., I		
9	Some Common Basic Programs (75 ea.)	\$ 100	\$ 49
9	Practical Basic Programs (40 ea.)	\$ 100	\$ 49
5	Peachtree, Requires CP/M & MBasic, 64	K	
9	Series 40 GL & AR & AP, all 3	\$ 395	\$239
5	Perfect, Perfect Writer/Spell-2 pak(CP/M)	\$ 399	\$ 249
9	Perfect Filer or Perfect Calc.ea (CP/M)	\$ 249	\$149
9	Perfect Writer/Spel/Filer/Calc(4)	\$ 969	\$ 499
9	Pearisoft, Personal Pearl	\$ 295	\$195
5	Quark, Word Juggler & Lexicheck (ile)	\$ 189	\$ 139
ă	Sensible, Sen. Speller or Bookends, ea. Sierra / On-Line, Screen Writer Pro. 2 Pak	\$ 125 \$ 200	\$ 85 \$ 135
ă	Screen Writer II	\$ 130	\$ 89
999	The Dictionary NEW!	\$ 100	\$ 69
š	Gen. Manager II-NEW!	\$ 230	\$ 155
9	Homeword	\$ 50	\$ 34
9	* Silicon Valley, Word Handler	\$ 60	\$ 39
9	★ List Handler	\$ 50	\$ 35
5	★ Handler Pak (Word, List & Spell)	\$ 130	\$ 89
9	Software Publishing, PFS: File	\$ 125	\$ 84
9	(specify + or e) PFS: Report	\$ 125	\$ 84
9	PFS: Graph	\$ 125	\$ 84
9	PFS: Write (lie)	\$ 125	\$ 84
9	Stoneware, DB Master Version 4.0	\$ 350	\$ 229
9	DB Utility I or II	\$ 129	\$ 87
a.	VisiCorp, Visicalc 3.3 (II+1	\$ 250	\$169

TOT	OMI TILL T THE		
IING	VisiCorp, Visicalc Enhanced (IIe) Visicalc Advanced (IIe)	\$ 250 \$ 295	\$179
\$ 389 \$ 259	Visifile or VisiDex, each	\$ 250	\$179
\$ 150 \$ 99			41/3
\$700 \$375	UTILITY & SYST	EM	
\$ 295 \$ 199	Beagle, Apple Mechanic or Diskquik, ea.	\$ 30	\$ 22
\$ 395 \$ 269	Double-Take or GPLE, each	\$ 35	\$ 25
\$ 70 \$ 45	Typefaces (Req. Ap. Mechanic)	\$ 20	\$ 15
\$250 \$165	DOSS Boss or Utility City, each	\$ 30	\$ 22
\$ 75 \$ 49	Tip Disk #1	\$ 20	\$ 15
\$ 70 \$ 47	Pronto DOSS	\$ 30	\$ 20
\$ 60 \$ 40	Alpha Plot	\$ 40	\$ 27
\$ 350 \$ 275	Central Point, Filer, DOS 3.3 & Util.	\$ 20	\$ 15
\$ 300 \$ 235	★ Copy II Plus (bit copier)	\$ 40	\$ 30
\$ 700 \$ 525	Einstein, Compiler—Applesoft BASIC	\$ 129	\$ 85
\$ 295 \$ 185	Epson, Graphics Dump	\$ 15	\$ 9
\$ 99 \$ 66	Hayes, Terminal Prog.(SM or MM,ea.)	\$ 100	\$ 65
\$150 \$ 99	* Insoft, GraFORTH II by Paul Lutus	\$ 90	\$ 65
\$250 \$185	Microsoft, ALD.S.	\$ 125	\$ 85
\$150 \$ 99	COMPLETE MICROSOFT LINE II	\$ 195	\$135
The second	* Ornega, Locksmith (bit copier)	\$ 100	\$ 75
\$ 695 \$ 295	Penguin, Complete Graphics System II	\$ 70	\$ 53
\$ 695 \$ 295	Graphics Magician	\$ 60	\$ 41
\$495 \$239	Phoenix, Zoom Grafix	\$ 40	\$ 34
\$ 250 \$ 129	Quality, Bag of Tricks	\$ 40	\$ 29
\$ 695 \$ 355	Terrapin, Logo	\$ 150	\$ 89
\$ 295 \$ 155	Utilico, Essential Data Duplicator III	\$ 80	\$ 49
\$ 195 \$ 129	HOME & EDUCATION	ONA	V I
Bus. & Math)			
\$100 \$ 49	Atari, Centipede, PacMan or Donkey K.,ea.		\$ 28
\$100 \$ 49	Beagle Bros., Beagle Bag	\$ 30	\$ 40
# 30F # 838	Bluechip, Millionaire Broderbund, Choplifter or Lode Runner, ea.		\$ 25
\$ 395 \$ 239 \$ 399 \$ 249	Arcade Machine	\$ 60	\$ 40
\$ 249 \$ 149	Apple Panic	\$ 30	\$ 21
\$ 969 \$ 499	BudgeCo., Pinball Constr. Set	\$ 40	\$ 27
\$ 295 \$ 195	* Continental, Home Accountant	\$ 75	\$ 49
\$ 189 \$ 139	Datasoft, Aztec or Zaxxon, each	\$ 40	\$ 27
\$ 125 \$ 85	Edu-Ware, (Large Inventory)	4 70	Call
\$ 200 \$ 135	Hayden, Sargon II (Chess)	\$ 35	\$ 29
\$130 \$ 89	Sargon III (Chess)	\$ 50	\$ 34
\$ 100 \$ 69	Infocom, Zork I.II.III, or Starcross, each		\$ 27
\$ 230 \$ 155	* Insoft, 3 Game Pak, Zarg/		4
\$ 50 \$ 34	Spider Raid/Grapple	\$ 82	\$ 25
\$ 60 \$ 39	Koala, Full line in stock, CALL	0.0000	Call
\$ 50 \$ 35	Learning Co., (Large Inventory)		Call
\$ 130 \$ 89	Micro Lab, Miner 2049er	\$ 40	\$ 27
\$ 125 \$ 84	Microsoft, Typing Tutor	\$ 25	\$ 17
\$ 125 \$ 84	Monogram, Dollars and Sense	\$100	\$ 69
\$ 125 \$ 84	Origin, Ultima III	\$ 60	\$ 40
\$ 125 \$ 84	Scarborough/Lightning, Mastertype	\$ 40	\$ 27
\$ 350 \$ 229	Sierra/On-Line, Ultima II	\$ 60	\$ 40
\$ 129 \$ 87	Sir-Tech, Wizardry	\$ 50	\$ 39
\$ 250 \$ 169	Spinnaker, Kindercomp (others in stock)		\$ 20
	Sub Logic, Flight Simulator II	\$ 50	\$ 37
	ter to the second secon		

PRINTER COMBO SALE

ONE TIME, QUANTITY LIMITED * OKIDATA MICROLINE 80



80 cps, Pin/friction feed, 80 col., 132 col. compressed 96ASCII, Graphics, Parallel List Price \$299, Call for our low price

A lor Apple or IBM — \$549 save \$450 lase II COMBO A ML80 + dBase

COMBO B for Apple or IBM — \$494 save \$500 ML80 + WordStar + Mail Merge + SpellStar + Star Index

COMBO C for Apple II+/e—\$474 save \$520 ML80 + Applicard (CP/M + 13 Features) + WordStar or InfoStar

COMBO D for IBM-PC — \$397 save \$550 MI.80 + 50 Generik ** DS/DD diskettes + Bank Street Writer + Home Accountant Plus + 3 Insoft Trix educational games.

COMBO E for Apple II +/e -- \$291 save \$420 ML 80 + 50 Generik ** SS/SD diskettes + Bank Street Writer + Insoft 3 game pak + Home Accountant

* MEANS A BEST BUY

DISKETTES

AL TANDER MAIN CO.	PRICE	PRICE
AMDEK, 3" Diskettes, Pac-10	\$ 60	\$ 49
CDC, 100 ea SS/DD, 40T (Apple, IBM)	\$ 550	\$ 239
10 ea SS/OD, 40T (Apple, IBM)	\$ 55	\$ 26
100 ea DS/DD, 40T (IBM, H/P) 10 ea DS/DD, 40T (IBM, H/P)	\$ 750	\$ 35
DYSAN, 10 ea DD/SD (Apple, etc.)	\$ 41	\$ 29
10 ea DS/DO 48T(IBM,H/P,etc.)	\$ 69	\$ 43
MAXELL, 10 each, MD1, SS/DD	\$ 55	\$ 29
10 each, MD2, DS/DD	\$ 75	\$ 39
VERBATIM, 10 each MD525-01, SS/DD 10 each MD34, DS/DD	\$ 49	\$ 25

GENERIK" DISKETTES - AS LOW AS \$1

10 ea SS/SD, 35 Track (Apple, Atari) 100 ea SS/SD, 35 Track (Apple, Atari) 1000 ea SS/SD, 35 Track (Apple, Atari) 10 ea DS/DD, 48TPI (IBM, H/P) 100 ea DS/DD, 48TPI (IBM, H/P) 1000 ea DS/DD, 48TPI (IBM, H/P) \$ 42 \$ 17 \$ 415 \$ 130 \$4150 \$ 995 \$ 63 \$ 25 \$ 626 \$ 170 \$6260 \$1400



GENERIK™ DISKETTES

Each at 1000 quantity. SS/SD \$1.00 Each DS/DD\$1.40 Each

M 1983 by ComX Corp

for the ATARI

RANA 1000 Drive, 320K \$ 449 \$ 369 KOALA, Pad w/Micro Illus. \$ 100 \$ 75

MODEMS AND ACCESSORIES

ANCHOR, Signalman MK I (RS232) \$ 99
Signalman Mark XII
HAYES, IBM-PC Smartmodem 12008 \$ 599
IBM-PC Smartmodem 108 (St. 149
Micromodem II software \$ 149
Micromodem II software \$ 149
Micromodem II software \$ 149
Stack Chronograph (RS-232) \$ 249
Stack Chronograph (RS-232) \$ 249
Stack Smartmodem 200(RS-232) \$ 699
IBM-PC to Modern Cable \$ 33
NOVATION, ACCESS 1-23
(PC12008 -Crosstalk XVI) \$ 595
Apple Cat II 300 BAUD \$ 389
212 Apple Cat, 1200 BAUD \$ 725
Cat \$ 188 \$ 75 \$ 269 \$ 419 \$ 109 \$ 239 \$ 275 \$ 189 \$ 225 \$ 535 \$ 29 \$ 595 \$ 399 \$ 389 \$ 249 \$ 725 \$ 559 \$ 189 \$ 139 \$ 149 \$ 104 \$ 695 \$ 579 \$ 595 \$ 415 J-Cat
212 Auto Cat
212 Auto Cat
213/212 Smart Cat
TRANSEND / SSM.
Transend 1 for Apple II
ModemCard for the Apple II
Transmodem 1200 \$ 89 \$ 69 \$ 299 \$ 259 \$ 695 \$ 559 SOFTWARE-SEE APPLE OR IBM UTILITY SOFTWARE SECTIONS

MONITORS AND

IAI A I AI I A I A WOLFSONIGE	3	
* AMDEK, 12" Green, #300G	\$ 200	\$125
+ 12" Amber, #300A	\$ 210	\$149
12" Amber, #310A for IBM-PC	\$ 230	\$149
13" Color I+, Composite	\$ 379	\$ 289
13" Color II, RGB, Hi Res, (IBM / Apple)	\$ 529	\$ 439
13", Color IV, RGB, 720Hx400V,8BM0	\$ 795	\$ 685
DVM III, Color II or III to Apple II 1/F	\$ 199	\$175
PRINCETON, RGB HI Res. HX-12	\$ 795	\$499
RGB Hi Res, SR-12	\$ 799	Call
Amber, MAX-12(Mono Brd.)	\$ 249	Call
OUADRAM, Quadchrome 12" RGBColor	\$ 695	\$475
Quadscreen 17" 968x512	\$1995	\$1595
ZENITH, 12" Green, Mdl. ZVM123	\$ 200	\$ 99

PLOTTERS

AMDEK, Amplot II, 6 pen, 10 x 14 Bed \$1099 \$ 899

PRINTERS AND ACCESSORIES DOT MATRIX:

EPSON, RX80, 100 cps \$ 399 \$ 699 \$ 299 \$ 495 EPSON, RX80, 100 Cps
FX100, 180 Cps
FX100, 180 Cps
MX100F7, 80-pps, w/Graftrax+
Apple II Graphics Dump
MANNESMANN 160, 80 cd 180-ps
TALLY, 800, 132-oxl 180-ps
TALLY, 800, 132-oxl 180-ps
Synt, 80 col 80-ps
Synt, 80 col 120 cps, para.
833, 132 col, 120 cps, para.
93, 136 col, 180 cps, para.
93, 136 col, 180 cps, para.
2350P Pacemark, 350-cps, para.
2350P Pacemark, 350-cps, para.
2410P, Pacemark, 350-cps, para.
According to the Synthesis Color Printer
* STAR MIC., Gemini 10"X, 120-cps, 2-3K
Gemini 15"X, 120-cps, 2-3K 689 495 9 568 778 \$ 895 \$ 995 \$ 15 \$ 798 \$ 1098 \$ 399 \$ 349 \$ 749 \$ 599 \$ 2695 \$ 2995 \$ 165 \$ 349 \$ 349 299 319 599 469 749 \$2095 \$2395 \$ 119 \$ 259 \$ 259 Call

LETTER QUALITY:
AMDEK, 5040, 40 cps, Para. & Ser.
* TTX, 1014, 13 cps, Para. & Ser., Pin&Fric. \$ 649 \$ 399

PRINTER INTERFACES and BUFFERS:

IBM-PC to Epson or Star Micro. Cable \$ 60 \$ 35
Apple I/F & Cable for Epson or Gemini \$ 95 \$ 59
 QÚADRAM.
 Mhorofazer, w/Copy, PP, 8K, MMP8 w/PS
 189
 \$ 1.39

 Microfazer, w/Copy, PP, 64K, MMP64 w/PS
 319
 \$ 239

 Microfazer, w/Copy, PP, 128K, w/PS
 \$ 465
 \$ 345

 Microfazer, Sappon, 6KP, PE, Esson w/PS
 319
 \$ 235

 Microfazer, Snap-on, 6KP, PE, Esson w/PS
 319
 \$ 235

 Microfazer, Snap-on, 6KP, PE, Esson w/PS
 319
 \$ 235

 Al Microfazers we expandable w/copy to 51290 (papon to 640)
 SUPPLIES: Tractor Feed Paper, Ribbons, Daisy Wheels.

41CK Calculator NEW! \$ 325 \$ 275 41C, Calculator \$ 195 \$ 149 41CV, Calculator w/2 2K \$ 275 \$ 219

HYPERION, Portable Computer \$3690 \$2990

ORDERING INFORMATION AND TERMS: MAIL TO: 12060 SW Garden Piace, Portland, OR 97223—Include telephone number and double check your figures for SI&N).

Checks allow 20 days to clear. No C.O.D. Prices reflect a 3% cash discount to ADD 3% to observe prices for VSA or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for shippin, instruction as ADD 3% to observe prices for VSA or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for shippin, instruction and Annual Si or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for shippin, instruction and Annual Si or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS of VSA or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS or 4 MC For U.S. Mainland, add 3% (\$55 minimum) for Sight In USS

OUR REFERENCES: We have been in computers and electronics since 1958, a computer dealer since 1978 and in computer mail order since 1980 Banks: 1st Interstate Bank, [503] 643-4678. We belong to the Chamber of Commerce [503] 228-9411, and Direct Marketing Association, or call Durn and Bradstreet if you are a subscriber. EconoRAM ** Fastrak** and Generik** are trademarks of Cam's Corporation.

CASH & CARRY OUTLETS:

Over-the-counter sales only. Open Monday through Finday, 10:00 until 6:00 Sartoday, 10:00 until 6:00 until 6:00 Sartoday, 10:00 until 6:00 until

A

1

Formerly Computer Exchange

WE BUY **FXCESS** INVENTORIES

LOW PRICES TO PROFESSIONALS WHO KNOW WHAT THEY WANT AND KNOW HOW TO USE IT!

256K IBM-PC or XT

320/360K Disk Drives by CDC 90 Day Limited Warranty By Us Call for Details



Coming soon --- products for the PC Jr. M1984, Service Mark of Conroy-LaPointe, Inc.



OR Tandon DATA 320K/360K DS/DD DISK DRIVES

With Detailed Installation Instructions 30 Day Limited Warranty by Factory Authorized Distributor Same as now \$199 FULL HEIGHT installed by IBM \$199 \$209 For One.

CDC HALF \$189 HEIGHT

AMDEK

Amdisk V Cable, Am	1/2 height, internal, 320/360K adisk III to IBM-PC interface	\$	329	\$ 24s Cal
CDC,	1/2 Hi Dual Drive Install Kit	\$	30	\$ 1
* Internal 1	rive Power Cable 0 meg Hard Disk & I/F as PC to XT by Maynard below)	\$ \$1	8 395	\$ \$895

MAYNARD Floppy Drive Control Brd.— up to 4 drives with Parallel Port \$ 300 \$ 239

PC to XT 10 meg

CONVERSION KIT from MAYNARD

Internal 10 meg Hard Disk & I/F Card
Quality engineered to work with DOS 2.0/2.1. Completely
BMX TC compatible. All you need is your DOS Manual. Easy to
install. Includes 10 Megabyte Hard Disk, Sandstar WSI Multifunction Card and Hard Disk Controller Module. Card will accept
up to three Sandstar Modules. Other configurations available.



TAVA-PC, 256K, 2 Half Height CDC 360K Drives, Disk Control ler, Color Graphics Card and:

• with no Monitor

• with node K mber Monitor 310A

• with Amdek Amber Monitor 300G

• with Amdek Green Monitor 300G

• with Amdek Color I+ Monitor

• with 1 floppy, 10 MB Hard Disk

IBM-XT Compatible by ComX

\$ 3995 \$2754 \$2345 \$1995 \$2575 \$2139 \$2545 \$2139 \$2724 \$2279

We find the TAVA-PC to be as compatible with the IBM-PC as the Compaq, Eagle and Columbia. PC World (April 1984) says, "The TAVA-PC strongly resembles the IBM-PC in looks





for IBM-PC or XT

UP	PL	X (LEN	Į			K
MDEK	MAI 4-in- Graphics		le Board, Color 28K		599	\$	519
151		T Invente	ory, CALL	1	395	- 3	265
	ComboPi MegaPlus	us, 256K	S/P/C	\$	695 495	\$	495 345
	MegaPlus	II, 256K	. 2S/P/C	\$	795	\$	595
	SixPakPlu	us, 64K, S	Expander S/P/C +S/W		395 395		295 265
	SixPakPlu SixPakPlu	is, 256K, is, 384K,	S/P/C +S/W S/P/C +S/W		695 895		495 595
	For SixPa		ne Port, add		50 215	\$	39 150
	1/0 Plus	II, S/P/C	C/G	\$	265 315	\$	185 215
	MonoGra	phPlus"(Card (for Lotus)		313		Call
	PCNet, St PCNet, C	ircuit Bo	ard PC001				095 495
CS Sup	perVision,	132 col.,	mono. board	\$	799	\$	599
halkbo	ard,		Pad, Req. Kit			\$	73
ComX	EconoRAN	A™ 256K and spoo	RAM Card w/I ler software.	ast	rak™ 495	RAM	disk 325
URTIS	UNI-I, Mo	nitor tilt &	swivel base	\$	50	\$	39
	3 to 9 foot Vertical Cl	PU "Syste	em Stand"	\$	40 25	\$	30 19
EDCII	Monochro			\$	50	\$	35
ERCU				33	499		349
y Troni	C KB515	O, Std. ke	yboard	\$	209	\$!	59

Ke KB5151, Std. keyboard NEW \$ 255 KB5151 jr. keyboard NEW \$ 255 Koala Pad ** w / PC Design \$ 150 Programmer's Guide \$ 15 \$ 109 Koala \$ 79 \$ 169 \$ 395 \$ 399 \$ 27 \$ 49 \$ 79 \$ 48 \$ 43 \$ 102 \$ 357

MICROSOFT SystemCard 256K \$ 625 \$ 469 SystemCard 64K \$ 395 \$ 295 Mouse \$ 195 \$ 145 MOUSE SYSTEMS, PC Mouse w/software \$ 295 \$ 195 PLANTRONICS Color Board & Colormagic, 16 color, w/Para \$ 559 \$ 395 Color Board & Draftsman, 16 color, w/Para \$ 559 \$ 395

OUADRAM

**Quadlink Quadboard, no RAM, expand to 384K Quadboard 64K, expand to 384K \$ 295 Quadboard 256K expand to 384K \$ 395 Quadboard 256K expand to 384K \$ 795 Quadboard II, no RAM, expand to 256K \$ 795 Quadboard II, no RAM, expand to 256K \$ 295 Quadboard II, 256K 250C \$ 395 Quadboard II, 256K 250C \$ 395 Quadboard II, 256K 250C \$ 595 Quadboard II, 256K 250C \$ 255 Quadboard II, 256K 250C \$ 295 Quadboard, 15 colors \$ 295 Quadboard, 17 968 x 512 Monitor \$ 795 Quadboard, 17 968 x 512 Monitor \$ 1995 NEWEST VERSION \$ 680 expand to 384K \$ 295 and to 384K \$ 395 and to 384K \$ 675 \$ 795 675 485 215 279 525 625 215 265 395 265 420 625 215 199 Call

Tecrnar Graphics Master \$ 695 1st MATE, 64K, S/P/CC \$ 389 1st MATE, 256K, S/P/CC \$ 589 Captain, 64K,S/P/CC \$ 795 Wave, 258K, 6bnt brd } \$ 499 Bosun, S/P/CC(short brd) \$ 195

TICET Accelerator PC (8086 + 128K) \$ 995 \$ 750 TG PRODUCTS. Joystick \$ 60 \$ 40 WICO, IBM-PC Mouse \$ 100 \$ 69

6 1984 by Conroy-LaPointe, Inc. All Rights Reserved

DEALERS



Prices and availability subject to change. Call

\$55

★ 9 Each, 64K, 200 ns, MEMORY CHIP KIT 90 Day Warranty by us

\$325 \$295 Two or more.

★ ComX EconoRAM™ 256K BOARD

Fully Compatible 1 Year Limited Warranty by ComX With Fastrak RAM Disk Emulator and Spooler Software Works on DOS 1.1. 2.0 or 2.1

★ MEANS A BEST BUY

S	OF	TV	VARE for I
BUSINESS & TRAIN			BUSINESS & 1
LPHA, Database Manager II SHTON-TATE	\$ 295	\$185	
Framework avail, July Aug Masse II, req. Pc-DoS & 128K) dBase II User's Guide (Book) Everyman's DB Primer (Book) The Financial Planner Friday The Financial Planner Friday The Market Color of the Market Color SK MICRO, GLARAR-INV or Pr. each T, Iraning Poparus—Wide in ein stock RODERBUND, Bank Street Write ROBERBUND, Bank Street Training for (Large inventory) HANG LABS, Micro Plan ONTINENTAL, Home Accountant Tax Advantage Fom (Filing, Cataloging, Mailing) Property Management	\$695 \$700 \$30 \$15 \$700 \$295 \$389 \$595 \$495 \$150 \$125 \$495	Call \$375 \$ 20 \$ 12 \$395 \$295 Call \$ 596 \$395 \$47 \$335 \$ 89 \$329	MONOGRAM, Dollars & Sense MULTIMATE, Multimate OPEN SYS, GLARAP PR, INV or * OSBORNE/COMX, Gook & B & Math Programs on DS/DD Di Some Common Basic Program Practical Basic Programs (40- PBL Personal Investor 1.1 PEACHTREE, Peach Pak (GLAF Peach Text 5000 PEARLSOFT, Personal Pearl (DBMS & MIS) * PERFECT, Perfect Writer" With Syeller, 2 Pak Perfect Filer" or Perfect Call Perfect Writer, Speller, Filer, SATELLITE, Word Perfect SATELLITE WAS PROVIDED PERFECT SATELLITE WORD PERFECT SATELLITE WAS
OW JONES, Market Analyzer Market Manager Market Microscope OX & GELLER, Ouickcode, GGraph, Grafox or Oz, each	\$ 350 \$ 300 \$ 700 \$ 295	\$279 \$239 \$525 \$195	SOFTWARE ARTS, TKI Solver SOFTWARE PUBLISHING, P PFS/ PFS/ PFS/
dUtil (MSDOS or CP/M86, each) IAYDEN, IBM Pie Writer Pie Speller or Sargon III,each IOWARDSOFT.	\$ 99 \$ 200 \$ 50	\$ 59 \$135 \$ 34	SORCIM, SuperCalc 2 SuperCalc 3 SSI/SATELLITE, WordPerfect Personal Word
Tax Preparer, 1984-for 1983 year LUMAN EDGE, Managament or Sales, ea. Js. Easy Writer II System Easy Speller II Business System: GL+AR+AP GLARAP.OE or INV, each NSOFT, Data Design/leasy to use D6MS} Graf ORTH (animated 30 graphics) OTER DESIGN 1-2-3 JUE, 1-2-3 JUE, Using 1-2-3 (Book)	\$ 350 \$ 100 \$1495 \$ 595 \$ 250 \$ 125 \$ 285 \$ 495 \$ 15	\$220 \$169 \$259 \$68 \$995 \$395 \$125 \$95 \$195 \$309 \$12	STC/SOFTEC, The Creator STONEWARE. Advanced D.B. in SYNAPSE. File Manager SYNERGESTIC, Date Reporter T/MAKER, T/Maker III VISICORP, VisiCalc III Symphony, avail. July /Aug VisiTie or VisiSchedule Desktop Plan I VisiWord with VisiSpell (128)
MICRO LAB, Tax Manager for 1983 MEROPPO, WordStar® SPECIAL MailMerge "SPECIAL CornectStar" NEW SPECIAL WordStar Professional, 4 Palk SPECIAL Options Palk SS/MM/SI SPECIAL StarIndex" SPECIAL INCOMIN, Ribase, Series 4000 MICROSOFT, Multiplan Word with Mouse Financial Statement	\$ 250 \$ 195 \$ 695 \$ 295 \$ 195	\$ 169 \$ 239 \$ 129 \$ 125 \$ 355 \$ 155 \$ 159 \$ 259 \$ 129 \$ 259 \$ 325 \$ 325 \$ 69	UTILITY & S 1983 CL SOFTWARE A Copy II PC by Central Point Softw software buys of available. It will software and faster than any oth other copiers it makes an exact du it does 100% verification of copy. Do * CENTRAL POINT, Copy II PC. * COMX, Fastrak", RAM/Disk em and printer spoofer program. Wor PC 2008 version or RAM/Cart. Me

BUSINESS & TRAII	NIN	3
MONOGRAM, Dollars & Sense MULTIMATE, Multimate OPEN SVS, GLARAP PR.INV or PO,each * OSBORNE / COMX, Book & Business, S & Math Programs on DS/DD Disks).	LIST PRICE \$ 165 \$ 495 \$ 695 Ratistics	OUR PRICE \$110 \$295 \$429
Some Common Basic Programs (70 ea.) Practical Basic Programs (40 each) PBL, Personal Investor 1.1 PEACHTREE, Peach Pak (GLAR&AP) Peach Text 5000 PEARLSOFT, Personal Pearl	\$ 100 \$ 100 \$ 145 \$ 395 \$ 395	\$ 69 \$ 69 \$ 99 \$ 239 \$ 239
(DBMS & MIS) ★ PERFECT, Perfect Writer ** Writer & Speller, 2 Pak Perfect Filer ** or Perfect Calc, each Perfect Writer, Speller, Filer, Calc (4) SATELLITE. Word Perfect	\$ 295 \$ 349 \$ 399 \$ 249 \$ 699 \$ 495	\$195 \$219 \$249 \$149 \$499 \$255
SOFTWARE ARTS, TKI Solver SOFTWARE PUBLISHING, PFS.File PFS.Report PFS.Write PFS.Graph SORCIM, SuperCalc 2	\$ 399 \$ 140 \$ 125 \$ 140 \$ 140 \$ 295	\$ 299 \$ 94 \$ 84 \$ 95 \$ 95 \$ 195
SuperCalc 3 SSI/SATELLITE WordPerfect Personal WordPerfect STC/SOFTEC, The Creator STONEWARE, Advanced D.B. Master SYNAPSE, File Manager	\$ 395 \$ 495 \$ 195 \$ 300 \$ 595 \$ 100	\$265 \$375 \$149 \$195 \$395 \$67
SYNERGISTIC, Data Reporter T/MAKER, T/Maker III VISICORP, Visicalc IV Symphony, avail. July /Aug VisiFile or VisiSchedule Desktop Plan I	\$ 250 \$ 275 \$ 250	\$169 \$169 \$179 Call \$219 \$219
VisiWord with VisiSpell (128K)	\$ 375	\$ 269

YSTEM

TOPS IT SUP I WARTE AWARD:

"Copy III PC V. Central Point Software is still one of the best software buys of available. It will copy more copy protected software and faster than any other backup system. Unlike other copiers it makes an exact duplicate of your original and it does 100% verification of copy. Documentation is excellent." KOMES 1009 Verification of Copy, December 2009 (1997)

**CENTRAL POINT, Copy IP C. Backup \$ 40 \$ 30

COMX, Fastrak* RAM/Disk emulator and printer spooler program. Works on any PC/200S version or RAM/Dard. Menu Driven \$ 100 \$ 59

Ulilliasisi	F-1AI	
DIGITAL RESEARCH.		
Concurrent CP/M-86**	\$ 350	\$ 225
Concurrent CP/M-86** w/ windows		Call
CP/M-86**	\$ 60	\$ 40
CBASIC 86**	\$ 200	\$135
CBASIC Compiler (CP/M-86 or MSDOS,ea)	\$ 600	6 365
Pascal/MT+ (CP/M-86)	\$ 400	\$ 269
Pascal /MT+ (MSDOS)	\$ 600	6 300
PL/1 (MSDOS or CP/M-86, each)	\$ 750	\$499
Access Mngr.(MSDOS or CP/M-86, each)	\$ 400	\$ 269
Display Mngr(MSDOS or CP/M-86,each)	\$ 500	\$ 339
Display MingrimsDOS of CP7M-86,8ach)	\$ 200	4000
Speed Prog. Pkg. (CP/M-86)		\$135
CIS COBOL-86	\$ 850	\$525
DR LOGO-86	\$ 100	\$ 69
HAYES, Smartcom II (Data Com.)	\$ 119	\$ 89
INSOFT, GraFORTH(animated 30 graph)	\$ 125	\$ 95
MICROSTUF, Crosstalk XVI (Data Com.)	\$ 195	\$ 129
MICROSOFT, muMath/muSimp	\$ 300	\$199
Business BASIC Comp.	\$ 600	\$399
Pascal Compiler	\$ 300	\$199
C Compiler	\$ 500	\$329
BASIC Compiler	\$ 395	\$269
FORTRAN Compiler	\$ 350	\$250
COBOL Compiler	\$ 700	\$469
NORTON, Utilities 2.0, 14 programs	\$ 80	\$ 65
ROSESOFT, Prokey	\$ 130	\$ 89

	ROSESOFT, Prokey	\$	130	\$	89
I	HOME & EDUCATION	0	NA	۱L	
	ATARI, Centipede, PacMan or Donkey, each EPYX/Auto. Sirn., Temple of Apshai ARMONK, Executive Suite BLUE CHIP, Millionaire or Tycoon, each	*****	35 40 40 60	49-49-49-49-	28 29 27 39
fr	BPI SYSTEMS, Personal Accounting BRODERBUND, Apple Panic (Color) Lode Runner or Serpentine, each COMPREHEN., PC Tutor(1.1 or 2.0, ea.)	****	30 35 60		19 24 40
	CONTINENTAL, Home Accountant Plus DAVIDSON, The Speed Reader II INFOCOM, Deadline or Suspended, each	****	150 75 50	9 55 55	89 49 33
*	Zork I or Zork II or Zork III, each INSOFT, Mystrix, Wordtrix or Quotrix, each MICRO LAB, Miner 2049	****	40 35 40	-	27 25 26
	MICROSOFT, Flight Simulator MONOGRAM, Dollars & Sense ORIGIN, Ultima III	*****	50 165 60	5 5 5	33
	PBL CORP., Personal Investor SCARBOROUGH / LIGHTNING, MasterType	\$ 5	145	\$ 3	99
	SOFTWORD SYSTEMS Multimate SPINNAKER, Snooper Troops (1 or 2) Story Machine or Face Maker	****	495 45 35	555	35 24
	STRATEGIC, The Warp Factor SUBLOGIC, Night Mission Pinball	\$ 5	40	\$	30

NATIONAL	TOLL EDGE
ORDER DESK	TOLL FREE
(800)) 547-1289
1000	1 341-1203

Order Desk Hours: 6AM to 6PM PST

Financial Statement Budget

Oregon TOLL FREE (800) 451-5151 Portland: 620-9877


Hot Line For Information On Your Order (503) 620-9878

FREE GIFT

Use of our order forms qualifies you for a gift with your order. Get on our mailing now for order forms, and our new newsi

free list etter	MAI	L TO:	12060 SW	Garden Place,	Portiana,	OH 9/22
	NAME					
	170					

and sales specials announcement. Our customers are already on our list. COUPON STATE.



Add Diskette Storage When You Need It With The DiskBank System.



No matter how large or small your diskette filing and storage requirements may be, the DiskBank System by Amaray is the most revolutionary, versatile and cost-effective approach available today.

Its unique modular interlocking design allows you to add new modules as your storage needs expand. Each impact-resistant module conveniently

organizes up to 10 diskettes in a safe, dust-free environment. When you need a diskette, simply open the DiskBank drawer and slide it out. Diskettes automatically come forward allowing you to select the one you need.

In addition, the System is portable. DiskBank modules are designed to go with you anywhere. Simply slide out the modules you need, put them in your briefcase, and go.

Available in three media for-

mat sizes, System 3 for 3¼"-3½" diskettes, System 5 for 5¼"diskettes, and System 8 for 8"diskettes, DiskBank System may be purchased individually or in money-saving volume packs.

Why settle for less? Give your valuable diskettes the protection they deserve. Buy a Bank. Buy a DiskBank. The DiskBank System.

DISKBANK'

AMARAY CORPORATION

2251 Grant Road, Los Altos, CA 94022 (415) 968-2840 Telex 171627 Amaray-Ltos



Circle 18 on inquiry card.



S·Y·S·T·E·M R·E·V·I·E·W

The Compaq Plus

transportable computer with fixed disk

BY MARK DAHMKE

he original Compaq portable computer met its designer's goals of portability and IBM compatibility. The Compaq improved on the original IBM Personal Computer (PC) design by incorporating both the monochrome- and color-monitor adapters into one circuit card, and by designing a 120-watt power supply that would meet the needs of any future additions, such as a fixed disk. See my review of the Compaq (January 1983 BYTE, page 30) for more details.

At the time of my visit to Compaq in October 1982, one of the principals of the corporation explained that features like the heavy-duty power supply were added to make it easier to upgrade the unit to fixed-disk operation, but that other problems such as mechanical shock might make it impossible to put a fixed disk in a portable computer.

I am pleased to report on the company's new product, the Compaq Plus, which comes with a shock-mounted 10-megabyte fixed disk.

The Compag Plus is identical to the original Compag in every respect, except for the addition of the fixed disk in the right-hand disk drive location. It has a 9-inch green-phosphor display and a Key Tronic keyboard with the same key layout as the IBM PC. And like the original Compag, the Plus can display true grays and high-quality text, features that are lacking on most graphics adapter cards for the IBM PC. MS-DOS (version 2.02) and Microsoft BASIC are included just as on the Compag. The fixed-disk controller card occupies one adapter slot, leaving only two for user-installed hardware, such as memory or serial port addons. The Compag Plus also comes with both the monochrome- and color-display adapters and a parallel printer port as standard features.

SOFTWARE

The MS-DOS 2.02 operating system is the same that is supplied with the IBM PC, so in theory, all DOS (disk operating system) functions should be identical. The only difference in the system software is the BIOS (basic input/output system) ROM (read-only memory) that was written by Compaq to duplicate the functions of the IBM PC's BIOS code. The

Compaq company seems to have accomplished the goal of maintaining functional compatibility without copying any of IBM's proprietary software. Over the past year I have done extensive assembly-language programming on both the IBM PC and the Compaq and can personally attest to the fact that the BIOS of the Compaq is written in an entirely different manner, yet performs all of the functions of the IBM BIOS.

Adding the fixed disk to the existing Compaq hardware required three steps: designing shock mountings that can be used to protect the fixed disk in a portable (and sometimes hostile) environment; designing a disk-controller card that emulates the functions of the IBM design in such a way that software functionality is maintained; and writing the software device drivers that allow the DOS to record and retrieve information from the fixed disk hardware.

At least two of these three steps are performed by any company that decides to build an add-on fixed disk to the IBM PC or any other computer. The important item to note is that below the operating-system level (the BIOS or other device-driver software), compatibility with application software should not be an issue. The purpose of an operating system is to isolate the user and the application program from the hardware.

In the case of floppy disks, the designers must pay close attention to the software and the hardware design to insure disk compatibility with other computers. However, a fixed disk (as the name implies) cannot be removed from its chassis and does not need to be compatible with any other hardware, at least at the circuit board level. This means that it doesn't matter how the information is stored on the surface of the fixed disk itself because only the hardware that wrote the information will ever read it back.

The exception to this rule occurs when you (continued)

Mark Dahmke (POB 80266, Lincoln, NE 68501) owns and operates a computer consulting business that specializes in computer graphics, operating systems, and videodisc hardware and software.

My Programs Always Compile the FirsTime™

Yours can too!

FirsTime is an intelligent editor that knows the rules of the language being programmed. It checks your statements as you enter them, and if it spots a mistake, it identifies it. FirsTime then positions the cursor over the error so you can correct it easily. FirsTime will identify all suntax errors, undefined variables, and even statements with mismatched variable types. In fact, any program developed with the FirsTime editor will compile on the first try.

Unprecedented

FirsTime has many unique features found in no other editor. These powerful capabilities include a zoom command that allows you to examine the structure of your program, automatic program formatting, and block transforms

If you wish, you can work even faster by automatically generating program structures with a single key-stroke. This feature is especially useful to those learning a new language, or to those who often switch between different languages.

Other Features: Full screen editing, horizontal scrolling, function keys labeled on screen, help screens, inserts, deletes, appends, searches, and global replacing.

Programmers enjoy using FirsTime, because its powerful features allow them to concentrate on the program logic without having to worry about coding details. Debugging is reduced dramatically, and deadlines are more easily met.

The Spruce FirsTime editor is immediately available for PASCAL (\$245) and C (\$295) on the IBM Personal Computer and its compatibles. A demonstration disk is available for \$25. (N.J. residents please add 6% sales

For programs that compile the FirsTime.

To order, or for more information, contact:

Spruce

Technology Corporation 110 Whispering Pines Drive

Lincroft, N.J. 07738 (201) 741-8188 or (201) 663-0063

Dealer enquiries welcome. Custom versions for computer manufacturers and language developers are available.

FirstTime is a trademark of Spruce Technology



VISA*

Compag's new manuals are bound in book form so it is not possible to add inserts or revisions as was the case with 3-ring binders.

intend to run several different operating systems on the same fixed disk. The FDISK utility on the DOS disk enables you to partition or allocate the fixed disk to several different operating systems such as CP/M-86. Concurrent CP/M-86, or UCSD Pascal. The first sector of the fixed disk may contain the "boot record," which holds the machine code to load the selected operating system into memory. At the end of the boot record is a partition table that contains the starting and ending "cylinder" address of each of up to four partitions. The implementation of the boot record is the same for the Compaq as for the IBM PC.

As a test of the compatibility of the Compag Plus, I installed and executed several programs that I have developed for the IBM PC that are written in FOR-TRAN 77 with extensive assembly-language support for special DOS functions that could not be performed from within FORTRAN. The DOS functions included disk file access, directory access, and direct BIOS calls to read and write characters on the monochrome and color adapter card. All of the code performed as anticipated. After thorough investigation, I can find no DOS- or BIOS-level functions that could create compatibility problems when used with a fixed disk.

Most IBM PC software should run on the Compaq Plus, and Compaq Computer Corporation supplies a list of commercially available software that has been tested on its computer. Regardless of what computer you buy, it is always wise to test the software you intend to use with the computer before writing a check.

DOCUMENTATION

The Compag Plus (as well as the standard Compaq) comes with three manuals: Operations Guide, BASIC 2.0 Reference Guide, and the MS-DOS 2.0 Reference Guide. They are very similar to what IBM supplies with the PC. I am pleased that Compag is now supplying information on how to open the cabinet, install add-on cards, and set the memory-size switches. The new manual even shows how to remove the processor card to install additional memory (to upgrade the processor board from 128K bytes to 256K bytes). Instructions on adding the 8087 coprocessor are also included.

As someone who is interested in operating systems. I am somewhat concerned that both Compag and IBM have decided to move the DOS programmer's sections to a separate manual that doesn't come with the computer. While I can understand that the list of DOS function calls and other technical programmer-level information is becoming voluminous with the latest release of MS-DOS/PC-DOS, they could at least include the other manual with the system so programmers don't have to pay extra for information that previously came with the machine.

The descriptions of the individual DOS commands (i.e., ERASE, RENAME, TYPE, CHKDSK) are adequate but not exceptional. It appears that Compag attempted to write more helpful manuals, but sometimes the wording and imagery are clumsy or difficult to follow.

The new manuals are bound in book form so it is not possible to add inserts or revisions as was the case with threering binders. Compaq has also done away with the IBM-style slipcovers. The advantage of the new manuals is that they are slightly easier to handle than the comparable IBM manuals.

Quick-reference cards are included with all three manuals. The Operations Guide card includes the following topics: system reset, key-click volume adjust, print-screen procedure, installation of fixed-disk partitions, changing the logged disk drive, keyboard layout, and use of special function keys. The MS-DOS card includes batch commands, configuration commands, all utility commands and options, display options, and graphics commands. The BASIC quick-reference guide includes all BASIC commands and options.

Compag's reference cards are much more informative than the IBM DOS

(continued)

AT A GLANCE

Name

The Compaq Plus

Manufacturer

Compaq Computer Corporation 20333 FM 149 Houston, TX 77070 (713) 370-7040

Components

Size: width 20 inches, depth 15.3 inches, height 8.5 inches Weight: 28 pounds Processor: Intel 8088 16-/8-bit microprocessor and socket for addition of the 8087 math coprocessor

Memory

128K bytes of RAM. expandable to 256K bytes on the processor board, expandable to 640K bytes with an add-on card

Display

9-inch high-resolution video display: 25 lines by 80 characters; IBM PC-compatible high-resolution graphics with RGB color monitor connection; adjustable viewing angle; composite video connector; optional RF modulator

Keyboard

detachable 83-key IBM PCcompatible layout on a 6foot coiled cord, adjustable typing angle

Storage

360K-byte double-sided 5¼-inch floppy-disk drive; 10-megabyte fixed disk

Expansion

Two IBM PC-compatible expansion slots; parallel printer interface included

Software

MS-DOS 2.02 and Microsoft BASIC 2.0 included; FDISK fixed-disk management utility and diagnostics; MS-LINK linker program; runs most IBM PC-compatible programs


Price


\$4995 for the basic system with 128K bytes of RAM, one floppy disk, and the 10-megabyte fixed disk


Warranty


90-day limited












The Memory graph shows the standard and optional memory available for the computers under comparison. The graph of disk storage capacity shows the highest capacity of a single floppy-disk drive for each system. For the Compaq Plus, the 10-megabyte fixed-disk storage capacity also is shown. The bundled software packages graph shows the number of software packages included with each system. The price graph shows the Compaq Plus list

COMPAQ PLUS


IBM PC

price compared to systems with two high-capacity floppy-disk drives, a monochrome monitor, graphics and color-display capability, a printer port and a serial port, 256K bytes of memory (64K bytes for 8-bit systems), the standard operating system for each system, and the standard BASIC interpreter for each system. For details of the Compaq Plus specifications, see the configuration details in the At a Glance listing.


APPLE IIE





Sliding panel on right side covers serial port, video connectors, and three blank expansion slots.




Top view reveals fixed disk (upper left), with floppy disk to its right. Power supply is at right, expansion slots at bottom.









The graphs for disk access in BASIC show how long it takes to write a 64K-byte sequential text file to a blank floppy disk and how long it takes to read this file. (For the program listings see "The Chameleon Plus." by Rich Krajewski, June BYTE, page 327) The Sieve graph shows how long it takes to run one iteration of the Sieve of Eratosthenes prime-number benchmark. The calculation graph shows how long it takes to do 10.000 multiplication and division operations using single-precision numbers. The system utilities graphs show how long it took to format and copy a disk (adjusted time for 40K bytes of

disk data) and to transfer a 40K-byte file using the system utilities. The spreadsheet graph shows how long the computers took to load and recalculate a 25- by 25-cell spreadsheet where each cell equals 1.001 times the cell to its left. The spreadsheet program used was Microsoft's MultiPlan.

These performance graphs include both floppy- and fixed-disk results where applicable. A format/disk-copy test was not performed on the Compaq Plus's single floppy-disk drive because the test is designed for a two-drive system.

The company claims that the Compag Plus can be dropped off a tabletop and will not be harmed.

reference card that simply lists the DOS commands and options without explaining what the options are for. The only misleading material I could find was in the Operations Guide card where the MS-DOS keyboard was listed as allowing the use of the PgUp, PgDn, Up, Down, Home, and other keys that MS-DOS does not respond to. These keys can only be used in BASIC or other programs, but the MS-DOS command mode does not make use of them. EDLIN, the MS-DOS line-oriented text editor, does use some of these keys, but the quick-reference guide doesn't make this clear and a first-time user easily could be confused.

TRANSPORTABILITY

Can a fixed disk stand up to the punishment of transportability? Compaq has gone to great lengths to make certain that the fixed disk will not receive any severe shocks while being moved from place to place. The company claims that the computer can be dropped off a tabletop and will not be harmed. While I didn't perform this drastic test of its claims, I did format the fixed disk and carry the unit around with me, giving it what I thought would be average treatment in daily life. Because a friend of mine owns a standard Compag and I have borrowed it from time to time to work on software for him, I had a pretty good idea of what the Compaq Plus fixed disk should be able to withstand in normal use. Every test of the fixed disk (using the included diagnostic program) has shown no damaged sectors or lost information. Unless you plan to use the Compaq Plus while on an African safari, it should live up to its manufacturer's claims.

IN CONCLUSION

The Compaq Plus is an excellent transportable computer and its fixed disk operates reliably under normal conditions in daily life.





Cards for

........





Tandon TM-100-1, full ht, SSDD. \$159
Tandon TM-100-2, full ht, DSDD. \$195
Tandon TM-100-2, full ht, DSDD. \$195
Tandon TM-100-4, full ht, DSDD. \$395
Control Data 9409, full ht, DSDD. \$225
Control Data 9428, half ht, DSDD. \$299
Teac 558, half ht, DSDD. \$364/\$166
Astional, half ht, DSDD. \$364/\$166
Qume 142, half ht, DSDD. \$246/\$166
Qume 142, half ht, DSDD. \$239

QUADMASTER II - 9-Function

QUADMASTER II — 9-Function
memory expansion card for IBM PC
Up to 384K
Game port
Chronograph
Parallet port
Serial port
Serial port
Obracket

-64K 128K 192K 256K 320K 384K \$289 \$339 \$389 \$439 \$489 \$539

NEC SPINWRITER 33 CPS, 203 col., proportional bi-directional, parallel. \$1,575

C. ITOH F-10 CPS daisywheel (parallel) \$995 CPS daisywheel (parallel) \$1,349 ctor for F-10.\$225

ABATI LO-20

The POWER DIRECTORS

MegaPlus II Cards

RIO PLUS Multi-function memory expansion of IBM-PC/XT, 64K-384K parity checked memory plete with parallel port, RS-232C serial port, gam clock/palendar, print buffer/disk emulator software

EPSON & tractor feed, parallel . . . MX-80F/T, 80 cps, 80 col., tra friction feed, parallel . . .


MX-100F/T, 100 cps, 136 col., tractor/

STAR GEMINI

Gemini-10X, 120 CPS, 80 Col., fric-tion & tractor feed, (parallel) .\$Call Gemini-15X, above w/15" platen.Call Delta-10, 160 cps, 80 col., parallel , Cal Detta-10, 160 cps, 80 col., parallel . Cal Delta-15, above but 15" carriage . . Cal PowerType, 18 cps daisywheel . . CALL Radex-10, 200 cps, 80 col, parallel CALL Radex-15, 200 cps, 132 col, parallel Cal

C. ITOH 8510AP Prowriter, 120 cps, 80 col., graphics, parallel \$335 \$510.SP, above but 180 cps . \$CALL 8510.SCP, above but w/3 cotor ribbon (red., yellow, blue), also capable of doing orange, green, purple, blk Call 150 Prowriter-II, 120 cps, 136 col., 2K buffer, graphics, parallel. \$525

1550-SP, above but 180 cps. \$CALL 1550-SCP, similar to 8510-SCP but w 15" carriage \$CALL





Super dot-matrix printer w/24-pin hi-resolution head, 192 CPS draft, 100 CPS letter-quality 1351 – 132 column (parallel) . \$1,496 1340 – Similar to 1351 but smaller Ca

MANNESMAN TALLY

- 160 CPS, 80 column, 8 for action & tractor feed, parallel

OKIDATA

OKIDATA

ML-82A, 120 CPS, 80 col, pin & friction feed, serial & parallel _3319

ML-83A, 120 CPS, 136 col, tractor & friction feed, parallel fricinal \$595

ML-84P, 200 CPS, 136 col, friction & tractor feed, (parallel) _ \$595

ML-84P, 200 CPS, 136 col, friction & tractor feed, (parallel) _ \$600

ML-92P, 160 CPS, 80 col, friction & tractor feed, (parallel) _ \$600

ML-93P, 160 CPS, 136 col, tractor & friction feed, (parallel) _ \$738

ML-93S, above but serial _ \$730



BROTHER HR-25

BROTHER HR-35

DYNAX DX 15


rocker switches for your computer & accessories. It also fitters out EMI & RFI interferences . 2015 RFI interferences . 2015 RFI = 3 militar to P2 but w/6 switches, a master switch & digital clock...\$189 Tractor for 6100

lution, 20MHz. \$145 ndek 310A, 12" amber, 900-dot hi resolution, designed to run on IBM monochrome display card. \$165 inceton MAX-12, 12" amber, 720 x 350 dot, runs off IBM monochrome display adapter \$199

EASTERN ENTERPRISES, INC. 2937 S. VAIL AVE., LOS ANGELES, CALIF. 90040

TOLL-FREE (800)392-7081

(213)725-3080



Make Way For Hayes' Please.

An advanced, easy-to-use data management system for the IBM® PC and compatibles.

Want to get your paperwork out of a clumsy file cabinet and onto your PC's screen, where you can manage it better? Frustrated with data base software that's either too limited or too difficult to use? Hayes offers you a simple word of kindness.

Please A powerful, yet easy-to-use,

Please.™ A powerful, yet easy-to-use, system for organizing and managing your information. Please is flexible enough to store any data you enter, and it'll return data to you in exactly the form you need. Please does

more. It does it all faster. And it's sure to

please!

"The menu, Please?"

Menus list all your options and tell you exactly which keys to press for every Please feature.

That's to be expected. As the telecomputing leader, Hayes built its reputation on quality design, relia-

bility and customer support.

Now these same standards have been applied to a new data management system that is going to instantly change the way you do business!

Say you're looking for an efficient

way to maintain sales data. Please leads you every step of the way in creating a sales database that might include

names, addresses, dates and figures. These categories are called "fields" in database lingo, and they're the very heart of your database structure.

Want last month's total in a particular region? Press a few keys and it's yours! A few more keystrokes and you'll know who's moving product, and what's your biggest seller.

Please will supply you with labels for a mailing to selected customers. It can send customer information to your word processor for a promotional letter. And it can receive data from your spreadsheet program. Please will even look up a name and company for you, your Hayes Smartmodem* will dial the phone number, and you're ready to talk!

Taking this same sales database, you might also want to define special

"Make it snappy, Please!"

Need a report fast? You and

Please can put together a Quick

List in a matter of seconds.

fields for a custom Output Plan. With a defined field for "COM-MISSIONS DUE," Please can automa-

tically compute each salesman's commissions, and print them out in a report of your own design. All this and more, just for saying "Please."

And if you ever change your mind and want to change the structure of your database, please feel free. Stepby-step instructions show you how.

You have the same flexibility with any database you and *Please* design. You can store up to 16 million records and 200 custom Output Plans for each database! More than you're likely ever to require. But isn't it nice

Data management system

"Put it here, Please"

Design a special screen format to position data

storage power in a particular place. is there?

Just in case you ever need it? Now you might think that a data management system that does all this must be difficult to use. Right?

Rest assured. Please works hard so you don't have to. An easy-to-follow sample disk shows you everything

you need to know to create your first database. Three Please menus show you which keys to press to access every fea-

ture. And whenever you need it, Please provides on-screen HELP messages, tailored to a specific task. So you needn't waste time reading through a list of unrelated instructions on your screen. Or stop what you're doing to consult a manual. In no time at all, and with no assistance at all, you'll be a Please database pro!

knowing Everything about *Please* is designed all that to save you time and effort. So what could make data management even easier? Please Application Templates, that's what!

"Merge these, Please!"

Combine data from one

database into another, with-

out changing your original.

To help you get up-and-running immediately, we've developed a series of practical, pre-designed templates. You'll appreciate their welf-thought-out structure, and "fillin-the-blank" ease. Choose several! For business and personal use.

Including Mailing List, for storing names and addresses and producing mailing lists. Contacts, for man-

aging facts and figures about your sales contacts. Applicants, for following applicants throughout the interviewing process. Appointments, for maintaining your calendar and tracking all of your business expenses. Household Records, a complete home management system. And more! Your dealer has details!

Buy Please now! Get a FREE Mailing List template from your dealer.

Second FREE template of your choice, direct from Hayes!

Help yourself. Please! And take advantage of these two valu-able offers. See your dealer right



Hayes Microcomputer Products, Inc., 5923 Peachtree Industrial Blvd Norcross, Georgia 30092, 404/441-1617.

Circle 147 on inquiry card



1800

- 10 Mega-Byte Winchester Hard Disk Controller

UPGRADES FOR YOUR IBM PC /PC COMPATIBLES

ISO1	 10 Mega-byte Winchester Modular hard disk controller 	er	IS41		Half-high tape drive Half-high floppy drive	
		\$1095.00			40 Mega-byte Winchester	
1502	10 Mega-byte Winchester				Hard disk controller	
	Floppy/Hard disk controller	\$1295.00			XT-Power Supply	\$3795.00
IS16	Half-high tape drive		ISPS		XT-Power Supply	\$ 290.00
	XT-Power Supply	\$ 995.00				
IS17	Half-high tape drive		TAP	E	FOR YOUR IBM'XT	

	XT-Power Supply	\$1265.00		Half-high tape drive Half-high floppy drive	s	995.00
8	Half-high tape drive	/inchester				

Micro Design International Inc. has been serving the computer industry for over 71/2 years, call us today for our complete catalog or to place your order.

TO ORDER CALL COLLECT (305) 677-8333

Master Card/Visa/Check/or Money Order

MICRO DESIGN INTERNATIONAL INC.

"Your internal solution" 6586 University Blvd. Suite 7 Winter Park, Florida 32792

1518 Half-nigh 10 Mega-b Hard disk controller **XT-Power Supply** \$2095.00 20 Mega-byte Winchester 1520 Hard disk controller \$1595.00 **IS21** Half-high tape drive Half-high 20 Mega-byte Winchester Hard disk controller XT-Power Supply \$2495.00 **IS40** 40 Mega-byte Winchester Hard disk controller \$2895.00 XT-Power supply

of International Business Machin

Circle 214 on inquiry card.



H·A·R·D·W·A·R·E R·E·V·I·E·W

XENIX for the IBM PC XT

Sritek's 68000-based XENIX system

BY STEVEN H. BARRY AND RANDALL JACOBSON s Sritek hardware in an IBM chassis really a supersystem? The Sritek Company is a small firm from Cleveland, Ohio, that manufacturers an add-in memory/microprocessor card for the IBM PC. Its advertisements claim that this add-in card provides the ultimate in performance for the price.

In this review we will look at Sritek's 68000-based multiuser XENIX system for the IBM PC XT. This consists of Sritek's VersaCard (256K bytes of memory) equipped with an extra 256K bytes of memory and Sritek's 68000 MicroCard. As for software, we will look at Microsoft's complete XENIX system, including the Software Development package, the Text Processing package, and the Multi-User package. The complete system we tested costs \$2995. A basic single-user system with only 256K bytes of memory is available for \$1995.

We will discuss how an early sample of this system worked, compare it with the Radio Shack and Fortune versions of UNIX that we have reviewed, and discuss the advantages and disadvantages of the three-way IBM-Sritek-Microsoft marriage on an IBM PC XT. First, let's point out that the add-ins being tested here are really used best in an IBM PC XT hard-disk system, not in the standard PC. The manuals get very conservative about using XENIX on a floppy-only configuration. The system is a fantastic performer, but, in the XENIX software version 2.3A, released in July 1983, it is definitely not one for UNIX novices.

Sritek's implementation of XENIX, and the 68000 coprocessor to run it, is based on a software-partitioned hard disk. This partition allows PC-DOS (the IBM operating system) and XENIX to coexist on the same device. Limited data-file interchange is available now, but more is promised in the future—along with an MS-DOS (the generic version of PC-DOS) emulator for XENIX. When this becomes available, the user's investment in IBM-style software will be compatible with the XENIX/68000 purchase. Now, however, there is no such compatibility.

HARDWARE INSTALLATION

The Sritek hardware is based on a Motorola 68000 processor running at 8 MHz. The pro-

cessor card, or MicroCard, is mounted on a Sritek VersaCard that has 256K bytes of dual-ported memory, a connector for an additional piggyback 256K-byte memory board, and a connector for the proprietary SRIBUS. The SRIBUS connector is used to interface one of the several Sritek MicroCard processor boards (e.g., National 16032, Zilog Z80, Intel 80286, Intel 8086).

Sritek assumes you have 128K bytes, 192K bytes, or a full 256K bytes of memory mounted on the IBM PC XT motherboard. In the current version of the IBM motherboard, any memory over 256K bytes must be located on expansion boards in the IBM chassis. All of this expansion-board memory must be disabled to use the Sritek memory. This is a disadvantage for owners who have multifunction boards that also supply inexpensive memory. On the other hand, Sritek's memory is available for use by PC-DOS if you set the IBM motherboard switches to reflect the total amount of memory in the system (IBM plus Sritek). We did not test this aspect of the Sritek hardware. Another disadvantage, according to Sritek, is that the IBM power-up memory diagnostics will take a long time to run through the extra memory. The hardware we tested was a complete 68000 system that implemented 512K bytes of Sritek memory (in a 128K-byte IBM chassis). The 68000 processor uses Sritek memory when it is installed and in control of the system (running XENIX or one of the other operating systems offered by Sritek). Sritek says it may be used by the IBM PC XT's 8088 processor as an expansion memory for PC-DOS when the 68000 is not in control of the system. In the dual-processor mode, the 68000 runs its operating system (e.g., Microsoft's XENIX, the University of (continued)

Steven H. Barry is a senior scientist with Systems Research Laboratories Inc., (Eastern Division, 7320-C Parkway Dr., Hanover, MD 21076). He holds a Ph.D. from the University of Rochester and an M.A. from California State University, Los Angeles.

Randall Jacobson is a software manager for Systems Research Laboratories. He was educated at the University of Maryland.

AT A GLANCE

Name

Sritek VersaCard/MicroCard

Manufacturer

Sritek 10230 Brecksville Rd. Cleveland, OH 44141 (216) 526-9433

Price

Single user, \$1995 Multiuser, \$2995

Processor

Motorola 68000

Memory

256K bytes expandable to 512K

Hardware Needed

IBM PC XT

Software Supplied

Microsoft XENIX

Audience

Knowledgeable end users

California at San Diego's pseudocode p-System, Digital Research's CP/M-68K, and Ryan-McFarland's RM/COS while the XT's 8088 processor is used as an I/O (input/output) processor and the IBM memory is used as an I/O buffer.

The Sritek memory is based on 64K-byte chips and is ported to allow access by either the 8088 or the 68000 processor under control of the XENIX operating system by means of an arbitration scheme. The 68000 has a paged memory-management hardware system that allows access to 2 megabytes (MB) of physical memory and supports program relocation. Relocation is essential to a multiuser, multitask operating system such as XENIX. It allows programs and data to be mapped into the available chunks of physical memory.

The alternative (placing programs at predetermined contiguous places) would cause excessive program-execution delays. A program that had to be loaded at location *x* and was 8400 bytes long, for example, would have to wait until location *x* and the next 8399 bytes were vacated. Even if the first program were transferred to disk periodically, the heavy disk I/O would cause unacceptably low performance during "simultaneous" program runs.

All of this is avoided with a memorymanagement capability. The Sritek memory-management hardware allocates memory in 1K-byte chunks and allows processes (i.e., programs) to be as big as 512K bytes.

Because Sritek's XENIX operating system (OS) and PC-DOS coexist in separate disk partitions, both are available to the user. A future XENIX release will reportedly allow you to execute a PC-DOS program on the IBM 8088 processor under XENIX. Sritek XENIX software also allows the console terminal to be used as a three-way split-screen terminal.

Based on their performance and our visual inspection, the Sritek boards we tested were all well designed and executed. However, they were early releases and did not include the usual metal mounting bracket found on IBMcompatible hardware, nor was a cardguide included. Thus, the heavy, twoboard-thick assembled unit was held in the IBM bus by the mechanical properties of the bus connector alone-a "bad show." We called Sritek to confirm that current shipments include these necessary accessories. Due to the double thickness of the complete Sritek assembly, you need two empty adjacent card slots to install it. The XT has more space than the PC, so this requirement is not as bad as it might have been, even though card slots are very scarce commodities in the IBM chassis. You hate to lose one whole slot due to bulky cards. The hardware installation was




Photo 1: Sritek's 68000-based multiuser XENIX system for the IBM PC XT with Versa-Card, extra memory, and MicroCard, and system software for development, text processing, and multiuser support.


easy and the documentation was fairly complete, although it was plagued by idiosyncratic writing and devoid of formatting features that could ease the installer's job.

The hardware installation was the easiest part of the Sritek test. The card was preassembled and the switches were preset at the factory. We rearranged the cards already on the IBM bus to make room for the slot wasted by the double-thick Sritek module. We then cannibalized another IBM PC for a double-sided floppy drive. The one supplied by IBM was only a single-sided drive and Sritek supplies the software on 20 double-sided disks. Still, things went well and the machine booted quite serenely after the major surgery.

COLD START

The first steps after the actual installation of the hardware are to verify that the hardware is not interfering with the IBM PC XT and that the Sritek board actually works. The first of these is done by booting the IBM in PC-DOS (version 2.0) in the usual manner. That is, a PC-DOS floppy disk is inserted in the drive, or the floppy-disk drive door is left open so that the ROM (read-only memory) defaults to the 10-MB hard disk (if it has been formatted and PC-DOS installed). The monitor (an IBM color unit in this case) is turned ON and then the main power of the XT is turned ON. The usual lengthy wait ensues while the boot ROMs lead the machine through the memory check and hardware diagnostic routines. Finally, the OS comes up.

On this "loaner" system, the color/ graphics adapter was being handled as a 40-column device due, probably, to the presence of IBM's medium-resolution color monitor. Sritek's XENIX handles the screen as an 80-column device, and PC-DOS must preset this mode before XENIX is started. Thus, after power-up in PC-DOS and the usual date and time entries, the proper thing to do is type "mode 80 < return >". This causes the system to handle the videodisplay terminal as an 80-column device (pretty uncomfortable on this type of color video-display terminal). The 80column mode also can be set as a power-up default setting. Sritek explicitly recommends the 80-column switch setting on the IBM motherboard for in-



Complacency or curiosity?

Move your children away from the passive nature of TV and turn them on to the excitement and fun of interactive learning with Dow Jones News/Retrieval.

You probably thought Dow Jones News/Retrieval only provided business and financial information. Wrong. We've got something of value for the whole family.

With our 20-volume, 30,000 article Academic American Encyclopedia, Dow Jones News/Retrieval will pique your children's curiosity about the world and help them develop new skills. The information they need for school is easy to access, always up-to-date, always ready. And kids love to use it!

There are timely news reports

from Washington, our nation and the world. You also get current schedules and rates from the Official Airline Guide; Comp-U-Store, a convenient shop-at-home service; Cineman Movie Reviews; sports highlights, weather reports and MCI Mail—the new electronic mail service that lets you send letters to anyone, anywhere, even if he or she doesn't own a terminal.

Overall, you'll find a wide variety of high-quality data bases accessible quickly and easily with most personal computers.

To get your children involved, excited and turned on to the fun of learning, turn them on to Dow Jones News/Retrieval.



Copyright © 1984 Dow Jones & Company, Inc. All Rights Reserved. Dow Jones News/Retrieval® is a registered trademark of Dow Jones & Company, Inc.

FOR FULL DETAILS, CALL 800-345-8500, EXT.5

Alaska, Hawaii and foreign, call 1-215-789-7008, Ext. 5



All the C compiler support you need, from one place.

	CROSS TO:			
HOST:	CP/M-80	CP/M-68K	MS/PCDOS CP/M-86	P/OS-11
IBM 370				
VAX VMS			A Partie	
VAX UNIX (4.1 BSD)				
PDP-11 UNIX (V6, V7, III)				
IDRIS/R11				
RT-11				
RSX-11M/M+				
MC68000 UNIX (UNIPLUS+)				- W
IDRIS/S68K				
MS/PCDOS				
CP/M-86				

- C and Pascal for 6 machine architectures: PDP-11, 8080, 68000, 8086, VAX, 370
- Full C language implementation
- All of the most popular operating systems supported
- Optional cross support for: CP/M-80, CP/M-68K, CP/M-86, MS/PCDOS, P/OS-11
- Field-proven reliability since 1979
- New UNIX-compatible library for non-UNIX operating systems

HOST ONLY:

CP/M-80*, CP/M-68K, VERSAdos, P/OS-11 (*2.1 Cross Compilers are Available)



Circle 326 on inquiry card.

Whitesmiths, Ltd.

97 Lowell Road, Concord, MA 01742, (617) 369-8499, Telex 750246 SOFTWARE CNCM

It is visually interesting, like modern art, but not much like anything you've seen before.

stallations with the color graphics card, but it is easy to miss this recommendation in the current manuals.

After a successful PC-DOS boot, the Sritek "BRINGUP" floppy is exchanged for the PC-DOS disk and the SRITEST diagnostic is run. Everything ran fine in our case, and the manual said to skip the sections on installation for other manufacturers' hard-disk configurations.

The OS Configuration Procedures section of the technical manual occupies about 13 pages out of 130 (less appendixes). The following ominous note appears at the end of the first page: . . . You should be willing to follow the directions carefully. Note: Follow the stepby-step procedure given in the next several pages to avoid mistakes. Do not skip any steps as it will result in an improper XENIX configuration." The whole process (hardware, software, and disk surgery) took about three hours. The procedure looked simple: insert a couple of disk partitions, follow a detailed example, and then let the Sritek batch file (really a "shell script") do the rest. First, a copy is made of the Sritek BRINGUP disk. Then the PC-DOS partition is removed from the hard disk if it had been installed previously (a backup is made of the current hard disk contents before the partition is removed). You are asked to decide on the amount of space on the hard disk to be allocated for XENIX (at least 7 MB) and whether you want a DOS partition. We chose 8 MB for XENIX and 2 MB for PC-DOS.

When you think about it, a 10-MB disk is pretty small—at least for a UNIX system. UNIX is large. The "kernel" is usually between 60K bytes and 128K bytes, and the utilities, on-line manuals, games, useful programs, required system files, and commands take several megabytes of disk space. Its size is the result of it being a very powerful operating system and also the consequence of having about 200 very useful utility programs in a completely developed system.

Other operating systems are smaller, but the consequences become obvious when a common UNIX-style facility is needed and not available. Thus, we have doubts about using a 10-MB disk for even one OS, let alone two, when one of them is UNIX.

ANTICIPATE

The SRIFDISK utility on the BRINGUP disk was used to install the two disk partitions we chose. This was where I should have noted the instruction to jot down the number of sectors for XENIX. Because the instruction appears as part of the example, or perhaps because we were having an off night and didn't read the screen message completely, we didn't record the number. This wasn't a disaster—just a little uncomfortable until we decided what to do to recover. Otherwise, partitioning the disk was not difficult.

At step 5 of the instructions, things begin to get interesting. The "BOOT-ABLE" program is run from the BRING-UP disk. This installs a bootstrap loader in the Sritek memory for use by the 68000. Then BRINGUP is typed. Here was where the number of sectors (blocks) was needed. The instruction manual does not warn you that you will be asked for this information at this point. After calculating the theoretically correct answer and entering edit, a long series of commands was executed in a batch-type environment. The result is that the XENIX kernel, bootstrap, swapper, and a portion of the "root" file system were installed within the 8-MB XENIX partition on the hard disk. Following this step, you are instructed to insert each of nine disks that contain the rest of the files to be installed in the "root" (i.e., the XENIX system's) file system.

UNIX allows disk media to be divided into several named sections, called file systems. Sritek's implementation of XENIX uses two of these—the system's information is put in the root file system, while the user's information is put into a user-file system. An unexpected question is displayed at this point: "/dev/usr contains data. Overwrite? (y/n)'—the documentation has no guidance for you (the question is not even mentioned in the documentation). We guessed "y" on the grounds that we were doing a new thing on top of the PC-DOS data. We got

lucky—the system picked up on the prepared script shown in the manual. After the nine "root" TAR (tape archive) disks are fed in, you are asked to feed the 10 user-file TAR disks to the system. Loading disks takes about 55 minutes (think about the implications of this for making backups of the hard disk). After this is done, you are finally ready to log into XENIX.

Bringing Up, Backing Up, and Backing Out

The backup copy of the BRINGUP disk is inserted in the floppy-disk drive, the IBM software Reset key-sequence is pressed (Ctrl-Alt-Del) and then the XT uses the AUTOEXEC.BAT file on the disk to execute the sequence of commands that invokes XENIX. All goes wellunless you have expanded on the Sritek instructions as we had. We decided not to set the hardware switches to indicate 80-column mode for the color monitor. Reading 80-column text is uncomfortable for us on a medium-resolution color monitor. We were given no modal choice by the XENIX OS since it only provides an 80-column terminal handler that thinks it is talking to a Televideo 925 terminal. Nevertheless, we wanted 40column displays in PC-DOS (40-column displays have other disadvantages). Thus, when we executed the IBM software Reset key-sequence, the display was automatically reset to 40-column mode as indicated by the hardware switches. The software, however, was expecting 80-column mode. So, while the XENIX bootstrap procedure went along just as planned, we found ourselves looking at an unreadable display. We were victims of our own attempt to preserve our display options. Forty-column hardware and a Televideo handler program yield an interesting pattern of unreadable dots repeated, more or less, in each of the four quadrants on the screen. It is visually interesting, like modern art, but not much like anything you've seen before. The solution was to return to PC-DOS and reset the 80-column mode.

However, we first had to get into XENIX to shut it down in an orderly way. UNIX users learn quickly that one does not just turn off a UNIX machine. The result, often, is a corrupted file system.

(continued)

No UNIX novice should attempt to learn the XENIX system while logged in as the superuser.

Now, this was not likely since the system was, according to the Sritek manual, at a log-in message. However, this was a new system and was installed with a manual already shown to have a few quirks. We were not happy about possibly losing several hours' work. Some people would think of this as a potential adventure. We just thought of it as a lot of potential messing around. There are no instructions of any worth in the installation manual on how to log into XENIX. You are told to do so, period.

A careful reading of three separate portions of the Microsoft XENIX manuals may tip you off, but maybe not if you're a XENIX novice. So the problem was, "How do we log into XENIX and provide for an orderly shutdown when we can't see what the system's doing?" Well, we "lucked out" again. Reasoning that XENIX should be standard across machines, we used the same startup and shutdown sequences as in the Radio Shack TRS-80 model 16B XENIX review we wrote last summer. Voilà! We were back in control without major consequences. However, we don't recommend this as a general practice. For one thing, randomly pressing keys in a UNIX system is a lot like looking into a strange tank of fluid with a match for light. In some cases nothing happens. In others, the results are quite explosive. In this case, however, all we had to do was type Ctrl-D (to allow the system to start up in "normal" modereally multiuser mode), enter the date and time in YYMMDDHHMM format, and type "root" (the system managers' account) in response to the invisible "login:" invitation. Then, after the system invisibly gave us the "superuser" command prompt (a "#"), we typed "haltsys" to run the program that brought things to an orderly stop. This is another area where Sritek should have provided an explicit set of instructions. Even a careful reading of the Sritek and Microsoft XENIX manuals does not yield a clear, concise explanation, in one place, of how to start the system from "cold," how to log in for the first time, and how to establish less dangerous accounts than "root." The system is, as it comes from Sritek, easiest to log in on as "root." Root is, of course, the superuser (manager), who can read and write any file, can use any available command, and is responsible for system maintenance. No UNIX novice should attempt to learn the system while logged in as the superuser. In extreme cases, whole file systems can be lost irretrievably or critical system files or utilities can be damaged beyond use. In less drastic cases, files can be made inaccessible to regular system users.

Again, the problem is that the manuals are not very clear about getting into XENIX. In fact, the manuals don't even explain that typing <RETURN> at the first log-in prompt activates XENIX in single-user mode. Having made it into multiuser XENIX through information gleaned from another manufacturer's product, our next step was to shut it down so we could decide what to do about the display. We typed "haltsys" and halted the system.

Having extricated ourself from the 40column syndrome, we created a small AUTOEXEC.BAT file to set mode 80 and boot into XENIX. Our AUTOEXEC.BAT does this by using the XENIX.EXE utility provided on the BRINGUP disk. This strategy avoids the Ctrl-Alt-Del sequence that, in PC-DOS, resets the screen to 40-column mode and began all the trouble we just described. The procedure works well and the normal XENIX start-up screens are seen during the boot process. From there on, it is fairly normal XENIX. A lot of commands and programs that are extra with other companies' XENIX systems (e.g., Radio Shack) are included with Sritek's implementation at a cost of \$495 for the software. These include the C language, a host of development utilities, and the usual multiuser capabilities (although you supply your own hardware I/O ports). The software is all there to support a heavy development environment. It's just that the documentation is not up to the job.

Sritek reports that a number of flaws reported in this review have been corrected since we received our unit last summer.

First, the IBM can have more than 256K bytes of RAM (random-access read/write memory). But Sritek recommends that when you first bring up the XENIX system, you remove all but the first 256K bytes of memory. When the XENIX system is running correctly, you supposedly can replace your expansion memory boards up to 512K bytes of memory. A 64K-byte "widow" starting at 9000 hexadecimal must be left open to allow the 8088 to access the memory on the 68000 board.

DOCUMENTATION

Technical manuals have been the neglected stepchildren of the microcomputer industry. Sritek's manuals (including Microsoft's manuals) are actually examples of high quality, compared with most put out by the industry. In particular, the manuals are full of such advice as: "Ground yourself thoroughly before you touch any component on the board. (CAUTION: The MOS IC Imetal-oxide semiconductor integrated circuits components on the board are sensitive to static discharge. Static can damage MOS ICs.)" However, better organization is needed. The caution should have appeared before the instruction to unpack the boards. Complete instructions on ways to ground vourself safely should have followed. Then, and only then, should the user be instructed to unpack the boards. All of these should have been set off from installation instructions by clear document formatting conventions.

Warnings (possibility of injury), cautions (possibility of equipment damage), and notes (things to watch out for to assure proper installation) should each be formatted in a distinctive style. Doing so would draw the user's eye before attempting an improper action. The Sritek technical reference manual constantly refers to the IBM DOS manual for required details of procedures (e.g., making backup files before installing the XENIX software). Such actions, even if they are PC-DOS actions, should be explicitly described in the Sritek manual in each of the places where the material is relevant. Similarly, the manuals should not refer to earlier sections for instructions. Sritek illustrations are placed near their text references, but the quality of reproduction and the use of photos instead of drawings make them nearly

useless. In the sections on software installation, the manual fails to adequately distinguish between what is placed on the screen by the computer and what is required of the installer.

Cautions and notes (not labeled as such) routinely come after the text describing the action they are meant to modify. A few cautionary messages appear on the screen buried in text, rather than in the manuals. Screen formatting of information and instructions that belong in cautionary messages is lacking. For example, at one place in the installation instructions you are asked (in a long message on the screen) to record the number of disk blocks available to XENIX. This number is used later. The message is easy to miss. We missed it and it cost us several minutes of reading and calculation to reconstruct the number that we should have recorded.

Finally, the installation manual fails to follow an actual live installation sequence. There are several places where unexpected questions appear, where the sequence of events is not quite as stated in the manual, or where a full explanation of the range of possible user actions is missing. There are other places where known bugs in the IBM PC-DOS software should have been explained and the way to fix them presented. These comments on the Sritek manual cover only some of the issues that make a manual easy or hard, helpful or not. The point is that, while it is certainly possible to use much of the available documentation, a lot can be done to make it easier and faster (without necessarily shortchanging the user on valuable technical detail). The benefit to the user is less chance of dangerous, costly, or annoving foul-ups. We can all do with fewer of those.

The XENIX manuals are similar to the standard AT&T documents supplied by Western Electric in their version 7 release of UNIX, with some additional material to cover enhancements. A few changes, mostly cosmetic, have been made. The documents are fine for an experienced UNIX user but terrible for a newcomer. Commands and programs are documented in a peculiarly terse and unnecessarily technical style guaranteed to confuse even experienced users of other systems. UNIX hackers who begrudge every extra character in a document love this stuff. In

fairness, Sritek told us that the system is intended for use by system houses and by knowledgeable end users, and that the manuals were not the best and most current because, just as it was about to spend a bundle to typeset the real stuff, AT&T announced that the new System V manuals, which were to be available soon, would be great. We find it hard to have much patience with this when a bunch of users are getting some pretty raw stuff until "soon" rolls around.

Sritek has indicated that it has also upgraded the documentation since our review. It has added several addenda on such topics as how to log on to XENIX, how to access printers, and so forth. Information on the major device number has also been added to the manual.

LEGACY

UNIX is a great operating system, but it is hard to learn on your own without some good tutorial manuals. UNIX development began at a time (in the 1960s) when the only inexpensive and reliable terminal around was the Teletype model 33. This device was slow (10 characters per second) and the keys required several pounds of pressure to actuate. Thus, the user-system interaction is extremely terse. Users wanted to type as few characters as possible and were just as happy to have the result of a command be blissful silence. We are left with that legacy in the standard user interface for UNIX, the one Microsoft uses in this version of the OS (Sritek says that the Microsoft "visual shell' is not far off). We think a company should compensate by including one of the three good commercially available introductions to UNIX in its \$500 software package when its own introductory material is unsatisfactory.

A more serious omission, however, was that the copy of XENIX we reviewed was undeveloped. Even Microsoft's (nontutorial) manuals were inaccurate in several critical details. Several important files for UNIX are placed in atypical (for UNIX) parts of the file system, while the manual calmly quotes AT&T chapter and verse on where they should be. The line-printer (serial or parallel) driver is not configured, and the usual UNIX-style procedures won't work. This, in turn, is due to insufficient information in the Sritek technical manual (the major device number is missing) about the oddly named or misplaced files. These are all indications that Microsoft rushed XENIX out the door. We hope that the long-awaited XENIX version 3.0 will arrive from Microsoft and most of these criticisms will be answered. Note that the Radio Shack version of XENIX we tested several months ago was much cleaner, much better documented, and much easier (still not easy) for a new UNIX user to grasp. All without waiting for AT&T's System V manuals. Also, this Microsoft XENIX was missing many

(continued)

Table 1: The machine tested had a 512K-byte memory and an 8-MHz 68000 chip. Each test was run twice, with the lowest time recorded. Entries in the Real column represent total elapsed time; entries in the User column represent time in the user process; and entries in the System column represent kernel time. Times are given in seconds.

Function	Command	Real	User	Sys	
compile sieve	cc -0 sieve.c -o sieve	27.0	3.3	5.4	
execute sieve	sieve	1.0	0.5	0.1	
simultaneous sieves	sieve&sieve&sieve&time sieve	1.0	0.5	0.1	
compile terminal	cc -O terminal.c -o terminal	29.0	3.9	5.4	
one terminal	terminal 1	19.0	0.4	5.0	
two terminals	terminal 2				
three terminals	terminal 3				
compile disk	cc -O disk.c -o disk	30.0	4.0	5.6	
one file	disk I	2.0	1.2	0.3	
two files	disk 2	5.0	2.3	0.6	
four files	disk 4	12.0	4.9	1.1	
eight files	disk 8	18.0	11.1	2.3	
simultaneous sorts	sort f1 >fls&sort f2 >f2s&sort				
	f3>f3s&time sort f4>f4s	41.0	4.7	1.7	
multifile sort	sort f1 f2 f3 f4 > sorted, file	67.0	24.5	9.1	

Truly knowledgeable end users will have a fine time with the add-in memory and processor cards.

mature XENIX niceties. Installing a new user is a matter of editing several files as "root" instead of running a simple utility and typing the new user's name and password. Several other utilities that make life easier were also missing.

PERFORMANCE

Whatever Sritek lacks in glossy presentation, good manuals, and mature XENIX implementation, it is certainly not lacking in system performance. This system is clearly the fastest numbercrunching UNIX-style microcomputer implementation we have ever tested. The MC68000 chip was only running at 8 MHz (10 MHz is a planned option) on our board, yet the benchmark times we found were outstanding. Other UNIX or XENIX systems using 6-MHz 68000s (e.g., Radio Shack TRS-80 model 16B and the Fortune 32:16 System 20-not an XP model) were several hundred percent slower on the sieve.c computebound benchmark reviewed in the Gilbreath and Gilbreath article and the Barry and Jacobson article (see references). These other systems are not particularly slow (they're right about where you would expect them to be, given their clock speed)—the Sritek is just very quick. The benchmark is shown in table 1. This is the same benchmark we used for the Radio Shack test. The compile time is longer for the Radio Shack (33 seconds) than for the Sritek (27 seconds), while the Fortune compiled sieve.c fastest of all (20 seconds). These long compile times occur because the process is primarily disk-bound. All three systems have relatively slow stepper-motor-type Winchester disks (average access time about 90 milliseconds or so). Note, however, that the Sritek and the Radio Shack both have separate I/O processors with their buffer memory (a Z80 and 64K bytes in Radio Shack's), but both require more compile time than the Fortune. On execution time for the benchmark program called Sieve of Eratosthenes, a compute-bound algorithm for finding 1899 prime numbers (see references). the Sritek used only one-tenth the time needed by the Radio Shack and did nearly as well against the Fortune. When four simultaneous sieves were executed. the execution time for the last one was the same as for a single sieve. The Radio Shack performance was nearly proportional (380 percent longer). The results are so good that we wonder if the XENIX time utility was really working (although the other times-compile, terminal I/O. disk, and sort-were also quick, but reasonable). In fact, two other sieve benchmarks we've seen, from other sources using Sritek hardware and XENIX software, have very different (and longer) execution times. According to our figures, the Sritek evidently uses the 8088 and its memory to good advantage in I/O-intensive situations but really shines in compute-bound tasks. This conclusion is valid for all of the diverse times that have been reported for the sieve benchmark on this product.

CONCLUSIONS

The Sritek add-in board provides a highperformance boost for the IBM PC XT in XENIX. The documentation is relatively poor, even in the realm of relatively poor UNIX documentation. Sritek does not have a national distribution or dealer network-all repair work is on a return-to-factory basis, and the installed base is not large. The full 512K-byte Sritek system will cost \$2,995 over what's already invested in the IBM PC XT system. All that money (about \$9,000 total) for a nearly raw system and the disadvantages of a multivendor maintenance situation is a little too much. For that kind of money, there are several good vendors out there with fine systems that are fully supported by both dealers and a national service organization. True, these systems are much slower at compute-bound tasks, but they often match, or exceed, Sritek's abilities on typical I/O-intensive business tasks.

We were not able to test any of the application program library mentioned in the technical reference manual. It is worth noting, however, that some good UNIX application software is on the market (usually bundled with or available on a major manufacturer's hardware package) and that more will be out soon. Sritek mentions the usual business standards-a spreadsheet, a word processor, a database manager, a full accounting system, etc.-in its technical reference manual's specifications list. These packages seem to be drawn from those available in the general UNIX/ XENIX market. It is not clear what level of support a business user would have from Sritek on such third-party software. Our guess is that if a bug cropped up you would go to the software vendor and hope that it was not due to some subtle interaction between the IBM hardware, the Sritek hardware, the Microsoft OS, and your application package. Sritek's intended marketadvanced users and systems housesshould be able to handle these problems, but not quickly nor easily.

In summary, we can recommend the Sritek add-in memory and MC68000 processor cards as outstanding technical products. Truly knowledgeable end users will have a fine time with this hardware. The XENIX software and documentation can be expected to improve substantially in the near future; in fact, since our review Sritek has started offering Pascal and C compilers and the Unify database-manager program. Once some other hurdles are jumped (with little help from the current documentation), the operating environment is comfortably UNIX, version 7, with the Microsoft enhancements described in our Radio Shack article (see references). The product may gain broader appeal with better documentation, more mature OS software, easily available applications software with integrated support on the Sritek system, a strong dealer network, and national support. Sritek reports that the System V version of UNIX will be available this summer, along with a board based on the 68010 chip with enhanced memory-management capabilities.

REFERENCES

Barry, Steven H. "The Fortune 32:16 Business Computer." BYTE, May 1983, page 82. Barry, Steven H. and Randall Jacobson. "The

TRS-80 Model 16B with XENIX." BYTE, January 1984, page 288.

Gilbreath, Jim and Gary Gilbreath. "Eratosthenes Revisted: Once More through the Sieve." BYTE, January 1983, page 283.


Don't buy Omninet just because it's the #1 network.

Buy it because it's the best buy.

At under \$500 per node, OMNINET has the lowest cost per station of any local area network.

Because an OMNINET Network uses simple, twisted pair wire. Which means that cabling costs one fifth of the coaxial alternatives, with none of the installation headaches.

Result? OMNINET is both easier and less expensive to install. Or expand.



From Apples to Zeniths, OMNINET handles more types of micros than any other network. So keep the DEC's in Data Processing and the PC's in Purchasing; OMNINET makes for great working relationships.

options like electronic mail, your people can choose from over 500 different programs according to their needs. Not their network's

limitations.

What's more, CORVUS can handle all your hardware needs. From 6 to 45MB hard disks through 200MB Random Access backup at an amazing \$11 per megabyte. Both, with OMNINET servers built right in.

Buy the OMNINET Network for the most expandability.

If you're just starting a network, consider OMNISHARE™ Software. It lets your regular PC's or PC-compatibles make full use of the disk space on an IBM PC XT.™

When you want to draw on the resources of your central computer, you'll want Corvus' SNA Gateway. It lets your network's micros tap into your mainframe's information.

Whether you have 2 computers or 2,000, OMNINET can get the most out of them.

Buy us for our experience.

We pioneered local area networking for micros. And we're constantly working on better ways to give you need with the

you need, with the versatility you want, at a price that makes sense.

With the result that 3 out of every 5 locally-networked micros in the world are connected to a CORVUS network.*

59% 1

Give us a call at 800-4-CORVUS to find out more.

Because when it's all said and done, one of the best arguments for going with an OMNINET Network is really very simple.


Buy it for your peace of mind.

CÖRVUS

The Networking Company.

*59% of all locally-networked micros operate in a corvus network, according to InfoCorp. Corvus, The NETWORKING COMPANY, OMNINET and OMNISHARE are trademarks of CORVUS SYSTEMS INC. IBM PC and PC XT are trademarks of International Business Machines. APPLE is a trademark of APPLE COMPUTER INC. DEC is a trademark of DIGITAL EQUIPMENT CORPORATION. Zenith is a trademark of Zenith Corporation. TI is a trademark of Texas Instruments.






THE ESSENTIALS

CompuPro Disk Subsystems

When it comes to answering your data storage needs, CompuPro has the essential components. Like our Floppy and Hard Disk Subsystems with Disk 3TM and Disk 1ATM controllers. They're the IEEE 696/S-100 products that will keep you and your system on the cutting edge of computing for years to come. Each reflects the most advanced technology available. And that's what you've come to expect from CompuPro. Because we've built our reputation on quality components like these for more than a decade.

DISK 1 A[™] Our high-performance floppy disk controller handles any combination of up to four 8" or 51/4" drives. The Disk 1A is perfectly suited for the highest level single or multi-user microcomputer system. It features state-of-the-art LSI architecture, high-speed DMA interface, and complete compatibility with CP/M-80[™], CP/M-86, CP/M-68K[™], CP/M®-16[™], MP/M™8-16[™], and Concurrent CP/M™8-16™ operating systems.

Our hard disk controller, which supports as many as four 51/4" Winchester drives, achieves new levels of performance for multi-tasking systems. The Disk 3's many features include transfer of each disk sector using high speed "burst mode" DMA, and a channel processor for independent seeking, reading and writing, as well as the capability to transfer large blocks of data between disk and memory with a single command. Compatible with the same operating systems as Disk 1A.



OF DATA STORAGE



FLOPPY/ HARD DISK SUBSYSTEMS:

Here's the essential peripheral for your microcomputer. Choose from a wide range of models
to obtain the perfect disk subsystem for your application. We offer combinations of 20, 40 or 80Mb
hard disks, with either a single 8" floppy drive or two
51/4" floppy drives to give you maximum flexibility in a
single unit. Or you can have a unit containing two hard
disks or two floppy drives. It's all up to you. Hard disks are
manufactured by Quantum, and double-sided, double-density
floppy drives by Qume and Mitsubishi . . . all are assembled in our
famous disk enclosure. These packages can also be purchased without controllers and software for those upgrading their current system.

You can learn even more about making the most of your microcomputer by sending for our free catalog. In it, you'll find components and systems that can improve the way you work. And why CompuPro is essential to you.

The Essential Computer™

For Dealer Locations, see pg. 219.



A GODBOUT COMPANY

3506 Breakwater Court, Hayward, CA 94545

(415) 786-0909 Circle 64 on inquiry card

CPIM and CPIM-86 are registered trademarks and CPIM-80 and CPIM-68K are trademarks of Digital Research Inc. CPIM-8-16, MPIM-8-16 and Concurrent CPIM-8-16 are compound trademarks of Digital Research Inc. and CompuPro. Disk 1 A, Disk 3 and The Essential Computer are trademarks of CompuPro. Specifications subject to change without notice. © 1984 CompuPro

That power cord may look innocent. But it could suddenly turn against your PC.

It could, for example, hurl a power spike from static or lightning into its delicate circuitry. Wiping out its memory. Or destroying a defenseless component

Don't risk it. Get a 6-outlet Wire Tree Plus™surge protector from NETWORX™ It guards against spikes. Filters out RF interference. And it's the only device with two phone jacks to protect modems against surges.

Other unique features include separate switches for the CPU and peripherals and a bracket that

mounts under the front of the workstation. The illuminated switches are easy to reach, and yet recessed, so you can't accidentally shut down power and lose data.

If you don't need 6 outlets, pick up our 4-outlet Wire Tree™ Or our single-outlet Wire Cube™ that's ideal for portable computers.

That'll take care of power surges. But what if your foot gets tangled in a power cord? Prevent this potential disaster with the Wire Away.™ It stores up to four 18-gauge wires and ends the

hazardous mess of dangling cords.
All our products are backed by a 5-year warranty. So when you shop for a PC, ask for NETWORX computer station accessories. And don't go home without them.

LURKING BEHIND EVERY



Circle 233 on inquiry card.





Turbo Pascal

A highperformance, low-cost compiler

BY TOM WADLOW

orland International's Turbo Pascal is a new language compiler that claims to combine the benefits of structured programming in Pascal, the interactive convenience of an interpreted language like BASIC, and the speed of a compiled language. All this is included in a package that retails for an amazingly low \$49.95.

Since Pascal is a compiled language, using it on a personal computer usually means you spend a lot of time cycling between compiler and editor, often shuffling disks in the process. What Borland International has done, however, is provide a souped-up compiler and a programming environment to use it in. The result is a high-level language that can be used for some kinds of serious program development but is easy and fast enough to be used for writing small applications as well. In other words, you shouldn't throw away that BASIC disk, but it will probably gather a lot of dust between uses.

In this review, I'll examine both versions of Turbo Pascal (CP/M and PC-DOS), describe its major features, and compare it to other "professional" compilers. (See also the text boxes "Turbo Pascal on CP/M" on page 268 and "Turbo Pascal on the IBM PC" on page 270.)

THE ENVIRONMENT

When you begin to run Turbo Pascal, the Turbo Main Menu comes up. From the menu you can select the files you will work with and the fashion in which they will be handled, and you can view some information about the resources at your disposal. Entering a single letter will execute one of the menu commands, but each menu item is displayed as a word or phrase, with the key letter highlighted on the screen.

From this menu you can edit or compile a program, change working drives, view a directory of the disk (or a subset of that directory), or change the parameters of compilation.

THE EDITOR

Turbo comes equipped with a built-in screen editor that is helpful when making small changes in a program. As supplied by Borland, the Turbo editor commands resemble a

subset of the WordStar word processor's command set. However, the editor can be configured during installation to look like, more or less, a wide variety of popular editors. I successfully configured the Turbo editor to accept a Mince-like set of commands, but it took several tries to get everything to behave properly.

This editor is very convenient. Errors occurring during program compilation automatically will put you back into the editing mode, with the cursor positioned on the line of code that caused the error. When you are executing a program that has been compiled into memory, some run-time errors such as a divideby-0 will also drop you into the editor. This makes changing and recompiling fairly effortless compared to the traditional way of developing code on small systems.

The Turbo editor is not suitable for massive amounts of editing. There are several activities where the editor's inefficiencies will outweigh its convenience, and you will probably need to use another utility program. One example is the FIND and REPLACE functions, used for string substitution. A number of options are available to restrict or extend the type of searching and replacement that is done. However, for each iteration of the search, the program appears to start from the beginning of the file. This means that the replacement of each occurrence of a common string will take a long time.

Another strange feature of this editor is the definition of tabs. Most text editors have fixed or definable tab stops across a line. Many people are accustomed to formatting source code by indenting lines with the Tab key. The tabs in Turbo are a bit of a surprise, though. Tabs are set anew on each new line. This is done by automatically placing a tab stop at the start of each and every word on the previous line. Thus, a tab just after a carriage return will align the next line with the start of the previous line. There is some sense to this method, but I

(continued)

Tom Wadlow is an engineer and freelance writer living in the San Francisco Bay area. He can be reached at POB 2755, Livermore, CA 94550.

Turbo Pascal on CP/M

BY AL PIERCE

urbo Pascal allows in-line machine code and supports the full range of CP/M BDOS and BIOS functions as well as allowing user-written I/O drivers. Interrupts may be used but the programmer is responsible for preserving any registers used by the interrupt routines. Care must be taken because the standard I/O operations used by Turbo routines are not reentrant. This means that they will not work properly when called from within an interrupt handler. Likewise, the BDOS functions and most BIOS calls cannot be used. Interrupt enable and disable may be handled by the use of in-line statements.

In addition to the information on these features, the manual also contains system memory-management information. This includes memory maps of the system during the various compile and execute phases as well as the HEAP and STACKs. The operating-system specifics are covered in a thorough and concise manner with the programmer in mind. Ex-

amples pertaining to the use of each feature are given, many of which are short procedures that may be used as learning tools. I wouldn't have minded a bit more detail in some areas, such as the EXECUTE function, but on the whole I found it to be a good piece of documentation

I found Turbo Pascal for CP/M to be an excellent product. The user interface is well done and the inclusion of terminal control functions is a nice touch. The ability to invoke other COM files from the main menu removes the tedium of switching back and forth to the operating system to copy files or check the directory. I only wish the Control-P printer toggle had been left intact but one can't have everything. Borland International deserves praise for this high-value product.

Al Pierce (POB 2755, Livermore, CA 94550) is an electronics technologist at the Lawrence Livermore National Laboratories.

found that the tabs did not do what I wanted more often than they did. There is, unfortunately, no way to perform traditional tab alignment.

The editor has several other features that may be a help or a hindrance to you, such as the software toggle for auto-indent and insert/overwrite, but the use of these is more a matter of personal choice than anything else. The fact that there is a convenient editor outweighs the small errors or design oversights that it may contain.

THE COMPILER

The compiler can be directed to compile directly into memory, where the program can then be executed, or you may compile onto the disk. The memory option is fast and useful for development. Compiling onto disk can be done in one of two ways. An executable file (i.e., a COM file under MS-DOS) can be created, which can then be run directly from the operating system. You

can also create special chain files (CHN), which are used only by Turbo programs and will be explained later.

The Turbo compiler is fast, but slightly peculiar. Turbo is not exactly the Jensen and Wirth definition of Pascal. If you are a Pascal purist, you may be irritated by the differences, especially if you bought it to run "standard" Pascal. But permit me a brief editorial comment: There is no such thing as standard Pascal. Yes, lots of people advertise that they sell it. I know about the Jensen and Wirth book that supposedly defines it. But standard Pascal doesn't really exist, because real Jensen and Wirth Pascal is not worth much as a programming language. It was never intended to be a development language. just a teaching tool. The real measure of Pascal compatibility is the similarity of dialects. For example, almost every Pascal worth using has defined a default clause for the CASE statement. This is not in the standard. When you compare

You can compile directly into memory, where the program can then be executed, or you can compile onto the disk.

Turbo Pascal to other versions of the language, you should examine Borland's extensions to the language and see if they are similar to your favorite version of Pascal.

I would describe Turbo as a Pascal-like language. The basic structure of Pascal is present, but in those places where changes are usually made, namely the CASE default clause, strings, I/O (input/output), structured constants, etc., the variations on a theme are often striking. Turbo is not really Pascal. But it's very useful.

DATA STRUCTURE

Turbo has all the standard types: integer, real, Boolean, and char. An integer is a 16-bit signed number. There are no long integer or unsigned integer types. There are also several new basic types:

- byte—essentially an 8-bit, unsigned integer
- strings—yet another implementation of strings in Pascal. These are done pretty well, though. A string is declared with its maximum length. Thus a string[80] can be less than or equal to 80 characters in length. A string[1] is essentially equivalent to type char.

There are also a whole slew of builtin routines to deal with strings such as:

DELETE—delete a substring
INSERT—insert a substring
STR—convert integer to string
VAL—convert string to integer or real
COPY—return a substring
CONCAT—concatenate two strings
LENGTH—determine string length
POS—search for a substring

In addition, adding strings can be done with the plus (+), which is the same as CONCAT.

Turbo also allows enumerated types, as in other Pascals. The difference in

Turbo comes with predefined data structures that enable you to perform the equivalent of BASIC's PEEK and POKE.

them lies with their I/O. In J&W Pascal, the code:

program test(output);

var

foo: (alpha, beta, gamma); begin foo:=beta;

writeln(output.foo);

should cause the text "BETA" to be written through output. In Turbo, this causes

a compile error.

A new twist in Pascal data structures is the Turbo typed constant. This is a means of creating constants of any previously defined type, including arrays, strings, and records, even variant records. This capability is often found in more advanced programming languages than Pascal, and it is often useful. A typed constant might look like the one in listing 1. In this fashion, specialCommands becomes a read-only variable of type commandTable. Because you can do this for essentially any type, there are many possibilities for saving time and code-space initializing data structures.

Turbo comes with predefined data structures that map onto memory and I/O ports, so that you can perform the equivalent of BASIC's PEEK and POKE if you are so inclined. This is sometimes described as "being able to feel the bits between your toes."

FILE I/O

Borland has overhauled file I/O for Turbo Pascal. The way a file is referenced is by means of a file variable. The first operation on any file variable must be an ASSIGN, which binds the DOS name for a file to that file variable. Other operations that are only performed on file variables are:

(continued)

A Second Opinion

Comments on Turbo Pascal

BY MARK BRIDGER

ince purchasing Turbo Pascal several weeks ago I have put it through its paces intensively: writing new programs and transferring old ones developed using Microsoft Pascal. I am teaching Pascal at Northeastern University this quarter and I write frequent illustrative programs to hand out to my students. It is truly a pleasure to create them using the Turbo editor and compile them to check for errors. What used to take several minutes of whirring disk drives now takes a few seconds: executable code files of 20K to 30K bytes are now reduced to 10K to 12K bytes. With this kind of performance, the difference in convenience between a compiled and an interpreted language is vir-

In addition to schoolwork, I have developed several long scientific graphics programs. One of these, a surface drawing package, is about 2000 lines of source code. Making even minor changes in this program has hitherto been a time-consuming activity—even with 300K bytes of RAM disk. Thus, I was particularly anxious to see if it could be adapted to Turbo easily.

The first change was the graphics procedures: these were originally written in Pascal and assembly language and linked to the main body of the program. I first tried to use Turbo's "external" directive to call the machine-language routines. Unfortunately, this didn't work. The documentation of external procedure calls in the manual is confusing and contains several obvious errors. I tried many different rewrites of my assembly code to access the variables and return to Pascal: all to no avail. I could, it seems, call the routine, but I couldn't get back.

Finally I gave up and called Borland International for help. I eventually spoke to Mr. Phillippe Kahn, the president of the company. He discouraged me from trying this link-up and suggested that I either use the INLINE method of accessing machine code or, better yet, do the graphics

interrupts directly by using the INTR procedure. This procedure turned out to be ideal. You simply create a record REGISTERS (whose fields are the names of the 8088 registers), assign values to the appropriate fields, and then call INT(num, REGISTERS) where num is the number interrupt desired. It works like a charm, completely eliminating the entire machine-language linking.

Turbo does have a few quirks that require getting used to. For one, the input is not buffered the way that I'm used to in other Pascals. You can't look ahead by accessing INPUT². EOLN works a bit differently; you can't use IF NOT EOLN READLN(x) ELSE READLN to skip over a read with a return. However, you can get around this quite elegantly by reading input into a string and using the powerful string-handling routines. One of these, VAL, converts a string of digits into a real or integer—handy for bullet-proofing I/O. Also, strings are limited to 256 characters: it would be nice to have a full 64K bytes to use the string handling for large-scale byte manipulation.

Turbo has some truly wonderful memory-accessing tools such as the MEM array (all of memory becomes an array of bytes), the SEG and OFS functions, and the PTR function that allows you to create a pointer to any (absolute) memory address. If Turbo became the standard we might not have to program in C to play games.

Turbo is, without doubt, the best software value I have ever purchased. And, for the whipped cream on top, the latest version of Turbo contains access to all of the IBM PC's graphics modes, a line-drawing algorithm, multiple windowing, sound, and, for a small amount extra, 8087 support.

Mark Bridger (21 Champa St., Newton Upper Falls. MA 22164) is an associate professor of mathematics at Northeastern University in Boston, Massachusetts. REWRITE—open a file for writing RESET-open a file for reading READ-read a component of the file WRITE-write a component to the

SEEK-move to a location in file FLUSH-update the file CLOSE-stop using a file ERASE-erase a file from disk RENAME-give the file a different name

EOF-detect end of file FILEPOS-return position in file FILESIZE-return size of file

In addition, there are the usual variations for text files, such as READLN. WRITELN, and EOLN.

Conspicuously absent are the Pascal GET and PUT functions. Borland has eliminated them from Turbo, and for good reason, as I know of no other concept (with the possible exception of pointers) in Pascal that has caused as much classroom confusion as GET and PUT. The Turbo READ and WRITE routines are sufficient to deal with the problems that GET and PUT were intended to solve.

LANGUAGE OPERATIONS

The first thing I look for in a new implementation of Pascal is the CASE statement. As I have said before, the default clause (i.e., the statement that is executed when the selector of the CASE.

does not match any of the explicitly defined clauses) is a useful thing to have in a language. But there seem to be as many ways of implementing a default clause as there are designers of versions of Pascal. Borland has created vet another wav-one that I don't care for much. An example of the Turbo CASE statement from the Turbo manual is shown in listing 2.

block surrounding the statements after the ELSE. Also notice that a semicolon precedes the ELSE. These irregularities are without precedent in the rest of the Pascal grammar. I think that Borland tried to make a CASE-ELSE that resembled the IF-THEN-ELSE statement. Unfortunately, what the company has done is create a statement that does not follow the grammatical conventions of the rest of Pascal.

This is not to complain that the ELSE is bad because it is nonstandard. My complaint is that the grammar of CASE-ELSE has a different flavor from anything else in Pascal. Turbo's typed constants are not standard, but they follow from the way types, variables, and constants are defined. This is a violation of standards but not a violation of spirit. The way the ELSE is defined for the

Pascal is known as a strongly typed lan-

Notice that there is no BEGIN-END

CASE is a violation of both. PROCEDURES AND FUNCTIONS

Listing 1: An example of a typed constant.

commandTable = array [1..5] of string[8] specialCommands: commandTable = ('RUN', 'STOP', 'LIST', 'COMPILE', 'QUIT'):

Listing 2: An example of the Turbo CASE statement from the Turbo manual

case Year of Min..1939: begin Time := PreWorldWar2: write('The world at peace..'); end: 1946. Max: begin Time := PostWorldWar2: write('Building a new world.'); else Time := WorldWar2; write('We are at war'):

guage, which means that the compiler tries hard to assure that the user declares exactly what kind of object each variable and parameter is and then enforces those decisions all the way through the program. Thus, if you declare a variable to be of type REAL, you cannot assign to it an INTEGER value.

Sometimes it is necessary to convert between types, however, and the standard Pascal solution has been to "wirein" several conversion functions to the compiler and hope that they cover all possible cases. Examples of these converters might be FLOAT, which converts INTEGER to REAL, and TRUNC, which converts REAL to INTEGER.

In standard Pascal, it is not possible, save by exploiting holes in the language definition, to write your own FLOAT or TRUNC. They are "magic" routines provided by the author of the compiler. In Turbo, however, you can write conversion routines. Borland has provided a set of extensions to Pascal that allow you to relax type checking in a structured way. This permits you to do, in a consistent fashion, many of those things that Pascal programmers have been doing for years, by "cheating."

For example, imagine writing a routine to concatenate two strings. Ideally, it

Turbo Pascal on the IBM PC

ith one small exception, the differences between Turbo on the IBM PC and Turbo on CP/M are all improvements. Most of the problems encountered with the CP/M version of Turbo have been corrected on the IBM PC version. There does not seem to be any difference between the execution of a program that has been compiled into memory and a program compiled into a COM file. There are a few restrictions, however. For example, it is not possible to use the CHAIN and EXECUTE routines from a memory-compiled program. These restrictions are well documented.

The editor on the IBM PC version of Turbo comes preinstalled, so little configuration is necessary. You must choose the display mode that the program will run (monochrome or one of the color display modes). If you wish, the installation program can be used to reconfigure the editor commands to taste.

The one missing feature in IBM Turbo is the EXECUTE command. The Turbo Main Menu lists a command that is advertised to execute a COM file directly. Unfortunately, this option has not yet been implemented for PC-DOS, as a message tells you when you try it.

AT A GLANCE

Name

Turbo Pascal

Use

Pascal compiler and development environment for MS-DOS and CP/M-80

Manufacturer

Borland International 4807 Scotts Valley Dr. Scotts Valley, CA 95066

Size

Compiler and editor take approximately 35K bytes on MS-DOS

Features

Built-in screen editor and fast compilation to memory or disk; many language additions and special routines for performing systems programming

Documentation


A soft-bound 254-page manual, giving many examples and detailed explanations, is included


Price


\$49.95


Comments


A good development environment for small applications; similar to, but better than BASIC for many programs; not very compatible with other Pascal compilers











A comparison of Turbo Pascal and IBM Pascal running under PC-DOS on the IBM PC. Three programs, the Sieve, Puzzle, and Osort (listings 3-5), are compared in terms of program size (top) and execution time (bottom). See the text box entitled "A Word About Benchmarks" for further details

Sage II and IV \$495

ition Systems

JULY 1984 . BYTE 271

A Word About Benchmarks

he comparison of any two compilers is a tricky thing. There are many variables and no one benchmarking program can cover all the bases. In addition, there are some intangibles, such as the convenience of use or the presence or absence of certain features, that may make one compiler "better" than another, even though the benchmarks may say otherwise.

Some notes on methodology: When making the measurements whose results are shown here. Al Pierce and I tried to measure what was important and discount what was not. For example, the measurements of compile speed were made from the issuing of the COMPILE command until the command prompt was displayed again. Thus, when compiling to COM files, the speed of the disk drives was an important factor. However, when executing a COM file, we measured from an initial message, discounting the time it took the operating system to load and start the program. The reasoning behind this was that the interesting part of the execution was the algorithm being tested and not the operating-system load routine. In addition, all measurements were done at least three times and the listed results are the average of those three (or more) runs. All times greater than 2 seconds are rounded to the nearest half-second. The results are shown in tables 1 and 2.

Compile times for IBM Pascal are not shown because the method of compilation was so drastically different (involving two separate programs and a linking phase to produce an executable program) that it would have been meaningless to try and compute a time for this process. Suffice to say that, in all cases, the process ran to several minutes for any of the three programs. In addition, it should be noted that IBM Pascal produces EXE files, a format that is slower to load and considerably larger, but more flexible, for large address space programs.

Two of the programs. Sieve (see listing 3) and Puzzle (see listing 4), are fairly well known as benchmarks for compilers. The third, Qsort (see listing 5), performs a Quick Sort on a worst-case array of 100 real numbers. This set of benchmarks is certainly not intended to fully measure the difference in performance for all features, but rather to give an indication of overall performance.

Also, the anomaly of the Puzzle benchmark, whose compile to a COM file is shorter (even with disk I/O) than a compile to memory, is not a mistake but actual measured performance. We did it eight times just to be sure.

Finally, just for the sake of a general comparison, a version of the Sieve benchmark was run under IBM BASICA. It took 33 minutes to complete.

Table 1: Benchmark results for Turbo Pascal running under PC-DOS 2.0. The benchmark programs were compiled on an IBM PC with 320K bytes of memory and two double-sided double-density disk drives. Compilation and execute times are shown in seconds; file sizes are to the nearest 1K byte.

t

File Sizes:			
Turbo COM file	9,000	13.000	11,000
BM EXE file	33 000	35,000	24,000

Table 2: Turbo Pascal benchmark results for CP/M 2.2. The computer system used had a Z8OA processor running at 4 Mhz with no wait states, and two double-density 8-inch disk drives with a 3 millisecond step rate.

Time for:	Sleve	Puzzle	Osort
Compile to memory	0.5	3.0	2.0
Compile to COM FILE	5.0	12.0	9.0
Execute in memory	23.0	77.0	1.0
Execute COM file	25.0	77.0	1.0
File sizes:			
COM	8.000	12.000	10,000

should work just as well for two strings of type string[5] as for two of type string[80]. In standard Pascal you would need to write a separate routine for each size of string used. In Turbo, you could easily write one routine to handle all of them.

There are dangers in doing this, though. There is no way of limiting type independence to a certain set of types. Thus, some unpredictable things could happen if you pass the wrong things to a type-independent routine. Relaxation

of type checking is not the default case in Turbo, so casual errors will probably be detected.

Incidentally, it is not only possible to write conversion routines in Turbo, but in the case of FLOAT, it is mandatory. Turbo comes equipped with a TRUNC, but not a FLOAT. Thus, there is no built-in way of converting integers to reals.

EXTERNAL ROUTINES

One important feature that Turbo lacks is the ability to create libraries of exter-

nal routines. This facility of separate compilation allows you to build a store-house of procedures and functions whose code can be shared by many programs. In addition, the ability to compile and test portions of a program separately helps to speed up the development cycle of new applications.

Because Turbo compiles directly into executable files and no external linking is done, it is not possible to separately compile modules from a single applica-

(continued)

New.

Sentinel Color Diskettes.



Each Sentinel Color Diskette has a lifetime guarantee; 100% certified at levels which meet or exceed all criteria necessary for accurate, error-free read/write operations.

Phone toll-free for the name of the dealer nearest you: 1-800-323-5005 (in Massachusetts 1-800-323-5001).

Sentinel

TECHNOLOGIES

One Sentinel Plaza. Hyannis, MA 02601.

```
Listing 3: The Sieve of Eratosthenes prime-number program. It
                                                                            function place (i : pieceType; j : position) : position;
                                                                            label 1:
originally appeared in "Eratosthenes Revisited: Once More
through the Sieve," by Jim Gilbreath and Gary Gilbreath,
                                                                              k: position;
January 1983 BYTE, page 283.
                                                                            begin
                                                                              for k := 0 to pieceMax[i] do
                                                                                if pli,k| then puzzle[j+k] := true;
const
 size = 8190:
                                                                              pieceCount[class[i]] := pieceCount[class[i]]-1:
                                                                              for k := j to size do
                                                                                if not puzzle|k| then begin
 flags: array 10..sizel of boolean:
 i.prime,k.count.iter : integer:
                                                                                  place := k:
begin
                                                                                  goto 1:
writeln('10 iterations.');
                                                                                end:
for iter:= 1 to 10 do
                                                                              writeln('Puzzle filled.');
                                                                              place := 0;
 begin
 count := 0:
 for i := 0 to size do
   flags[i] := true:
                                                                            procedure remove (i : pieceType; j : position);
  for i := 0 to size do
                                                                             var k : position:
   if flags[i] then
                                                                            begin
                                                                              for k := 0 to pieceMax[i] do
     begin
     prime := 1 + 1 + 3;
                                                                                if p[i,k] then puzzle[j+k] := false;
     (* writeln(prime); *)
                                                                              pieceCount[class[i]] := pieceCount[class[i]] + 1:
     k := i + prime;
                                                                            end:
     while k <= size do
                                                                            function trial (j : position) : boolean:
       begin
                                                                            label 1:
       flags[k] := false;
       k := k + prime;
                                                                              i : pieceType:
       end:
                                                                              k : position;
     count := count + 1;
                                                                             begin
                                                                              for i := 0 to typeMax do
     end:
  end:
                                                                                if pieceCount[class[i]] <> 0 then
writeln(count, 'primes.');
                                                                                  if fit (i, j) then begin
end.
                                                                                    k := place (i, j):
                                                                                    if trial(k) or (k = 0) then begin
                                                                                      writeln ('Piece ', i+1, ' at ', k+1);
Listing 4: The Puzzle program, written by Forest Baskett,
                                                                                      trial := true;
solves a simple puzzle.
                                                                                      goto 1:
                                                                                    end else remove (i, j):
                                                                                  end;
program puzzle;
                                                                              trial := false:
(* A compute-bound program from Forest Baskett *)
                                                                             1: kount := kount + 1;
(* This program solves a simple puzzle, and has been run on a very
                                                                            end;
   wide variety of machines *)
                                                                            begin
                                                                               writeln('Beginning PUZZLE');
const
                                                                              for m := 0 to size do puzzle[m] := true;
          = 511:
 size
                                                                              for i := 1 to 5 do for j := 1 to 5 do for k := 1 to 5 do
  classMax = 3:
                                                                                puzzle[i+d*(j+d*k)] := false;
                                                                              for i := 0 to typeMax do for m := 0 to size do p[i, m] := false:
  typeMax = 12;
 d
          = 8;
                                                                              for i := 0 to 3 do for j := 0 to 1 do for k := 0 to 0 do
type
                                                                                p[0.i+d*(i+d*k)] := true;
  pieceClass = 0..classMax;
                                                                              class(0) := 0:
  pieceType = 0..typeMax;
                                                                              pieceMax[0] := 3+d*1+d*d*0;
 position = 0..size;
                                                                              for i := 0 to 1 do for j := 0 to 0 do for k := 0 to 3 do
var
                                                                                p[1,i+d*(j+d*k)] := true;
 pieceCount : array [pieceClass] of 0..13;
                                                                              class[1] := 0;
              : array [pieceType] of pieceClass;
                                                                              pieceMax[1] := 1+d*+d*d*3;
  pieceMax
             : array [pieceType] of position:
                                                                              for i := 0 to 0 do for j := 0 to 3 do for k := 0 to 1 do
              : array [position] of boolean;
 puzzle
                                                                                p[2,i+d*(j+d*k)] := true;
              : array [pieceType, position] of boolean:
 p
                                                                              class[2] := 0:
              : position:
                                                                              pieceMax[2] := 0+d*3+d*d*1;
              : 0..13:
                                                                              for i := 0 to 1 do for j := 0 to 3 do for k := 0 to 0 do
 i.i.k
 kount
              : integer;
                                                                                p[3,i+d*(j+d*k)] := true;
function fit (i : pieceType; j : position) : boolean;
                                                                              class[3] := 0;
                                                                              pieceMax[3] := 1+d+3+d+d+0;
label 1:
                                                                              for i := 0 to 3 do for j := 0 to 0 do for k := 0 to 1 do
 k: position;
                                                                                p[4,i+d*(j+d*k)] := true;
```

class[4] := 0;

class[5] := 0;

pieceMax[4] := 3+d*0+d*d*1;

p[5,i+d*(j+d*k)] := true;

for i := 0 to 0 do for j := 0 to 1 do for k := 0 to 3 do

fit := true;

end:

begin fit := false; for k := 0 to pieceMax[i] do

if p[i,k] then if puzzle[j+k] then goto 1;

```
pieceMax[5] := 0+d*I+d*d*3;
 for i := 0 to 2 do for j := 0 to 0 do for k := 0 to 0 do
   p[6.i+d*(j+d*k)] := true;
 class[6] := 1;
 pieceMax[6] := 2+d*0+d*d*0:
 for i := 0 to 0 do for j := 0 to 2 do for k := 0 to 0 do
   p[7,i+d*(j+d*k)] := true;
 class[7] := 1:
 pieceMax[7] := 0+d*2+d*d*0;
 for i := 0 to 0 do for j := 0 to 0 do for k := 0 to 2 do
   p[8,i+d*(j+d*k)] := true;
 class[8] := 1:
 pieceMax[8] := 0+d*0+d*d*2;
 for i := 0 to 1 do for j := 0 to 1 do for k := 0 to 0 do
   p[9.i+d*(j+d*k)] := true;
 class[9] := 2:
 pieceMax[9] := 1+d*1+d*d*0:
 for i := 0 to 1 do for j := 0 to 0 do for k := 0 to 1 do
   p[10,i+d*(j+d*k)] := true;
 class[10] := 2:
 pieceMax[10] := 1+d*0+d*d*1:
 for i := 0 to 0 do for j := 0 to 1 do for k := 0 to 1 do
   p[11,i+d*(j+d*k)] := true;
 class[11] := 2;
 pieceMax[11] := 0+d*1+d*d*1;
 for i := 0 to 1 do for j := 0 to 1 do for k := 0 to 1 do
   p[12.i+d*(j+d*k)] := true:
 class[12] := 3:
 pieceMax[12] := 1+d*1+d*d*1;
 pieceCount[0] := 13;
 pieceCount[[] := 3:
 pieceCount[2] := 1;
 pieceCount[3] := 1;
 m := 1+d*(1+d*1);
 kount := 0;
 if fit(0, m) then n := place(0, m) else writeln('Error.');
 if trial(n) then writeln('Success in ', kount, ' trials.')
 else writeln('Failure.');
end.
```

Listing 5: The QuickSort program sorts a numeric array.

```
program QuickSort(input,output):
(* Sort a numeric array using a quicksort algorithm.
Adapted from volume 3, 'Art of Computer Programming' by D.Knuth *)
(* Several things have been done to this QuickSort to use it as
   a benchmark.
- The numbers to be sorted are REALS, which are a harder case than
 16-bit INTEGERS.
- The input array is hard-wired in. In TURBO this is done by using a
 typed constant. In the version used to benchmark IBM Pascal, the
 array is initialized at run-time. Since TURBO does not have an
 INTEGER to REAL conversion routine as IBM Pascal does, the two
 could not be coded identically. However, the benchmark clocking is
 done between the two -MARK-s, and initialization occurs before the
 first mark, so the difference due to initialization methods should be
 minimal. The input array is the worst case reverse order.
- For the actual bench-mark, the body of printArray is commented out
 and replaced by a single writeln('-MARK-');. The reason for this is to
 permit more accurate measurements of the code speed rather than
 confuse the eye of the benchmarker. Benchmarks are taken between
 the MARKs, so as to exclude program loading times. *)
(* global identifiers *)
const
 max = 100;
                                             (* maximum array size *)
type
 standardArray = array [0..max] of real;
                                (* array containing the numbers to be
 numbers: standardArray;
sorted *)
```

```
last: integer;
procedure swap(var a, b : real);
 (* Exchange the values of A and B *)
                                                (* Temporary variable *)
 t : real:
begin
t := a:
a := b:
b := t;
end:
procedure printArray(top : integer);
  (* Display the current contents of the array *)
  (* Since this isn't the interesting part of the benchmark, this quick
    and dirty print routine take advantage of the 80 column screen
     with wraparound. Here is where you would put the more
    sophisticated output routine in a usable sort routine. *)
var
 i : integer:
begin
                               (* Commented out during benchmarks *)
{for i := 0 to top
do
 write(numbers[i]:8:2);
writeln:
writeln:}
writeln('-MARK-');
                                          (* Used during benchmarks *)
end:
procedure getArray(var top: integer);
  (* Fill array from input *)
 (* In a real sort program, this would get the array to be sorted from
    the standard input or a file or whatever. For the purposes of this
    benchmark, we will initialize the array with a predeclared array
    that is the worst case of a sort: an array in reverse order. Note
    the use of TURBO typed constants. *)
    const
      worstCase: standardArray
      (100.0, 99.0, 98.0, 97.0, 96.0, 95.0, 94.0, 93.0, 92.0, 91.0,
        90.0, 89.0, 88.0, 87.0, 86.0, 85.0, 84.0, 83.0, 82.0, 81.0,
        80.0, 79.0, 78.0, 77.0, 76.0, 75.0, 74.0, 73.0, 72.0, 71.0,
        70.0, 69.0, 68.0, 67.0, 66.0, 65.0, 64.0, 63.0, 62.0, 61.0,
        60.0, 59.0, 58.0, 57.0, 56.0, 55.0, 54.0, 53.0, 52.0, 51.0,
        50.0, 49.0, 48.0, 47.0, 46.0, 45.0, 44.0, 43.0, 42.0, 41.0,
        40.0, 39.0, 38.0, 37.0, 36.0, 35.0, 34.0, 33.0, 32.0, 31.0,
        30.0, 29.0, 28.0, 27.0, 26.0, 25.0, 24.0, 23.0, 22.0, 21.0,
        20.0, 19.0, 18.0, 17.0, 16.0, 15.0, 14.0, 13.0, 12.0, 11.0,
        10.0, 9.0, 8.0, 7.0, 6.0, 5.0, 4.0, 3.0, 2.0, 1.0,
         0.0):
begin (* getArray *)
top := 100;
numbers := worstCase;
printArray(top):
end: (* getArray *)
procedure bubbleSort(start,top: Integer; var subArray: standardArray);
 (* Bubblesort procedure, sorts array from start to top inclusive *)
var
 index: integer;
  switched: boolean; begin (* bubbleSort *) repeat
 begin
  switched := false:
  for index := start to top-1
  do
    if subArray[index] > subArray[index+1]
    then
     begin
     swap(subArray[index],subArray[index+1]);
     switched := true:
     end:
    end:
  end
until switched = false:
                                                               (continued)
```

```
procedure findMedian(start,top: integer; var subArray; standardArray);
  (* Find a good median value in array and place it at beginning of
                                                                               begin
    section to be sorted *)
                                                                               if swapUp = true
                                                                               then
                                                                                                            (* scan downward from partition top *)
 middle: integer;
                                                                                                         (* and exchange if smaller than median *)
                                                                                 begin
  sorted: standardArray:
                                                                                 while (numbers[e] >= numbers[m]) and (e > m)
begin (* findMedian *
middle := (start+top)div 2;
                                                                                   e := e - 1:
sorted[1] := subArray[start];
                                                                                 if e > m
sorted[2] := subArray[top]
                                                                                 then
sorted[3] := subArravImiddle1:
                                                                                   begin
bubbleSort(1,3,sorted);
                                                                                   swap(numbers[e],numbers[m]);
if sorted[2] = subArray[middle]
                                                                                   end:
  swap(subArray[start],subArray[middle])
                                                                                 swapUp := false:
else
                                                                                 end
  if sorted[2] = subArray[top]
                                                                                else
                                                                                                              (* scan upward from partition start *)
                                                                                 begin
  then
                                                                                                           (* and exchange if larger than median *)
    swap(subArray|start|,subArray|top|);
                                                                                 while (numbers[s] <= numbers[m]) and (s<m)
end; (* findMedian *)
procedure sortSection(start.top: integer):
                                                                                   s := s+1:
  (* Sort a section of the main array, and then divide it into two
                                                                                 if s < m
    partitions to be sorted *)
                                                                                 then
                                                                                   begin
  swapUp: boolean:
                                                                                   swap(numbers|s|,numbers|m|);
  s.e.m: integer:
                                                                                   m := s
begin (* sortSection *)
                                                                                   end:
if top-start < 6
                                                                                 swapUp := true;
                                (* sort small sections with bubbleSort *)
                                                                                 end:
  bubbleSort(start,top,numbers)
                                                                                end;
else
                                                                              sortSection(start.m-1):
                                                                                                                    (* sort lower half of partition *)
  begin
                                                                                                                    (* sort upper half of partition *)
                                                                              sortSection(m+1,top):
  findMedian(start,top.numbers);
                                                                            end; (* sortSection *)
  swapUp := true:
                                      (* start scanning from array top *)
                                                                            begin
                                                                                                                      (* QuickSort main program *)
  s := start;
                                           (* lower comparision limit *)
                                                                            getArray(last):
                                           (* upper comparision limit *)
  e := top:
                                                                            sortSection(0.last):
  m := start;
                                      (* location of comparison value *)
                                                                            printArray(last)
  while e > s
                                                                                                                      (* OuickSort main program *)
```

tion. Borland has sacrificed separate compilation for speed of development, a trade that large applications developers won't care for, but I suspect that many casual users won't mind much.

There is a simple, fairly crude way of calling external routines, provided you know their address in memory, but it does not answer the problems raised above. Turbo provides two routines, EXECUTE and CHAIN, which can be used to run other programs.

EXECUTE will pass control to any program that you could run from the operating-system prompt. When that program terminates, control returns to the operating system, not the program that performed the EXECUTE.

CHAIN passes control to a specially compiled Turbo program. A normally compiled Turbo program contains the built-in Turbo library of standard routines. When you compile a chain program, this library is not included, making the code on disk a lot smaller. When

Turbo has a means of directly calling the operating-system service routines.

a program is run through CHAIN, the library, which is already resident in memory, is kept but the application program is replaced by the chain program. When that program terminates, control returns to the operating system.

It is also possible to include external source files during compilation. By doing this, two programs could share the same source code, though not the same compiled code.

OTHER TURBO FEATURES

Turbo contains a primitive facility for writing in-line machine code. The IN-

LINE statement accepts a series of numbers and places them directly into the code being compiled. Using this feature it is possible to write interrupt handlers or optimize specific routines for speed. Again, this is a nonstandard but useful feature.


Turbo also comes equipped with a means of directly calling the operating-system service routines. This lets you write applications that can manipulate the environment provided by your operating system. A good example of this might be a directory listing program.

DOCUMENTATION

Included in the Turbo package is a 254-page, softcover manual that is the documentation for Turbo Pascal. Almost everything that you might need to know about Turbo is in the manual, and I found it useful to run Turbo, compiling into memory, and then read the manual. Going through the book page by page,

(continued)

THE MOST IMPORTANT DATA SAVING DEVICE YOU'LL BUY.



It's not a disk drive or a cassette recorder, and it can't store a single kilobyte. But it could save an entire disk full of data, or a week of work.

Because this is the Personal Conditioner™ from RTE—an inexpensive version of the RTE Line Conditioners big computer systems use.

By now you probably know that a noisy AC line can make your computer lose data, drop entire files, even shut down completely.

But did you know that typical line protection devices just filter out the highest surges and worst glitches?
That means potentially
harmful noise often passes
right through. And none of
them do anything at all
about undervoltages, so a
brownout can put you out of
operation.

So if you're serious about saving data, you need an RTE Personal Conditioner™. It's much more than a surge suppressor or noise filter. It actually creates the smooth power your computer needs. Even if your AC power drops as low as 96 volts, the RTE Personal Conditioner™ will

keep supplying 120 volts of clean power.

You can add a Personal Conditioner™ to your system for less than \$200. Sure, you can save a few dollars by getting something less effective. But which would you rather save—a little money, or your data?

For the name of your local computer dealer carrying the Personal Conditioner™ call Toll Free 800-854-2658. In California, (619) 291-4211. RTE DELTEC Corporation.

RTEDELTEC

Formerly Gould Inc., Power Conversion Division



Circle 62 on inquiry card.









Circle 77 on inquiry card

COMPUTER SUPPLIES DISKETTES

WABASH 514 S/S DD MIN. ORDER 50

RIBBONS

DEC LA 34 CARTRIDGE MIN. ORDER 6

SOFTWARE

NEW PERSONAL PRODUCTIVITY DECISION MGR. REG. 62500 49500

PeachText 5000 REG 42500 23500 complete line of



ACCOUNTING SOFTWARE plus other major brands Terms: Visa, M.C. or C.O.D. •Dealer Inquiries Invited

COMPU-MEDIA SUPPLIES, INC. 159 Main St. S.I.N.Y. 10307 CALL TOLL FREE 1-800-248-2418 tm in N.Y. State 212-967-1700

Circle 330 on inquiry card

\$89.00 t best macroassembler you can tiuy! ser No. 4963 £89.00

Order No. 4983
SUPERBOOKS for your C-64
The Great Book of Games, Vol. 1
46 programs for the Commodore-64.
Corder-No. 128
S9.95
Programs from this book on disk. \$19.95
MORE ON THE SIXTYFOUR
Too, pricks, hinto, very important sub-

outines.
Order No. 183 \$9.95
Programs from this book on disk \$19.95 How to program in 6502 Machine Language on your C-64 Order-No. 184 Commodore 64 Tune-up, Vol. I How to expand your C-64. Priesr No. 185 Insalt m.

imall Business Programs for the C-64 Order-No. 186 \$12.95 riversal Experimenter Board der-No. 4970

IP PUBLISHING, INC. , CA 91766 (714) 623-8314,Tlx.: 29 81 91

How to program your ATARI Machine Language FORTH on the ATARI

hing energies.

Her-No. 170 \$7.95

programs from book No. 170 on disk.

ter-No. 7319 \$22.00 only! ACKERBOOK for your Atan compu-jos tricks. Very important subrouti 6502 machine language. How to mo-potable casarttes, disks, and EPRO

PAYMENT: Check, VISA, MC, CA residents add 6.5% lates tax. Outside USA: add 15% for shipping. In Singepore contact takes RS 22456 In Germany contact takes 326973

Circle 126 on inquiry card.

it is easy to try out the examples while running Turbo or to write small test programs to see what a particular function

The manual is well written, as computer documentation goes. The first few pages have a flowchart of the manual structure and an explanation of the

Turbo is well written. fun to use at times. and fast enough to make up for its few shortcomings.

typography used. As far as I read, these standards were adhered to all the way through the book.

Typography is important in documentation and Borland has made good use of it in its manual. Normal text is printed in a sans serif font that is easy to read. Programming examples are all indented and shown in a typewriterstyle font. Reserved words are shown in boldface, while identifiers are emphasized in the text by italics. These conventions make it simple to scan a page of the manual and pick out the points of interest.

CONCLUSIONS

Turbo Pascal will be compared to IRT Pascal and "professional" Pascal compilers. Both comparisons are somewhat unfair. Turbo most certainly is not a toy compiler, to be used until the real thing comes along. It is also not a good compiler for developing massive applications. (See the text box "A Second Opinion: Comments on Turbo Pascal" on page 269 for another author's estimation.) The real comparison that should be made is Turbo versus BASIC. There is very little need for a BASIC when you have Turbo Pascal. It is well written, fun to use at times, and fast enough to make up for its few shortcomings. (See the "At a Glance" page and the text box "A Word About Benchmarks" on page 272 for more information on Turbo Pascal.) It is easily worth its price, even if you use it to develop code that will be compiled on a "professional" compiler. But even by itself it is a bargain that shouldn't be passed up.

ENGINEERS

Some Of The Most Provocative Telecommunications Engineering Of The 80's Will Be Done Right Here With Hayes In Atlanta.



There's an energy level here at Hayes that fuels our confidence. An enthusiasm few engineering environments encourage or support. A unique blend of engineering and technological talents drawn together to move telecommunications technology further along. The projects...

The programs and the confidence to roll our sleeves up—ask the questions that must be asked—and search out the answers.

If you're taking a closer look at your career, perhaps it's time to take an in-depth look at Hayes. There's a future in it.


- RESEARCH ENGINEER
- RELIABILITY/ TESTABILITY ENGINEER
- PROJECT MANAGER
 SENIOR SOFTWARE **ENGINEER**
 - PRODUCT ENGINEER
 - SOFTWARE DEVEL-OPMENT PROGRAM-MERS/ANALYSTS

Interested, qualified candidates should forward a confidential resume to: Hayes Microcomputer Products, Inc., Dept. IS-684, 5923 Peachtree Industrial Blvd., Norcross, GA 30092. An Equal Opportunity Employer M/F.

Opportunity for the here and now.



Hayes Microcomputer Products Inc.



©1984 Cosmos Inc.

How long is an idea?

With Revelation® by Cosmos, it won't matter. Our variable length structure lets you think long or short without worrying about needing disk space you don't have, or squandering space you can't afford. Think of it. Relational Data Base Management Software that saves up to 40% of your PC's disk space.

As a powerful, enhanced version of the PICK[™] Operating System, Revelation uses plain English to create files, menus, entry screens, process information and generate reports. Plus, you can build,

customize and update your data base application without being an experienced programmer.

When you introduce your IBM® PC or compatible to Revelation, you'll see it change into a friendly brute that can communicate with other computers. Also featured is a hybrid full-structured programming language with an interactive debugging tool for serious development work.

Besides bringing the power, speed and flexibility of a minicomputer to your PC, Revelation works with MS/DOS[™] so you can use all the popular microcomputer software packages with the applications you develop.

Indeed, Revelation is easy to get along with. A veritable gentle giant. But, you need to know more before you decide to buy what may become your most valuable business tool. So call us at (206) 824-9942 and let us arrange for you to see what we've got here.

MS/DOS™ of Microsoft Corp. IBM PC Registered TM of International Business Machines Corp. PICK Operating System™ of PICK SYSTEMS.

COSMOS

Cosmos Inc. 19530 Pacific Highway S.

Seattle, WA 98188, (206) 824-9942





LISP for the IBM Personal Computer

IOLISP and muLISP-two versions of a list-based language

BY JORDAN BORTZ AND JOHN DIAMANT

eople who own an IBM Personal Computer (PC) are probably glad that many of the greatest programming languages ever written are available for that machine. Now LISP (a list processing language) has joined that group, and LISP is to artificial intelligence as C is to systems programming. Many important applications, including theorem proving, natural language processing, symbolic mathematics, and knowledge-based expert systems, can be done most easily using a list-based language such as LISP.

Some of the better-known LISP programs include MACSYMA, a symbolic calculus program from MIT; Eliza, a simulation of a psychiatrist; and MYCIN, which diagnoses diseases.

LISP has traditionally required large amounts of memory and a fast processor. Most microcomputers are unable to run it. Further, most microcomputer owners are unaware of LISP's power. In this article, we will review two LISP systems for the IBM PC: muLISP from The Soft Warehouse and IQLISP from Integral Quality. To help readers who are unfamiliar with LISP. this article will be divided into two parts: an introduction to LISP and a comparison of these two products.

A BRIEF HISTORY

LISP was developed by John McCarthy from a powerful but hard-to-use language called IPL. McCarthy's LISP language quickly became popular, and people began modifying it for their own purposes. As a result, LISP is anything but a standardized language. At present, three major LISP dialects have emerged as de facto standards: MacLISP, InterLISP, and UCI-LISP. There is now a project at Carnegie-Mellon University to standardize a new version of LISP, known as Common LISP. Common LISP will be discussed more fully in the section on scoping rules.

AN OVERVIEW

As its name implies, LISP is centered around the notion of a list. A list is a sequence of atoms, other lists, or both. An atom has a single value and can hold a number, character string, or list. Atoms and lists make up symbolic expressions, also known as S-expressions or SEXPRs. As a result, there is no distinction between programs and data as far as LISP is concerned. This means that LISP can write programs for itself to execute. This also means that you will be typing lots of parentheses, since they act as list delimiters. An example can show how all of these elements combine.

First, we assign to the atom 'L' the list (THIS IS A LIST):

(SETQ L'(THIS IS A LIST))

SETO binds the list (THIS IS A LIST) to the atom L. The single close quote (alternatively, the word QUOTE) is very important. It tells the LISP expression evaluator not to go to work on anything that follows. This is crucial; without it, LISP would think that THIS is a function and IS A LIST are its arguments. (The double quote is not interchangeable. It is used as a way of enclosing atom names so that they include technically illegal spaces.)

The two biggest list-manipulation commands are CAR and CDR (pronounced could-er). CAR returns the first SEXPR in a list, and CDR returns a list of everything but the first SEXPR. Unfortunately, the names CAR and CDR are horribly non-mnemonic. They originally stood for Contents of Address Register and Contents of Data Register, respectively, on the IBM 7040. The only reason for preserving these names instead of calling them FIRST and BUTFIRST is that you can get a composite called the CADR of X, which is the CAR of the CDR of X. This provides a valuable shorthand; it's easier to say (CADDR X) instead of (CAR(CDR

Jordan Bortz is a recent graduate of Sycamore High School. He is currently designing relational database systems for Envisioneering Ltd. Bortz is interested in artificial intelligence and turtle graphics. He can be contacted at Envisioneering Ltd., 555 Metro Place North, Suite 300, Dublin, OH 43017.

John Diamant is currently majoring in computer engineering at Case Western Reserve University. He is interested in artificial intelligence and program verification. Diamant may be contacted at 6608 Michael Dr., Cincinnati, OH 45243 or at Michelson 330, 11896 Carlton Rd., Cleveland Heights, OH 44106.

```
Listing 1: An example of some simple LISP commands.
-> (SETQ L '(JOHN (AND JORDAN) HACK LISP))
(JOHN (AND JORDAN) HACK LISP)
                                  setq returns the list it's
                                   assigning
                                  to L as its function
                                  return value.
-> (CAR L)
IOHN
                                  : pronounced halfway
-> (CDR L)
                                  ; between kidder
                                  : and could-her
((AND JORDAN) HACK LISP)
-> (CAR(CDR L))
(AND JORDAN)
-> (CAADR L)
                                  : same as (CAR (CAR (CDR L)))
AND
-> (SETQ L '(A))
(A)
-> 1.
(A)
-> 'L
-> (CDR L)
NIL
```

(CDR X))). Listing 1 contains some more examples. User input is on the lines that begin with the prompt ->. The LISP interpreter's responses are on the line below it. Figure 1 describes listing 1 in graphic form.

Listing I also shows an important atom in LISP: NIL. We tried to take the CDR of a list with only one value, so LISP returned NIL, the "empty list." NIL can also be represented as (). The other special atom is T. T and NIL are the LISP counterparts of true and false.

LISP assumes (unless told otherwise by the quoting mechanism) that the first atom in a list is a function to be evaluated and the rest of the list contains the arguments to the function. Once again, examples are clearer than rigorous definitions.

A predicate is a function that returns T or NIL depending on whether its argument is true or not. The predicate called ZEROP (pronounced zero-pea) asks if its argument is equal to 0. Another predicate is EQUAL, and it tests equality.

-> (ZEROP 69)
NIL
-> (EQUAL 5 (PLUS 2 3))
T

In addition to providing functions for taking lists apart (CAR and CDR), LISP also contains functions for putting them together, notably CONS (list CONStructor), APPEND, and LIST.

- -> (CONS 'THIS '(IS A LIST)) (THIS IS A LIST)
- -> (CONS '(THIS IS) '(A LIST)) (THIS IS) A LIST)
- -> (APPEND '(THIS IS) '(A LIST))
 (THIS IS A LIST)
- -> (LIST '(THIS IS) '(A LIST)) ((THIS IS) (A LIST))

Earlier in this article, we mentioned the fact that with LISP there is no distinction between data and programs. The following example demonstrates this and hints at how LISP can be used to simplify algebraic expressions. EVAL is the LISP expression evaluator; it is the opposite of the QUOTE function. EVAL can be called just like any other function. As a matter of fact, the driver loop for LISP (similar to a UNIX shell) in its simplest form is:

(PRINT(EVAL(READ)))

LISP AND RECURSION

Before we discuss defining functions in LISP, let's first delve into recursion. Recursion uses the definition in the definition. For example, we could define a factorial of n as n times the factorial of n-1. Of course, since this recursion could go on forever, we have to define a termination condition—something that ends the recursion. For the factorial, we define the factorial of 0 to be 1. Mathematically, we could express this definition as follows:

$$f(x) = \begin{cases} x = 0 : 1 \\ x > 0 : x \times f(x - 1) \end{cases}$$

Let's pictorially trace through this function:

$$f(3) = 3 \times f(2)$$

$$f(2) = 2 \times f(1)$$

$$f(1) = 1 \times f(0)$$

$$f(0) = 1$$

$$f(1) = 1 \times 1$$

$$f(2) = 2 \times 1$$

$$f(3) = 3 \times 2 = 6$$

This example may seem artificial. Simplifying algebraic expressions offers a better use. An expression may contain many subexpressions that need to be simplified. To accomplish this, we can write a function called SIMP, which operates on all the subexpressions in the expression it is given and assigns a simpler coded designation to each subexpression. The expressions can be stored as a list of lists, and we can use CAR and CDR to traverse them. This all sounds good, but before we can write something like that, we have to write something easy like the factorial function. Here it is:

(DEFUN FACT (X) (COND ((ZEROP X) 1) (T (TIMES X (FACT (SUB1 X))))))

COND is the general-purpose IF... THEN...ELSE statement of LISP. Its general form is:

AT A GLANCE

Name

muLISP-83 4.05

Type

Programming language

Manufacturer

The Soft Warehouse POB 11174 Honolulu, HI 96828 (808) 734-5801

Microsoft Inc. 10700 Northrup Way Bellevue, WA 98004 (206) 838-8080

Price

\$250

Format

5¼-inch floppy disk, single- or double-sided

Operating System

MS-DOS 1.25 or 2.0 PC-DOS 1.1 or 2.0

Computer System

Any MS-DOS-based computer with 128K memory

Documentation

150 pages

Audience

People interested in artificial intelligence or symbolic mathematics

Name IQLISP

Type

Programming language

Manufacturer

Integral Quality POB 31970 Seattle, WA 98103 (206) 525-2985

Price

\$175

Format

5¼-inch floppy disk, single- or double-sided

Operating System

PC-DOS 1.1 or 2.0

Computer System

IBM PC or compatible unit with at least 128K bytes of memory (256K for PC-DOS 2.0)

Documentation

300 pages

Audience

People interested in artificial intelligence or symbolic mathematics

COND

(< test 1> ... < result 1>) (< test 2> ... < result 2>)

(< test n> ... < result n>))

If <condition i> is true, COND evaluates <result i> and returns it. Otherwise, it attempts <test i+1>. Since T is always true, the expression following it is evaluated "if all else fails."

A function returns the value of the expression following the parameter list; in

this case, the value returned by COND is returned to the function's caller. A simple function that subtracts 1 from any number is provided below:

(DEFUN SUBI (X) (DIFFERENCE X 1))

Earlier, we said that every atom can have a value, a function, and a property list associated with (bound to) it. The following examples show the use of a property list.

~> (GET 'JORDAN 'LAST-NAME) NIL -> (PUT 'JORDAN 'LAST-NAME 'BORTZ)
BORTZ

-> (GET 'JORDAN 'LAST-NAME) BORTZ

LISP has several predefined data types: infinite-length integers, floating-point math, character strings, lists, and arrays. As we will discuss later, the two LISPs we are studying do not implement all of the above data types.

IOLISP VERSUS MULISP

The two LISP systems we are comparing are muLISP-83, from The Soft Warehouse, and IQLISP, from Integral Quality. muLISP-83, derived from earlier muLISPs that ran under CP/M-80, runs under any generic MS-DOS computer. It has terminal definition files to select which type of terminal is attached to the computer, enabling running of the muSTAR editor regardless of hardware. If there is no definition for your terminal, you can write your own. IQLISP, on the other hand, runs only on the IBM PC and comparable machines. Unfortunately, there is no clear-cut winner between the two LISPs.

Since LISP is interactive in nature, you spend most of your time under the LISP system. This is unlike a compiler-based environment where you edit the program with your favorite editor and compile it. You can effectively do this with these LISP systems also, but it is more efficient to make changes as you go along, i.e., changing your functions with the built-in LISP editors and testing and debugging them with test data. For that reason, the better the function trace facilities, editor, and debugger, the better for you.

As in any programming language, much of your time is spent editing. In this regard, muLISP wins out. It provides a WordStar-like editor that is screen oriented, and that also helps in matching parentheses by automatically indenting your current line. If the line is indented incorrectly, you know that you have mismatched the parentheses.

IOLISP's editor, on the other hand, is a LISP structure editor; all commands are in relation to an SEXPR's location in the list structure—not its location on the screen. Some people prefer structure editors, but we have found screen-

LISP is relatively easy to debug because it's interpreted. Both muLISP and IQLISP have good debugging systems.

oriented editors to be more useful.

ERROR CHECKING

Since programming is very prone to errors, much of the time not spent editing is spent debugging your programs. LISP is relatively easy to debug because of its interpreted nature, but some systems facilitate debugging better than others.

Thanks to a new package for muLISP. both LISPs now have good debugging systems. They both give you roughly the same features, with the exception that IQLISP's debugging system is more oriented toward windows and cursor/ control keys. At an error condition, you can ignore the error, escape back to the main read-eval-print loop, or substitute a new value for the expression that LISP was trying to evaluate.

Both LISPs provide good BREAK, TRACE, and BACKTRACE facilities. TRACE enables you to watch the arguments passed to, and the value returned from, whatever function you desire. BREAK causes the system to pause when it invokes the function you have chosen. A BACKTRACE has the system keep track of a TRACE for you and lets you step backward through it.

To facilitate faster execution, muLISP does not do much error checking on its built-in functions. For instance, atoms not bound to anything return themselvesthey should cause an error, and they do in IQLISP. This means that if you accidentally misspell a variable in muLISP. you might get strange and undesirable results that are hard to trace. IQLISP, however, complains about the atom being unbound. Similarly, muLISP lets you take the CAR and CDR of atoms, which IQLISP forbids.

IQLISP provides function-key support and windows. Function-key support means you can program the function keys to do whatever you wish. IQLISP's windows are not "true windows": if you put window A over window B and then remove A, B's contents will not reappear.

DATA TYPES

IQLISP also wins out in this category. Integral Quality's system provides all the data types previously mentioned, plus another data type, the short integer. The interpreter automatically stores integers between -32768 and 32767 in shortinteger format, thereby saving space. IQLISP also provides floating-point math in two fashions. One is loaded in the software floating-point package and the other is provided through the 8087. Since we don't own an 8087 chip, we could not test this. IQLISP provides a good repertoire of trigonometric functions, muLISP, on the other hand, does not support arrays or floating-point math. Floating-point math will be provided in the next version of muLISP, but that may not be until November.

SPEED AND SPACE

While IQLISP needs at least 256K bytes of memory, muLISP runs comfortably in 128K bytes. The reason is twofold. IQLISP stores its programs in ASCII (American National Standard Code for Information Interchange) code, whereas muLISP stores them in a token-type format known as distilled code (D-Code). Distilled code is three times denser than ASCII code, and program execution is 20 percent faster.

As can be seen from the benchmarks (see the text box on page 288), muLISP is considerably faster than IQLISP. Also, IQLISP ran out of space faster when running the factorial program. This resulted in a garbage collection (GC). LISP produces a GC when it exhausts all of its free memory and attempts to reclaim wasted portions of it. One of the reasons IQLISP requires so much memory is that it uses 4-byte pointers while muLISP uses 3-byte pointers. This enables IQLISP to address more memory; however, unless you have more than 500K bytes, you will have less to work with because of the high 4-byte-pointer overhead. Furthermore, IQLISP pushes more information onto the stack, thereby limiting recursion. If you are going to use LISP for a real-time application, speed can be crucial. For this reason, and because of a greater availability of compatibility packages, we prefer muLISP to IQLISP.

EXTRA FUNCTIONS AND EXAMPLES

With both IQLISP and muLISP, the user is provided with the commented source code to all LISP functions that are nonintrinsically defined. This includes the editor. With muLISP however, the user is provided with much more. muLISP comes with a tutorial package that leads the user through many of the muLISP functions and demonstrates graphics and methods of implementing features not included with muLISP. In addition, muLISP includes the Doctor program, an implementation of Eliza; Hanoi, a Tower of Hanoi puzzle solver; Animal, in which the computer tries to guess the animal you are thinking of; and Metamind, in which you and the computer play the game of Master Mind. In addition, muLISP provides an InterLISP and a MacLISP compatibility package.

COMPATIBILITY

By virtue of its nature, almost any feature that exists in one kind of LISP can be simulated in another. The price you pay. however, is speed. MacLISP and Inter-LISP are two of the three major LISPs for mainframe computers. To help convert from mainframe to PC, muLISP provides two compatibility packages that simulate many features of MacLISP and InterLISP.

One of the muLISP compatibility packages attempts to simulate macros. (IQLISP's macros are real.) It is beyond the scope of this article to describe the differences between "real" and "simulated" macros, but the distinction is important for transportability. The fact that the compatibility packages are included with muLISP is a definite plus. Unfortunately, the functions implemented in the two mainframe LISPs are not documented in the muLISP manual, but they are heavily documented in the source code. Although you can print out the source code to make your own

(continued)

Table 1: LISP load times.

Version	Time (seconds)
IQLISP	5.0
IQLISP with development system	37.5
muLISP	2.5
muLISP with muStar	9.0



Put Your Computer's Commands In Their Place. On Your Keyboard. And For Only \$14.95.

productivity. Discover how much easier your personal computer is to use when the commands are at your fingertips. PC-DocuMate™ keyboard templates can save you time and frustration. You can recall needed commands, options and formats. Quickly.

Professionally designed and comprehensive. Each PC-DocuMate template has been designed by a software expert. Commands are logically and functionally organized so you can get the most from your software. And our templates are comprehensive reference aids which use both sides to document a product or a system. Completely.

Now, you can command new computer Durable and guaranteed. PC-DocuMate templates are silk-screened onto durable, non-glare

plastic to our exacting specifications. Each template is printed on both sides and color-coordinated to complement your PC. And your satisfaction is guaranteed. Fully. Or your money back.

Save time and enjoy greater productivity. Order your PC-DocuMate without delay.

Lower prices for better design. With PC-DocuMates, you get two-sided templates for less than a single-sided template from other manufacturers. And you get a better designed template. Order direct or ask your local dealer.

PC-DocuMates now available... IBM PC/XT & COMPAQ - \$14.95

DOS/BASIC 2.0 & 2.1 • DOS/BASIC 1.1 • Lotus 1-2-3 • WordStar • dBASE II • MultiMate 3.20 • VisiCalc lultiplan 1.00 or 1.06 • Volkswriter Deluxe • SuperCalc³ • PeachText 5000 • EasyWriter II • Turbo Pascal • WordPerfect • Do-It-Yourself

COMMODORE 64 — \$12.95

BASIC & more • Calc Result • EasyScript • Quick Brown Fox • Do-It-Yourself (CBM 64 templates are printed on one side only.)

IBM PCjr. — \$12.95

DOS/BASIC 2.1 • MultiMate • dBASE II • Do-It-Yourself

APPLE IIe — \$14.95

WordStar • VisiCalc • dBASE II • AppleWriter II • Quickfile • Do-It-Yourself

If your favorite software package is not shown here, you can order our "Do-It-Yourself" template (which includes a special pen and eraser) and develop your own custom keyboard template.

Our Guarantee. Use your template for 20 days. If you are not completely satisfied return it to us (undamaged) for a full refund.

HOW TO ORDER: Send personal check, money order or MasterCard/VISA credit card information. Please add \$1.50 for shipping and handling per order; foreign rders must add \$5.00 per unit (except Canada). US funds only. Sorry, but no COD's. NC residents add 4% sales tax. Corporate quantity discounts available. Dealer nquiries invited. And for faster service on credit card orders...

Call Toll Free 1-800-762-7874 (In North Carolina) 919-787-7703



Circle 295 on inquiry card.

SYSTEMS MANAGEMENT ASSOCIATES

3700 Computer Drive, Dept. Y-1 Raleigh, North Carolina 27609

The following trademarks are acknowledged... IBM Corp.: IBM, IBM PC/XT & PCjr; Ashton-Tate: dBASE II; Information Unlimited Software, Inc.: EasyWriter II; Lotus Development Corp.: Lotus 1-2-3; SoftWord Systems, nc.: Multiplar; PeachTree Software, inc.: PeachText 5000; Sorcim Corp.: SuperCalc⁵; Litetree Software, Inc.: Olikswriter, MicroPro International Corp.: WordStar; QuikTex: Quick Brown Fox; Handic Software, ab: Calc Result; Commodore Business Mackines, Inc.: EasyScript; VisiCorp; VisiCalc; Apple Computer, Inc.: Apple IIe, Apple Writer II, Quickfile; Borland International, Inc.: Turbo Pascal; Satellite Software International, Inc.: WordPerfect.

PC-DocuMate is a trademark of Systems Management Associates. @SMA 1984

Both packages let you write your own assembly-language interfaces. IQLISP has an interface to the DOS DEBUG facility.

manual, the functions are not in alphabetical order and are therefore hard to find. It would be better if The Soft Warehouse added a section to its muLISP manual summarizing function usage. IOLISP provides a function package called HELP.LSP that interactively gives you a synopsis of a function's syntax. This is a nice feature, but it takes a long time to load and consumes valuable memory.

SCOPING

For those of you who will be transporting software from other machines, we will explain binding (or scoping). The two major types of binding are dynamic and lexical. Lexical binding is the type seen most often in other languages, such as Pascal and C. It binds a variable according to its location in the program (lexical location). Dynamic binding, on the other hand, binds according to when the function is invoked.

(DEFUN PLUGH (FROBOZZ) (XYZZY FROBOZZ))

(DEFUN XYZZY (KRUFT) (PRINT FROBOZZ))

If the scoping is lexical, FROBOZZ is undefined in XYZZY because it is local to PLUGH (just as in C). In dynamic scoping, FROBOZZ is still defined because FROBOZZ was bound by the invocation of the function PLUGH, and PLUGH invoked XYZZY. Instead of having just local and global variables, it is possible to have an infinite number of levels of variable declarations depending on what was invoked first.

On the one hand, dynamic scoping is a more powerful facility because some things simply cannot be simulated with lexical scoping. On the other hand, functions that act differently depending on where they are invoked violate the principles of lambda calculus (the theory upon which LISP is based). In fact, under dynamic scoping, if the name of a formal parameter of a function is the same as one already defined by a function invoking it, the result could be wrong. Most of the major LISP interpreters use dynamic scoping (FranzLISP, MacLISP, UCI-LISP, and InterLISP). Be aware, however, that this is not necessarily true of LISP compilers. For instance, Liszt, the FranzLISP compiler, assumes lexical scoping unless told explicitly otherwise. Common LISP attempts to implement both dynamic and lexical scoping. What this boils down to is that programs that run under one scoping will not necessarily run under a LISP with a different type of scoping. Both IQLISP and muLISP are dynamically scoped, but the type of scoping is an important consideration when looking at other LISP systems.

DOCUMENTATION

The documentation that comes with IQLISP is very complete and goes to great lengths to explain the internals of the interpreter. Unfortunately, its indexes are hard to find, which makes it difficult, at best, to use as a reference. The muLISP manual, on the other hand, has a good index and is a handy reference. However, it does not explain the internals of the interpreter as completely as the IQLISP manual. It also neglects to document the compatibility packages.

I/O AND MS-DOS INTERFACES

Both IOLISP and muLISP support cursor positioning and simple graphics, such as plotting points and drawing lines. muLISP supports random-access file I/O

(input/output); IQLISP supports only sequential access. Both muLISP and IQLISP support the MKDIR, CHDIR, and RMDIR commands in MS-DOS version 2.0, although they both will run under DOS 1.1.

Only muLISP supports the EXEC call. With EXEC, you can spawn a new shell (command.com), run DOS (disk operating system) as a subprocess of LISP, and then return to LISP with your workspace intact. This lets you go into an editor, modify your code, and then read it back in. It also lets you just go to DOS to print a file. This is a very powerful feature that more applications should take advantage of. Although IOLISP doesn't support the EXEC call, it provides functions to create directories, delete files, and the like.

OTHER FEATURES

Both IOLISP and muLISP let you write your own assembly-language interfaces. IOLISP has an interface to the DOS DEBUG facility, which should aid in debugging assembly-language functions. (We did not test this.) It may be important if you must write many assembly-language functions. However, since IOLISP is so slow, you may have to code in assembly language more often in IOLISP than in muLISP.

Both versions enable you to create SYS files. A SYS file is a snapshot of the computer's LISP workspace. You can stop wherever you are and continue later. More important, a SYS file can be used as a storage area for all of your most commonly used functions. Loading a SYS file is several orders of magnitude faster than reloading the source code




Figure 1: A list can be visualized as a tree; the terminal nodes are atoms, the nonterminal nodes are lists. The tree shown represents listing 1.



Presenting a marvelous case for packing-up all your accounting software cares and woes.

Attache Accounting Software has been flawlessly designed to provide you with effective financial solutions.

Thoroughly Tested

Developed for small to large companies, Attache Accounting Software has been extensively tested in the United States and Australia and is acknowledged to be bullet-proof. Yet, for all its power and versatility, it is easy to install and easy to use.

Programmed For Growth

Amazingly flexible, it is sensibly designed with "tum-on/tum-off" options to help meet your company's expanding needs.

Attache modules can be purchased separately or as an integrated system. Modules include: Accounts Receivable, Invoicing/



Sales Analysis, Inventory, Accounts Payable, General Ledger, and Payroll.

Software To Go

Everything you require to run your accounting system is packaged inside our attractive Attache Case. **CPA Support**

Recognized by leading microcomputer manufacturers as

the ultimate in accounting software, Attache has also earned the recommendation and support of major CPA firms.

End User Training

"Hands-on" instruction is available from a nationwide network of community colleges.

For more details, visit your nearest Attache Software dealer or write: Attache Software Inc., 4251 Plymouth Road, Ann Arbor, Michigan 48105. (313) 663-1166.

Attaché Software Inc.

Accounting software

that carries you far into the future.

Circle 33 on inquiry card.

Benchmarking IQLISP and muLISP

ne of our main benchmark procedures is a factorial program, both iterative and recursive (see listings 2 and 3 and tables 2 and 3). The recursive algorithm does about as much calculating as function invoking and is thus a good measure of overall performance. IQLISP was consistently slower by about 40 percent. We tried the iterative solution on IQLISP to see if the function invocation was slowing it down significantly (as the iterative solution avoids the overhead of reinvoking the function). In fact, it turned out that the recursive solution was faster, indicating that either the iterative constructs are inefficient or IQLISP has been optimized for recursion. We also learned that IQLISP has a very slow garbage collector, as was apparent from the wild time fluctuations for different runs of the same tests. When memory runs out (after a couple tests of the functions), the garbage collector is invoked and slows down the function that is running. In addition, we ran up against the limit of IQLISP's stack. IQLISP pushes more information onto the stack with each recursion, which reduces the stack's effective size.

The next test we attempted was a program to compute up to the seventeenth term in the Fibonacci series recursively (see table 5). The series is defined as follows:

$$F(x) = 1$$
 for $x < 2$
 $F(x) = F(x-1) + F(x-2)$ for $x > 2$

This recursive algorithm is highly inefficient and takes considerable time even for low numbers in a series. Nevertheless, it is a good test of how much overhead function calling takes, because the function does very little computing or list manipulating. The time tests indicate that IQLISP again is slower, this time by a whopping 200 percent, leading us to believe that muLISP is much more efficient than IQLISP at function calling.

The third test we performed was based on the Sieve of Era-

tosthenes (see table 3 and listings 4 through 8). We attempted an iterative and a recursive solution in both LISPs. Since muLISP does not have arrays, they were simulated with lists-i.e., (1 2 3) represents the array having three elements; the first element is 1, and so forth. Due to the extensive amount of list manipulation, the Sieve benchmark shows which LISP handles list processing more efficiently. The tests were performed with an array size of 500, which yielded reasonable times for muLISP (on the order of 1 minute), but wouldn't even execute on IQLISP (memory ran out after about 3 minutes and the command prompt was redisplayed without the function running to completion). Each prime was calculated at about a rate of one every 5 seconds, indicating that if the program would have finished, it would have taken about 5 x 167 seconds, or 835 seconds. Apparently IQLISP is much slower than muLISP (by an order of magnitude) in list processing. However, IQLISP beats muLISP in the iterative Sieve because IQLISP provides arrays.

It is important to realize that even the faster LISP is considerably slower than an efficient compiled language like C, or even a not-so-efficient interpreted language like BASIC. The Sieve benchmark took one-twenty-fifth of the time in C (Computer Innovations' C-86) and one-eighth of the time in BASIC (of course, this was with simulated arrays). Comparable performance was shown when we compared the Fibonacci benchmark in C with the LISP versions. This type of performance is not surprising considering all the overhead necessary to support a LISP environment (garbage collection and pointer manipulation).

Overall, it seems that muLISP is quite a bit faster than IQLISP. However, IQLISP has 8087 support, which helps a great deal. Since we did not have an 8087 available, we could not test its performance; however, for most applications, muLISP would still probably be faster than IQLISP with an 8087.

Listing 2: A listing of the benchmark in table 2. Note that two slightly different programs had to be used for each LISP system.

```
FOR IQLISP:
(DEFUN FACT (LAMBDA (X)
(COND
((LT X 2) 1)
(T (* X (FACT (SUB1 X)))))))

FOR MULISP:
(DEFUN FACT(X)
(COND
((LESSP X 2) 1)
```

(T (TIMES X (FACT (SUB1 X)))))

Listing 3: The listing for the benchmark summarized in table 3. The program ran on both systems unmodified. Note that REV is a slow version of the function called REVERSE and that APP is a slow version of APPEND. They provide a good test of the speed of recursion of the two LISPs.

```
(DEFUN REV (LAMBDA (X)
(COND
((NULL X) NIL)
(T (APP (REV (CDR X)) (LIST (CAR X)))) ) ))
(DEFUN APP (LAMBDA (X Y)
(COND
((NULL X) Y)
(T (APP (REV (CDR (REV X))) (CONS (CAR (REV X)) Y))) ))
(APP '(A B C D E F G ) '(A B C D E F G)
```

```
Listing 6: A recursive version of the Sieve of Eratosthenes written in
Listing 4: A recursive version of the Sieve of Eratosthenes written in
muLISP.
                                                                    IOLISP
 (PUTD 'DEFUN '(NLAMBDA (NAMS EXPS) (PUTD NAMS EXPS) NAMS))
                                                                    (DEFUN PRIMES (LAMBDA (MAX)
 (DEFUN PRIMES (LAMBDA (MAX "%" Local Var. "%" NUMBERS COUNT)
                                                                           (NUMBERS (REVERSE (LISTNUMS MAX))
    (SETQ NUMBERS (REVERSE (LISTNUMS MAX)))
                                                                           COUNT O
    (SETO COUNT 0)
                                                                        (PRIME-AUX NUMBERS)
    (PRIME-AUX NUMBERS)
                                                                        COUNT III
    COUNT II
                                                                    (DEFUN PRIME-AUX (LAMBDA (NUMBERS)
 (DEFUN PRIME-AUX (LAMBDA (NUMBERS "%" Local Var: "%" PRIME)
                                                                        (LET (PRIME NIL)
    (COND
                                                                        COND
    ((NULL NUMBERS) NIL)
                                                                           ((NULL NUMBERS) NIL)
    ((NULL (CAR NUMBERS))
                                                                           (INULL (CAR NUMBERS))
      (PRIME-AUX (CDR NUMBERS)) )
                                                                              (PRIME-AUX (CDR NUMBERS)) )
    (T (SETO PRIME (PLUS 3 (CAR NUMBERS)) (CAR NUMBERS)))
                                                                           (T (SETQ PRIME (+ 3 (+ (CAR NUMBERS))))
                                                                              (SETQ COUNT (ADDI COUNT))
       (SETQ COUNT (ADDI COUNT))
       (ELIMINATE PRIME NUMBERS PRIME)
                                                                              (ELIMINATE PRIME NUMBERS PRIME)
       (PRIME-AUX(CDR NUMBERS))) ))
                                                                              (PRIME-AUX(CDR NUMBERS))) ) )))
 (DEFUN ELIMINATE (LAMBDA (NUM NUMBERS FLAG)
                                                                    (DEFUN ELIMINATE (LAMBDA (NUN NUMBERS FLAG)
    COND
                                                                        ICOND
      ((NULL NUMBERS) NIL)
                                                                           ((NULL NUMBERS) NIL)
      ((ZEROP FLAG)
                                                                           ((ZEROP FLAG)
       (RPLACA NUMBERS NIL)
                                                                              (RPLACA NUMBERS NIL)
       (ELIMINATE NUM (CDR NUMBERS) (SUBI NUM)) )
                                                                              (ELIMINATE NUM (CDR NUMBERS) (SUBI NUM)) )
                                                                           (T (ELIMINATE NUM (CDR NUMBERS) (SUBI FLAG))) ) ))
      (T (ELIMINATE NUM (CDR NUMBERS) (SUBI FLAG))) ))
 (DEFUN LISTNUMS (LAMBDA (NUM)
                                                                    (DEFUN LISTNUMS (LAMBDA (NUM)
    ICOND
                                                                       COND
      ((NOT (ZEROP NUM))
                                                                           (INOT (ZEROP NUM))
       (CONS NUM (LISTNUMS (SUBI NUM))) )
                                                                              (CONS NUM (LISTNUMS (SUBI NUM))) )
      (T (LIST NUM)) )))
                                                                           (T (LIST NUM)) ) ))
Listing 5: An iterative version of the Sieve of Eratosthenes written in
                                                                    Listing 7: An iterative version of the Sieve of Eratosthenes written in
muLISP.
                                                                    IOLISP
(PUTD 'DEFUN '(NLAMBDA (NAMS EXPS) (PUTD NAMS EXPS) NAMS))
                                                                    (DEFUN PRIMES2 (LAMBDA (MAX)
                                                                      (LET
(DEFUN PRIMES2 (LAMBDA (MAX "%" Local Var: "%" NUMBERS I K
                                                                        (J MAX
PRIME
                                                                        K NIL
COUNT)
                                                                        PRIME NIL
   (SETQ | MAX)
   (SETQ NUMBERS NIL)
                                                                        (SETQ NUMBERS (ARRAY I (+ I MAX)))
   (SETQ COUNT 0)
                                                                        (FOR J FROM 0 TO MAX
   (LOOP
                                                                         (STORE (NUMBERS J) 1))
      ((EQUAL | -1))
                                                                        IFOR I FROM 0 TO MAX
      (SETQ NUMBERS (CONS | NUMBERS))
                                                                         (COND ((EQUAL (NUMBERS J) 1)
      (SETQ J (SUBI J)) )
                                                                                (SETO PRIME (+ 3 (+ 1 J)))
   (SETQ J NUMBERS)
                                                                                (SETQ COUNT (ADDI COUNT))
   (LOOP
                                                                                (FOR K FROM (+ J PRIME) TO MAX BY PRIME
      ((NULL J))
                                                                                    STORE (NUMBERS K) ()))))
      (SETQ K J)
                                                                    COUNT)))
      (SETQ PRIME (PLUS 3 (CAR J) (CAR J)))
      (SETQ COUNT (ADDI COUNT))
                                                                    Listing 8: The iterative Sieve program in BASIC
      (LOOP
          ((NULL K))
          (SETQ K (CDR K))
                                                                    10 \text{ SIZE} = 500
         (SETQ PRIME (SUB1 PRIME))
                                                                    20 DIM FLAGISIZE + 11
         COND
                                                                    30 FOR J = 0 TO SIZE
             ((ZEROP PRIME)
                                                                    40 FLAG[J] = 1
                (RPLACA K NIL)
                                                                    50 NEXT I
                (SETQ PRIME (PLUS 3 (CAR J) (CAR J))) ) )
                                                                    60 \text{ COUNT} = 0
      (SETQ J (CDR J))
                                                                    70 FOR I= 0 TO SIZE
      (LOOP
                                                                    80 IF FLAG[J] = 1 THEN PRIME = J + J + 3:COUNT = COUNT +
          (OR
                                                                       1:FOR K = J + PRIME TO SIZE STEP PRIME:FLAG(K) = 0:NEXT K
             (NULL J)
                                                                    90 NEXT I
             (NOT (NULL (CAR I))) ))
                                                                    100 PRINT COUNT:" PRIMES"
          (SETQ J (CDR J)) ) )
   COUNT ))
                                                                                                                         (continued)
```

Every option you'll ever need.

You're looking at ULTRAFRAME™ a powerful 8/16 bit multiprocessor you can configure to handle any application.

It's the one system that can tackle your toughest jobs today with the capacity to grow up to 32 users or tasks — within the same chassis.

Get 5" & 8" Winchester drives from 10-120MB (formatted). Also, 14" models from 145MB to 1,160MB. And backup systems appropriate to any system you design.

The super micro that almost configures itself.

Our version of TurboDOS™ is extremely easy to integrate thanks to the IBS TURBO-INTEGRATOR™ — a menu-driven utility that will help you

TurboDOS™ is a registered trademark of Software

get the right system configuration into your customers hands in record time.

Save yourself hours of valuable time with the TURBO-INTEGRATOR, the fastest way to configure for peripherals and design multiuser system

FRONT



security. Generate user-friendly shells with the IBS MenuMaster-T™

The industry's longest warranty.

We've built the ULTRAFRAME to last — and backed it with a full three year warranty. Plus, we give a level of old-fashioned factory support you won't get from anyone else. And onsite maintenance is available nationwide through 45 service centers.


ULTRAFRAME bs

INDEPENDENT BUSINESS SYSTEMS

Call collect (415) 443-3131 TWX: 910-386-6003 IBSNET 5915 Graham Court, Livermore, CA 94550

ULTRAFRAME and TURBO-INTEGRATOR

A feast for OEM's and system integrators.



MenuMaster is a registered trademark of Borland

Listing 9: The Fibonacci benchmark program written in C.

Listing 10: The Fibonacci program in muLISP.

```
(DEFUN FIB (X)
(COND
((LESSP X 2) 1)
(T (PLUS (FIB (SUBI X)) (FIB (DIFFERENCE X 2)))) ) )
```

Listing 11: The Fibonacci program in IQLISP.

```
(DEFUN FIB (X)
(COND
((LT X 2) 1)
(T (+ (FIB (SUB1 X)) (FIB (- X 2)))) ) )
```

Table 2: The results of running benchmark 1 as shown in listing 2. The asterisk indicates that the test could not be run because of a lack of floating-point math or because it would take too long to execute.

Version	(FACT 30)	Time (seconds) (FACT 30.3333)	(FACT 500)
IQLISP	.25		19.0
IQLISP with floating-point	1.35	13.0	1
muLISP	.25		14.5

Table 3: The results of running benchmark 2 shown in listing 3.

Version	Time (seconds
IQLISP	240.0
muLISP	30.6

Table 4: The times it took to run the Sieve of Eratosthenes benchmark with an array size of 500.

Program	Time (seconds) Iterative Algorithm	Recursive Algorithm
CI C-86	4 (more than 2 of which are spent loading the pro- gram from disk)	
BASIC	12.0	
muLISP	80.0	95
IQLISP	30.0	would be about 835 seconds if it didn't run out of space

Table 5: The times it took to run the Fibonacci series up to the seventeenth term recursively.

Program	Time (seconds)
CI C-86	4.0 (more than 2.0 of which are spent
	loading the program from disk)
muLISP	8.5
IOLISP	23.0

each time. muLISP goes one step further and lets you create a new LISP .com file instead of just the SYS file.

muLISP has the advantage that the programs you create with it are transportable to 8-bit machines. However, to retain this advantage, your code must not exceed a 64K-byte workspace.

CONCLUSIONS

Each of the LISP systems has its own advantages. muLISP is faster, has a better editor, and comes with tutorials and two compatibility packages. IQLISP has better debugging, floating-point math, and more error-checking capabilities. IQLISP

also has a friendlier environment and a lower price, but it lacks compatibility packages and is quite a bit slower than muLISP. Overall, we prefer muLISP because of its speed and because of its MacLISP compatibility package.

It may be easier for new LISP users to learn under muLISP because of its tutorial system and the MacLISP compatibility mode. One of the best LISP books on the market, *LISP*, by Patrick H. Winston and Berthold K. Horn (Reading, MA: Addison-Wesley, 1981), assumes a MacLISP environment.

We recommend that you carefully weigh the things you consider most im-

portant before choosing a system. Both versions we've discussed are adequate for learning LISP, but muLISP's speed gives it the edge for doing some types of useful work.

ACKNOWLEDGMENTS

The authors would like to thank Al Rich from The Soft Warehouse and Robert Rorschach from Integral Quality for providing review copies of their LISP systems. We thank Mr. Rich for adding some more "safety valves" to his LISP system so we couldn't accidentally lose our work. Ralph Hyre and Jon Christenson commented on early versions of the article. We are grateful to Mr. Christenson for the use of his computer when the electricity went out.


THE 8087 IS IN STOCK!

Micro Ware is the world's leading retailer of 8087s. We also have the most accurate statistics on chip reliability. They are: .01% infant mortality, .00% adult mortality and .02% 8088 incompatibility. As for ease of installation, we have never had a customer return a chip because of bent pins. We are so confident that you will be able to successfully install and use the chip that we offer a 180-day warranty with every chip we sell. That's 90 days more than anyone else!

To support the 8087 we stock the largest selection of 68087 software anywhere. This includes: three FORTRANs, three PASCALs, APL, Intel's ASM86, PL/M-86, several Cs, 87BASIC, 87MACRO and MATRIX-PAK. For real time or multi-user applications we offer RTOS™ – our implementation of Intel's iRMX executive. Our new products include a professional debugger with 8087 support, an interface library which enables MS Fortran users to call the IBM Basic

Compiler Library, and a translator that converts object modules into readable assembly language files. If you have a question about which computer, language, compiler, operating system or application package is best suited to your problem, we can answer it. Just call:

Information and Orders— 617-746-7341 University, Corporate and Government Buyers— 617-746-7364



8087 Support from Micro Micro Nare

87FORTRAN/RTOS™ - our adaptation of the Intel Fortran-86 Compiler generates in line 8087 code using all 8087 data types including 80-bit reals and 64-bit intergers. The compiler uses the Intel large memory model, allowing code/data structures of a full megabyte, and supports overlays. Includes RTOS and support for one year\$1350

87 PASCAL/RTOS™ is Intel's ISO-Standard Pascal with 8087-8088 exceptions. These make it possible to use all the 8087 data types directly, while generating modules in one of the three Intel Memory Models. Includes RTOS and support for one year \$1350

RTOS DEVELOPMENT PACKAGE includes 87FORTRAN, 87PASCAL, PL/M-86, Utilities, TX Screen Editor and RTOS... \$2500

RTOS— REAL TIME MULTI-TASKING/ MULTI-USER EXECUTIVE

RTOS is a Micro Ware configured version of iRMX-86. Includes ASM-86, LINK-86, LOC-86, LIB-86, and the ROM Hex Loader \$600

Micro Ware not only provides quality products but also the support to make them work. Our users receive newsletters, free software updates, and have access to a hotline for 8087 related advice. Micro Ware is your complete clearing house for 8087 related products. We sell the chips, compilers and applications programs you need at affordable prices. Call for our complete catalogue.

PC TECH JOURNAL REVIEW:

"The Micro Ware package is preferable ... it executes the basic operations more rapidly and Micro Ware provides a free update service."

87BASIC™ includes patches to the IBM Basic Compiler and both runtime libraries for USER TRANSPARENT and COMPLETE 8087 support. Provides super fast performance for all numeric operations including trigonometrics, transcendentals, addition, subtraction, multiplication, and division..........\$150

87BASIC/INLINE™ generates inline 8087 code! Converts the IBM Basic Compiler output into an assembly language source listing which allows the user to make additional refinements to his program. Real expression evaluations run five times faster than in 87BASIC. \$200

87DEBUG™ - a professional debugger with 8087 support, a sophisticated screen-oriented macro command processor, and trace features which include the ability to skip tracing through branches to calls and software and hardware interrupts. Breakpoints can be set in code or on guarded addresses in RAM\$150

8087-3 CHIP \$175 including DIAGNOSTICS and 180-day warranty

64K RAM Upgrade \$47.50

MICROSOFT FORTRAN 3.2 or PASCAL 3.2 - These IEEE compatible compilers support double precision and the 8087 each \$259

MICROSOFT C COMPILER includes Lattice C and the MS Librarian.......\$350

Unisource VENIX/86 TM Vanio Cont. Inc. 125 299 Computer Innovations C86 345 Computer Innovations C86
STSC APL * PLUS/PC
TURBO PASCAL
TURBO PASCAL with 8087 Support
HALO GRAPHICS
GRAPHMATIC 500 85 CALL 125 ENERGRAPHICS ENEHGRAPHICS 295 3000 850 CALL 1170 CALL MAYNARD ELECTRONICS Boards CALL

> NO CHARGE FOR CREDIT CARDS ALL ITEMS IN STOCK

IBM PC is a registered trademark of IBM Corp. 8087, iRMX-86, LINK-86, FORTRAN-86, ASM-86, LOC-86, PL/M-86 and Il-86 are trademarks of Intel Corp. 87FORTRAN/RTOS, 87PASCAL/RTOS, 87BASIC, 87MACRO, FASTPAK, MATRIXPAK, 87/88GUIDE, RTOS, 87BASIC+ and Microway are trademarks of Micro Ware, Inc.

Micro Ware

P.O. Box 79 Kingston, MA 02364 (617) 746-7341 You Can TalkTo Us!



H-A-R-D-W-A-R-E R-E-V-I-E-W

The Smith-Corona L-1000 Printer

A daisy-wheel unit for lightduty word processing or high-quality program listings

RICHARD S. SHUFORD

he Smith-Corona division of SCM Corporation, long known as a manufacturer of typewriters, created quite a stir when it announced its TP-I daisy-wheel computer printer in early 1982. Previously, no formed-character impact printers had been available at a list price of less than \$1500; the TP-I retailed for \$895 (see "The Microprocessor's Tenth Birthday" by Chris Morgan, March 1982 BYTE, page 6). Since then, many other manufacturers, most sporting addresses on the western side of the Pacific Ocean, have jumped into the formed-character printer market. The competition inspired product improvements. Smith-Corona first responded with an upgraded machine called the TP-II. A further improvement on the same basic design was marketed for a short time as the TP-II Plus: it featured bidirectional printing and three character pitches. In its latest incarnation, the TP-II Plus has been given a redesigned case and has been renamed the L-1000.

The L-1000 is fairly small as daisy-wheel printers go, taking up less room on a desktop than an average electric typewriter. At 21 pounds (9.4 kg), the L-1000 weighs about half again as much as a typical dot-matrix printer. It does not exactly have a multitude of fancy features: it lacks proportional spacing, singlepass double-striking, and the ability to print super- and subscript characters and graphics. But, in addition to the previously mentioned bidirectional printing and selectable pitch, it does have single-pass underlining and uses a standard print wheel with a character set suitable for computer-program printing as well as word processing.

The L-1000 prints slowly. Smith-Corona rates its speed at 12 cps (characters per second), but the measured speed in a representative Shannon-text benchmark test was slightly less: 11.2 cps. The L-1000 can skip relatively quickly across blank spaces, so sparse documents would show slightly better results.

The L-1000 is also noisy; you wouldn't want to hold a telephone conversation nearby during printing. But most other daisy-wheel printers are also loud enough to be an annoyance.

EXTERNAL CONTROLS

The front panel of the printer contains a power-on light and three rocker switches. One switch selects the printing pitch of 10, 12, or 15 characters per inch (cpi); the second selects the paper-handling mode (top-of-form or "normal"); and the third actuates formfeeds (or linefeeds) or selects the self-test mode. On the back of the case are the rocker power switch, the power connection, a 36-pin female Centronics-type parallel input/output (I/O) connector, and a female DB-25S serial RS-232C I/O connector. Behind a removable louver in the back are two sets of DIP (dual-inline pin) switches for selecting some printer control parameters that are infrequently changed; these parameters include the serial data rate, polarity of the serial handshaking signal, the response to carriage-return and linefeed characters, the use of different print-wheel character sets, and the length of the paper (either the North American 11 inches or the Deutsche Industrie Norm 29.7 centimeters).

Using the printing-pitch switch is simple enough-just set it to match the currently installed print wheel. The switch controlling the paper-handling mode requires explanation. The top-of-form mode is of use chiefly with continuous fanfolded paper, enabling the printer to automatically provide four-line top and bottom margins on 11-inch sheets (or fiveline on 29.7-centimeter sheets). The other choice is called "normal" mode, in which vertical movement of the paper occurs only in increments of one line: a formfeed character causes the same behavior you'd expect from a linefeed character.

The normal mode is intended for use when you are feeding single sheets by hand. But even with continuous-form paper I had to use normal mode most of the time because the word-processing programs I use (The Final-Word and SuperWriter) keep track of the print position and do not expect the printer to skip lines by itself. (Few word-processing programs (continued)

Richard S. Shuford is BYTE's special projects editor. He can be contacted at POB 372, Hancock, NH 03449 or through Source account TCG847.

expect to receive much help from the printer in page formatting. You must be able to turn off the printer's formatting features to prevent strange results from two kinds of formatting being applied at once.)

The labeling on the mode switch is confusing. To get the normal mode you flip the switch to the position marked "CLEAR" and "-" (minus sign). The switch position for top-of-form mode is marked "SET" and "+" (plus sign). Neither label is self-explanatory. sign). Neither label is self-explanatory.

The third front-panel switch, marked "Form Feed/Self Test," is a momentary-contact type. Its function is changed by the paper-handling mode. In top-of-form mode, pressing the switch causes the paper to advance to the top of the next form; in normal mode, the paper is fed by only one line. This function does not automatically repeat; when using the normal mode with continuous paper, I sometimes had to press the third rocker switch 50 times or so to get the page out.

PROGRAMMABLE CONTROLS

The L-1000's special print functions, as with most computer printers, are invoked mostly by means of programmed control sequences it receives along with the printable characters. The functions include changing pitch, setting the left, top, and bottom margins, setting up to 16 tab stops, and underscoring. All the special commands except one begin with the ASCII (American National Standard Code for Information Interchange) Escape character; the functions and their control sequences are shown in table 1. The exception to using the Escape character is the marginrelease function, which disables for just one line the left margin set on the printer. A bare CAN (cancel) control character invokes the margin release.

The printer responds to a few other nonprinting ASCII control characters: the backspace (BS) character causes the print mechanism to back up, the horizontal-tab (HT) character causes the printer to quickly skip to the next tab stop, and the formfeed (FF) character causes a formfeed (but not in normal mode). The L-1000 contains no bell or buzzer, so BEL does nothing. When the printer is controlling receipt of characters from the computer via software

Table 1: Command codes used to invoke functions of the L-1000.

Command Code	Function	
ESC US FF	set printing pitch at 10 cpi	
ESC US LF	set pitch at 12 cpi	
ESC US BS	set pitch at 15 cpi	
ESC C	set top and bottom margins to edges of sheet	
ESC E	begin underscoring all characters	
ESC FF n	set page length at n lines	
ESC L	set bottom margin	
ESC R	stop underscoring	
ESC S	set page length and margins at DIP-switch default	
ESC T	set top margin	
ESC Z	begin underscoring alphabetic characters	
ESC 9	set left margin	
ESC 1	set tab stop at current location	
ESC 8	clear tab stop at current location	
ESC 2	clear all tab stops	
ESC /	begin bidirectional printing (default)	
ESC \	stop bidirectional printing	
HT	move right to next tab stop	
CAN	margin release for printing current line	
Abbre	viations	
ESC-I	Escape character	
US-u	nit-separator character	
	rmfeed character	
	efeed character	
BS-ba	ackspace character	
HT—ho	prizontal tab character	

Table 2: A comparison of printing speeds of three daisy-wheel printers. Printing was done bidirectionally; all times are in seconds.

Test	Smith-Corona L-1000	Diablo 630	Juki 6100
80-colum Shannon		15.2	33.9
60-colum Shannon		15.3	33.7
First-ord English	er 87.3	27,8	58.8
Fourth-o Shakesp		22.4	48.8
First-ord UNIX ma		22.3	58.1
Spreadsl simulation		28.6	68.6

handshaking, it sends the DC1 (X/ON) and DC3 (X/OFF) control characters to start and stop the flow of data.

CAN-cancel character

The printer can be instructed via DIPswitch settings to recognize the linefeed character as a "newline" character and perform both a carriage return and a linefeed operation upon its receipt. Or the DIP switches can tell the printer to perform a linefeed automatically after every carriage return. The L-1000 comes from the factory set up to require explicit return and linefeed characters.

The L-1000's relative lack of special features can be considered an advantage in one way. Users of some printers capable of many functions commonly become frustrated trying to find commercially available software that can use all the cute tricks. For example, an owner of a Diablo 630 discovers that WordStar cannot issue commands for true proportional spacing, which the

AT A GLANCE

Name

Smith-Corona L-1000

Type

Daisy-wheel printer

Manufacturer

Smith-Corona 65 Locust Ave. New Canaan, CT 06840 (203) 972-1471

Price

\$545

Optional Equipment

Tractor feed, \$149 Extra print wheels

Documentation

28-page booklet

Advertised Print Speed


12 cps

Warranty 90 days

Audlence

People who want a low-cost formed-character printer for light-duty work





This is the L-1000 (Pica 10). This is the L-This is the L-1000 (Pica 10). This is the L-This is the Juki 6100. This is the Juki 6100 This is the Diablo 630. This is the Diablo 6

The Smith-Corona L-1000 printer is compared with the Juki 6100 printer (using a Courier 10 daisy wheel) and the Diablo 630 (using a Courier Legal 10 daisy wheel). The L-1000 is using the ASCII Tempo 10/12 and the Pica 10 print wheels. The pitch for all printers is 10 characters per inch. The

prices shown do not include tractor-feed mechanisms. The print speeds were determined by timing how long it took the printers to run the 60-column Shannon test (573 characters; see "The Art of Benchmarking Printers" by Sergio Mello-Grand, page 193 in the February BYTE).

630 is certainly capable of. People who buy the L-1000 will at least not have that particular difficulty.

The L-1000 is new enough that few prewritten programs explicitly support it. Software written to use the Smith-Corona TP-1 will probably work with the new model if the L-1000's default mode of bidirectional printing does not get in the way. The only means of turning this feature off is by sending the ESC\(Escape-backslash) command, the ease of which depends on the application.

ROUTINE USE

The printing and paper-handling mechanisms reflect their typewriter heritage. If you've used a typewriter, you should have no trouble loading single sheets of paper into this printer. It has the familiar paper bail, guide, release, and platen knobs. The carriage accepts sheets 13 inches wide. It is difficult to print on the first inch of sheet-fed paper because the top edge must be tucked

under the paper bail for proper feeding. (This limitation is shared by many other printers and typewriters.) But small Rolodex cards can be inserted and printed on with little trouble.

The line-space selector can set the paper-feed linkage to print 6 lines per inch (lpi), 4½ lpi, or 3 lpi. This seems to be an heirloom from typewriter technology; I suspect that the 6-lpi setting will be appropriate in nearly all computer applications.

The optional tractor-feed attachment was not available for this review, but I tried printing on continuous fanfolded paper loaded into the unassisted friction-feed platen. It worked surprisingly well as long as I straightened the paper every 20 pages or so. However, Smith-Corona does not recommend operating the printer in this manner.

The L-1000 uses a ribbon contained in a rectangular cassette, which I found quite easy to remove and replace. A multistrike Mylar-film ribbon is standard equipment, but fabric and single-strike film ribbons are available. An impression control can vary the force with which the print hammer strikes the print wheel.

Smith-Corona provides an adequate selection of optional print wheels for printing text in English and several other European languages; the L-1000's wheels have 93 character positions and are identified by a red ring. Because the handling knobs on the print wheels have sharp edges and removing the print wheel requires a fair amount of force, the process is slightly painful. The ribbon must be removed to change the print wheel. The front of the printer's case flips up on a hinge for access to the ribbon and print mechanism.

ANNOYANCES

A few things about the L-1000 annoy me. Often when first turned on, it fails to print the very first character sent to it. And the initialization routine it goes

SMÖRGAS



CPU 8/16

- Dual processors: 4MHz NSC800 (executes full Z80 instruction set) and 8MHz Intel 8088.
- Onboard floppy controller with 24-bit DMA. Runs up to four 5¼" or 8" floppies in any combination at the same time.
- 8K PROM monitor.
- · 2 serial ports
- (software selectable up to 19.2K Baud.)
- Interrupt controller with 8 vectored interrupts.
- · Real time clock interrupt.
- \$895 (Manual only: \$25)

2 256K STATIC RAM/

- Employs fully static CMOS memory chips.
- Accepts either 8-bit or 16-bit bus requests.
 Includes battery-backed-up time-of-day
 - clock and calendar.IEEE-696/S-100 compatible.
- \$1850 (Manual only: \$25)



3 256K/512K/1MB/2MB DYNAMIC RAM

- Configurable as either dynamic RAM or as disk drive emulator.
- Accepts either 8-bit or 16-bit bus requests.
- Uses 256K chips for 1MB or 2MB configurations.
 - 150ns. RAM chips.
- · IEEE-696/S-100 compatible.
- Low as \$850 (Manual only: \$25)



4 SBC-300

- Single board computer able to perform as permanent bus master or slave processor.
- Z80* CPU: 4 or 6MHz.
- 64K of dual-ported RAM with parity.
- · 2 to 16K bytes of PROM.
- System memory addressing to 16MB.
- Serial, parallel and counter/timer I/O.
- · SASI port.
- Dual programmable serial full-duplex channels.
- Supports CP/M* Plus, MP/M* and TURBODOS*
- \$740 (Manual only: \$25)

through at power-up always performs a linefeed, throwing the paper registration off by one line. I observed some strange behavior in the bidirectional-printing logic, which sometimes brought the print mechanism back to the left margin only to tab it back to where it just came from.

I don't care for the type font of the standard print wheel, ASCII Tempo 10/12, although it certainly does contain almost all the special characters you need for printing computer programs. (Oddly, it lacks the accent grave.) The ASCII Tempo characters are rather square, as though they are meant to imitate the output of a dot-matrix printer, and the slashed zero seems out of place in formal correspondence. Smith-Corona suggests that the print wheel can be used at either 10 or 12 cpi (thus the "10/12"), but I think ASCII Tempo text looks sparse at 10 cpi.

Like many printers, the L-1000's RS-232C serial interface is set up in the DTE (data-terminal equipment) configuration, receiving data on pin 3 and transmitting on pin 2. This is fine if you want to connect the printer to a modem, but it's not so fine if you want to connect it directly to a computer: most computers also receive on pin 3 and transmit on pin 2. You have to make or buy a special cable that crosses the connections between pins 2 and 3. The L-1000 uses both pin 4 (ready to send) and pin 20 (data terminal ready) of the RS-232C line to transmit its printer-busy status to the host computer. The printer comes from the factory set at 1200 bps (bits per second), with 8-bit data characters, even parity, and 1 stop bit; 7-bit data characters are more common.

CONCLUSIONS

The current list price of the L-1000 is \$545, with the tractor-feed option an extra \$149, but considerable discounts are available. (Some dealers would rather include the discount as part of a complete system deal.)

Should you buy the L-1000? Maybe, if its limitations don't bother you, and if you can buy it at a good discount. But at \$545 its price/performance ratio is somewhat below that of other printers now on the market.

If you decide to buy the L-1000, make sure that you can obtain a properly wired serial cable. And check the dealer's supply of print wheels for fonts other than ASCII Tempo 10/12, unless you like square characters.

The Smith-Corona L-1000 is not packed with fancy features, but it performs the basic printing functions most people require. The tractor-feed option and the computer-type standard character set is satisfactory for printing program listings and for other technical uses. The L-1000 is most at home in light-duty applications, printing individually prepared letters and other short documents on single sheets of paper fed by hand.



- Offers simultaneous control of up to three 5¼" Winchester drives (up to 16 heads) and four 5¼" and 8" floppy drives.
- Floppy drives may be single- or doublesided, single- or double-density.
- Data transfers under DMA or programmed I/O control.
- Phase lock loop data separator.
- 20-bit single and 4-bit double burst detection span on 256 byte sectors.
- \$895 (Manual only: \$25)

These are just some of the boards Syntech Data Systems has to offer. All IEEE-696/S-100 compatible. From the most powerful multi-processing CPU board you can buy to the most sophisticated hard disk subsystem available. Of course, all our CPU boards support Concurrent 3.1,* UNIX,* PC-DOS/MS-DOS and CP/M 86.* In our complete menu of S-100 products you'll find everything it takes to make a winner. We've combined two companies, Octagon and S/D Systems, so you can put together unbeatable systems from the single most knowledgeable source in the industry. Call us at 214/340-0303. Telex us at 6829016. Or write to the address below for complete information on even more products. We have everything you've hungered for.

*Manufacturers' trademarks



HARD DISK SUBSYSTEM

- ECC/CRC plus PLL data separator.
- Full sector buffering.
 Incl. CP/M 80* and CP/M 86* BIOS
 - Optional 20 MB disk w/pwr. supply & fan.
 - · Supports Octagon, Compupro, Northstar etc. \$2295 (Contr. board

only: \$595. Manual \$25)



Something New In S-100

10111 Miller Road, Dallas, Texas 75238

SuperSoft. Language Library

For PC DOS, MS DOS, CP/M-86, and others



A programmer's most important software tool is the language compiler or interpreter he uses. He has to depend on it to work and work well.

At SuperSoft, we believe it. That's why we offer three fine compilers: SuperSoft FORTRAN, SuperSoft BASIC, and SuperSoft C, that answer the programmer's need for rock solid, dependable performance on 16 bit systems.



BASICCOMPILER

Compatible with Microsoft BASIC

The SuperSoft BASIC compiler, available under CP/M-86 and MS DOS, is compatible with Microsoft* BASIC and follows the ANSI standard.

Greater accuracy with BCD math routines

If you have used other languages without BCD math, you know how disconcerting decimal round off errors can be. For example:

With IBM PC* BASIC	With SuperSoft BASIC with BCD math	
10 A=.99	10 A=.99	
20 PRINT A	20 PRINT A	
30 END	30 END	
Output: .9899999	Output: .99	

As you can see, SuperSoft BASIC with BCD provides greater assurance in applications where accuracy is critical.

SuperSoft's BASIC is a true native code compiler, not an intermediate code interpreter. It is a superset of standard BASIC, supporting numerous extensions to the language. Important features include:

- Four variable types: Integer, String, and Single and Double Precision Floating Point (13 digit)
- Full PRINT USING for formatted output
- Long variable names
- Error trapping
- Matrices with up to 32 dimensions
- Boolean operators OR, AND, NOT, XOR, EQV, IMP
- Supports random and sequential disk files with a complete set of file manipulation statements
- IEEE floating point available soon as an option
- No run time license fee

Requires: 128K memory BASIC compiler: \$300.00

For CP/M-86, MS DOS, and PC DOS

*SuperSoft BASIC is compatible with Microsoft BASIC interpreter and IBM PC BASIC. Due to version differences and inherent differences in compilers and interpreters some minor variations may be found. Machine dependent commands may not be supported. The vast majority of programs will run with no changes.

FORTRAN

SuperSoft FORTRAN is the answer to the growing need for a high quality FORTRAN compiler running under CP/M-86 and IBM PC DOS. It has major advantages over other FORTRAN compilers for the 8086. For example, consider the benchmark program used to test the IBM FORTRAN in InfoWorld, p. 44, Oct. 25. 1982. (While the differential listed will not be the same for all benchmark programs, we feel it is a good indication of the quality of our compiler.) Results are as follows:

IBM FORTRAN: SuperSoft FORTRAN 38.0 Seconds 2.8 Seconds

In its first release SuperSoft FORTRAN offers the following outstanding features:

- Full ANSI 66 standard FORTRAN with important extensions
- 2. Standard data types, double precision, varying string length, complex numbers
- Free format input and free format string output
- Compact object code and run time support
- Special functions include string functions. dynamic allocation, time/date, and video access
- 6. Debug support: subscript checking, good runtime messages
- 7. Full IEEE floating point
- 8. Full 8087 support available as option (\$50.00).
- Ratfor preprocessor available as option (\$100.00).

Program developers:

SuperSoft's family of FORTRAN compilers means you can write your programs once and they will run under CP/M-80, CP/M-86, and MS DOS. This lets you get your applications running fast no matter what the environment.

SuperSoft FORTRAN: available NOW and working great!

Requires:

128K with CP/M-86 or MS DOS.

32K with CP/M-80

FORTRAN:

\$425.00 (in each environment)

8087 Support: Ratfor:

\$ 50.00 \$100.00

For CP/M-86, MS DOS, IBM PC DOS, and CP/M-80°

In conjunction with SuperSoft, SuperSoft FORTRAN was developed by Small Systems Services, Urbana, IL, a leader in FORTRAN development.

Japanese Distributor:
ASR Corporation International, TBL Building, 7th Floor,
1-19-9 Toranomon, Minato-Ku, Tokyo 105, Japan.
Tel. (03)-5025550, Telex: 222-5650 ASRTYO J.

Tunbridge Wells. Kent. England TN2 5TE.
Tunbridge Wells. Kent. England TN2 5TE.
Tel. 0892-45433. Telex. 95441 Micro-G.

C Compiler

In 1982 SuperSoft helped C programmers around the world move their applications from 8 to 16 bit operating systems with the first C compiler under CP/M-86,® PC DOS, and MS DOS.

Today there are several C compilers on the market, and you can look at them all. But if you want a C that's fully portable, syntactically compatible with UNIX version 7 C, rigorously tested, fast in both compilation and execution, packed with more library functions than any other, and produces a very highly optimized assembly code...then you'll find only one. The SuperSoft C compiler.

Professional Quality

SuperSoft started working on C over three years ago, and the work has never stopped. While others were struggling to put in features, SuperSoft was refining and polishing...adding the quality professionals depend on.

Thoroughly Tested

SuperSoft C has been tested with hundred of commercial application programs. And all this testing has paid off...with a compiler that's highly reliable in every phase of operation.

Portable

SuperSoft C is now available in most operating systems environments. Since we don't sell operating systems, we can support them all. And as new operating systems become popular, SuperSoft C will be there.

Packed with Library **Functions**

SuperSoft now has the most complete set of library functions available. All provided with source code.

Thorough User Manual

The new user manual is extensive—jammed with thorough explanations to help you every step of the way. And our technical hotline can help answer any additional questions.


SuperSoft C: \$350.00

FIRST IN SOFTWARE TECHNOLOGY

P.O.Box 1628 Champaign, IL 61820 (217) 359-2112 Telex 270365

Microsoft is a trademark of Microsoft Corporation IBM PC is a trademark of International Business Machines Corporation CP/M and CP/M-86 are registered trademarks of Digital Research UNIX is a trademark of Bell Laboratories

Circle 292 on inquiry card.



Introducing Data Sentry.® Computer security so advanced, even Mata Hari couldn't hack it.

Your most confidential files may be easy prey for the advances of an artful hacker.

That's why Lockheed used its years of experience with high-technology systems to create Data Sentry.

Protection for sensitive data

Its own internal computer gives you the telecommunications features of an intelligent modem. But unlike other modems, Data Sentry is smart enough to keep your secrets from the most persistent computer intruders.

Data Sentry puts an electronic wall around both large and small computers. And because its protection is external to your CPU, it can eliminate the expense of internal security software. It blocks the inquiries of wouldbe Mata Haris with a sophisticated security sequence.

Security for every situation

First, Data Sentry requests the phone number of a caller desiring access to your computer. Then it hangs up the phone and searches its list of authorized phone numbers. If the caller's number is authorized, Data Sentry dials the caller back and requests entry of a password. If the correct password isn't supplied within three tries, Data

Sentry disconnects and will not return further calls from that phone number.

Data Sentry also lets users select other lower levels of security if desired, including callback to any number with entry of password. And an option, Remote-ON, lets you turn your computer's power on and off from a remote terminal after security has been cleared.

Versatile and confidential

Data Sentry logs all attempted contacts for audit trails and analysis of users. Its security set-up is locally controlled by a master password that is accessible only to authorized personnel. And its design includes high-reliability components, the latest LSI circuitry, plus Autodial 300/1200 baud full-duplex communications, with auto ranging for incoming data.

Data Sentry will deal with your toughest security problems.

And it'll never fall for just a pretty face.

For a list of your nearest Data Sentry distributors, call toll-free 1-800-443-0100, Ext. 471. Or write: Lockheed GETEX, Suite 945, 1100 Circle 75 Parkway, Atlanta, Georgia 30339.



Circle 184 on inquiry card.

R·E·V·I·E·W F·E·E·D·B·A·C·K

STATISTICS REFIGURED

"Statistical Software for Microcomputers" by James Carpenter, Dennis Deloria, and David Morganstein (April, page 234) was excellent. Thoughtful, competitive reviews like this are one of the main reasons I subscribe to BYTE. The authors should be commended.

BARRY GORDON, M.D., PH.D. 4340 Roland Springs Dr. Baltimore, MD 21210

Thank you for including three of Dynacomp's packages in your recent survey, "Statistical Software for Microcomputers." We congratulate the authors on their time-consuming analysis.

On the whole we found what was said about Dynacomp's products to be fair and technically objective. However, Dynacomp has received several calls from owners of these and other products who think that the review was unfair. In each case their objections related to what was not said in the review. I will briefly relay the comments we have heard.

1. The review states that the Dynacomp documentation is brief (only about 14 pages), whereas the competitive products have manuals of 100 pages or more. Out of context this apparently reads (it didn't to us) as a negative comment. However, the authors stated that they had no problems at all running the Dynacomp programs, whereas they did with some of the other products tested. The connection perhaps should have been made that the Dynacomp manuals served their purpose well and led to flawless program performance.

2. The review accurately states that the three Dynacomp products examined are limited in capability. There is absolutely no error here. Dynacomp feels that if you want to do nonlinear regression you should not be forced into buying a more comprehensive package costing ten times as much in order to use the one feature you want. The customers who called us pointed out that this was one of the strong features of the Dynacomp product selection.

3. Another complaint we heard was that none of the other 13 packages carried by Dynacomp were mentioned. Collectively, these cover almost all the features of the competitive products mentioned in the review and offer additional capabilities (e.g., sample planning, principal components, and others). They range in price from \$19.95 to \$249.95. The three Dynacomp packages reviewed were in the \$20 to \$30 range.

I realize it would be unfair to include all

of Dynacomp's statistics packages in a comparative review because Dynacomp would then dominate the list.

Having been in the position of a reviewer in the past. I appreciate the difficulty (sometimes impossibility) in presenting a balanced evaluation given the limitations of available magazine space. BYTE has high standards in this respect, and its reviews are generally very professionally done. All I offer in this note is a condensation of some customer responses.

DR. F. R. RUCKDESCHEL Dynacomp Inc. 1427 Monroe Ave. Rochester, NY 14618

The article "Statistical Software for Microcomputers" in your April issue provides a much needed service to the large community of professional data analysts.

Although we appreciate the reviewers' determination that our product, Statpro, is "far and away the most comprehensive package," we would like to respond to several inaccuracies concerning both Statpro and our company.

The Statpro IBM-PC version is available for sale at this time while our PC XT version will be released in August 1984. We also have both an Apple II and Apple III version of Statpro available, the latter of which operates in either a floppy- or hard-disk environment.

Lastly, our correct company name is Wadsworth Professional Software Inc. Interested readers can contact us at (800) 322-2208 for further product information including a Statpro demonstration package.

RICHARD J. DUNFEY Wadsworth Professional Software Inc. 20 Park Plaza Boston, MA 02116

MORE THAN MICRO-LOGIC

We were interested by Rich Krajewski's objective review of Micro-Logic in April. It especially interested us because we sent a similar product to BYTE approximately two and a half years ago, and it only received coverage on page 441 in the Software Received section of the March 1982 issue.

Speaking from a biased point of view, we feel that we have a better product at a better price, the CDS Circuit Design System. Here is a partial list of the convenient features of CDS:

- Boolean minimization of up to seven variables
- User-oriented documentation with index, bibliography, and transparent overlays

- · User-defined devices and graphics
- Complete on-screen circuit documentation
- · On-screen circuit simulation
- Fast and easy interdevice connections
- Circuit cascading with virtual (disk drive) memory
- A price of only \$149

We feel that in order to do justice to your readers you should review other similar simulation/design packages.

TODD K. MOON Smart Software POB 1292 Orem, UT 84057

I read with great interest Rich Krajewski's software review. "Micro-Logic," in the April issue of BYTE (page 224). We have a somewhat similar product called Hard that differs from Micro-Logic mainly in the following aspects.

Hard costs \$45 rather than \$475. It is extremely easy to learn and use; in fact, it has been designed for education. It runs on any CP/M-based system and does not require graphics since its input is via a simple hardware description language. This does not preclude output comparable to that of Micro-Logic. And though it is, overall, slightly less sophisticated than Micro-Logic, it has a few extra features, such as simulation of random noise.

DR. IVAN TOMEK Modular Systems POB 1456 Wolfville, Nova Scotia BOP 1XO, Canada

OVER THE RAINBOW-AGAIN

David Suits's review of the Rainbow 100 is probably the most comprehensive description of this machine that I have read to date.

I can only reinforce his comments concerning the difficulty and expense of obtaining technical documentation, such as the BIOS listings, from DEC. However, a number of users groups are now springing up, and many provide basic technical libraries to their members.

Contrary to what is suggested in the review, the 96-track-per-inch format of the Rainbow disk drives gives the Rainbow hardware the ability to read virtually any single-sided, soft-sectored format. In fact, an inexpensive program called Media Master from MDG & Associates of Moorpark, California, allows the Rainbow to both read and write in over twenty different formats in both CP/M and MS-DOS.

More problematic is the VT-100/VT-102 screen (continued)

handling. While Mark Siegel's article, "Toward Standard Video Terminals: ANSI X3.64 Device Control" (April, page 365), praises the ANSI standard, much CP/M software continues to be written for the Lear Siegler ADM-3 (or other proprietary screen formats) and hence is not easily transportable. As ANSI X3.64 gains its rightful acceptance, the virtue of the DEC Rainbow's VT-100 implementation will be truly appreciated.

For more of a flavor of the level of technical involvement of many Rainbow users, BYTE readers are encouraged to drop in on the Rainbow subarea of the VAXsig (special interest group) on CompuServe.

> WILLIAM LEE ROBERTS Fort Street Investment Corp. Suite 2000 425 California St. San Francisco, CA 94104

I am surprised. In spite of recent controversies over reviews versus previews, BYTE has always maintained a reputation of technical accuracy and objectivity. The benchmark report in "The Rainbow 100" (April, page 170) contains several errors and at least one missing piece of information

The major error is one that I am sure many others caught-the comparison of execution time for the prime-number program using integer variables on the Rainbow versus use of floating-point (real) variables on the Victor 9000 and IBM PC. David Suits reports that he changed to use of integer variables because "using real variables, MBASIC-86 gave . . . an OUT OF MEMORY error when thel tried to dimension the 7001 element array" in the program. How much memory was in his test system? Was it the same as in the Victor and IBM systems previously tested? Though Professor Suits notes that he "use[d] integer variables to conserve memory," why even proceed in this direction? Without considering the differential overhead in arithmetic operations for integer and real numbers, the fact that integers take up less memory indicates that a system has to do less work when dealing with them.

Professor Suits does not profess to be a com-

puter professional. To the contrary, his review is from the point of view of the average intelligent user of the system. But where was the review editor? I support the idea of using external reviewers, especially those who can contribute reactions from the user viewpoint. However, if this tact is taken, your editorial staff should take extra care in checking the information provided and the results of comparative tests. Here is a case of not only comparing performance using two different data types, but also comparing across operating systems (CP/M-80/86 versus MS-DOS) and versions of BASIC (MBASIC versus IBM-BASIC). I am glad that Professor Suits sensibly made only the general conclusion that the systems "seem fairly evenly matched."

By the way, the time for the prime-number program on a Rainbow 100 using floating-point variables is about 205 seconds, about 10 percent higher than the 183.5 seconds recorded when using integers.

One further point: it is the Delete key that acts like an old-style rub-out key in BASIC: the Backspace key performs as might be expected from other microcomputers. The catch is that, keeping with DEC standards, the Delete key is the normal correction key at the operating system level and in many other applications. It is easy to agree with David Suits that this is disappointing and confusing.

In closing, I simply request that the usual high standards observed in articles by your technical staff also be enforced for contributed reviews. If comparisons are going to be made between systems, make sure that the tests are equivalent and that any other information important to interpretation is provided.

LAWRENCE JONES 211 Northview Road Ithaca, NY 14850

The purpose of our system review benchmark tests is not to compare operating systems or microprocessors, but to compare complete systems. We wanted to compare the DEC Rainbow as we received it (that is, with 64K bytes of RAM, its standard operating system [CP/M-86], and its BASIC interpreter) with the IBM PC and

Victor 9000 as we received them (that is, with 64K and 128K bytes of RAM, respectively, and their standard operating systems [MS-DOS] and BASIC interpreters). We used a group of simple tests. Our reviewer found that one, the Sieve of Eratosthenes prime-number program, would not run on the Rainbow. The reviewer modified the program to allow it to run on the Rainbow. He accurately reported his procedure and his results.-Rich Malloy

Finally, I've found a review of the DEC Rainbow. My father bought one of these machines several months ago, and ever since, I have been trying to do some serious programming with it. Since the documentation that came with the machine lacked any information concerning the BIOS or any aspects of architecture, the possibility of my doing any sort of "fancy" programming was limited.

After finding out that the DEC technical package had a price of \$275 on it, I decided to wait for the BYTE review hoping that some useful information might appear in that. As it turns out, Dr. Suits ran into the same problem I did. Refusing to believe that DEC would try to prevent programmers from obtaining information by pricing it out of the market, I decided to make a few phone calls.

The magic number turned out to be the DEC Part Number Information Line. They were able to give me the following part numbers: AA-X355A-TV, The MS-DOS Programmer's Reference Guide, and AA-X432 A-TV. The Rainbow BIOS Listing. A quick call directly to DEC and I found out the prices: \$21.00 for the reference manual and \$14.00 for the BIOS listing.

I just ordered them today, so I don't know what exactly is in the reference guide, but according to the description in the MS-DOS Advanced Users Guide, the programmer's guide has information on architecture, device drivers, system calls, and interrupts. So the information crisis is apparently not as bad as it seems, and once again I am the proud user of a DEC Rainbow.

> MARK D. ESSWEIN 1730 Court Petit McLean, VA 22101

ESSTHAN

Your IBM Model 50, 60, 65, 75, 85 or 95 Electronic Typewriter can be an RS232 PRINTER or TERMINAL using our Model 5060 Interface. Our Model 300 Interface can even connect your IBM Electronic typewriter directly into a phone connector to send or receive ELECTRONIC MAIL!.

Both Versions can be easily installed and require NO modifications to the typewriter.



= CALIFORNIA MICRO COMPUTER 9323 Warbler Ave., Fountain Valley, CA 92708 (714) 848-3947



Kernel



Self-dFENSE for EDP managers.

The micro invasion has begun. And, chances are, you've now got a lot of different people in a lot of different departments using a lot of different micros.

Now there's a way for you to control and maximize the benefits of all the different micros in your domain.



dBASE II is the relational database management system from Ashton-Tate that enables you to manage your microbased corporate data resources with the high level of consistency and sophistication you've enjoyed with mainframe and minicomputer systems.

Armed with dBASE II and the dBASE II RunTime™ program development module, you can write programs which will enable micro users in each department to "do their own thing" while creating complete database consistency throughout the company.

dBASE II is a powerful, flexible way for you to effectively manage the micro proliferation.



Help is here.

If you'd like to know more about how dBASE II and RunTime can help you win the micro management battle, contact Ashton-Tate today. 10150 West Jefferson Boulevard, Culver City, CA 90230. (800) 437-4329, ext. 212. In Colorado (303) 799-4900. In the U.K. (0908) 568866.

ASHTON-TATE

dBASE II is a registered trademark and RunTime is a trademark of Ashton-Tate. Suggested retail price for dBASE II is \$700. © Ashton-Tate 1984



C·O·M·P·U·T·I·N·G A·T C·H·A·O·S M·A·N·O·R

The AT&T Computers

3B2/300 Computer

AT&T/IBM PC Link

Sage Computers

Macintosh

The Creator

PBASIC

Eureka!

Z-100 RAM Disk

Z80/iAPX286 Board

CompuPro 8/16

Printer Optimizer

..... - F.......

Quickon

Disk Maker I

Calendar/1

Infocom Games

BY JERRY POURNELLE

've just come back from COMDEX Winter in the Los Angeles Exposition Center, where I got to play with the new AT&T computers.

Like. Wow!

When AT&T announced a computer line, there was a bit of panic on Wall Street; after the prices were announced, the excitement died away. Too expensive. Who's worried about a computer line whose lowest-cost item is a \$9950 desktop? How can that affect the micro world? That's what many Wall Street analysts said, anyway.

Dream on.

I don't own any computer stock—the conflict of interest is obvious—but if I did, I'd give that analysis a lot of thought. People, that AT&T desktop computer is one hell of a machine.

True: just now, as I saw it, with little application software, it's not much of a threat to anyone; but give it time, and there'll be a different story. The AT&T 3B2/300 desktop provides an awful lot of bang for the buck. If I seriously wanted into the software business, I'd buy a 3B2 development system and get to work polishing up my skills in the C programming language; and I'd expect to get rich from it.

AT&T quotes a four-week delivery time on the 3B2/300. With half a megabyte of memory (plus 32K bytes of ROM [read-only memory] for bootstrapping and housekeeping), it costs \$9950 "with standard industry discounts available:" What you get is the basic machine built around the WE 32000 microprocessor chip, one 5¼-inch floppy disk, a Quantum 10-megabyte hard disk, two RS-232C ports, the UNIX System V operating system extended with a number of popular UNIX utilities such as YALOE and YACC (Yet Another Line-Oriented Editor and Yet Another Compiler-Compiler), and the Vi editor from Berkeley UNIX.

The WE 32000 chip is a true 32-bit microprocessor; it corresponds somewhat to the National Semiconductor 32032 or the Motorola 68020. It's also capable of 8- and 16-bit operations. Moreover, AT&T is committed to heavy-duty silicon support of the system: at the moment, the WE 32000 system

has an external memory-management unit (MMU) and other external support chips. The whole system is designed to interface with UNIX. AT&T plans in the future to combine the microprocessor, MMU, and other support into a single chip, thus increasing both speed and reliability: AT&T's people say the new chips will be upward compatible with the present 32000 systems.

As I write this, memory for the 3B2 is \$2400 per megabyte. AT&T makes 256K-bit memory chips and bundles them in clusters to make I-megabyte boards no larger than a paper-back book. Alas, I didn't think to photograph one of the boards next to one of my paper-backs to illustrate the point, but a megabyte contains about 166,000 English words: the AT&T memory board could hold all the words in one of my novels and have room to spare.

You'd undoubtedly want a full megabyte of memory for a development system, and indeed, to handle full UNIX you'll probably need two; so the base price for a real-world development system is more like \$14,500. We'd also want to upgrade the disk to at least 40 megabytes: that's \$2000 more. Finally, AT&T will sell you a wonderful terminal with a bit-mapped screen and its own WE 32000 processor to run it; that's an additional \$5000, so our development system costs \$22,000; hardly cheap.

However: we now have all we need. For an additional \$500 per user (less if we want to use less expensive terminals), we can add up to 15 more users. The system is full multitasking, multiuser UNIX: we can let each of our terminals run more than one job. I saw 20 simultaneous jobs running on the 3B2/300, and that didn't seem to slow it down much.

THE DEATH STAR CONNECTION

One of the strangest sights I ever saw was the AT&T "Death Star" logo on an IBM PC; but there it was. You can use the PC as a terminal for the 3B2/300. AT&T, in conjunction with

(continued)

Jerry Pournelle holds a doctorate in psychology and is a science-fiction writer who also earns a comfortable living writing about computers present and future.

EMPLOYMENT OPPORTUNITIES

RB Robot Corporation in seeking designers and developers of peripherals and software programs for the RB5X Intelligent Robot. Please send resume and receive full information on royalties and fees to:

RB ROBOT CORPORATION

RB ROBOT CORPORATION 18301 W. 10th Ave., Suite 310 Golden, Colorado 80401 Attention: Deborah Waldo

New EMPLOYMENT OPPORTUNITIES Section

BYTE will feature a special section for recruitment advertising in all future issues.

BYTE is the perfect place to look for those High Technology professionals you need—over 400,000 paid subscribers.

Or, if you're looking for a new position, this is the place to feature a **Position Wanted** ad.

The cost for any display ad in this new EMPLOYMENT OPPORTUNITIES section is only \$356 per inch. For quotes on all EMPLOYMENT OPPORTUNITIES ads, or any additional information on recruitment advertising, call our special recruitment telephone sales at 212/512-2556.

Or send in your order to:

BYTE
Recruitment Advertising
Center
P.O. Box 900
New York, NY 10020

Locus, a small but highly competent Santa Monica software house, has worked out the hardware and software to network the 3B2 with the PC. What we saw running at COMDEX used a 3-Com Ethernet board in the PC and the regular 3B2 Ethernet board; but the software will work just as well with Omninet or (at lower speed, of course) with a straight RS-232C connection. That means we could connect up a Corvus Concept or any other machine that supports Omninet; or, if we want to write the interface driver, any machine with an RS-232C interface.

This gives the 3B2 a lot of flexibility. Even with all terminals and the networking and throwing in a good printer, we're under \$30,000 for a 10-user system with full UNIX.

There's more, though.

OPENING WINDOWS

What I saw running on that 3B2 wasn't any ordinary UNIX: this UNIX had windows and a mouse, and while it didn't yet have icons, it had nearly all the capabilities you expect from Apple's Lisa, only this was loaded down with multiple users and was still fast. Yet more: using that marvelous bit-mapped screen you can run programs under the debugger and see the program output in one window, the debugger in another, and the source code in a third-while having one or two other application programs running along in still more windows. The debugger lets you insert breakpoints, step the program along line by line through the source code, and get the contents of the registers; i.e., it offers all the features you'd expect from a good debugging utility. I'm told it's an outgrowth of the BLIT windowing UNIX prototype, but it has a lot more capability.

The debugging system takes advantage of the speed and power of the WE 32000 in the terminal. Windowing is managed about the way you'd expect, with pull-down menus and the ability to change window size and shape and shuffle the windows to put the one you like on top; all this is done with the mouse in much the same way that Wirth's Modula-2 operating system works. I suppose I shouldn't be surprised, since most of these concepts have previously appeared at the Xerox Palo Alto Research Center (PARC); the

whole micro community owes Xerox a vote of thanks for acting as the software R&D center for the industry. I can't imagine why Xerox doesn't market some of the goodies that have been developed, instead of exporting them to competitors, but these discoveries sure helped us all.

In any event, if there's something more powerful than the 3B2/300 for software development at anything like the cost. I haven't seen it.

The 3B2/300 weighs about 30 pounds and is roughly the same size and shape as an IBM PC XT. Its innards are certainly no more complex than an XT's. If the introductory quantity one price is \$9950, what will the quantity one hundred price be a year from now? Ditto with memory: that \$2400/megabyte is quantity one today; I expect it to fall by half within two years.

Do THEY KNOW THE TERRITORY?

Every publication from computer magazines to the Wall Street Journal has speculated that AT&T knows a lot about computers but not a lot about marketing. How could The Phone Company learn that? This is, after all, the hated Ma Bell . . .

So, naturally, when I got a chance to interview John Scanlon, AT&T's vice-president of the Technology Division, even though it wasn't very original of me, I figured I'd get that one out of the way. "Great R&D," said I, "but can AT&T handle marketing?"

"We seem to have done a good job of creating a demand for UNIX," he said.

Which is true enough. Moreover, I notice that even IBM is supporting UNIX, both directly and through Intel, which is developing UNIX for the Intel iAPX286 chip.

"We already have UNIX for our machines. Just turn on the switch: it comes up in UNIX, with most of the features and utilities that programmers want. Who else can offer that at our prices?"

Maybe some others, particularly if you count UNIX clones such as UNOS from Charles River Data Systems, thought I, but I didn't want to argue with him.

"And we're not through. Right now a full UNIX system really needs 2 megabytes, but we're getting it smaller. We're 90 percent to getting UNIX tamed. After

THE FILE CONNECTION 8" DISKETTE SYSTEM FOR THE IBM PC



Our "FILE CONNECTION" programs provide 8" diskette file exchange between the IBM PC and most Micro-Mini-Main Frame computer systems.

Our "WORD CONNECTION" programs provide 8" diskette text document exchange between the IBM PC and many word processing systems.

Our "DISPLAYWRITER CONNECTION" programs transform documents from Textpack, Wordstar, Multimate, etc. to the new DisplayWrite 2 format.

In addition to our hardware and program products, we also provide a conversion service for customer supplied diskettes. Please contact us for information about the hundreds of $5\frac{1}{4}$ " and 8" diskette formats and systems which we currently support.

FLAGSTAFF ENGINEERING / 2820 West Darleen / Flagstaff, AZ 86001 Telephone 602-774-5188 / Telex 705609 FLAG-ENG-UD




Real-Time Multitasking Executive

- ROMable (< 3K)
- No royalties
- Source code included
- Language interfaces
- Low interrupt overhead
- Inter-task messages

Options:

- · C, Pascal, PL/M, Fortran i/f
- Extended memory (>64K)
- Configuration Builder Utility
- Resource (semaphore) Manager
- Buffer Manager
- Integer Math Library
- Real-Time C Library

AMX (for 8080) \$800 U.S. manual only \$75 U.S.



AMX, Real-Time C are TM of KADAK Products Ltd. Z80 is TM of Zilog Corp.

KADAK Products Ltd.



206–1847 W. Broadway Avenue Vancouver, B.C., Canada V6J 1Y5 Telephone: (604) 734-2796 Telex: 04-55670



CHAOS MANOR

all, we've used UNIX inside Bell for years to provide turnkey systems for our internal use. We do accounting, telephone control, and billing, and we can develop new UNIX shells for each application."

There's a lot to that. If some outside company had been supplying Ma Bell with office computers for accounting, billing, word processing, and all the mundane tasks one uses computers for, we'd think it a highly experienced company. AT&T has in fact been using a lot of its own equipment for years; it just didn't show elsewhere. The company's got more user-service experience than has usually been realized.

"But," I asked, "have you really tamed UNIX? It takes a UNIX wizard to keep the system going—at least it does everywhere I know."

"We have to get the size down," Scanlon told me. "At \$4800 for 2 megabytes—and you need that now—UNIX is too expensive for the mass market. But we'll get it there, and when we do, we'll get it matched to silicon. Maybe in a few years we'll have UNIX on a chip."

Ridiculous, thought I.

Then I remembered where I was.

I was sitting in a carpeted office that looked much like an expensive executive suite. I'd reached it by going through expensively furnished lounge and reception areas. Of course; AT&T can afford lavish offices—except this wasn't any lavish office. This was in a bay of the Los Angeles Exposition Center. AT&T not only had the largest exhibit area I've ever seen at any computer show: the company had taken an even larger area, closed it to the public, and lavishly furnished it for the convenience of dealers, executives, and the press.

Out in the exhibit area were about 100—and I do not say this for exaggeration—young men and women in dark suits, the most neatly uniformed and well-groomed corps of show people in my memory. Many were extremely polite, with plenty of social skills, but they knew nothing whatever about computers.

If throwing money—or people—at a problem will solve it, AT&T will never have any difficulties. Of course, that doesn't often work—

But then it began to sink in. Along (continued)

IBM PC/XT COMPATIBLE


10MB and 20MB WINCHESTER

256KB to 512KB MEMORY



Chrislin's 10MB & 20MB Hard Disks come with host interface adapter, controller, winchester drive, power supply and cable.

Enhance your system with a CHRISLIN HARD DISK SUBSYSTEM and MEMORY



Each Chrislin memory comes with an RS232C (serial) port, RAM disk emulator and 256KB-512KB of parity memory.

"DEALER INQUIRIES INVITED"

DEC LSI-11 COMPATIBLE

10MB to 140MB Q-BUS WINCHESTER

Each winchester comes with 2MB dual drive, double density (8") floppy backup. All systems include controller and cabling.


EMULATION RL02

10MB Winchester/Floppy (8") \$4495 20MB Winchester/Floppy (8") \$4995 40MB Winchester/Floppy (8") \$5995

EMULATION RK06/RK07

42MB Winchester/Floppy (8") \$6995 70MB Winchester/Floppy (8") \$7195 140MB Winchester/Floppy (8") \$8195

Call for pricing on RM02 emulation and / or tape backup.





256KB to 4MB Q-BUS MEMORIES

UP TO 4MB QUAD

- Control status register
- On board parity
- Block mode DMA

SINGLE QTY. PRICE: 1MB \$1975

UP TO 2MB QUAD EDC

- · Error detecting & correcting
- Block mode DMA
- Battery back-up mode
- SINGLE QTY. PRICE: 512K \$1495

UP TO 1MB DUAL

- Control Status Register (CSR)
- On board parity generator checker
- Battery back-up mode
 SINGLE QTY, PRICE: 256KB \$525

MICRO COMPUTER CI-MICRO-11 SYSTEM FEATURES

- 11/23 PLUS CPU board which includes two serial lines diagnostics and boot or 11/73 CPU
- 22 bit addressing backplane and power supply
- 256KB 4MB of parity memory (Block Move, CSR)
- RD51, 10MB, 20MB or 40MB 5¼" (13.3cm) mini winchester disk or a subsystem from 10-140MB
- RX50 1.6 MB 5¼" (13.3cm) dual mini-floppy disk or 2 MB RX02 floppy
- An eight slot quad LSI-11 BUS backplane

STANDARD CONFIGURATION

LSI 11/23 CPU, 256KB memory, 20MB winchester, 800KB dual floppy, 2 serial I/O, bootstrap, power supply, 4×8 backplane all in a rack mountable chassis. \$6850

"OFFERING QUALITY WITH AFFORRDABLE PRICING"

See us at NCC '84. Booths D3530 and D3532



Chrislin Industries, Inc.

31352 Via Colinas • Westlake Village, CA 91362 Telephone: 818-991-2254 • TWX 910-494-1253 CHRISLIN WKVG

RL02, RK06, RK07, QBUS, LSI, DEC are Trademarks of Digital Equipment Corporation. IBM is a Trademark of International Business Machines.

Circle 53 on inquiry card.

The Unshippable Sage



n my judgment, Sage computers have about the same place in the world of the Motorola 68000 and follow-ons that CompuPro's boat anchor has in the Intel 8086 and beyond world: they're very probably the best systems you can get for software development; they certainly have a lot of bang for the buck.

The Sage is also useful as a generalpurpose computer: there's getting to be a lot of good software, including engineering applications stuff, for 68000 systems. Sage uses a number of Sage computers internally for everything from accounting to new systems design; and

therein hangs a tale.

When I visited Sage at the Reno headquarters I was shown through the whole plant, including the inner offices where new research is done. Sage's people use quite a lot of modern equipment, including some fascinating stuff for computer-assisted drafting and for chip design. I also saw the oddest computer I've ever seen in my life. I mean, I've seen plenty of desktop computers, but I never saw one bolted to the side of a desk before; yet there was a perfectly good Sage II in that situation (see photo 2). It was running, too. None of the Sage crew seemed to think that was odd at all. They were used to it. Finally, I had to ask.

It turns out that in the early days of Sage, when they first began to ship machines, they got more orders than they could fill; so that whenever Bob Needham, one of the cofounders (with Rod Coleman), would get a machine to help him with advanced system design, someone would see it and ship it off to a paying customer. Eventually Bob decided that enough was enough and bolted a new Sage II, sans case and fan, onto the side of his desk. The disk drives and power supply were in a drawer.

No one has shipped that one ...

with all the well-scrubbed young women in stockings and heels and pinstripe suits and little neckties, and the young men in similar plumage-in among those were mixed real working software engineers and even a sprinkling of true wizards from Bell Labs. As a matter of

fact, it was easy to spot the real hackers: the programmers all read BYTE and knew exactly who I was, while the pressrelations people had never heard of me but tried to pretend that they had

I don't have to ask if Bell Labs understands transistors. For reasons too complicated to explain. I have framed on my wall a dollar bill signed by Dr. William Shockley: it's a tiny part of the Nobel prize he received for inventing the transistor while he was at Bell Labs.

The Phone Company never did lack for scientists and engineers. AT&T won't have problems in that department. This is one of the few companies that plan for decades ahead.

IF THAT'S NOT ENOUGH

AT&T also has some brilliant management, beginning with Jack Scanlon, who understands this business pretty darned well. We sat in a lavish office suite surrounded by the trappings of corporate power: but Scanlon talks like any true hacker. He reminded me of a lot of the sharper micro people I know: there was that same breadth of knowledge about the field, familiarity with every intimate detail of his own product, obvious pride in the company's achievements.

He gets particularly excited about what can be done with silicon and the next generation of chips. "Every year we can double the number of transistors we can put on a chip. The guys who design those chips have to do something with all those transistors. We're seeing a whole new renaissance of silicon architecture. The difference between hardware and software is vanishing . . ."

And more. On software and computer languages: "Language is the wrong way to look at it. Move back a few steps. Watch that guy at his desk. What does he want the machine to do? He knows he can do more than one thing at a time. He has to worry about a lot of things at once. What I want is fundamental building blocks he can throw together fast. This guy wants spelling and maybe a spreadsheet, another fellow needs a database. Once we know the concepts, we don't have to worry about languages. We can even put them in silicon.


'Obviously, we're going to support the popular languages, C, and Pascal, and Ada, and Modula-2, but the real goal is to see what people want the machines to do for them."

That sounds a lot like marketing smarts to me.

Sure: AT&T will make marketing mistakes. The people there are used to figuring out what they think people (continued)

ntroducing the Most Powerful **Business Software Ever!**

TRS-80™ (Model I, II, III, or 16) • APPLE™ • IBM™ • OSBORNE™ • CP/M™ • XEROX™



The VERSABUSINESS™ Series

Each VERSABUSINESS module can be purchased and used independently, or can be linked in any combination to form a complete, coordinated business system.

FRSARECEIVABLES**

ERSARECEIVABLES** is a complete menu-driven accounts receivable, invoicing, and onthly statement-generating system. It keeps track of all information related to who wes you or your company money, and can provide automatic billing for past due acounts. VERSARECEIVABLES** prints all necessary statements, invoices, and summary ports and can be linked with VERSALEDGER II** and VERSAINVENTORY**.

ERSAPAYABLES"

ERSAPAYABLES" is designed to keep track of current and aged payables, keeping you touch with all information regarding how much money your company owes, and to hom. VERSAPAYABLES" maintains a complete record on each vendor, prints checks, neck registers, vouchers, transaction reports, aged payables reports, vendor reports, and more. With VERSAPAYABLES", you can even let your computer automatically select hich vouchers are to be paid.

ERSAPAYROLL"

PRSAPAYROLL*

\$99.95

PRSAPAYROLL** is a powerful and sophisticated, but easy to use payroll system that seps track of all government required payroll information. Complete employee records a maintained, and all necessary payroll calculations are performed automatically, with tals displayed on screen for operator approval. A payroll can be run totally, automatically, or the operator can intervene to prevent a check from being printed, or to alter formation on it. If desired, totals may be posted to the VERSALEDGER IT* system.

PERSAINVENTORY** \$99.95

TRESAINVENTORY** is a complete inventory control system that gives you instant access data on any item. VERSAINVENTORY** keeps track of all information related to what ms are in stock, out of stock, on backorder, etc., stores sales and pricing data, alerts us when an item falls below a preset reorder point, and allows you to enter and print voices directly or to link with the VERSARECEIVABLES** system. VERSAINVENTORY** prints needed inventory listings, reports of items below reorder point, inventory value reports, period and year-to-date sales reports, price lists, inventory checklists, etc.

0 N. PASCACK ROAD, SPRING VALLEY, N.Y. 10977

VersaLedger II™

VERSALEDGER II" is a complete accounting system that grows as your business grows. VERSALEDGER II" can be used as a simple personal checkbook register, expanded to a small business bookkeeping system or developed into a large

expanded to a small business bookkeeping system or developed into a locorporate general ledger system without any additional software.

• VERSALEDGER II" gives you almost unlimited storage capacity (300 to 10,000 entries per month, depending on the system),

• stores all check and general ledger information forever,

• prints tractor-feed checks,

• handles multiple checkbooks and general ledgers,

prints 17 customized accounting reports including check registers, balance sheets, income statements, transaction reports, account listings, etc.

VERSALEDGER II comes with a professionally-written 160 page manual designed for first-time users. The VERSALEDGER II manual will help you become quickly familiar with VERSALEDGER II using complete sample data files supplied on diskette and more than 50 pages of sample printouts.

SATISFACTION GUARANTEED!

Every VERSABUSINESS" module is guaranteed to outperform all other competitive systems, and at a fraction of their cost. If you are not satisfied with any VERSABUSINESS" module, you may return it within 30 days for a refund. Manuals for any VERSABUSINESS" module may be purchased for \$25 each, credited toward a later purchase of that module.

To Order:

Write or call Toll-free (800) 431-2818 (N.Y.S. residents call 914-425-1535)

- add \$3 for shipping in UPS areas * add \$4 for C.O.D. or non-UPS areas
- * add \$5 to CANADA or MEXICO
- * add proper postage elsewhere



All prices and specifications subject to change / Delivery subject to availability.

* TRS-80 is a trademark of the Radio Shack Division of Tandy Corp. *APPLE is a trademark of Apple Corp. *IBM is a trademark of IBM Corp. *OSBORNE is a trademark of Osborne Corp. *CP/M is a trademark of Divital Research - *XEROX is a trademark of Xerox Corp.

CHAOS MANOR

magnum p.c.

800-544-4354



GA Residents 404) 441-3112



4056 WETHERBURN WAY SUITE 205. ATLANTA. GA 30092

PRINTERS	
RITEMAN 3" TALL - LIKE EPSON BUT FASTERBEST	PRICE
C. ITOH F10-40 CPS - LETTER QUALITY	.1169
55 CPS	
OKIDATA ALL MODELS	
NEC SPINWRITERS	
EPSON MX, FX, RX	.CALL
TOSHIBA P1350	
SILVER-REED	SAVE
MICROFAZER PRINT SPOOLER	.CALL

DISK DRIVES	
TANDON TM100-2	CALL
10 MEG HARD	
QUADDISK 6 MEG REMOVABLE	CALL
TECMAR 5 MEG REMOVABLE	CALL
IDEADISK 5 MEG REMOVABLE	CALL
MICRO SCI XL (FOR APPLE)	187
DAVONG CALL CFX	CALL
POADDE	10 0

BOARDS	
QUADRAM ALL PRODUCTS	CALL
AST LATEST BOARDS	CALL
IRMA 3278 EMULATORBES	PRICE
QUADLINK EMULATE APPLE ON IBM-PC.	
TECMAR ALL PRODUCTS	
IDEASSOCIATES ALL PRODUCTS	
MA SYSTEMS PC PEACOCK	CALL
IMAGE TECHNOLOGY FUNCTION PAK	CALL
MONITORS	

MICHITORS
TAXAN 105 AMBER / 100 GREEN109/104
420 IBM RGB LOOK ALIKECALL
RGB-III SUPER HI RESCALL
AMDEK 310 DIRECT IBM PLUG IN - A OR G CALL
300 AMBER / GREEN154/144
QUADRAM QUADCHROMECALL

MODEMS
NOVATION - ACCESS 1-2-3 W/CROSSTALK XVI CALL
SMART CAT 300/1200CALL
J-CAT 300117
APPLE-CAT 300/1200CALL
HAYES SMART MODEM 300/1200212/499
1200BCALL
ANCHOR VOLKSMODEMCALL
SIGNALMAN MARK VII/XIICALL
IDEA IDEACOMM 1200CALL
IDEANETCALL

SUFTWARE		
MICROSOFT WORDCALL	PEACHTEXT 5000 229	
D-BASE418	SUPERCALC 3253	
WORDSTAR CALL	EASYWRITERCALL	
FRIDAY 194		
LOTUS 1-2-3SAVE	MULTIMATE CALL	
GRAPH WRITERCALL	CHART MASTER CALL	

ACCESSORIES		
STANDBY POWER SYSTEMSBEST PRICE		
SWITCH BOXES PARALLEL & SERIALSAVE		
CHIPS 64K55		
COMPUCHART PLOTTER TRANSPARENCIES &		
PAPERCALL		
KOALA PAD W/GRAPHICS ILLUSTRATORCALL		
KOALAWARE FOR IBMBEST PRICE		
COMPUSERVE STARTER KIT32		

DIOIXETTEO			
		CASE 100	BOX 10
VERBATIN	SS/DD	180	24
	DS/DD	300	36
MAXELL	SS/DD	220	27
	DS/DD	330	39

DICKETTEC

AVAILIBLITY AND PRICES SUBJECT TO CHANGE

APPROVED CORPORATE ACCOUNTS WELCOMED

need and providing it whether it's wanted or not. It will take considerable effort to modify that attitude.

Consider: here AT&T spent more than I've ever seen any company spend at any computer show: this to bring products to a dinky little COMDEX that I wouldn't have bothered to go across town to see if AT&T hadn't been there. The press corps was the smallest for any show I've been to since the 70s. Having brought the 3B2 to the tiniest pond available. AT&T still didn't have a good mechanism for getting people to a press conference. The COMDEX staff were even telling people it had been canceled; if I didn't have a nasty, suspicious nature so that I checked with AT&T myself, I'd have missed it.

Just before COMDEX, I received three phone calls, two letters, and a telegram reminding me that I could have an interview with John Scanlon. When I discovered I was missing the press conference—it was in the Bonaventure Hotel, a mile from the show—an AT&T expediting officer put me in a cab to get me there. AT&T sure paid attention to press relations: but with what result? Apple spent far less to get Macintosh on the cover of every magazine in the country. I've yet to see real coverage of the AT&T market entry.

On the other hand, AT&T can afford to make mistakes. When I said that at AT&T's lavish press luncheon, some of the computer press people said, "Yeah, and they got started early."

Maybe; but that 3B2 is one heck of a machine. It's state of the art, and it's available now. Of course, it's not a retail system. AT&T intends just now to sell to system developers and value adders who'll package it into full systems that will inevitably cost quite a lot. Retailers needn't worry just yet.

However: where else can you get a UNIX development system that you can also use for your general-purpose computing at that price? And certainly The Phone Company knows how to build rugged, reliable equipment. I wonder what the 3B2/300 will cost next year?

Of course, we haven't heard the last from the micro world either. AT&T's machines are still positioned for maximum effect in the minicomputer world, and if AT&T has a year of development time to impact micros, so do first-class microcomputer outfits like Sage and

CompuPro. The race isn't anywhere near decided.

Whatever happens, the micro industry had better think hard about AT&T's impact, which will be as big as IBM's. AT&T is big, is here to stay—and has got some damned impressive machinery.

Update: AT&T has also got some real marketing problems. It took me two days to find out the licensing fees for UNIX System V on 68000 systems, and when I finally did, I found the fee structure is set for minicomputers; the company doesn't know how to handle thousands of sales.

In fact, I found myself conducting a telephone seminar on the micro market. Maybe the people there learned something. More next time.

BIG MAC

I've been sitting here bringing up Mac-Write, and while swapping disks back and forth on my Macintosh, I thought about the contrast with the AT&T system and UNIX. It takes a couple of minutes to get the Macintosh ready to run a simple text editor; for me that's far too big a waste of time, especially when the only editor available is MacWrite.

In other words: I'm nowhere near as impressed with the Macintosh as everyone else seems to be.

I know I'm in trouble for saying that. I've already experienced what happens when one is less than enthusiastic about Macintosh: the Mactribesmen descend in force with fire and sword. You must overlook all the Mac's faults, for after all, they're only temporary. Everything will be fixed . . .

If IBM or AT&T had come out with a machine that had a single disk drive, no Control or Escape keys, nonstandard interface between keyboard and system, proprietary operating system, limited memory, closed architecture with no possible access to the machine's innards, disk formats totally incompatible with anything else in the micro community, no languages except Microsoft BASIC (and plenty of bugs in that), and absolutely no application software, the micro community would have screamed bloody murder. Apple has done precisely that, and everyone applauds.

I'm sorry, but I don't. As I write this, the Macintosh is a wonderful toy; but it's not very much more.



We've helped CBS fly,



PLATO

The face of quality educational courseware.

CBS Software A Unit of CBS Inc.

Plato courseware educate,

Making you the best.

Plato is a registered trademark of Control Data Publishing

Thoughtware. Expanding The Universe Of Learning.



Thoughtware is a registered trademark of the Institute for Management Improvement

and Thoughtware® expand the universe of learning.

If you don't know us, you probably should.

The world's leading producers of quality software trust their software duplication to us. We're Allenbach Industries. We created the diskette duplication industry. So it is no surprise that the most respected names in software turn to us for their duplicating needs. We understand that your reputation lives or dies with every package sold. So does ours. That's why every step of the duplication process — from copy protection to labeling to package design and assembly - is supported by a complete staff of professionals. When your product leaves our facility, whether it be a duplicated diskette or the entire market-ready package, it's ready for your name.

Give us a call at (800) 854-1515* and discover how we can help you fly.

*In California, call collect (619) 438-2258.



2101 Las Palmas Drive • Carlsbad, California 92008 • 619-438-2258 • 800-854-1515

INDUSTRIES, INC. We Set the Standard in Software Duplication

© 1984 Allenbach Industries, Inc. Circle 16 on inquiry card.

TELEVIDEO

EAGLE

ALTOS

NOVATION

DAISYWRITER

(602) 949-8218

1 (800) 328-8905

ADDS

DEC

DATA SOUTH

C

HOIL

OKIDATA

NORTHSTAR

TOPAZ - Power Supplies For EMERGENCIESI Don't LOSE DATAI

TAXAN MONITORS Green & Amber - WAY BELOW COST!! DEC -- AVAILABLE NOW!

LIBERTY FREEDOM TERMINALS IN STOCK - GREAT PRICES!!

> MICOM ERA II READY FOR DELIVERYII NOVATION J-CATS

GREAT 300 Baud Modem

INEXPENSIVE!!

U.D.S. MODEMS - MULTIPLEXERS

NEC APC Computers READY TO GO

AMERICAN EXPRESS Welcome

TAXAN STAR JUKI MICROLOG PANASONIC HAYES

MANNESMAN TALLY IDS EPSON

OEM'S ONE-STOP SHOP

Not any more.

Jazzy can provide you with reliable manufaccontrol, and consis-tent delivery and lead limes. And with a product line varying peripherals to indus-try-standard computers, bust part: Just wait wait wait you see our pri-

or telex, because we're ready to roll'em out!



IBM COMPATIBLE

JAZZY INDUSTRIAL CO., LTD.

Now, it certainly is fascinating. I know no one who has a Mac who wants to sell it. When it was my turn with the Mac that Dr. Hyson and I own between us, he parted with it reluctantly, and I can certainly see why. The machine is fun.

It just isn't very useful because there's no application software. Indeed, there's less than we thought, because Microsoft's Multiplan, which we bought with the Mac, is no longer being delivered; the dealers have just been told to take it off the shelf. We have not vet been told why or what Microsoft will do about our copy (which we paid full retail for, as we did with the Mac itself).

THE CREATOR

In fact, the only application software for Mac that's actually on the market is Bruce Tonkin's The Creator database. The Creator is a kind of personal filing system, and there are versions for nearly every microcomputer I know of. The data files created by it can be transferred among all these systemsexcept, of course, for the Macintosh, which sits in lonely isolation.

For the price-\$35 postpaid, 30-day money-back guarantee-The Creator is one of the best values in micro land. I recommend it for nearly any machine; but especially for the Macintosh, since it lets you do something useful with the machine.

The Macintosh version of The Creator is written in Microsoft BASIC. It doesn't use the Macmouse, because MacMicrosoftBASIC is too full of bugs to allow that. Instead, Bruce takes all input from the keyboard and formats it himself; of necessity, he has to treat the Mac as a glass Teletype, ignoring all its splendid Macfeatures such as Quickdraw, because there's no way to get at them.

Tonkin writes many of his programs in his PBASIC, which is a preprocessor for Microsoft BASIC that works somewhat as the RATFOR precompiler works for standard FORTRAN, PBASIC lets you do structured code and handles most of the housekeeping for you. I've reviewed it before, and I still recommend it; Bruce has written some impressive software in PBASIC. The output of the PBASIC "compiler" is legal Microsoft BASIC; you can then truly compile that with Microsoft's BASCOM to get tight, fast code that's very portable.

100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |

"WHY PAY MORE" COMPARE THESE PRICES

MC-P APPLICATIONS

Brings Software & Hardware At Unbeatable Prices



SUFTWAR	=	
		OUR
APPLIED SOFTWARE TECHNOLO VersaForm	GY	\$260
ACHTON TATE		\$209
dBASE II	700	295
Friday BPI ACCOUNTING SYSTEMS	295	175
GL/AP/AR (Each)	395	285
Property Management	105	327
FOX & GELLER Quick Code	295	174
Quick Code DutilPac	k -	195 45
HOWARD SOFT	60	45
Real Estate Analyzer II Apple HUMAN SOFT DB Plus	199	135
LATTICE C Compiler	500	89 325
LIFETREE Volkswriter Deluxe		175
Think Tank	195	125
METASOFT Benchmark	499	295
MICROSTUFF Crosstalk	195	129
MICROPRO Spell Star	250 495	162 349
Mail Merge	250	155
Super Sort	250 145	135 86
Info Star	495	320
Word Star Pro	695	325
R Base 4000	495	325
MICROSOFT		
Flight Simulator (IBM) Flight Simulator (Apple) Sublogic	50	35 29
Multi Plan Multitool Word W/Mouse	250	159
Pascal Compiler	475 350	295 245
C Compiler	500	325
PBL CORPORATION Personal Investor	145	98
PETER NORTON	145	90
Peter Norton Utility	80	55
PEACHTREE Peach Pack (AR, AP, GL)	595	249
ROSESOFT Prokey	555	95
SOFTWARE DIMENSIONS Accounting Plus		
GL, AR, AP, PR, INV - Each	495	295
SOFTWARE PRODUCTS INTERNAT		
Open Access SATELLITE SOFTWARE		
Word Perfect	495	325
SOFTWARE PUBLISHING Pfs: File		
Apple	125	79
Pfs: Report	. 140	79 79
SOFTWORD SYSTEM	123	1.5
Multimate	S	12.2
SORCIM SuperCalc II	295 395	185
STATE OF THE ART (FM Series)		2,0
GL/AP/AR/INV/PR-Each SYNPSE File Manager	595 150	375 97
WOLF Move-It	199	125
VISICORP		
Visicalc IV	250 250	175 187
Visifile (IBM)	300	195
VisiSchedule VisiWord w/free VisiSpell	300 375	195 285
Visitrend/Plot	300	195
		_

Monthly Specials

Tandon TM 100-2
\$20500
AST SIX PAK (64K)
\$26500
AMDEK 310A
\$16900
MULTIMATE
\$27500
IRMA 3270
\$104500
OPEN ACCESS
\$36900

Value Paks
PLANTRONIC +
PRINCETON GRAPHIC
\$86900

LOTUS 1-2-3 \$29900

R:BASE 4000 +
MULTITOOL WORD
W/MOUSE
\$58500
LOTUS 1-2-3 +

HERCULES CARD

ORDER STATUS & TECHNICAL SUPPORT — CALL (408) 293-3360

Call for Hardware & Software Prices Not Listed This Ad

Used PC's & Apples Bought & Sold

HARDWARE

	LIST	OUR
HAYES MICROCOMPUTER PRODU	JCTS	7.70
Hayes 300 Baud	\$289	\$199
Smart Modern 1200B	599	429
Smart Modern 1200		495
ADVANCED LOGIC SYSTEM (App	ole II)	
Z-Card	169	115
CP/M Card (W/ CP/M 3.0)	99 399	55 315
MPC PERIPHERALS (Apple)		
Parallel Interface Card		
(w/Cable)	90	68
MOUSE SYSTEMS		
PC Mouse w/Software	295	219
NOVATION	200	-10
Apple - Cat II	200	275
212 Auto Cat	695	595
Smart-Cat 103/121	595	445
Smart-Cat 103	249	187
PEGASUS		
Hard Disk 10 mgb (internal)		1195
PERSONAL COMPUTER PRODUC		, 100
Applicard 6 Mhz		200
	3/3	200
KRAFT & TG Joystick		1.55%
IBM	70 65	00
	65	35
STB Color Graphix Card TALL GRASS Hard Disk 10 mgb		375
7/	3495	2995
TEAC Half Height		199
VERBATIM DISC	-	75/1
S/S D/D 10 Pk	49	24
	71	38
AMDEK MAI BOARD		435
ELECTRONICS PROTECTION DEVIC	CES	
	140	94
Peach	98	64
QUADRAM		
Quadboard II 64K	395	285
Quadcolor I	295	219
Quadlink	680	525
MEMORY CHIP SET		
(64K/9 chips)	95	45
PRINTERS		
NEC 7730 RO Parallel2	595 2	295
Qume 1140 Plus1	685 1	349
MONITORS		
Amdek 12" 310A	230	169
Princeton RGB Hi Res	795	485

International Dealer Inquiries Welcomed

Circle 203 on inquiry card.

MC-P APPLICATIONS, Inc.

1630 Oakland Road, Suite D114
San Jose, CA 95131, USA Phone (408) 293-3360
Telex: 821396 MCPA UD

HOURS: 8:30 a.m. to 5:30 p.m. — Mon. - Sat. Call for Prices in Australia at 02 929-8468

TERMS: All prices subject to change. Cashier's check/MO/Bank Transfer. Allow time for company or personal checks to clear. Prices reflect cash prepaid discount. VISA/MASTER CARD/COD/PO's 3%. California residents add sales tax. SHIPPING: \$4 per item for UPS surface (\$8 for Blue Label): Monitors \$20. Printers \$25, within continental USA.

Say goodbye to the Tower of Babel with...

XENO-DISK

The disk production system for your PC!

Read, write, format and duplicate 70 disk formats on your IBM-PC or compatible under MS-DOS. Developed from our popular Xeno-Copy™ utilities. Now supports popular 8" and 96 TPI formats. XENO-DISK \$379.50



Also available:

XENO COPY™	\$99.50
Read and transfer 70 formats to PC/MS-DOS (one way transfer)	
• XENO-COPY PLUS™	149 50

Read and write 70 formats (bi-directional file transfer)

Supports 8," 96 TPI, parameter input for other formats. Included in XENO-DISK.

RUN CP/M-80 PROGRAMS ON YOUR PC \$99.50!

80MATE[™], our CP/M emulator, will run almost any CP/M-80 program under MS-DOS. No need for expensive co-processor boards!

See your dealer or call for information.



Dept. B. 7950 W. Fourth Street Los Angeles, CA 90048 (213) 938-0857

Business as Usual?

it wouldn't be.)

Business as usual these days means a computer that's up and "humming." But if your computer were stolen or damaged, you wouldn't have business as usual. YOU'D HAVE TROUBLE!

You can get fast replacement for your entire system and be back in business in a hurry by protecting your computer with SAFEWARE Personal Computer Insurance. It's the only coverage designed specifically for personal computers used for business - in your office, shop or home.

SAFEWARE protects ALL hardware, ALL purchased software and ALL media against theft, damage or any other kind of loss, regardless of use, after a low \$50 deductible.

(Not without your computer Fast, courteous claims handling prevents your losing valuable business computing

Find the premium price for the coverage you need listed in the table below, available for as low as \$35 per year. Fill in the coupon today. Your coverage will begin as soon as your coupon application is received. Or for even faster coverage, call our toll free

1-800-848-3469

(In Ohio call 1-614/262-0559) Phones open 8 a.m. to 8 p.m. Monday through Saturday

Total Hardware, Media & Annual Software System Value \$ 35 Up to \$ 2,000 \$ 2,001-\$ 5,000 \$ 60 \$ 5,001-\$ 8,000 \$ 75 \$ 8.001-\$11.000 \$ 90 \$11,001-\$14,000 \$105

Call toll-free for rates on higher coverage Coverage differs in Texas.

It is an underwriting requirement that you insure your system for its full value.

Mail to: SAFEWARE, P.O. Box 02211. Columbus, OH 43202

Before I'm out of business,

please issue my SAFEWARE Insurance Coverage

Name		
Street		
City	State	Zip
System value \$		osed □VISA □MasterCard
Card #		Exp. Date

Alas, though, it won't work on the Macintosh, because MacWrite won't let you build large enough source-code files to make it worth porting PBASIC over to the Mac.

FOR THE REST OF US?

I've lived in Hollywood for some years, and I've grown familiar with the typical Tinseltown deal. A producer goes to a star and says: "I've got a great script and your favorite director. Sure would like to have you in the picture." Then he goes to the director. "I've got a star and a script, and the star sure wants you-" Then to the writer; and finally to the money people. When it's all finished, everything he's said is retroactively true.

Similarly: Macintosh is going to sell like hotcakes because of all that wonderful application software. Now you can't do much with software on the Mac, because there's too little memory. and it takes anywhere from 5 to as many as 40 disk swaps to copy a Macdisk; but it's all right, because there will be a second disk drive, and a hard disk, and other excellent hardware after-market add-ons to fit on the Mac's "virtual slot": and after that the software will be easy to write. Software houses are going to work very hard to write application software for the Mac because there's such a huge market, since Apple's selling an awful lot of Macs. Hardware houses will do Macadd-ons because there's so much software Etc.

It can certainly be made into retroactive truth. By the time this comes out, I expect it will be. Some of those Hollywood deals fall flat, though: it all depends on how quickly they can be put together before everyone in the industry catches on. Meanwhile, right now the Mac is mostly useful for people with special requirements, such as advertising layouts with text or producing memos with graphics.

It sure is fun, though.

CATALOGING

For some years now I've used Ward Christensen's public-domain diskcatalog program. Lately, though, I've been importuned to try a new one called Eureka! from Mendocino Software. Eureka! has a number of advantages, including the capability to include lots of comments in your disk catalog,

Have we got an ear-full for you.

Votrax voice synthesizers let your computer talk to you in a world of sound.

Now your ears are as important as your eyes when working with your computer. With a **Votrax** voice synthesizer your computer talks, and it talks to you in a world of sound you never thought possible.

Votrax was one of the first pioneers in the field. The **Votrax** SC-01A speech chip is state of the art, the one many other manufacturers

use in their own equipment.

What it means to you is unparalleled speech capability. **Votrax** voice synthesizers pronounce words by using their basic building blocks rather than utilizing a vocabulary of a few hundred words. It assures you of an unlimited vocabulary. And an unlimited range of sounds: from jet planes to an advanced musical range.

Best of all, Votrax speech synthesizers are "smart," requiring no computer memory for operation. Your computing capacity stays free for other tasks. Small in size yet surprisingly economical, Votrax voice synthesizers are sophisticated pieces of equipment that hook-up in seconds.

Mix speech or sound, program sound frequencies or amplitude levels, or compose your own music with either the Votrax Type 'N Talk TM or Personal Speech System.

Ideal for business, school, handicapped use or the home, **Votrax** voice synthesizers put a world of sound in your computer.

See your local computer retailer or call toll free for more product, warranty or ordering information: 1-800-521-1350 (in Michigan call 313-588-0341). Dealer inquiries welcome.





Yotrax, INC.

1394 Rankin . Troy, Michigan . 48083-4074



WHAT WILL WE HAVE TO IMPORT NEXT, COLLEGE GRADUATES?

Ever since World War I, most of the rest of the world has come to the United States for the latest in technology. Now there's a real danger that the pendulum is swinging the other way. We're importing know-how in many fields instead of exporting it.

Unfortunately this situation will get progressively worse. Unless we

protect American colleges from inflation. For our colleges and universities supply most of the important basic research upon which technological progress is built.

So please give generously. If we keep the intellectual balance of trade in our favor the industrial balance most certainly will follow.

HELP PRESERVE AMERICAN KNOW-HOW. GIVE TO THE COLLEGE OF YOUR CHOICE.

COUNCIL FOR THIAMCIAL AID TO EDUCATION INC. THE AND A PUBLIC SERVICE OF THE MAGAZINE AID HETH WITHUL NEW YORK NY TOURS



protects disks in sleeves of TYVEK.

Here's why.

Quality disks deserve a quality sleeve. Sleeves of TYVEK* spunbonded olefin provide unsurpassed data protection because

- 1. TYVEK is strong—won't tear like paper.
- 2. TYVEK does not lint.
- TYVEK is smooth, non-abrasive.
- TYVEK is chemically clean, has a neutral pH.
- TYVEK reduces static problems.
- **6.** TYVEK is unaffected by water. Take the first step to maximum disk data protection. Call 800-44 TYVEK for the names of manufacturers who rely on sleeves of TYVEK.

*TYVEK is Du Pont's trademark for spunbonded olefin. Du Pont makes TYVEK, not sleeves.



so that you can figure out that "NASTYLET.TXT" was sent to your mother-in-law rather than your lawyer, or whatever. It also lets you date things.

Until recently, though, I couldn't get Eureka! to work with my big CompuPro System 8/16, nor would it catalog the system's hard disk. The Mendocino people kept trying, though, and eventually sent their stuff to Tony Pietsch; and as of an hour ago Noor Singh delivered a copy with the note that this time it works.

It's about time I changed over, and the ability to add comments and dates makes Eureka! nearly irresistible. Full discussion next month, or Real Soon Now if too much flows into Chaos Manor in the next few weeks; meanwhile, Mendocino Software deserves some applause for plugging away until their people could make Eureka! work on my system. Thanks.

RAM DISK FOR THE Z-100


Some weeks ago I got a letter from David James at the University of Kansas. Zenith offered the faculty and students at UK one of those deals you can't refuse, a Z-100 at a really good price, and Mr. James bought one with a lot of memory. When he went looking for a RAM-disk program, though, he couldn't find one.

I had my assistants send copies of his letter to half a dozen places known for their RAM disks. We got only two answers.

Zenith recommends Standard Data of Fort Lauderdale, Florida. I've not used this company's boards, which come in 256K-byte sizes, but I suppose the hardware and software must work or Zenith's people wouldn't have sent me Standard's address in reply to my inquiry.

I'd suppose that CompuPro's M-Drive/ H boards could be made to work, since they're IEEE-696 (S-100) standard; but I've never heard of an installation program that would get M-Drive/H running under Z-DOS. Someone would have to hack up a BIOS (basic input/output system) for that, and I don't know of anyone who's done it.

One other source I know of is Macrotech out in the San Fernando Valley, which has a full 1-megabyte board for the Z-100. It's been going for six months now with RAM-disk software.



StorageMaster. Fixed Disk builds stronger PCs three ways.

If you own an IBM PC, the new StorageMaster 500 Series Fixed Drives from Control Data give you three great advantages.

 Larger capacity than IBM's fixed disk drive. The StorageMaster 518 offers

HOUSEHALD

up to 18 megabytes of storage; the StorageMaster 530 capacity of 30 megabytes is the equivalent of 15,000 double-spaced typewritten pages.

You can boot* (start up) from
StorageMaster 500 Drives—no
need to boot up from a flexible

disk as with other drives.

More byte for the buck. Dollar for dollar, StorageMaster gives you more bytes of storage than IBM's fixed disk drive.

There's more. The 500
Series Drives have an average seek time of only 45 milliseconds—about twice as fast as most other drives. They store your information in a sealed, contamination-free environment. They require

environment. They require no cleaning or preventive maintenance. And they come ready to plug into your PC.*

Look for the 500 Series Drives at your local computer store. Or give us a toll-free call at 800/232-6789 (in Minnesota, call 612/921-4400, ext. 41) and we'll tell you where you can find our whole family of StorageMaster products.

*This capability requires the use of a StorageMaster 301 Controller.

Circle 83 on inquiry card.



Undo.Windows.

New Microsoft® Word. It makes your IBM Personal Computer think it's better than a \$10,000 word processor.

With Microsoft Word, what you see on the screen is what you get on the paper. So it's easy to spot mistakes.

Boldface, underline, and italics look like this,

not this: ^Bboldface ^B, ^Sunderline ^S, ^Iitalics ^I.

And, when you make changes, paragraphs are automatically reformatted. Flush right, flush left, centered or justified. It even gives you several columns on a page, like a newspaper.

Word forgives and doesn't forget.

There's an "uh-oh" command called Undo. Make a mistake? Or just want to experiment? Hit Undo.



Mouse. Finally.

Word undoes your last change and remembers things

the way they were.

Word does windows. Up to eight, to be exact. So you can transfer or edit between eight different documents. Or between eight different pieces of the same document.

Word travels fast.

Word has a Mouse, a handy little critter that lets you move copy, select commands and edit faster than you can say "cheese."

Word also lets you create your own style sheets, so you can standardize your documents,

memos, files and letters.

It's not surprising that Microsoft has a way with Word. We designed the MS™DOS operating system that tells the IBM® PC how to think. And we pioneered the first microcomputer BASIC, the language spoken by nine out of ten micros worldwide.

For a few final words, call 1-800-426-9400 (in Washington State call 206-828-8088) for a free Word brochure and the name of your nearest Microsoft dealer.

The High Performance Software

TOLL FREE ORDERS ONLY! 800-631-0962

INSIDE CALIFORNIA) 800-521-6162

Customer Service HOTLIN (408) 293-33

EED the LOW

OUR PRICE GUARANTEE - It's Simple! We'll beat any ad in this magazine - same terms - call TOLL FREE for details!



DISCOUNT COMPUTER CENTERS

OUR CUSTOMER SATISFACTION GUARANTEE: If for any reason your DCC purchase

LOTUS Symphony \$449
Place your order today 1-2-3 \$296

fails to meet manufacturers specifications within 30 days of purchase, please return it to us for a full refund or exchange of your choice! Sorry, software excluded due to copyright laws. 256K, 2-360 Kb 1/2 Hidrives only \$2099 with 2 IBM 360 Kb drives 256 K, 10 mg hard disk

1-360 Kb drive

199 479

399 229

GEMINI 10X 160 cps, full graphics 120 cps, graphics **EPSON**

COMPUTERS

IBM PC & XT	
CULUMRIA	See special above!!!
1600-1 2	software! ridiculously
1600-4 Hard Disk	ridiculously
VISION 128K Portable	please cally
	please call!!

PRINTERS

EPSON RX 80 100 cps RX 80 F/T 100 cps RX 100 100 cps 132	
RX 80 F/T 100 cps	
RX 100 100 cps 132 col. FX 80 180 cps 132 col. FX 100 160 cps 132 col.	294
FX 80 100 - 100 100 001	339
FX 100 too """	5/5
LO 1500 one To Toc COI	475
UNIDATA COA	D/5
929	1180
939	uousiv
2410	COWILL TOWN
GEMINI 10 V	···· prease call
15.V	recommendation (Ow)
C-110H DDOWN	260
OMUTHED DATE:	359
HR-15 DAISY WHEEL	329
HR-25	
HR-15 HR-25 HR-35 JUKI 6100 DTC 380 Z	449
JUKI 6100	FIGO. 500
DIC 380 2	Henry Scott
VIABLO COO	··········· 443
36	949
530	ИЭО
36 630 TTX 1014 SER/PAR/TRACTOR	1276
- SEH/PAR/TRACTOR	1799
TO THE MANAGEMENT OF THE PARTY	499
dD A O	A

dBASE II IBM or APPLE

MONITORS

IBM MONOCHROME	
AMDER	
310A	Terretary T
TAXAN 100 OF	***************************************
12" AMBER	16
420 RGB	
ZENITI-	
12" AMDE - 12" GREEN	469
124 MONO	109
133 RCD	130
135 RGB/COMP	169
***************************************	449
(Man	475
MODEMS	
1200	_
	BM MONOCHROME

MICROMODEM II ANCHOR MARK XII DRIVES

1200 1200B

IBM 360KB	 ***************************************	225 185 189 179 179
AST SIX PAI W/64K	 240	349

BOARDS - IRM

	JOANUS - IBM	1
5	HERCULES GRAPHICS	
?	AST SIX PAK W/64K MEGAPLUS STB RIO W/64K	
ı	MECADULE	
	STB RIO W/64K GRAPHIX PLUS OTHERS	
	GRAPHIX PLUS	2
	GRAPHIX PLUS OTHERS QUADRAM QUADBOARD W/64K QUADRAPO	2
	QUADRAM QUADROADA	31
	QUADBOARD I QUADBOARD I QUADLINK IBM MONOCHROME	\$Ca
	QUADLINK	24
	QUADLINK IBM MONOCHROME COLOR GRAPHIC	19
	IBM MONOCHROME COLOR GRAPHICS PLANTRONICS COLOR PLUS MA SYSTEMS DO	\$Cal
	PLANTRONICS COLOR PLUS MA SYSTEMS PC PEACOCK GRAPHICS TECMAR GRAPHICS	310
	MA SYSTEMS PC PEACOCK GRAPHICS TECMAR GRAPHICS MASTER	219 359
	EVEDEN GRAPHICS MASTER	239
	TECMAR GRAPHICS MASTER EVEREX ALL BOARDS	489
	EVEREX ALL BOARDS	. \$Call
	/ DO	- voui

(BOARDS ADDLE

BOARDS - APP	F
ORANGE MICRO GRAPPLER	
VIEWMAX 80	130
MICROSOFT 16 RAM CARD	159
PAEMIUM PAK	
IBM SOFTWARE	7
LOTUS 1-2-3	

SYMPHONY

MULTIPLAN	-
Professional • Wordstar	RDSTAR pack +

- Correct star
- Star index Mail merge

	400000000000000000000000000000000000000	""IRN WORK	. 10
	WORDST	AR PRO PACK	ORS***
	PFS WRIT		
305	MULTIMAT	F	3
240	WORD W/	A CONTRACTOR OF THE PARTY OF TH	
50	VOLKSWR	E MOUSE	26
49		I'LH DELUXE	
09	drace "	IDM DATA DACE	170
ill	PES FILE		
9	CONDOR III	"IBM DATA BASE"	364
9	M-HASE 400	The state of the s	DRBO
9	FRIDAY	***************************************	340
		***************************************	200
3	CROSSTALL	IRM MICCOSS	180
10			
	MASTERTYPE	ALEXA MARKET MAR	105
	HARVADO DO	The state of the s	Transmission 45
	SIDEWAYO	OLUI MGR	
	NORTON LITTINO		240
- 27	TS DEDON	The Contract of the Contract o	**************************************
D	OW JONES "	TIES	55
	The second second	THE RESIDENCE OF THE PARTY OF T	
F	IGHT CHEE	IBM GAMEC+++	249
PI	NRAL I SIMULAT	OH	\$100 miles (100 miles)
FF	OGGER	***************************************	
-	AUGEN		45

ACCESSORIES

64K RAM chine and	
64K RAM chips 200ns KEYTRONICS KEYBOARD 5151 VERBATIM SS/DD diskettes DS/DD diskettes	
VERBATIM SS/DD distant 5151	NEW 4
VERBATIM SS/DD diskettes DS/DD diskettes DISK MINDER	
DISK MINDER holds 75	21
SURGE PROTECTOR Compugard PTI POWER BACK-UP 200 w	28
PTI POWER BACK-UP 200 W	69
PTI POWER BACK-UP 200 W PTI POWER BACK-UP 300 W FINGERPRINTS - EPSON	329
TIME S - EPSON	540
	48

HERCULES **GRAPHICS**

established

BUYER FRIENDLY TERMS! • DELIVERY Most orders delivered within 10 days or less. Add 3% (*5° min) for UPS shipping, handling, insurance. Calif. residents add 6.5% sales tax. 2° day UPS available at extra charge. • PAYMENT Visa, M/C, cashiers checks, money orders, personal checks accepted. (Allow 10 business days for personal/company checks to clear). We never charge extra for credit cards! C.O.D.'s welcome (20% p/p deposit) with cash, certified check or money order. • WARRANTY All items shipped are new, include FACTORY WARRANTY and are GUARANTEED TO WORK. DCC is an AUTHORIZED DEALER and SERVICE CENTER for most major brands. • RE-TURNS Must be accompanied by RMA number (supplied by DEALER) and may be subject to a 20% restocking fee. Prices and availability subject to change without notice. All items limited to stock on hand. • Mail order prices not valid at retail outlets due to regional pricing restrictions. Minimum order *50%.

FREE - VISA/MC!

1213 LINCOLN AVE • SAN JOSE, CA 95125 • (408) 293-3350 1243 W. EL CAMINO • SUNNYVALE, CA 94081 • (415) 465-4494

OUR DISCOUNT SHOWROOMS

Late addition: we have one. It works fine. More next month.

EAT YOUR HEART OUT

Macrotech had an impressive board running at COMDEX Winter: an 8-bit Z80 coupled with an Intel iAPX286 chip for 16-/32-bit processing.

It was installed in a CompuPro boatanchor box much like mine. I admitted that I was impressed. To make sure there were no misunderstandings, Macrotech's people opened the box to show me that the board was wire-wrapped; a production model will be available sometime this summer or fall.

The rest of the boards in the box were CompuPro. They claim that sometime before next fall's COMDEX they'll come over here, open my Dual Processor, remove the CompuPro 8085/8088 board. and insert a Macrotech board; after which my system will continue to operate on CP/M-8/16 as before, except that it will be faster, will be able to run Z80 as well as 8080 software, and will accept iAPX286 commands. We'll see: my CP/M-8/16 isn't the common variety, since Tony Pietsch did some work with the command processor, and enabled interrupts, and generally did a spit-andpolish job. On the other hand, I never throw anything away: I can certainly boot up the old standard CP/M-8/16 if I have to.

PRINTER OPTIMIZER

Last month I mentioned Applied Creative Technology's Printer Optimizer, which is a box full of memory that sits between the Golem (CompuPro 8/16) and the NEC 7710 Spinwriter. Shortly after that, ACT recalled the machine in order to add even more memory to it.

And I discovered that I was hooked. No sooner was the little jewel gone than I missed it terribly. It's amazing how you can get used to the idea that printing is something that happens nearly instantaneously (well, at 9600 bps, which is the speed at which the computer ships data into the Optimizer). Waiting for the machine to print at normal speed (1200 bps) was just no fun at all.

Ten days later it came back. The first time it showed up I'd had Alex install it, but he wouldn't be back from UCSD for a couple of days, and I wanted the Optimizer now; so I tackled the installation myself.

I am no hardware genius. Like most Americans of my generation, I learned to solder and install electrical switches and such, but when I was in school electronics meant vacuum tubes and hookup wire; not only didn't we have transistors, but printed-circuit boards were pretty rare. Thus, while I'm not afraid of the innards of my computers, I do tend to think of hardware jobs with a distinct sense of unease, not to say dismay. There was nothing for it, though; if I wanted my Optimizer—and I sure did—I was going to have to do it myself.

It turned out to be simple. Not as simple as it would have been had I wanted to connect it to a Centronics parallel port instead of through an RS-232C serial port, but simple enough. The ACT instructions are quite clear, with plenty of diagrams and examples and a good explanation of the theory of what's going on. It took me considerably less than an hour to hook things up, and mirabile dictu, everything worked first time.

Now, with 256K bytes of memory in the Optimizer, I can pack a great part of an entire novel into it. I can do that as one long file, or as a series of linked files, or even one file at a time if I want to fiddle with the last part while the beginning is printing out.

The Optimizer even has a way to program it so that the files aren't necessarily printed in the order you put them in: there's a way to shunt stuff off, as on a railway siding, so that something else can be printed first. It's not a feature I use very often, but it can be convenient, as for example when you don't have the fanfold tractor on because you want to print single sheets, but there's a convenient opportunity to load in a file that will need fanfold.

If you don't have a printer buffer, you don't know what you're missing. They come in a variety of styles with various features, and I haven't much experience with any of them except the ACT Optimizer. I sure love this one, and it's hard to imagine one easier to use. Given the wide variety of protocols and stop bits and other such stuff (the RS-232C, meaning Revised Standard-232C, is anything but standard; there are a bewildering complexity of ways to hook serial ports to computers), it would be difficult to write better hookup instructions.

Recommended.

SPEEDING UP YOUR PC

Another gadget I'd just got installed last month was the Quickon from Security Micro Systems. This little gizmo installs rather simply in your IBM PC; when it's all aboard, all you'll see is a small switch on the back.

Throw the switch one way, and the PC behaves normally. Throw it the other way, and the memory tests are disabled: the PC comes on nearly instantly. Now, I don't think you ought permanently to disable the memory tests; but I sure don't much care to wait for all that every time I have to turn the PC off to escape from some hang-up—and with no true hardware reset on the machine, that happens more often than I like.

We've had the Quickon working for five weeks now, with zero trouble; and Jim Baen reports that he's had his almost a year. If you like waiting for the PC, you won't need this, but if you're as impatient as I am you'll find it nearly indispensable.

DISK MAKER

New Generation Systems is a public benefactor.

Our Kaypro 4 will, courtesy of a program called Uniform—itself a lifesaver—read a number of 5¼-inch disk formats, but there are machines it has never heard of. However, when we get a disk that the Kaypro can't read, we no longer despair; we take it to the Disk Maker I.

I first heard about the Disk Maker at CP/M East when I stopped to talk with Leor Zolman. Leor was, naturally, demonstrating BDS C, the blindingly fast 8-bit C compiler he wrote while he was still an undergraduate at MIT; but he'd been so impressed by the Disk Maker that, although he owned no part of the company that makes it, he had one to show off at his BDS booth.

That was a pretty good recommendation by itself. I have considerable confidence in Leor's judgment. He introduced me to the box's inventor, and we arranged to get one shipped to Chaos Manor. The result has been as advertised. Disk Maker can read almost any conceivable 5¼-inch disk format.

The machine consists of one or two disk drives—mine has two, one 48 tracks per inch (tpi) like the IBM PC, the other 96 tpi like the Eagle 1600 series—and an S-100-bus disk-controller card. You

(continued)

ITEMS DISCUSSED		DAM DIA 6 7100 2000
AT&T/IBM PC InterfaceNA	Eureka!	RAM Disk for Z-100\$995
Locus	Mendocino Software	Standard Data Corp.
3330 Ocean Park Blvd.	POB 1564	1500 NW 62nd St., Suite 508
Santa Monica, CA 90405	Willits, CA 95490	Fort Lauderdale, FL 33309
(213) 452-2435	(707) 459-9130	(800) 327-5567
Calendar/I NA	Macintosh \$2495	RAM Disk for Z-100 . #896Z \$2250
Clear Systems	Apple Computer	Z80/286 Processor
607 Ashland Ave., Suite A	20525 Mariani Ave.	Board
Santa Monica, CA 90401	Cupertino, CA 95014	Macrotech International Corp.
(213) 394-7740 *	(408) 996-1010	9551 Irondale Ave.
		Chatsworth, CA 91311
CompuPro 8/16 System \$5995	PBASIC	(818) 700-1501
CompuPro	The Creator	
3506 Breakwater Court	TNT Software	Sage II\$3900
Hayward, CA 94545	34069 Hainesville Rd.	Sage IV\$7300
(415) 786-0909	Round Lake, IL 60073	Sage Computers
	(312) 223-0832	4905 Energy Way
Disk Maker 1	(312) 223-0032	Reno, NV 89502
96 tpi option\$385		(702) 322-6868
New Generation Systems Inc.	Printer Optimizer \$499	
1800 Michael Faraday Dr., Suite 206	Applied Creative Technology Inc.	3B2/300 Computer \$995
Reston, VA 22090	2156 West Northwest Hwy., Suite 303	AT&T
(703) 471-5598	Dallas, TX 75220	222 Broadway
	(214) 556-2916	New York, NY 10038
Enchanter		(212) 669-2584
Sorcerer	Quickon \$69.95	
Infocom Inc.	Security Microsystems Consultants	
55 Wheeler St.	16 Flagg Place	
Cambridge, MA 02138	Staten Island, NY 10304	
(617) 492-1031	(212) 667-1019	

can install the Disk Maker card in your S-100 system and forget it's there until you need it; then, when you get a disk with a strange format, fire up the Disk Maker. Chances are very good that it will be able to read it, and you can use PIP to move files to and from your normal system's disks.

We have the Disk Maker installed in Zorro, the Zenith Z-100, who also runs 8-inch disks in addition to his normal 5¼-inch disks; thus, we can move files from any 5¼-inch format to 8-inch IBM standard, after which they can be brought in for Zeke and the Golem.

The Disk Maker will format disks, too; about 50 formats are supported. It's thus nearly ideal for a small software house that tries to support a wide spectrum of customers.

It's easy to install, easy to use, and darned near unique. If you need one, you need it bad.

RAVING ABOUT CALENDAR/I

Peter Flynn, our new assistant, sees a lot of software; alas, more than I do, since so much flows through Chaos

Manor that I have to let Peter and Alex screen it unless it's something I'm particularly interested in. Thus, he doesn't give many rave reviews.

Here's one item he liked a lot.

"Calendar/I puts date-related information into a calendar format. It is easy to use. The manual is good and organized in a straightforward manner. The preface states that the manual assumes you know how to use the various CP/M functions such as PIP and COPY and that you have and can use a text editor that can produce plain text files 'with no embedded control characters.'

"The text editor is used to create one or more files that are the sources for the date-related information. This is the best approach I have ever seen for a calendar program; it is easy to input large numbers of notices, and it's very easy to update and modify into different calendars. This is by far the most useful and versatile program of its type I have ever seen. It is much better than the scheduler in Valdocs.

"Calendars are composed of notices that are stored in calendar files. Each

calendar file is composed of dates followed by notices pertaining to that date. The calendar files, which you create on a word processor, look like this:

%This is a comment. @ 8/10/84 Meeting with Fred at 7:15 AM 7/29 First Moon Landing, 1969

8/10 Sally's Birthday

"The order of the dates does not matter, and you can enter the same date more than once. They can be organized under headings such as birthdays, meetings, notices, and social events. Under each date is a notice or group of notices. They will be printed in the box for the corresponding date on the calendar. Lines beginning with % are comments and are ignored by the Calendar/1 program.

"A new calendar file can be for a month, a year, or many years. If a date

(continued)



- NETWORK

WHOLESALE +8% PRICING **OUR 400 PAGE CATALOG OF 20,000 COMPUTER PRODUCTS** 12 TO 21 DAY SOFTWARE RENTALS, AT 20%[†] FOR NETWORK MEMBERS ONLY!

Listed below are just a few of the over 20,000 products available at our EVERYDAY LOW PRICES! All software below is priced in IBM-PC format. The NETWORK carries software for IBM, Apple, CP/M, Kaypro and over 50 other popular systems.

GAMES & EDUCATIONAL SOFTWARE

Sierra On-Line Frogger
Sierra On-Line Crossfire
SubLogic Night Mission Pinball
Spinnaker Alphabet Zoo
Spinnaker Delta Drawing
Spinnaker FaceMaker
Spinnaker FaceMaker
Spinnaker Hey Diddle Diddle
Spinnaker KinderComp
Spinnaker Rhymes & Riddles
Spinnaker Story Machine
Spinnaker Most Amazing Thing
Virtual Combinatics Micro Cookbook BUSINESS SOFTWARE
50 shipping and handling for each title orde
Wholesale
\$ 4.00* Microsoft Multiple
4.00* Monogram Dollia dered from below.) (Please add \$2.50 s Wholesale 105.00* 93.00* 85.00* 250.00* 90.00* 48.00* 74.00* 125.00* 74.00* 74.00* 74.00* 74.00* ATI How to use MultiMate
ATI How to use Midrasoft: Word
ATI How to use Lotus 1-2-3
Ashton-Tate Friday!
Central Point Copy II PC
Conceptual Instruments Desk Organizer
Digital Research PL/I Compiler
Funk Software Sideways
Harvard Miravard Project Manager
Hayes Smartcom II
Lotus Development Lotus 1-2-3
MicroRim RBase 4000
Microsoft Compiler
Microsoft Compiler Microsoft Mulliplan
Microsoft Mulliplan
Microsoft Crosstalk XVI
Monogram Dollard & Sense
Multimate Systems Multimate V3.2
Oasis The Word Plus
Peter Norton Norton Utilities
Rosesoft Prokey Version 3
satellite Software WordPerfect
Softcraft Fancy Fonts
Software Publishing PFS: File
Software Publishing PFS: Write
Software Publishing PFS: Graph
Sorcium Supercalc 3
SPI Open Access
Verbatim Disk Drive Analyzer HARDWARE g charges found in italics next to price.) (Please add shipping and arges found in italics next to price.)

MULTIFUNCTION CARDS

Apparat 572K Memory Board with OK
Apparat Combo II w/ser/par/game/
clock/stbr.
AST Six-Pack Plus with OK
AST MegaPlus II with OK
AST MegaPlus II with OK
AST Serial-Parallel/Game Port
options for any AST Card
Quadram Improved Quadboard
384K with OK
Quadram Quadlink (Run Apple Code
on IBM)
Teemar Captain Multifunction Card
200.01 COMPLETE SYSTEMS 85.00° (2.50) 123.00° (2.50) 205.00* (2.50) 205.00* (2.50) 105.00* (2.50) 33.00* (1.00) Columbia Desktop & Portable Systems Eagle Desktop PC and Spirit Portables 18M PC 2 DSDD Floopy Drives/Color Card/Mono Monitor 18M Hard Disk 1 Floopy/10Mb Hard Disk/128K/Color Card/Mono Monito Sanyo MBC 550 "Lowest Cost MS - DOS System" Tava Complete IBM compatable 1/28K/Color Card/Mon/2 drives Texas Instruments Professional 2,157.00* (48.00) 2,902.00* (62.00) 197.00* (2.50) 710.00* (15.00) 405.00° (2.50) 1,710.00* (36.95) Tecmar Captain Multifunction Card with O/K 200.00* (2.50) DISK DRIVES & CONTROLLERS to 1/2 Ht Low Power 10MB 820.00* (18.00) | DISK DRIVES & CONTROLLERS | \$20.0° (18.00) | Winchester W/IBM Controller | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) | \$20.0° (18.00) MEMORY CHIPS All chips guaranteed for life 64K Memory Upgrade Kits (9 Chips) 64K Dynamic Ram Chips (Each) Anchor Mark XII LOWEST PRICE 1200BPS 230.0L HAYES COMPATABLE EXTERNAL MODEM! Hayes Smartmodem 300 Hayes Smartmodem 1200B with 366.90 Smartcom II Hayes Smartmodem 1200B without 299.00 software VIDEO CARDS

1200BPS 230.00° (5.00)

299.00* (2.50)

110.00* (3.00) 120.00* (3.00) 130.00* (3.00) 362.00* (6.00) CALL CALL 245.00* (6.00) 420.00* (9.30) 76.00* (2.50)

ACCESORIES AND SUPPLIES
Brand Name DSDD Diskettes 20.00° (1.00)
Guaranteed for Lifel! 54.00° (3.00)
Keytronic KB5151 Deluxe IBM Keyboard 185.00° (4.00)
WP Printer Paper 2600 Sheets 17.00° (10.00)
Microfine Perts (Invisible when torn) *PC NETWORK Members pay just 8% above the wholesale price, plus shipping. All prices reflect a 3% cash discount. Wholesale prices fluctuate rapidly—all prices in this issue have been prepared 60 days in advance. Please call for latest prices. Minimum shipping 2.50 per order.

300.00* (2.50) CALL 206.00* (2.50) 175.00* (2.50) 240.00* (2.50) 30.00* (1.00)

Hercules Monochrome Graphics Card
Hercules Color Card with Parallel Port
Persyst Monochrome Display Card
Quadram Quadcolor I Color Card
STB Graphix Plus
STB Clock Option for Graphix Plus

†RENT BEFORE YOU BUY-Members are eligible to join The NETWORK's Business and Game Software Rental Libraries and evaluate products for a full 12 (Regular) or 21 (VIP) days to see if it meets your needs. And The NETWORK's rental charges are far less than other software rental services—JUST 20% OF THE MEMBER WHOLESALE PRICE.

For as little as \$8 per year you can join the thousands of value wise buyers who have saved more than \$8,000,000 on 25,000 orders in just the last six months and received these 15 unique benefits:

- Wholesale + 8% Pricing
- Our 400 Page Catalog—Over 20000 Products
- In-stock Delivery On Popular Products
- Experienced Sales Consultants
- · Add-on Quantity Discounts
- · Free Technical Support
- 12-21 Day Business Software Rentals (optional)
- 12-21 Day Game Software Rentals (optional)
- Special Savings Newsletters "The Printout"
- Discount Book Library—Over 1000 Titles
- Membership Referral Bonus
- · Corporate Accounts
- · Software Publishing Assistance
- · Membership Refund Guarantee
- 10 Day Hardware Return Policy

CALL 1-800-621-S-A-V-E

In Illinois call (312) 280-0002 Your Membership Validation Number: B381

You can validate your membership number and, if you wish, place your first money-saving order over the phone by using your VISA, MASTERCARD or AMERICAN EXPRESS. Our knowledgeable service consultants are on duty Mon-Fri 8 AM to 7 PM, SAT 9 AM to 5 PM CST.

PERSONAL COMPUTER NETWORK 320 West Ohio Chicago, Illinois 60610

Call now...Join the PC NETWORK and start saving today!

												_
DC	ME	TWO	DK	- BA	EM	DE	DC	HID	ADDI	10	AT	11

PC NETWORK . ME	MBERSHIP	APPLICATION
YESI Please enroll me as a men catalog featuring thousands of o DEALER WHOLESALE PRICES PRINTOUT", a special up-date of those in my wholesale catalog, a services available to Members.	computer products, I will also periodica on merchandise at p	all at just 8% above ally receive "THE prices BELOW even
I am under no obligation to buy guaranteed. Please check (Basic Membership One-year membership for \$8 Two-year membership for \$15 (SAVE \$1) Business Software Rental Library for \$25 add*l. per year—with 12 day rentals Games Software Rental Library for \$10 add*l per yea Bill my credit card: VIS/ Account Number:) all boxes that app Special V.I.P. 3 One-year mem (SAVE \$5) BOTH Busines Software Rente add'l. per year VIP members re	Membership* hbership for \$15 hbership for \$25
Exp. Date	osed for \$	
Address		Apt. No
City	State	Zip
Telephone ()		5-80 ☐ Kaypro

Copyright @1984, PC NETWORK INC.

Circle 242 on inquiry card.

software
Rixon R212A Stand Alone 1200BPS
U.S. Robotics Password (Compact 1200BPS Extended)

Amdek Video 300G Composite Green
Amdek Video 300G Composite Green
Amdek Video 310A IBM Type Amber
Amdek Video 310A IBM Type Amber
Amdek Video 310A IBM Type Amber
Amdek Color III + RGB Color
Princeton MAX-12 IBM Monitor
Princeton MAX-12 IBM Monitor
Princeton MAX-12 IBM Monitor
Princeton SR-12 Ultra High Res RGB
Taxan 210 Combo RGB/Composite
Taxan 420 Super High Res RGB Monitor
Zenith ZVM-123 Green High Res
(Consumer Reports Rated Best Buyl)

(Signature required to validate membership)

C SOFTWARE DEVELOPMENT

MSDOS

FULL C COMPILER PER K&R

Inline 8087 or Assembler Floating Point

•Full 1MB Addressing for Code or Data

Transcendental Functions

MSDOS 1,1/2,0 LIBRARY SUPPORT

 Program Chaining Using Exec Environment Available to Main

c-window™ C SOURCE CODE DEBUGGER

· Variable Display & Alteration Using C Expression

COMBINED PACKAGE-\$199

Call or write:

c-systems P.O. Box 3253 TM c-systems

Fullerton, CA 92634 714-637-5362

Circle 354 on inquiry card.

Videodisc Interface

LaserLink_{TM} 100

Controls all videodisc player functions

Switches video source between computer and videodisc player

Compatible with Apple, Atari & Commodore computers Interfaces to most videodisc players

Introductory Price

\$99.95 July Only

Software Available For information call/write:

Orenda, Inc.

3754 Overland Ave., L.A., CA 90034 (213) 202-0770 Dealer Inquiries Invited

Circle 353 on inquiry card.

TOP QUALITY APPLE COMPATIBLE PERIPHERALS

THOROUGHLY TESTED AND WARRANTED FOR 120 DAYS

Cooling Fan 7-80 Card \$33 \$22 16K Ram 80 Column Card \$55 \$28 Eprom Writer \$42 RS 232 Card \$36 Switching Parallel Printer Card \$35 Power Supply \$46 Keyboard \$55 Computer Case \$45

PACE AP-50 Disk Drive (Shugart SA 390 Mehanism) \$140

THE ABOVE PRICES ARE FOR DEALERS. QUANTITY 25+, COD, FOB NAPERVILLE, IL 60540 END USER INQUIRIES ALSO WELCOME.

PACE SYSTEMS, INC.

24 W 500 MAPLE AVE., NAPERVILLE, IL 60540 (312) 355-9722

FREE SOFTWARE

RENT THE PUBLIC DOMAIN!

User Group Software isn't copyrighted, so no fees to pay! 1000's of CP/M and IBM software programs in .COM and source code to copy vourself! Games, business, utilities! All FREE!

CP/M USERS GROUP LIBRARY Volumes 1-92, 46 disks rental - \$45

SIG/M USERS GROUP LIBRARY

Volumes 1–90, 46 disks rental – \$40 Volumes 91–162, 30 disks rental – \$45 SPECIAL! Rent all SIG/M volumes for \$80

MOST FORMATS AVAILABLE! SPECIFY. IBM PC-SIG (PC-DOS) LIBRARY Volumes 1-135, 5 %" disks \$135

Public Domain User Group Catalog Disk \$5 pp. (CP/M only) (payment in advance, please) Rental is for 7 days after receipt, 3 days grace to return. Use credit card, no disk deposit,

Shipping, handling & insurance – \$7.50 per library. (619) 941-0925 information, (619) 727-1015 anytime order machine Have your credit card ready! Public Domain Software Center

P.J.S. Co. 1062 Taylor St. Vista, CA 92083 AM-EX

VISA

Need Low Cost I/O? **HP** ∘ COMMODORE FOR: SAGE • OSBORNE **IEEE-488**

The 6450 General Purpose Parallel I connect to your computer via the IEEE-488 Bus

8 Input Bits, 8 Output Bits, Clear and Trigger pulses, a Service Request Interrupt, and more.

All IEEE-488 Functions are supported. The 6450 allso allows connecting Centronics type printers to the IEEE-488 Bus. Two versions are available: PC board and complete unit. Prices start at \$249. Application notes describing interfacing to A/D vertors, UARTs, and multiple byte data are

Call or Write for Details:

SEITZ

Seitz Technical Products, Inc PO Box 76, New London, PA 19360 (215) 255-5111

Circle 355 on inquiry card.



5\" disk storage capacity without adding a drive.

Get twice as much from your H88 or H89 microcomputer. Our FDC-880H floppy disk controller, in conjunction with your 51/4" drives, for example, expands memory capacity from 256 bytes to 512 bytes per sector.

And it handles single and doublesided, single and double-density, 8" and 51/4" drives - simultaneously

C.D.R. Systems Inc.

Controlled Data Recording Systems Inc. 7210 Clairmont Mesa Blvd., San Diego, CA 92111 (619) 560-1272

Circle 52 on inquiry card.

CHAOS MANOR

ends in a year, such as 5/16/84, then it will be printed only in that year; if only a month and day are given, it prints the notice for every year. (Years can range between 1583 and 9999; if only two digits are given, the twentieth century is presumed.)

Calendar files can be separated or combined: you can have a file of birthdays and another of meetings, print a calendar for each, and combine those with others to make one master calendar. Calendar/1 comes with a number of prewritten calendar files, including holidays and historical dates of interest.

'Calendars can be printed on screen or the printer. You specify the length and width. If a notice won't fit, what will fit is printed, an asterisk is added, and the balance is printed as a note on an overflow page. The layout's good considering the space you have to work with.

There are a number of other control features, all well documented.

'Calendar/1 is useful for scheduling work: many people can be given identical copies for job control; it is also useful for travel scheduling."

We expect to make a lot of use of Calendar/1 here at Chaos Manor. It's a wellconceived and useful program.

OUT OF SPACE AGAIN . . .

There's a ton of stuff on my list, and I'm out of space. At least let me mention the Infocom games, such as Sorcerer and Enchanter and the like. Not only do we at Chaos Manor love them, but I notice that my partner Larry Niven is hooked. For those few who don't know. Infocom games are script driven: there's no fancy graphics, no arcade action; only text adventures.

This kind of game grew out of the original Crowther and Woods Adventure of the Colossal Cave. The original Infocom implementers worked on Zork while at MIT; they later developed other software for role-playing games. Some of the work they've done parsing and interpreting English is remarkable.

Enough. My taxes are due, after which I'm on the road for two weeks; meanwhile, I just opened a letter from Judy-Lynne Del Rey, my long-suffering editor at Ballantine Books; she's expecting Larry and me to turn in Footfall Right Away: the letter said only, "Nag! Nag!

I think that was a hint.

Great Lakes offers you add-on

storage and tape back-up at an unforgettably attractive price

So you're about to outgrow the storage capacity of your IBM PC™ or compatible computer? And now you're biting your nails over the cost of adding more bytes.

No need! Consider the eminently memorable combination price of the Great Lakes Superior 10™ hard disk subsystem and the Great Lakes Quartermaster 23[™] tape back-up module.

The Superior 10—\$1495
Not only is our \$1495 price considerably lower than the nearest 10-megabyte competitor, but we offer the best dollar-per-megabyte ratio for the 23mb and 40mb subsystems as well. The ratios? 10mb at \$149 per mb; 23mb at \$98 per mb (retail \$2249); 40mb at \$70 per mb (retail \$2795).

Quartermaster 23 - \$995

This optional 23mb tape back-up module is simple to use and efficient as well. Take, for example, our remarkable Selecta-File™ feature. This ¼-inch tape drive module allows you to back up and restore data using selective file-by-file data transfer (or full streaming). And it masters all this for just \$43 per megabyte.


Complete and ready-to-use

When you buy a Superior hard disk subsystem, everything is there, ready to operate at high speed. This includes: high quality fixed hard disk, controller board, software that runs on DOS 1.1 and 2.0 (CP/M 86™ and other operating systems available), host adaptor board, integral power supply, cables, external custom chassis with additional space for our tape back-up, and documentation.

Our line is expansive, not expensive

Need even more storage for your IBM PC or compatible? We offer hard disk subsystems including 65, 110 and 140mb all designed for superb quality at the very lowest possible prices. And we stand behind all our products with our 90-day warranty. That's because our quality lives up to our first name.

Available at leading dealers everywhere



We live up to our first name

erior (10 through 140), Quartermaster 23, and Selecta-File are trademarks of 2200 W. Higgins Road, Hoffman Estates, IL 60195

at Lakes Computer Peripherals, Inc.

PC is a trademark of International Business Machines Corporation.

C·H·A·O·S M·A·N·O·R M·A·I·L

LICENSING AGREEMENTS

Dear Jerry,

Because you occasionally address software licenses and their idiosyncrasies in your column, I thought you might be interested in my company's experience with one software manufacturer—Sunburst Software.

In August 1983 we ordered an accounting package as ported to a Charles River Data Systems Universe computer. The software had a myriad of problems, not the least of which was inaccurate addition of account balances. After many frustrating months we requested a refund of our purchase price. Sunburst declined our refund on the grounds that its license did not guarantee "suitability." I would like to see the accounting environment in which 2 plus 2 equaling 5 was suitable.

Incidentally, we think the CRDS Universe is a lot of lightning in a little box. We were running multitasking benchmarks and wanted to keep the processor working hard in the background while we tested throughput in the foreground. To exercise the processor, we were using the C version of BYTE's Sieve of Eratosthenes prime-number program, but we discovered that finding the primes between 1 and 10,000 ten times required so little time as to be insignificant. Instead, we had the CRDS pick out the primes up to 200,000 ten times, which it does in less than 100 seconds real time. Not

RALPH TILNEY Austin, TX

Firms that give refunds on software report they don't have very many requests for same; possibly because such outfits take a bit more care?

My son Alex is a real fan of the Charles River Data Systems machines. They're a little out of the normal BYTE reader's price range, though.

I don't think the "BYTE Benchmark" is of much use any longer, though, aren't most compilers designed to optimize the Sieve of Eratosthenes? That's one reason I like "my" matrix benchmark; it's processor intensive and does "normal" arithmetic operations in tight loops.—Jerry

ELECTROSTATIC PRINTERS

Dear Jerry,

I enjoyed your comments on the nonavailability of low-cost laser printers for the microcomputer industry (March, page 354). Having just completed a search for low-cost, high-speed printers, I can add some information. I am only a consultant, however, so I do not underwrite any of these products.

As regards the Canon LPB-PC, although it is true that this device can sell for about \$4000 to an end user, the fact is that Canon has elected to sell the device through dealers and systems integrators who have to add the proper interface. The companies that market it have decided that the biggest market is for complex graphics printing where special typefaces and pictures are being drawn. By the time the user pays for the interface, it is a \$10.000 printer. When I spoke to Imagen, it wasn't interested in developing an interface to emulate a daisy-wheel printer (or similar interface).

My client wanted to replace 60 dot-matrix printers with these Canon units, but no one seems to think that the plain printer market is very big. Why can't the printer manufacturers understand that most of the printing being done is straight alphanumerics with serial interfaces? Our reason for wanting the Canon system was that since the entire printing mechanism is in the cartridge, we could have an operator replace it instead of calling an engineer. If replacing the cartridge cures the problem, we save a \$150 service call. The cartridge is presently \$40, with projections to drop to \$20 with competition.

You should refer to this market as electrostatic printers because they do not always use lasers. The Philips Elpho-20 uses a cathode-ray tube to transfer a blue image to the drum through a lens. This printer does 20 pages per minute and sells for \$10,000 to the end user. Philips claims that the red lasers used in other printers are the hardest colors to sensitize the drum. The drum is most sensitive in blue, so it uses a CRT beamed through a lens. This technique increases the life of the drum and eliminates the moving mirror used to scan the laser across the drum.

I enjoy reading your column each month. Please keep up the good work.

BOB NOAKES San Francisco, CA

Eventually someone will become wise, if not with the Canon then with a Xerox or other brand; there are just too many computer users who've tired of having a machine gun in the same room with them. The laser—or electrostatic—printer is obviously part of the wave of the future, and one day we'll be able to replace both the office copier and the printer with one device.

Until then I'll have to limp along with my Spinwriter for submission copy and the Printmate for fast dot-matrix copy. Thanks for the kind words.—Jerry

ILLEGAL COPYING

Dear Jerry,

We at H & H Scientific have recently introduced our Stock Option Analysis Program (SOAP) for the IBM PC and are using a new method to deter illegal copying that might interest your readers.

Whereas the Apple version of SOAP had been copy protected, the IBM version of SOAP is issued in an unprotected format and can be copied subject to the terms of our standard licensing agreement. However, in order to use the Dow Jones News/Retrieval Service and thus take full advantage of all the features of SOAP, the original program disk must be returned to us to have the purchaser's Dow Jones password encrypted onto the disk. This becomes a permanent part of the program disk and any copies will carry the password.

We think that few purchasers will be willing to give a copy of a program containing their password to a friend and thus risk incurring even modest usage charges by their friends. In effect, the user's password is held hostage (by the user) to guarantee the security of the personal program.

We think this will prove to be an effective deterrent to the problem of illegal copying and at the same time will give the legitimate user the maximum flexibility in selecting the optimum hardware environment, i.e., using SOAP with a hard disk, electronic disk, or combination thereof.

HERSCH PILLOFF Fort Washington, MD

You have a novel approach to the piracy problem. I can see one difficulty: many users are likely to be wary of giving anyone, including software vendors, their passwords.—Jerry

TURBO CAUTION

Dear Jerry.

I am sure that the nitpickers will find problems with Turbo Pascal, but the program compiled your matrix program from the October 1982 BYTE with no complaints. The execution time was about 20 seconds. The compilation time was about 6 seconds. These times look very respectable to me.

I caution anyone installing this language to carefully check the definitions for the available terminals. The definitions supplied for the Osborne I were incorrect in two places. How-

(continued)

FRONTRUNNER



Dynax introduces 36 cps - THE HR-35 Daisy Wheel Printer

Always a step ahead of the competition, the HR-35, with letter-quality print speed of 36cps, offers the best price/performance ratio in its class.

Add the optional Tractor Feeder and Auto Cut Sheet Feeder and you have the best value on the world market today.

Dynax has always been the frontrunner. The HR-35 is the frontrunner. And it's backed by the Dynax reputation

And it's backed by the Dynax reputation for quality and service response.

We're Confident!

Circle 117 on inquiry card.

Dynax, Inc.

HR-35 with optional Tractor Feeder



HR-35 with optional Auto Cut Sheet Feeder

Manufactured by **brother**.

ever, the Installation Appendix clearly states what is required to install a terminal. Thirty terminals are listed.

The two required changes were in the cursor positioning code: Borland International had the X and Y positioning order reversed, and the Erase to End Of Line code was actually Insert Character code. With these two changes, all test programs compiled and ran correctly. The spreadsheet demonstration program operated correctly and provided some useful examples of procedures that can be applied to other programs.

For the price, I believe that this is an adequate implementation of Pascal for the beginning user. I hope that Borland continues to provide a quality product.

LEO F. HOOD West Lawn, PA

I have many good reports about Turbo Pascal, and those are certainly respectable times for an Osborne 1. I'm all for Borland; I hope other software companies decide to lower their prices, too.

Borland has an updated version of Turbo; you can get it by sending the original disk and \$29.95 (or buying a new copy, of course). It's worth the trade: the update has overlays and is very fast. There's source code for some nice utilities, too.—Jerry

CAN THE EAGLE FLY?

Dear Jerry.

I write for two reasons. A couple of months ago you mentioned Turbo Pascal, and I thought I would let you know what I think of it. What do I think? It's all right. However, floating point is slow. Slower than IBM Pascal by a factor of 8 to 10 is what my tests have shown. Integer arithmetic in Turbo is also slower than IBM Pascal's but only by about one-and-one-half times.

On the other hand, Turbo's screen I/O seems to be faster. Turbo also has some nifty screen-manipulation commands, but any shot at source-code portability is then lost. I see Turbo

as a nice development compiler because it compiles so quickly. As long as you are sure to write in plain Pascal, Turbo can be used for development and debugging. The source can then be compiled with the IBM compiler for the final product.

My other reason for writing is this: I actually own an Eagle PC-2, not an IBM PC. The PC-2, unlike the 1600 series, strives to emulate the IBM as much as it can. It does an acceptable job in my opinion, but things could be better. As you have observed, the documentation stinks. Trying to find out anything from the dealer is difficult, especially since he stopped carrying Eagle products. Calling Eagle in Los Gatos can be a frustrating experience. "Call your dealer," is what you get. Sigh. Do you know of a users group for the Eagle PC? I would appreciate any tidbit of information you might have.

PETER KLINE Providence, RI

Dear Jerry.

You often refer to your Eagle 1600-series system with a great deal of enthusiasm, and I have visited the local dealer for a first look. However, Tom Wadlow ("The Eagle PC." March, page 236) is rather lukewarm in his praise. I can only assume that he must base his judgment on a rather short exposure to the Eagle, whereas you have had yours for some time. Do you have any comments?

I would buy a 5- or 10-megabyte hard disk with backup tape but might prefer Microsoft's Word or Rocky Mountain's NewWord/Merge-Print to the Eaglewriter, possibly with SoftCraft's Fancy Font system. The latter looks fantastic, and I have called for the promised "actual example." I only wish that I could get my system with the Corvus monitor that I have seen and like a lot.

ARNE R. LINDGREN Culver City, CA

Sigh. I have mixed emotions about recommending Eagle computers, It's a good machine, but it sure has lousy documents.

Eagle's new documentation specialist keeps calling me to ask what I'd like to see in the up-

dates: I keep hoping the company will get them done and ship retrofits. I love that Eagle, but I have to warn people: if you don't know a good bit about computers, be sure the updated documents are out before buying one of the 1600-series machines. I've had no complaints about the Eagle from experienced computer people, but there have been wails from beginners, all with problems that would have been trivial had there been better technical documentation.

In the middle of the rush to new documents, Eagle was hit by an IBM lawsuit requiring it to stop selling machines until it changed the ROM chips; as I write this, Eagle has announced that's done and it's shipping machines again, but its stock has fallen to a critically low value.

That's what delayed the update to DOS 2.0 as well. I received a test version of the 2.0 update, but then I was warned not to use it: I should wait for a later version. It's been a couple of months, and the upgrade hasn't come. Without DOS 2.0 with its tree structure, a lot of the value of the hard disk is lost. Eagle promises the new one Real Soon Now.

It's a real pity: Eagle has some of the best PC hardware around, and the 1600 compiles Turbo Pascal like nothing you have ever, ever seen. (It's fairly speedy with MT+, too, compared to the IBM PC.) By the time you read this, Eagle swears it will have better documents, updated software, and will have survived its cash flow crunch. I sure hope so. I like the machines, but I have to be a bit less than wholehearted in recommending them until Eagle gets its act together.

As of April, Eagle seems to be making real progress; but check with your dealer before buying.—Jerry

NEVADA COBOL

Runs On

Dear Jerry.

John DaMassa asked about the \$29.95 Nevada compilers and utilities in your March "User to User" column. I teach programming courses and use my Z80-equipped Apple II+

VERSIONS

DATA TRANSFER PROBLEMS?

Your Simple Solution is REFORMATTER® Diskette Conversion Software



- · Avoids serial communication protocols.
- · Needs only one system to transfer data.

MicroTech

- Converts source code and data files.
- · Allows 2-way transfer.
- · Quick, reliable, and inexpensive.

CP/M ➤IBM 3740 CP/M →DEC RT-11 CP/M-86 ➤ IBM 3740 CROMIX →DEC RT-11 DEC RT-11 ➤ CP/M MS-DOS → IBM 3740 TRSDOS II* ◀ → CP/M TRSDOS II -→DEC RT-11 PRICE: \$350 *\$249

Requires 8" floppy drive.

(415) 324-9114 TWX: 910-370-7457

467 Hamilton Avenue, Suite 2, Palo Alto, Calif. 94301


Reads/Writes

ALL AT ONCE!

AND NEVER A "LOCKED OUT" USER!



2. Billing clerk makes change of billing address.



3. Sales Secretary receives change of receives change of receives change of receives change of the mail and in the mail and accesses record to accesses the phone update the phone number field.



Apex Industries Customer Data

Customer Id: Acme

Customer Name: Acme Industries

Credit Rating: AA Credit Limit: 25000 Current Balance: 12500


Current Balance: 12500 30 Day Balance: 4000 60 Day Balance: 1500 90 Day Balance: 0


Billing:

Address: 2701 South Bayshore Drive City: Miami State: FL Zip: 33133

Shipping:

Address: 913 Majorca Avenue City: Coral Gables State: FL Zip: 33134 Phone: 305-856-7503 Contact: Gerald Green







4. Credit Manager
receives latest 0.8 B
receives 0.8 B
receives 0.

5. Apex's salesment the Acme account the Acme account makes a sale and posts a transaction which updates the which updates the current Balance field Current srecord, of Acme's record.

DataFlex is the only application development database which automatically gives you true multi-user capabilities. Other systems can lock you out of records or entire files for the full time they are being used by someone else. DataFlex, however, locks only the data being changed, and only during the micro-seconds it takes to actually write it to the file! The updated record is then immediately available. The number of users who can access, and change, records at the same time is limited only by the number of terminals on your system or network. Call or write today for all the details on DataFiex...

the true multiuser database. DATAFLEX

DATA ACCESS CORPORATION 8525 SW 129 Terrace, Miami, FL 33156 (305) 238-0012 Telex 469021 DATA ACCESS CI AUTHORIZED INTERNATIONAL DISTRIBUTORS

HOLLAND

ADINFO 020-644605

AUSTRALIA

Australian Business Solutions 03-699-8377

Australian Microcomputer Solutions 052-22-2099

Intelligence (Aust) Pty. Ltd. 02-267-1711

ENGLAND

Equinox Computers 01-729-4460

SWEDEN

Offensivt Datorstoed AB 030-006-2626

JAPAN

SOFTEC 04808 (5) 6565

Compatible with CP/M-80, MSDOS networks, MP/M-86, Novell Sharenet, PC-Net, DMS Hi-net, TurboDOS multi-user, Molecular N-Star, Televideo MmmOST, Action DPC/OS, IBM PC w/Corvus, OMNINET, 3Com EtherSeries and Micromation M/NET.

MSDOS is a trademark of Microsoft. CP/M and MP/M are trademarks of Digital Research.

for demonstrations and examples. I bought the Nevada COBOL compiler about a year ago and have since added Nevada EDIT. FORTRAN, and PILOT to my program library. I also have JRT Pascal for comparison. I feel that I got my money's worth, but that's only one measure. For my purposes, I was also concerned about short-comings of these packages and how they compared with standard language specifications and other implementations.

The COBOL compiler is a subset of the 1974 ANSI standard. It doesn't include some highlevel modules described in the standard, such as the Table Handling and Sort features; some minicomputer COBOL compilers also don't have these. The language nucleus is complete. and subroutines in COBOL as well as assembly language are allowed. Documentation consists of a reference manual that adequately describes the language and how to get started. The user who doesn't know the language should buy a good textbook, such as Tyler Welburn's Structured COBOL. The negatives are minor: nonstandard 4-digit line numbers and minimal implementations of some I/O statements. For arithmetic, I'd much prefer the COM-PUTE statement to the ADD, SUBTRACT, MUL-TIPLY, and DIVIDE verbs that are included.

The FORTRAN compiler would be the greatest bargain in microcomputer software if it were based on the 1977 FORTRAN standard. It is a very good FORTRAN IV implementation and does include the IF. . .THEN. . . .ELSE statement from the 1977 standard. A good selection of built-in functions are included, plus a number of subroutines that interface with CP/M. The compiler doesn't include character class data, which is another desirable 1977 feature. The 8-bit implementation can cause surprises: single-precision and double-precision variables have exactly the same number of significant digits. The manual is a complete and well-written reference. If you're not familiar with the language, you'll also need a good textbook.

Nevada EDIT may not be the best program editor around, but it's probably the best fullscreen editor in the low-priced field. It's compatible with any editable CP/M file type. I use it with JRT Pascal files as well as Nevada COBOL and FORTRAN. Since it's a full-screen editor, the user can edit lines in place and move anywhere on the screen. On the negative side, the control codes are rather clumsy. A number of editing commands require two steps: Control-V followed by another command code. I haven't been able to get a couple of the control codes to work. Some control codes must be changed to suit specific hardware environments (such as the Apple with CP/M) by using a configuration routine that comes with the editor.

You'll note that I haven't said anything about benchmark results. As a computer science teacher, I'm more interested in completeness of features than in object-code efficiency. Besides: have you ever tried to write the Sieve of Eratosthenes in COBOL?

JIM ARCHIBALD Geneseo, NY

Dear Jerry.

I have tried Nevada COBOL, and the experience was dismal. I would not recommend the product to anyone. It is a pseudocompiler, creating p-code that is then interpreted by the Nevada run-time program. I bought it because I am a COBOL programmer on IBM mainframes and wanted to see how this microcomputer compiler stacked up. I performed a number of tests and was severely disappointed.

The Sieve of Eratosthenes benchmark took 7 minutes to run (one iteration) as opposed to 4 minutes in Microsoft BASIC and 3.6 seconds in Pascal MT+. Since one reason you put up with the tedium of compiling is to get faster code, Nevada COBOL seemed a dismal failure in this department.

I wrote a simple file-to-file transfer and discovered that it transferred all but the last line of the file. A bug is revealed in the way it detects (continued)

ALF COPY SERVICE

1315F Nelson Street

Denver, CO 80215

(303) 234-0871

FAST • RELIABLE • LOW COST

If you produce software, ALF's disk copying service is the quick, convenient answer to your duplication needs. Most orders are shipped in less than a week. Every disk we copy is verified bit by bit and guaranteed 100% flawless.

We can copy virtually any soft-sectored mini format. Standard formats: Apple II (including nibble-copy proof, double-boot, and fast load), Apple III, Atari, IBM PC, Kaypro, NEC PC8000, Osborne, TRS-80 I and III, Zenith Z-90 and Z-100, and more. Copy protection is available for most formats.

Our "no frills" pricing means you don't have to buy extras you don't need—set-up charges start at \$10, and copying charges are 30¢ to 40¢ per side. (See blank disk prices at right. Minimum: 50 copies.) Quantity discounts available for large orders.

Of course, we have the frills too: label application, 3-hole vinyl pages, printing of labels and sleeves, shrink packaging, heat sealing, and much more. We can put your product in a customized package—vinyl folder or IBM-style binder/slip case—for a low price in small or large quantities.

ALF is one of the oldest and most trusted names in the duplication business. ALF designs and manufactures copying machines that other copying services and software publishers around the world rely on every day. Our complete understanding of duplication technology assures you of the finest reproduction available.

We're eager to solve your duplication and packaging problems—whether you want one service or a total package. Give us a call today!

BLANK DISKS

ALF buys large quantities of disks for our disk copying service — and we can pass our savings on to you. If you're buying hundreds of disks, ALF is your ideal source for top quality disks at a reasonable price. We buy our disks in bulk packages, avoiding the expense of fancy printing and labeling.

The disks listed below are 5 1/4", soft sector, double density, unlabeled, with hub reinforcement ring. Other disks are available, call for details.

SINGLE SIDED

MEMOREX \$160 per 100 NASHUA \$160 per 100 VERBATIM \$160 per 100

DOUBLE SIDED

MEMOREX \$185 per 100 VERBATIM \$195 per 100 OTHER BRANDS AVAILABLE.

Without sleeves: add \$2.50 shipping per 100.

With tyvek sleeves: add \$7 plus \$2.50 shipping per 100.

Packed in boxes of 10 with tyvek sleeves: add \$15 plus \$3.00 shipping per 100.

COMPUTER HUT

COMPARE OUR SERVICE & PRICE!

SPECIAL OF THE MONTH

IBM-PC & XT & PORTABLE CALL FOR PRICE



DISK	DRIVES
------	---------------

Tandon TM100-2 DS/DD	\$199
MATSUSHITA JA 551	179
TEAC FD-55B Slimline	189
SHUGART SA-455 half-high	DEST
AMDEK half-high	BEST

MAYNARD ELECTRONICS

Floppy Disk Controller	\$169
FDC w/Par. Port	\$219
FDC w/Ser Port	\$239
CAMPETAD SEDIES	CALL

SANUSTARSERIES

HITACHI half-high

QUADRAM	
Quadboard-PP,SP,C/C,Mem+	s/w
Expandable to 384K	CALL
Quad 512 + SP, Mem w/64K	\$249
Quadcolor	. CALL
40	

AST RESEARCH	
MegaPlus II 4-Funct 64K + s/w	\$279
6-Pack 5-Funct 64K + s/w	\$279
I/O Plus	\$129

O-Fack 3-Function + SIW	PZ13
1/O Plus	\$129
STB	CALL
MICROLOG	
Baby Blue	\$359

GRAPHICS BOARDS

TECMAR	
Graphics 720 x 400 16 colors	\$509
HERCULES	
Hi Res Mono Graphics 720 x 3	48\$349

Color Graphics w/Par Port CALL **POP** PRODUCTS

COLORPLUS 640 × 200.

16-Color	w/Par	Port +	s/w	. \$389
MAA CVC				

PC Pe	acoci	k W/Pai	Port	\$249
PARA	DISE			

Multidisplay . . .

MonoGraphPlus CALL

HARD DISK - IBM-PC & XT

MOUNTA	IN - Ex	ternal Syst	t.
10MB	\$1799	20MB	. \$2549
27M Tape	back up		\$1649
MAYNAR	D WS1/W	S2/WS3	CALL
TALLGRA	SS		CALL

PRINTERS

EPSON			
FX80	CALL	FX100.	CALL

brother

HR-15 Par	\$419	Ser	\$439
HR-25	\$699	HR-35.	CALL

-	27	77	100	ĸ	n		
D	84	Λ	74	P.	Я		
m		859	-	207	-	80	

PRICES

DX-15 Par \$419 Ser \$439	Programme and the state of the	And the second s		
	DX-15	Par \$4	19 Ser.	\$439

0-11011			
STARWRITER	A-10		CALL
STARWRITER	F-10	P	\$1095

STOR MICRONICS

		DAME TO SERVICE		
Gemini	10X	\$289	15X	 \$399

OKIDATA

84P.	CALL	84S	CALL
92P	BEST	928	BEST
93P	PRICES	938	PRICES

NEC

	Organization .		
3510	\$1375	7710	\$1895
3530	\$1375	7720	\$2495
3550	\$1695	7730	\$1895
2050	\$895	2030	\$749

TOSHIBA

DAIGVIMBITE			
DAISYWRITE			NOOF
2000 w/48K Bu	rrer.	 4	5995

MODEMS

MHaves'

Smartmodem 1200	\$489
Smartmodem 1200B	\$419
NOVATION, ANCHOR	CALL

COMPUTERS

COLUMBIA DATA PRODUCTS, INC.	CALL
TAVA PC	CALL
COMPAQ"	CALL

MONITORS

Video 300G	\$145	300A	\$155
Video 310A			\$179

HX12 Hi Res RGB monit		800
MAX-12 Hi Res Mono	PRICE	S

SR-12 Super Hi Res RGB



SOFTWARE FOR IBM-PC

LOTUS	. CALL
Word Perfect\$279 WordStar	\$275
DBase III CALL VisiCalc	. \$189
Multiplan\$175 Multimate.	. \$299
MICROSOFT Word	. \$269
FRAMEWORK	. CALL
AND LOTS MORE	

CANADIAN **COMPUTER HUT**

AUTHORIZED DEALER

MICROCONTEXT INC. 5253 AVE DU PARC MONTREAL QUE H2V4P2.

(514) 279-7291

Published Prices are for U.S.A. Only Please call for Canadian Prices

ANY PRODUCT NOT LISTED? CALL

COMPUTER HUT ORDERS & INFORMATION OF NEW ENGLAND INC.

101 Elm St., Nashua, NH 03060

(603)889-0666

ORDER-LINE ONLY PLEASE (800) 525-5012

All products usually in stock for immediate shipment and carry full manufacturers' warranty. Price subject to change — this ad prepared two months in advance. You get the lowest price. We honor personal checks — allow 10 days to clear, COD up to \$300 add 2%. Visa, MasterCard add 2%. For shipping & insurance add 2% or \$5.00 min, for small items and \$10 min for monitors, printers, etc. We accept company checks and P.O.'s from Fortune 1000 Companies.

IBM is a trademark of IBM Corp.

Return authorization and order status (603) 889-7625

Circle 72 on inquiry card. 84

an "at end" condition.

I wrote a program to test the way it handled arithmetic with the various COBOL numeric data types and discovered a bug in handling IF-tests. The code in question follows:

IF AMT-4 IS GREATER THAN AMT-5 DIVIDE AMT-5 INTO AMT-4 GIVING AMT-6 ROUNDED

DIVIDE AMT-4 INTO AMT-5 GIVING AMT-6 ROUNDED

When AMT-4 was 5 and AMT-5 was 25, the result returned in AMT-6 was 5, which is correct. When AMT-4 was 25 and AMT-5 was 5, however, the result returned in AMT-6 was 0.20. No matter what values I assigned to AMT-4 and AMT-5, it was always the instruction after the ELSE that executed.

I called these bugs to the attention of Ellis Computing and sent source code and all, but Ellis never responded. May I respectfully suggest that you amend your remarks, at least regarding the COBOL package?

WILLIAM MEACHAM Austin, TX

Thanks for the reports. My problem is that I'm not about to evaluate Nevada COBOL: it's not a language I do anything with, and I'm not about to learn it. I can only report what I'm told.

Of course, I don't recommend COBOL in the first place. Edsger Dijkstra, the Netherlands computer philosopher, once said that teaching COBOL ought to be regarded as a criminal offense. I don't necessarily agree, but I know people who do. As to writing the Sieve of Eratosthenes in COBOL, I'd rather have an appendectomy if it's all the same with you.-Jerry

shelf-life expectancy of most software is too short for there to be much to protect. The company making the software may go out of business before piracy eats into its profits.

I am trying to buy several copies of my favorite word-processing program because it is being taken off the market, and I don't want to learn a new system or transcribe files. I am going to get four separate copies and hope.

EDWARD SWAIM Austin, TX

COPY PROTECTION

Dear Jerry

I fully support your stand against copy protection in software. It is bad for a number of reasons, and you have done a great deal for users in putting them forward. Some additional reasons need exposition.

One of the most significant things that copy protection does to software is that it alters the nature of the product. If I buy a piece of software, it is mine to keep as long as I own my system-provided it is not protected. If it is protected, then I have bought an entirely different product, a perishable one.

Copy protection also makes little sense economically to the manufacturer because the

I hadn't thought of it that way, but you're right: copy protection makes a perishable good out of a durable good. I do have some sympathy for publishers, but I think the only real solution to software piracy is for the customer base to become sufficiently large. Then publishers can make a profit selling at such low prices that it isn't worth pirating the software.

Of course, high price plus piracy is the equivalent of a low average price, except that the publisher has fewer legitimate customers to support.-Jerry

Dear Jerry,

I've been reading with considerable interest your views on copy protection of software. Until (continued)

NOVA Computer Inc.

780 Trimble Rd. Suites 605/304


Tel:(408)946-2541

San Jose, CA 95131

TELEX: 171605 "ELECTRADE"

DISTRICT SALES REPS., DISTRIBUTORS AND LOCAL DEALERS

(End-user inquiries are also welcome!)



NOVA PC/XT MAIN BOARD \$39500 Quantity Price

FEATURES

- 8088 16 bit Micro-Processor w/8087 * 128K D RAM on board (expandable
- 128K D RAM on to 256K) with parity 64K EPROM
- * 4 channel DMA
 * 8 channel interrupt * 8 I/O Sinus
 * Schannel interrupt * External reset
- * Run with any TTL or HCT, no 74S
- series required NOVA BIOS supports double & quad density floppy disk & hard disk



NOVA PC/XT 64K BASIC SYSTEM \$69500 Quantity Price

FRATURES

- Fully IBM compatible
- * 64K on board (Expandable to 256K)
- 96-key detachable keyboard
- * 100 watt switching power supply w/fan (130 watt Optional)

NOVA PC 128K SYSTEM

- * 128K on hoard
- 2-360KB floppy disks
- NOVA DYNA-ADAPTOR
- . Color graphic or
- monochrome board
- Monochrome monitor \$149500 Quantity Price

NOVA XT 128K SYSTEM

- * 128K on board
- 1-360KB floppy disk
- * NOVA DYNA-ADAPTOR
- * 1-10MB hard disk
- * Hard disk controller . Color graphic or
- monochrome board * Monochrome monitor
- \$229500 Quantity Price

NOVA DYNA-ADAPTOR

- * Controller for 4 internal
- floppy disks
- * I serial port I parallel port
- game port

Data Technology

* Selectable sector size

Hard Disk Controller

* Control 2 514" hard disks

* Supports IBM BIOS & DOS

\$18500 Quantity Price



\$25000

Quantity

NOVA COLOR GRAPHIC BOARD \$16500 **Quantity Price**

- * Fully IBM compatible
- * Operates in B/W or 16-color mode Two operating modes (Alphanumeric & Graphic)
- Four video interface (Composite, RGB,
- RF modulator & Light Pen)



\$16500


NOVA MONOCHROME CARD **Quantity Price**

- * Fully IBM compatible
- * 4K Bytes memory
- * Two video interface (Composite &
- IBM monochrome)


BEST WHOLESALE PRICES IN THE WORLD

Quantity Order Each Month 50 100 & up \$137.50 Shugart SA455 DS/DD 360KB floppy disk \$140. CALL CALL Tandon TM100-2 DS/DD 360KB floppy disk \$160. \$157.50 CALL \$500. \$485.00 Shugart SA712 10MB slimline hard disk \$135. CALL Apple compatible disk drive IBM compatible 65W power supply W/fan \$ 95. \$ 90.00 CALL IBM compatible 100W power supply W/fan \$135. \$130.00 CALL IBM compatible 130W power supply W/fan \$155. \$150.00 CALL

- - *IBM is a trademark of IBM Corp.
 *Apple is a trademark of Apple Computer, Inc.



When you work with a lot of information, you can't afford to re-enter every file when your hard disk fails. And no hard disk is fail-safe.



The Sysgen Image backs up the hard disk in your IBM PC XT. So you can protect your files in minutes—instead of spending hours re-entering them.

For just \$995. That's cheap insurance. It lets me sleep at night."

The Sysgen Image for just \$995. It's the most affordable insurance you can buy for your two most important assets: Your information. And your time.

Sysgen. Because a hard disk without tape just doesn't make sense.

Sysgen products for the IBM® PC, PC XT, and other personal computers: Economical, 10- and 20-Megabyte hard disk systems with tape back-up. Or 10-Megabyte

tape back-up for the IBM PC XT.

COUNCE CONTRACTOR

Go to your local computer dealer. Ask for a demonstration of Sysgen back-up systems. And find out how to make sense of your storage.

47853 Warm Springs Blvd., Fremont, CA 94539 (415) 490-6770 Telex 4990843 Circle 294 on inquiry card.



SYSGEN

is a registered trademark and PC XT is a trademark of International Business Machines Corporation. Sysgen Image is a trademark of Sysgen, Incorporated.

recently, however, it was of only passing interest to me, having purchased an Osborne Executive, which has no such silly schemes. The Executive was then sold, a Macintosh bought, and along with it a copy of Multiplan.

Multiplan has a ridiculous copy-protection scheme. Microsoft supplies one master disk that it says the user can copy to save wear and tear on the master. However, in order to be able to use the copy, the user first has to insert the master disk, which apparently has a code that tells the copy it's okay to start working. Then you eject the master, put in the copy, and you're free to continue. As long as you don't turn off the power after inserting the master, the copy can still be used, no matter how many other applications you use in between.

This is my first exposure to copy protection, and I'm angry. Now I have to worry about two application disks instead of one, and if the one master disk is damaged, I'm out of luck until I can get a replacement. What really strips my threads is that a friend just bought a Model 4P from Tandy, also with Multiplan, and there's no copy protection at all on his version of the program!

So what gives? Does Microsoft feel that Macintosh owners are more prone to a little unauthorized profit than Tandy owners? Is this what I have to look forward to from Microsoft? It could at least provide two masters, à la Lotus 1-2-3. Anyway, I wrote Microsoft, asking for a second master, but I haven't gotten an answer yet. If this is common to the rest of its Macintosh programs, I think I'll hold off buying Word and make do with short letters using MacWrite. I'll let you know what happens; maybe Microsoft will listen to you.

RICHARD B. THOMAS Tacoma, WA

I have terribly mixed Macfeelings about the Macintosh. At the moment there's so little soft-

ware for it, and because there's only one drive, it's so hard to copy a disk (about 40 disk swaps for a complete copy, and God help you if you get confused in the middle of doing it) that I can't think the machine more than a pretty expensive toy; certainly it's not much use in business.

Of course, that could change when a second drive becomes available (I wonder at what price?) and all this software is actually published. Alas, if the Microsoft copy protection becomes standard for all business software, Macintosh will remain Macuseless for business; I sure wouldn't bet my career that one of those small disks was eternal.—Jerry

PROBLEMS WITH OTRONA

Dear Jerry,

I bought an Otrona Attache last year, partly because of your enthusiastic comments. Indeed, it is a fine 8-bit machine, probably the best CP/M machine available. Several months ago, I had the machine upgraded to become "IBM compatible."

Otrona claims that the machine will run nearly all IBM programs, but many programs will not run. It seems to be impossible to tell whether a program will work or not, as Otrona apparently hasn't tested many of them. For example, I have tried to find a good word processor. Microsoft Word will not run; PC-Write will not run; Multimate appears to run, but parts are exceedingly slow; WordStar will run but again very slow, much slower than the CP/M version.

BASIC is the most common language used with IBM computers, and it comes with PC-DOS and most versions of MS-DOS. No BASIC comes with the Otrona MS-DOS, and IBM and Compaq versions will not run. Furthermore, compiled BASIC programs will not run on the Otrona. Otrona says that it will have a BASIC

interpreter "soon"; I haven't been able to find out what it will cost.

The Otrona 8:16 is *not* very IBM compatible. As an upgrade for existing Attache owners, the MS-DOS system has marginal value, although frustration should be considered part of the price.

Getting any answers out of Otrona is difficult. The company answers few letters, and I no longer can get hold of anyone there by phone.

Another quick point. The Turbo Pascal compiler is fantastic. The IBM version does run on the Otrona, and it is fast and easy to use. And the price is reasonable.

HARVEY MOTULSKY
La Iolla, CA

Adeline, our Otrona, recently returned from the "upgrade"; I wish I hadn't sent her in. Something was done to the screen intensity and contrast, so that the software brightness controls will no longer eliminate flash lines and such. In addition, as you say, many IBM PC programs will not run, and some are slower than the corresponding programs on the 280.

I do not recommend the 8086 conversion for the Otrona. On the other hand, it remains the BMW of the 8-bit small machines. We have the large amber screen, which we like a lot, and the hard disk. With those additions, the Otrona is an excellent base station; leave them behind and you have a true portable. There is, after all, a lot of Z80 software (including my favorite editor, WRITE). The Otrona Attache is still the machine I carry on all my trips.—Jerry

AGAIN, OTRONA

Dear Jerry,

Your continuing fondness for your Otrona Attache, along with my positive first impressions (continued)

a message to our subscribers

From time to time we make the BYTE subscriber list available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services, or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

BYTE Publications Inc
Attn: Circulation Department
70 Main St
Peterborough NH
03458



It's a simple fact that your small computer can compute a lot faster than your printer can print. A problem that becomes even more frustrating in business, when your computer is tied up with your printer while you're ready to move on to other work.

GENICOM 3024

Of course, the only thing more frustrating than waiting on a slow printer is waiting on a printer that's down. Unfortunately, chances are the initial printer you purchased with your computer system just isn't designed to work on con-

tinuous cycle high volume printing.

More than likely, you've already experienced one, if not both of these frustrations. But now, you can turn printer frustration into printing satisfaction with the new Genicom 3014, 3024, 3184, 3304 or 3404. Professional printers for personal computers...price/performance matched for small business systems.

Designed and built to increase productivity and maximize the value of your personal computer, the range of 3000 PC printers offers 160-400 cps draft, 80-200 cps memo, and 32-100 cps NLQ printing...performance for both high productivity and high quality printing.

The 3014/3024 models print 132 columns. The 3184, 3304

and 3404 models give you a full 136 column width, and offer color printing as well.

Each printer is easy to use, lightweight, functionally styled and attractive. And you can choose options from pedestals and paper racks to document inserters, sheet feeders and 8K character buffer expansion, plus more.

Genicom 3000 PC printers feature switch selectable hardware, dual connectors and dual parallel or serial interfaces. Plus the 3014 and 3024 emulate popular protocols for both Epson MX with GRAFTRAX-PLUS™ and Okidata Microline 84 Step 2™, while the 3184, 3304 and 3404 emulate popular protocols for Epson MX with GRAFTRAX-PLUS™. So your current system is most likely already capable of working with these Genicom printers without modification.

Most important, the Genicom 3000 PC printers are quality-built, highly durable printers designed for rapid, continuous duty cycle printing.
So why wait? And wait. And wait. Get a Genicom 3000

PC printer now

Genicom Corporation, One General Electric Drive, Dept. C411, Waynesboro, VA 22980. In Virginia, call 1-703-949-1170.

The New Printer Company.

For the solution to your printing needs call TOLL FREE 1-800-437-7468

In Virginia, call 1-703-949-1170.

See us at NCC Booth 3308 of the machine at a show when it was first introduced some years back, made it an easy choice when it was time to replace my S-100 system with something more portable (I write everywhere), 16-bit (and the 8:16 meant I could cling to the 8-bit software I love while making a transition to the 16-bit world), and at least as reliable.

I was disappointed and returned the machine. Here's why.

The Attache keyboard has a nasty characteristic that makes it impossible for the machine to register any keypress while another key is still down or partially depressed.

At first glance this may not seem a problem, and certainly it hasn't affected your affinity for the machine. But I'm a fast typist, and though I learned on manual equipment, I've been using electric or electronic keyboards since 1961. Electronic keyboards with n-key rollover allow you to go into really high gear when typing familiar combinations such as "iton" and "ing." In the fastest execution of "tion." it's likely that the left-hand "it" will still be down while the right hand hits the "i." And because "io" can be typed with a rolling motion of the right hand, it's likely the "i" will still be down while the "o" is struck.

Furthermore, the machine's every-key-autorepeat feature interacts with this one-key-at-atime characteristic. If when typing "tion," you leave the "t" down, it will start to repeat even though another key has been struck.

For me, the effect is that the machine forced me to type as though it were a manual typewriter. It defeats the library of macros my hands have learned over years of typing. No other nonmanual keyboard I've used has these problems. Unfortunately, not every writer looking for a machine with the Attache's specifications will buy one on terms allowing its return, and even those who do may not discover until too late that the typos they're experiencing are happening because the keyboard wants to retrain them to type as though on a manual. It's a design flaw that potential buyers should know about before they buy. If, knowing of it, they try the machine and find they're unbothered, the machine is otherwise quite marvelous.

> DICK LUTZ Ocala, FL

You know, I thought you'd been sold a lemon when I got your letter; I simply didn't believe that Adeline had that flaw until I took her out of the case and fired her up.

You're right. You must release each key before pressing the next.

The funny part is that I'd probably have condemned the machine out of hand if I'd known that before I started to use it; but the fact is that I've done tens of thousands of words on my Attache, and I never noticed the "problem" until you called attention to it. For that matter, my colleague Norman Spinrad had no trouble with the Otrona, and neither does Larry Niven; and we're all touch-typists.

It's obviously software, and I expect a real Otrona wizard could rewrite the BIOS to change this feature; I wonder why Otrona doesn't offer some options? Alas, it has promised me the source code to the BIOS for months, but I still don't have it. Maybe I'll get it Real Soon Now, and I can look for a way to change the keyboard response.

Thanks.--Jerry

WILL I WAIT FOREVER?

Dear Jerry.

As a regular reader of your column, I have come to appreciate the point of view you advocate—on the side of the user of computer hardware and software. I fully agree with your stand on software protection, on the quality (or lack thereof) of most microcomputer documentation, and on the general chaos in the industry. But I do have a complaint.

Primarily on your recommendation, I sent a check to Workman Associates asking for a copy of WRITE for my Otrona. I've been using Word-Star for some time but wanted something a little more free-form when writing something longer than a memo. WRITE seemed just the thing. I sent the order in early December 1983 and have yet to receive a voluntary response.

In the middle of January I called Workman to inquire about my order. A pleasant woman assured me that it had the order. She said that Tony Pietsch was finishing up the latest bugs, the documentation was being updated, and shipments for the Otrona would resume in 10 days.

That sounded reasonable. I looked forward to having WRITE with me when I took my Otrona on a three-week trip to Dallas. When it didn't arrive, I decided that I would look forward to spending some time with it when I returned. Now I'm just hoping I get the package before you get around to reading this letter.

This reminds me of your cases about the extremely long delays in shipments of JRT Pascal. True enough. Workman has not yet cashed my check; JRT cashed it immediately. But I ordered Vedit at the same time that I ordered WRITE. I received Vedit in less than a week. Incidentally, I am delighted with it, both the CP/M version and the MS-DOS version, both of which run on the Otrona.

I wonder if perhaps this is not another case of promoting a product before its time. I assume the people at Workman are your friends (why else would they write an editor just for you?). And I am sure they're very good at what they do. I'm in the software industry myself, and I know the pressure to get the product out before it's ready. You might, however, consider applying your own published standards to products in which you have a specific interest.

By the way, I'm writing this letter using the VM/CMS XEDIT editor, formatted using Water-loo Script. I was going to use my Otrona with a different editor, but . . .

TED BREWSTER New Market, MD

What should I say? At the time I wrote the review, I had a version of WRITE on my Otrona. It worked fine, but there was indeed a later version in the works, and Barry didn't want to ship

the old one when the new one was coming Real Soon.

Then when it was finished, it took Noor Singh some time to do the Otrona installation: Workman has WRITE going on about 100 different machines now, but alas, the only Otrona available was mine, and I had it with me on a trip.

WRITE 1.78 is done now and works fine; I use that version on all my machines. It has a wonderful update: even if you reset the machine, you can recover your text.

Indeed, the Workman family are friends, and my son works there as well, so I am not unbiased; but I do think they live up to fairly high standards. Workman's policy is not to cash checks until he can ship the product; that way, anyone can cancel an order without having tied up any money. He isn't making venture capitalists out of his customers. Alas, this time it took considerably longer than anyone expected.

I checked: your copy has been shipped. I hope you'll like it. I certainly do.

Glad you liked Vedit, too. I've never tried the MS-DOS version on the Otrona. Thanks for letting me know it works.—Jerry

COMPUPRO DOINGS

Dear Jerry,

You should razz Bill Godbout about Compu-Pro's new easy-as-pie manuals.

As Jan Wilson, our local computer genius, puts it, "This stuff defines a new standard for the term computer unfriendly."

You'll be sick when you add the hard disk. The 8-inch Fujitsu we are running (Pragmatic) has a transfer rate of roughly a million bytes/sec and is so fast we might as well not even have bought our three M-Drive/H boards.

Is there a CompuPro users group?


WILLIAM F. BURKE Baton Rouge, LA

Let me repeat Pournelle's First Law: If You Don't Know What You're Doing, Deal With Someone Who Does. CompuPro equipment bought through a Systems Center will always be thoroughly integrated and do everything you expect. In your case, there being no nearby Systems Center, you may need a local wizard; fortunately, you seem to have found one.

I do razz Bill Godbout about manuals all the time. Think of the improvement: before I started on him, the folks at CompuPro used to put out a single sheet with each board, and their idea of support was to read the spec sheet over the phone! Fortunately, that has all ceased. I do agree the systems integration manuals for the boat anchor (S-100 box) could be improved.

I agree about the hard disk: I seldom use my M-Drive/H any more, except for big jobs like posting my books from journals. Last time, it took over an hour with the hard disk versus 10 minutes with the M-Drive/H, so there's still some reason to keep the memory-drive boards.

The address of the CompuPro users group is CPRO Users Group, POB 1474, Woodbridge, VA 22193.—Jerry ■



What if your PC suddenly became faster, smarter and easier to use?

You're going to be hearing a lot about our new productivity software, Framework! You'll see business magazine ads and even TV commercials. But those aren't for you. They're directed at the first time PC buyers.

Right here is where you'll get the inside story on Framework.

Framework introduces a new generation of software. It's the logical step beyond spreadsheet-based integrated software like 1-2-3.™

Framework is for thinkers. It's an idea processor that's equally comfortable with words and numbers. Novices can learn Framework's unique outlining feature, word processing, spreadsheet, graphics, and database in a matter of hours. But what's really in Framework for you?

You can run PC DOS compatible programs like dBASE II® or 1-2-3 within Framework. You can write macros easier and faster than ever.

Framework has a full applications language named Fred,™ which is going to make it the hottest ticket for third-party developers since dBASE II.

And you can ignore all of Framework's friendly menus and HELP features for beginners, because Framework works even better and faster with power commands.

The more you know about software, the more amazed you're going to be when you see Framework.

ASHTON TATE



Framework. For Thinkers.

(213) 204-5570

Circle 31 on inquiry card

TIPUTER WAREHOUSE

CALL TOLL FREE 1-800-528-1054

PRINTERS	
Blue Chip	
M120/10 W/Commodore Interface	\$279
M120/15 W/Commodore Interface	\$349
C-Itoh	
	S459
F-10 Parallel or Serial	\$915
55 CPS Serial or Parallel	\$1199
8510 Parallel (Prowriter)	\$319
8510 SP	\$509
8510 SCP	5389
Computer International	
Daisywriter 2000 W/48K	S985
The state of the s	3903
Comrex	
CR-2 Parallel or Serial	5439
Datasouth	
DS180	
Diablo	
	6720
620	\$1600
630 ECS	
630 ECS/IBM	S1995
Series 36	Call
Epson	
	Call
Inforunner	
	\$249
IDS	
Microprism 480	\$375
Prism 132 Color	\$1499
Juki	
	Call
NEC	· · · · · · · · · · · · · · · · · · ·
2010	9645
2015	S645
2030	S645
2050	S789
3510	\$1219
3515	S1219
3530	\$1219
7710	\$1649
7715	S1649
7730	\$1649
Okidata	
All Printer Models	Call
Panasonic	
1090	-
1091	Call
	Call
1092	Call
Qume	Call
Qume Letter Pro 20 Parallel or Serial	Call Call
Qume Letter Pro 20 Parallel or Serial 11/40 W/Interface	Call Call \$629 \$1369
1092 . Qume Letter Pro 20 Parallel or Serial . 11/40 W/Interface . 11/55 W/Interface .	Call Call
1092 Qume Letter Pro 20 Parallel or Serial 11/40 W/Interface 11/55 W/Interface Silver Reed	Call Call \$629 .\$1369 .\$1569
1092 Qume Letter Pro 20 Parallel or Serial 11/40 W/Interface 11/55 W/Interface Silver Reed EXP400	
1092 Qume Letter Pro 20 Parallel or Serial 11/40 W/Interface 11/55 W/Interface Silver Reed EXP400 EXP500 Parallel	S629 S1369 S1569 Call
1092 Qume Letter Pro 20 Parallel or Serial 11/40 W/Interface 11/55 W/Interface Silver Reed EXP400 EXP500 Parallel EXP500 Serial	S629 S1369 S1569 Call S385 S419
1092 Qume Letter Pro 20 Parallel or Serial 11/40 W/Interface 11/55 W/Interface Silver Reed EXP400 EXP500 Parallel EXP500 Serial EXP550 Parallel EXP550 Parallel EXP550 Serial	S629 \$1369 \$1569 Call \$385 \$419 \$479
1092 Qume Letter Pro 20 Parallel or Serial 11/40 W/Interface 11/55 W/Interface Silver Reed EXP400 EXP500 Parallel EXP500 Serial EXP550 Parallel EXP550 Parallel EXP550 Serial	S629 \$1369 \$1569 Call \$385 \$419 \$479
1092 Qume Letter Pro 20 Parallel or Serial 11/40 W/Interface 11/55 W/Interface Silver Reed EXP400 EXP500 Parallel EXP500 Serial EXP550 Parallel EXP550 Parallel EXP550 Serial	Call S629 \$1369 \$1569 Call \$385 \$419 \$494
1092 Qume Letter Pro 20 Parallel or Serial 11/40 W/Interface 11/55 W/Interface Silver Reed EXP400 EXP500 Parallel EXP500 Serial EXP550 Parallel EXP550 Serial EXP550 Serial EXP550 Serial	Call S629 \$1369 \$1569 Call \$385 \$419 \$494
1092 Qume Letter Pro 20 Parallel or Serial 11/40 W/Interface 11/55 W/Interface Silver Reed EXP400 EXP500 Parallel EXP500 Serial EXP500 Serial EXP500 Serial EXP500 Serial EXP500 Serial EXP500 Serial EXP770 Star Micronics All Printer Models	Call S629 S1369 S1569 Call S385 S419 S479 S494 Call
1092 Qume Letter Pro 20 Parallel or Serial 11/40 W/Interface 11/55 W/Interface Silver Reed EXP400 EXP500 Parallel EXP500 Serial EXP550 Parallel EXP550 Serial EXP505 Serial EXP570 Star Micronics All Printer Models Tally	Call S629 \$1369 \$1569 Call \$385 \$419 \$479 \$479 Call
1092 Qume Letter Pro 20 Parallel or Serial 11/40 W/Interface 11/55 W/Interface Silver Reed EXP400 EXP500 Parallel EXP500 Parallel EXP550 Parallel EXP550 Serial EXP550 Serial EXP550 Serial EXPF70 Star Micronics All Printer Models Tally MT 160L MT 180L	Call S629 \$1369 \$1369 \$1569 Call \$385 \$419 \$479 \$494 Call Call \$559 \$779
1092 Qume Letter Pro 20 Parallel or Serial 11/40 W/Interface 11/55 W/Interface Silver Reed EXP400 EXP500 Parallel EXP500 Serial EXP550 Parallel EXP550 Serial EXP505 Serial EXP770 Star Micronics All Printer Models Tally MT 160L MT 180L Spirit 80	Call S629 \$1369 \$1369 \$1569 Call \$385 \$419 \$479 \$494 Call Call \$559 \$779
O92 Qume Letter Pro 20 Parallel or Serial 11/40 W/Interface 11/55 W/Interface Silver Reed EXP400 EXP500 Parallel EXP500 Serial EXP550 Parallel EXP550 Parallel EXP550 Serial EXP570 Star Micronics All Printer Models Tally MT 160L MT 180L Spirit 80 Toshiba	Call Call S629 S1369 S1569 Call S385 S419 S479 S494 Call Call S559 S779
1092 Qume Letter Pro 20 Parallel or Serial 11/40 W/Interface 11/55 W/Interface Silver Reed EXP400 EXP500 Parallel EXP500 Parallel EXP500 Parallel EXP550 Parallel EXP550 Serial EXP550 Serial EXP550 Serial EXP570 Star Micronics All Printer Models Tally MT 160L MT 180L Spirit 80 Toshiba P1340 Parallel or Serial	Call S629 \$1369 \$1369 \$1569 Call \$385 \$419 \$479 \$494 Call Call \$559 \$779 \$289
1092 Qume Letter Pro 20 Parallel or Serial 11/40 W/Interface 11/55 W/Interface Silver Reed EXP400 EXP500 Parallel EXP500 Parallel EXP550 Parallel EXP550 Serial EXP550 Serial EXP550 Serial EXP570 Star Micronics All Printer Models Tally MT 160L MT 180L Spirit 80 Toshiba P1340 Parallel or Serial P1350 Parallel or Serial	Call Call S629 S1369 S1569 Call S385 S419 S479 S494 Call S559 S779 S289
Oyac Qume Letter Pro 20 Parallel or Serial 11/40 W/Interface 11/55 W/Interface Silver Reed EXP400 EXP500 Parallel EXP500 Serial EXP550 Parallel EXP550 Parallel EXP550 Serial EXP570 Star Micronics All Printer Models Tally MT 160L MT 180L Spirit 80 Toshiba P1340 Parallel or Serial P1350 Parallel or Serial	Call Call S629 S1369 S1569 Call S385 S419 S479 S494 Call S559 S779 S289
O92 Qume Letter Pro 20 Parallel or Serial 11/40 W/Interface 11/55 W/Interface Silver Reed EXP400 EXP500 Parallel EXP500 Parallel EXP500 Parallel EXP505 Parallel EXP505 Parallel EXP505 Serial EXP505 Serial EXP505 Serial EXP505 Star Micronics All Printer Models Tally MT 160L MT 180L Spirit 80 Toshiba P1340 Parallel or Serial P1351 Parallel or Serial P1351 Parallel or Serial Transtar	Call S629 \$1369 \$1569 Call \$385 \$419 \$479 \$494 Call Call \$559 \$779 \$289 \$749 \$1445 \$1459
Oyac Qume Letter Pro 20 Parallel or Serial 11/40 W/Interface 11/55 W/Interface Silver Reed EXP400 EXP500 Parallel EXP500 Serial EXP550 Parallel EXP550 Parallel EXP550 Serial EXP570 Star Micronics All Printer Models Tally MT 160L MT 180L Spirit 80 Toshiba P1340 Parallel or Serial P1350 Parallel or Serial	Call Call S629 S1369 S1569 Call S385 S419 S479 S494 Call S559 S779 S289 S749 S1445 S1459

MODEMS

Hayes	
Smartmodem 300 Baud	.\$199
Smartmodem 1200 Baud	
Smartmodem 1200B Baud (IBM)	
Micromodem IIE (Apple)	. \$235
US Robotics	
212A Autodial	. \$420
Password 1200	. 5310
IBM PC Modem	\$320

SANYO * EPSON SYST

DUAL DRIVE SYSTEMS SANYO COMPUTER * EPSON RX-80

SANYO CRT-36 HI-RES GREEN MONITOR • WordStar • CalcStar • Mailmerge • InfoStar • SpellStar • MS-DOS (2.11) • Sanyo Basic

555 System with **\$1499** Dual 160K Drives

555-2 System with \$1799 Dual 320K Drives

SINGLE DRIVE SYSTEMS SANYO COMPUTER * EPSON RX-80

SANYO CRT-36 HI-RES GREEN MONITOR • WordStar • CalcStar • MS-DOS (2.11)

Sanyo Basic

550-2 System with \$1399 Single 320K Drive

550 System with \$1199 Single 160K Drive

VIDEO TERMINALS

M H NO. HOLDE, N DON'T MAKE HIM DATE THE	
ADDS	
A-2 Green	5475
A-3.	
Viewpoint 60	
Viewpoint 90	
경찰에 맞지 않아 아니는 아니는 사람이 되는 것이 되었다. 그 사람이 되는 것이 되는 것이 되었다.	3039
Altos	
Smart II	\$849
Hazeltine	
Esprit I	CAAR
Esprit II	
Esprit III Color	
ESP 6310	
	2008
Qume	
QVT 102 Green	S535
QVT 102 Amber	S545
QVT 103 Green	5840
QVT 103 Amber	
QVT 108 Green	5620
QVT 108 Amber	5639
Televideo	
910	
910+	
914	
924	
925	
950	
970	5989
800A (User Station)	
Personal Terminal	\$385
Wyse	
50	S495
75	S565
100 W/14 Inch Screen	
300	
Zenith	
Z-29	
2-29	5644

MONITORS	
Amdek 300 Green 300 Amber 310 Amber Color 1+	S145
Princeton Graphic	S499
Sanyo CRT-36 CRT-70	Cal Cal
Taxan 12" Amber	\$125
Zenith ZVM-122 Amber ZVM-123 Green ZVM-124 ZVM-133 Color/RGB ZVM-135 Color/RGB W/Audio	\$129 \$129 \$410
DISK DRIVES	
Rana Elite I Elite II Elite II Controller (W/Drive Only) 1000 W/DOS for Atari	\$345 \$410 \$65

Elite II	\$345
Elite III	\$410
Controller (W/Drive Only)	S65
1000 W/DOS for Atari	
DISKETTES	
Maxell	
MD-1 (Qty 100)	S185
MD-1 (Qty 100)	\$275
Scotch	
5¼ SS/DD (Qty 100)	
5½ DS/DD (Qty 100)	S245
Elephant	
5% SS/DD (Qty 100)	
5¼ DS/DD (Oty 100)	

COMPUTERS

Altos	
All Computer Models	Call
Eagle	
PC+2 W/Eagle Monitor & Adapter	Call
Spirit 2 Portable	Call
Spirit XL Portable	Call
NEC	
PC-8201 Computer	\$465
PC-8201A-90 Battery Pack	
PC-8206A 32K Ram	\$299
PC-8271A-01 AC Adapter	\$17
PC-8271A-02 AC Adapter	\$17
PC-8281A Recorder	\$89
Sanyo	
MBC-550 System	\$1199
MBC-555 System	S1499
MBC-550-2 System	\$1399
MBC-555-2 System	51799
	21099
Televideo	
802H	
803. 803H	\$1765
806/20	
TPC-1	51539
Zenith	
	-
Z-100 Low Profile	52000
Z-100 All-In-One Green 192K	
Z-150 Single Drive	Call
Z-150 Dual Drive	Call
Z-150 W/10 Megabyte	Call
Z-160 Single Drive	Call
Z-160 Dual Drive	Call

QUADRAM

Quadlink	S449
Quadboard 256K (Expands to 384K)	\$449
Quadboard II 256K (Expands to 384K)	5449

COMMODORE

04		****	· · YEE!
1541 Disk Drive			\$239
1702 Monitor		*******	. \$239
1526 Printer			. \$274
1530 Datasette (only w/64)		\$60
	ACCOUNT TO STATE OF THE PARTY O		

Order Line: 1-800-528-1054 Order Processing & Other Information: 602-954-6109



2222 E. Indian School Rd. Phoenix, Arizona 85016



Store Hours: Mon-Fri 10-5:30 Saturday 9-1 Order Line Hours: Mon-Fri 8:30 -5:30 Saturday 9-1





Prices reflect 3% to 5% cash discount. Product shipped in factory cartons with manufacturer's warranty. Please add \$8.00 per order for UPS shipping. Prices & availability subject to change without notice. Send cashier's check or money order...all other checks will delay shipping two weeks.



B-Y-T-E W-E-S-T C-O-A-S-T

Trends in **Telecommunications**

On-line search software and faster modems for **PCs**

BY JOHN MARKOFF

ow that the personal computer (PC) has won the battle for office desktop space, software developers are turning their attention toward programs that combine the storage capacity of mainframe computers with the local processing power of PCs. Although mainframes offer PC users access to huge on-line databases of specialized information, how to get to the information and bring it to the PC in a usable form is another question entirely.

In recent months, a new class of PC software has emerged that facilitates the redistribution of tasks between mainframes and PCs. It is called "on-line search" or "database-access" software, and these programs give us a glimpse of how radically PCs will alter the traditional mainframe database-access model based on one central processor and hundreds of remote dumb terminals.

In contrast, on-line search software uses the processing power of the PC to mediate between the researcher and the mainframe database and can offer potentially both a simpler user interface for novices and a more powerful searching tool for experts.

During the past decade there has been an explosion of new sources of electronic information. Several mainframe electronic-information providers such as The Source, Compu-Serve, and Newsnet have designed their systems specifically for novice users, but most on-line database services require special training to be used effectively. These include databases such as Dialog Information Retrieval Service, Nexis and Lexis, and Data Resources Incorporated.

The high cost of on-line information is also a deterrent to new users. Some databases on Dialog cost more than \$100 an hour. This has meant that users generally must undergo extensive training to learn how to develop search strategies to minimize connect time.

REDUCING COSTS

PC-based on-line search software will be beneficial to database users because it will simplify complex user interfaces now found on many mainframe databases and it will permit extensive off-line preprocessing of searches, thereby reducing the cost of information retrieval.

On-line search software introduced to date can be placed in two distinct categories. The first category is composed of programs that are "loosely coupled" to a specific mainframe database. These programs are extensions of intelligent communications software programs and generally permit automatic log-on, query, and downloading from a host mainframe computer.

The second category includes software that has been "tightly coupled" to one or more particular databases. By tailoring programs for interaction with a host computer, software designers are able to create user interfaces that require little knowledge on the part of the user of either micro-to-mainframe communications or the formal database query process.

The emergence of new communication network standards and standards in the on-line information industry will tighten this coupling to the point where the relationship between the mainframe database system and PC software will approximate the current relationship between operating systems and application programs.

Dialog, a subsidiary of the Lockheed Corporation, is the largest collection of public online databases. It has more than 75 million records of information including articles from over 60,000 journals. These records are contained in more than 200 separate databases ranging form biographic databases such as American Men & Women of Science to statistical databases such as U.S. Exports.

Most Dialog reference records are currently available as abstracts that require you to go to a library to obtain the entire article or source (articles can be ordered on line for an extra fee). However, there is a trend toward making the full text of documents available on line. One Dialog database provider, Information Access Corporation, recently introduced two such databases, called Magazine ASAP and Trade & Industry ASAP, that will cover (continued)

John Markoff is a BYTE senior technical editor. He can be contacted at 1000 Elwell Court, Palo Alto, CA 94303.




Photo 1: After installing the proper Dialog password and Telenet, Tymnet, or Uninet network phone numbers, In-Search will automatically connect to Dialog and execute a search in a selected database. Dialing and automatic log-on are done by pressing the F5 function key on the IBM PC. During the dialing and log-on sequence, In-Search opens a window on the display to show current connect status information. If one network dial-up is busy, In-Search will automatically try other network numbers if they have been installed.

If a search has been prepared in the query editor, In-Search will automatically execute the search after it is connected to Dialog.




Photo 2: This is the initial In-Search display shown when you first enter the program. The category and subject windows on the left side of the screen aid in focusing a search. The file-card windows in the center of the screen give a brief overview of each of the more than 200 databases available in Dialog. When the designed database is highlighted, you can search it by entering the query editor and preparing a search request while either on line or off line. More detailed on-line information is available on any database. The window at the bottom of the screen serves as a context-sensitive command menu.

120 different popular magazines and publications ranging from *Scientific* American to Playboy.

IN-SEARCH

In-Search is an example of an on-line search program that has been tightly coupled with the Dialog databases.


In-Search, initially designed to be used on the IBM PC or PC XT, was introduced recently by the Menlo Corporation of Santa Clara, California. This

program costs \$399. It differs from other database-communication programs both in its scope (the program and its assorted reference files occupy more than one megabyte of disk space) and in the sophistication of its user interface, which offers a window-based display environment and "unhooks" the control of the database query process from the Dialog mainframe computer. "Unhooking" means that you're able to prepare your query in a screen-oriented

editor while either on or off line. The process takes place with little interaction with the Dialog mainframe computer.

If the query has been prepared off line, you can log on to Dialog and have the query sent automatically. When Dialog responds with abstracts, they appear specially formatted in an overlapping window display.

Here, again, the user interaction is not (continued)




The second in the series of new BYTE GUIDES.

Special cuid

BYTE

THE SMALL SYSTEMS JOURNAL

\$4,00 IN USA/ \$4,50 IN CANADA DISPLAY UNTIL JANUARY 3, 1985



Apple IIe

Apple III

Apple IIc

Macintosh

Lisa 2

BUILE!

This is not a regular edition of BYTE. The BYTE GUIDE to the Apple Personal Computers is your opportunity for exposure to the most select micro audience.

Apple owners and users read BYTE more than any other micro publication. They rely on BYTE for objective reporting and state-of-the-art analysis of the entire family of Apple micros and compatibles.

438,000 paid BYTE readers influence purchasing decisions for hundreds of millions of dollars in micro products. And they are buying Apple:

- 36% of our subscribers who own micros own Apple PCs for business and personal use.
- 28% of our subscribers who plan to buy personal computers plan to buy Apple for business and personal use.

Every month BYTE draws over 500,000 inquiries to advertised products. The only way to reach this responsive, influential and well-salaried audience is to showcase your product in the BYTE GUIDE to the Apple Personal Computers.

To reserve your advertising space, call your local BYTE advertising salesperson or Pete Huestis, Adv. Sales Mgr., at (603) 924-9281.

Closing date for space reservations: 8/21/84.

On-sale date: 10/24/84.

BYTE GUIDES. The One Source.

Research References: 1983 Talmis Study 1984 BYTE Brand Preference Study 4

On TWA, the fastest way to fly free just got faster.



*Excluding Eastern flights that begin or end in Kansas City, and unlimited mileage tickets.

*Together TWA and Eastern have more flights and fly more people within the U.S. and across the Atlantic than any other airline. Now TWA rewards Frequent Flyers with Bonus Miles from Hertz and Marriott. So it's even easier to earn free tickets to almost anywhere on earth.

TWA makes the world seem a little smaller.

Because now, every time you take off in a Hertz car or land in a Marriott hotel, you can earn 500 Bonus Miles (1,000 overseas) as long as it's within 24 hours of your arrival on a TWA flight.

Of course, TWA already offers Bonus Miles when you stay at

Hilton International. And all those extra miles can make a world of difference.



Together with Eastern and Qantas, we give you the world.

TWA also counts the miles you fly on Eastern* and Qantas. That's why TWA's Frequent Flight Bonussm program is the fastest way** to earn free tickets to almost anywhere. Like the Caribbean, Mexico, South America. Or any of 17 TWA cities in Europe and the Middle East.

In fact, you can even earn a free trip around the world.

And you can start earning awards with as little as 10,000 miles.

So call TWA and sign up with the fastest frequent flyer program anywhere.

And we'll put the world at your feet.

You're going to like us






Photo 3: At any time during a search session, In-Search will extract information on the cost of the current search from Dialog. When you first log on to Dialog, you are automatically placed in the Educational Resources Information Center (ERIC) database. This database is priced at \$25 an hour, less expensive than many other databases in Dialog, which occasionally are priced in excess of \$100 an hour. Dialog automatically places uou in a more expensive database only during the time actually spent searching and downloading information from that database. Currently, In-Search does not supply you with information on the total cost at the conclusion of each session.

Set #	CIS DI-18 Search Keywords and Phrases	i Index Selected	Refs Found
81	Computer .	S S S PARTICION OF	138
\$2	Privacy		156
83	Surveillance	10 THE RESIDENCE	111
	NSA TO THE METALOGOUS		16
\$5	Tapping		1
\$6	S1 AND S2 AND S3	1 4 5 2 2 6	1
\$7	S3 AND S4		3
28	\$4 AND \$5		
89		en uis of the section	
\$18			_
S11 S12			25 200 000
S13			_
S14			-1
	是是我们的是这些的主要的。我们是2000年来的自然是一个人。 第15		
re	ter knywords and phrases to search the selected d ferences press the command key, F9, and then the e help key, F1.	atabase. To retri ← key. For help	press
\vdash		Phone =	

Photo 4: An example of a Dialog database search. The current database is the Congressional Information Service (CIS) that provides access to abstracts of publications produced by the committees and subcommittees of the U.S. Congress. This display screen is the guery editor. You can enter keywords or phrases on each line. Lines S6 through S8 are examples of how In-Search will direct a particular search to locate references that contain several words or phrases. After determining how many references exist, In-Search will retrieve them from Dialog and format them for display or output to a printer. When they are displayed on the screen, an overlapping window appears over the guery editor for text display.

dependent on the control of a remote mainframe computer. If you wish to interrupt the flow of information from the Dialog mainframe, you can do so simply by paging backward or forward through the information in much the same way that you can scroll through a text document in word-processing software. Because information from Dialog can be captured in a buffer (In-Search tailors the size of the buffer to the available memory level of an indi-

vidual computer) on your PC, it's possible to selectively mark records for later printing. You also can store retrievals to disk as ASCII (American National Standard Code for Information Interchange) text that can be edited by a word processor or called up for viewing by In-Search.

In designing the In-Search user interface, Menlo Corporation has attempted to take concepts from other popular types of PC software. For example,

when working in the query editor, you can edit and change lines of text exactly as though you were working with a document text editor. In-Search has even supplied users with the option of the familiar WordStar command-key sequences for cursor control and word and character deletions (the cursor-control keypad is functional as well). The basic In-Search display also contains a menu of command options that are ar-

(continued)

KNOWLEDGE SYSTEMS INC.

Information Processing Components, Selected for Performance and Value

FREE SHIPPING — NO EXTRA CHARGE FOR MASTER CARD AND VIS PREPAID PRICES INCLUDE SHIPPING AND INSURANCE, UPS Ground Continental USA or

Amdek	
300A	143
300G 310A	133
Dynax	11.3
12" Green	127
12" Amber	
Taxan	
RGB III	
RGB 420	534
PGS	
PGS HX12 MAX 12	473
SR 12	Call
USI	
Pi 2 12" Green	125
Pi 3 12" Amber	142
Sanyo	
8112 Hi/Res	195
NEC	
JB 1201	162
JB 1205A JC 1410	
They have to the	017
MODEMS	
Hayes	
300	207
1200	493
1200B Micromodem IIe W/T	432
US Robotics	242
Password Password	307
Autodial 212A	460
Novation	
Access 1,2,3	
Apple Cat II	277
Prometheus Products	2.00
Promodem 1200	365
Options Processor Memory \$30 per 16K up to	64K
Alphanumeric Display	. 78
Procom Software-Apple, IBM	78
Rixon	Wester 1
PC212A P212A	
PZIZA	413
IBM ACCESSORIE	S
Ast Research	
6-Pack	225
Combo Plus	225
Mega Plus	225
64 K Ram Set	. 55
Plantronics	275
Color Plus	375
Hercules Computer Hercules Graphics Card	350
Amdek	330
MAI	477
Koala	
Koala Graphic Tablet	Call
Everex	
Dual Display	Call
Number 9	
Number 9 1448X1448	Call


MONITORS

PRINTERS	W.
C. Itoh	
Properitor 8510P 120 cor	340
Prowriter 8510P 120 cps Prowriter 8510SP 180 cps	477
Provides 95105PC 190 and aller	552
Prowriter 8510SPC 180 cps color Prowriter 1550P 120 cps Prowriter 1550SP 180 cps Prowriter 1550SPC 180 cps color	552
Prowriter 1550P 120 cps	552
Prowriter 1550SP 180 cps	685
Prowriter 1550SPC 180 cps color	777
New CX4800 plotter New A10 18 cps Daisy Wheel	518
New A10 18 cps Daisy Wheel	510
Starwriter F10 40 cps Daisy Wheel	915
Printmaster F10 55 cps Daisy Wheel We Know How to Make	
Your Prowriter IBM Compatible	е
Okidata	
92p 160 cps	427
93p 160 cps	705
IBM Printer Rom	45
2350 350 cps	2000
2410	
Star Micronics	
Star Micronics	205
Gemini 10X 120 cps Gemini 15X 120 cps	285
Gemini 15X 120 cps	423
Delta 10 160 cps Delta 15 160 cps	448
Delta 15 160 cps	633
NEC	
3550 40 cps	1608
7740 55 and	1000
7710 55 cps	1099
Brother	
HRI 16 cps	569
HR25 23 cps	765
HRI 16 cps HR25 23 cps HR35 34 cps	935
- 100 to	
DX15 Dynax 14 cps	Name of the last
DX15	477
Keyboard	149
IDS	
Prism 132 color	1535
Prism 132 color	1419
Transtar	
315 color	450
Silver Reed	
	ror
550	595
500	431
Juki 6100 18 cps	
6100 18 cps	450
то срз	450
Teletex	
1014 12 cps	455
Mansman Tally	
	24.0
Spirit 80 cps 160 cps	
160 160 cps	641
DISK DRIVES	
DISK DRIVES	
For IBM	
Tandon TM100-2	180
Teac 55B ½ Height	
Pan/Shug ½ Height	
CDC	220
For Apple	
Super 5 1/2 Height	203
Quentin An 100-Y	242
Quentin Ap 105-Y 1/2 Height	213
Quentin Controller	48
Rana 1	
Rana 1 with Controller	325
Hand Dieke	Call
Hard Disks	Call

PRINTERS
C. Itoh
owriter 8510P 120 cps 340 owriter 8510SP 180 cps 477 owriter 8510SPC 180 cps 552 owriter 1550SP 120 cps 552 owriter 1550SP 180 cps 685 owriter 1550SPC 180 cps color 777 ew CX4800 plotter 518 ew A10 18 cps Daisy Wheel 510 arwriter F10 40 cps Daisy Wheel 915 intmaster F10 55 cps Daisy Wheel 1265
Your Prowriter IBM Compatible
Okidata 2p 160 cps 427 3p 160 cps 705 3M Printer Rom 45
2p 160 cps 427
BM Printer Rom 45
350 350 cps 2000
350 350 cps 2000 410 2380
Star Micronics emini 10X 120 cps 285 emini 15X 120 cps 423
emini 10X 120 cps 285
emini 15X 120 cps 423
elta 10 160 cps 448 elta 15 160 cps 633
NEC 550 40 cps 1698 710 55 cps 1899
710 55 cps 1899
Brother
RI 16 cps 569
R25 23 cps 765
Brother RI 16 cps 569 R25 23 cps 765 R35 34 cps 935
Dynax X15
X15
eyboard 149
IDS
rism 132 color
Transtar 15 color 450
Silver Reed
50 595
00
Indi
100 18 cps 450
Teletex 014 12 cps 455
Mansman Tally
pirit
60 160 cps 641
DISK DRIVES
For IBM
andon TM100-2 180 eac 55B ½ Height 175 an/Shug ½ Height 165 DC 220
For Apple
uper 5 ½ Height
uentin Ap 100-Y
uentin Ap 105-Y 1/2 Height 213
uentin Controller
ana 1
ard Disks

HAVE IT YOUR WAY

18 Slot Chassis 125 Watt Power and IBM Compatible CPU



IMP SYSTEM — \$1,300

The S-100 Concept for IBM Compatible Systems You want a computer. You like the flexibility and option of the IBM PC. EXCEPT there are some things that you w your way. YOU:

Don't like the funny keyboard.

- Want 1/2 height drives so you can add a hard disk late
- Want a powerful supply that is adequate for disk expansi
- Want more than three additional slots.
- Want a faster or different CPU.
- Want higher resolution graphics.
- Want Dvorak or other keyboard layout.

List	Our
TIME SPECTRUM 395	Call
APSTEK 369	Call
CRAMBO 359	Call
BIG BLUE 600	Call
EASIBOARD + 15 functions	350
Maynard Sandstar	230
PC GT 80186 8MHz 1195	Call
Scion	1595
Halo-Intlgnt High Res Graphics .	. 150
PROTIUM	1195
Keytronics Keyboard OWERTY	169
Keytronics Keyboard DVORAK	169
Keytronics Keyboard 5151	
Lotus 1-2-3 users, you need this keyb	

COMPUTERS	
Franklin OMS 1200	1709
Columbia 1600-1	2600
TAVA PC	1900
Eagle 1	1650
Eagle II	2050
Eagle III	2270
Eagle IV	3500
Eagle PC-2	2730
Eagle 1620	3400
Eagle 1630	5270
Eagle 1640	6400

TERMINAL	LS
Televideo	
914	563
925	717
950	914
Wyse	
50	569
Teletex	
3000	460

Ashton Tate

Friday Software Arts

TK Solver Solver Pac

dBase II

Seasoned Systems Sure Stroke Dvorak Tutor

Sorcim

Super Calc III

Micro Pro

Wordstar Mail Merge Spellstar

Pro Pack

MBSI

Realworld GI Realworld AR

ATI For Most Software Program

Hayes Smart Com

Micro Stuff Crosstalk

Micro Rim RBase

UNIX

QNX System 5

Circle 174 on inquiry card.

California Residents add 6.5% State Sales

Shipping extra for outside USA, FPO and

Please include an address reachable by

(213) 344-4455

Knowledge Systems Inc. 19707 Ventura Blvd.

ORDERING TERMS

tifled Checks, Bank Wire Transfers, Maste Visa, AMEX (add .3% for AMEX) and P Checks (allow 15 banking days for all p checks). Please include Valid Driver's Lic

OLYMPIC SPECIALS

PROMETHEUS Promodem 1200 \$365

Options Processor	\$78
Memory \$30 per 16k up to	64k
Alpha Numeric Display	\$78
Procom Software-Apple or IBM	\$99

Megabyte Floppy TEAC 55F \$195

For those who need more drive space & have less than infinite resources. These drives will run off your already existing controller, up to four drives. Use J Format so you can read standard density diskettes and use to back up your small hard disk.

J Format		,									¥			v	÷	÷		+			4		\$60	
----------	--	---	--	--	--	--	--	--	--	--	---	--	--	---	---	---	--	---	--	--	---	--	------	--

384 K IMP SYSTEMS **Configured 18 Slot** 125 Watt Supply

Parallel serial clock game port, Hercules graphics card, 2 ea. 1/2 high drives, Maynard sand star controller, Keytronics 5151 keyboard, Amdek monitor, amber

\$29	105	
PA		

|--|

KEYTRONICS 5151 \$199

Spread Sheet, Data Base, Touch Typists and Star Ship operators, you need this keyboard to avoid the deadly Terminal Numlock syndrome.

New Dvorak 5151 \$1	199
Sure StrokeDvorak tutor	48
Apple "drive a real keyboard" KB200\$2	240

TSENG LABS 132 X 44 VIDEO

LTRAPAK	\$585
LTRAPAK RAM 64K	\$200
ITRAPAKDisk Controller	\$187

ombines the features of a multi funcon card with that of a super spread eet video card 132 X 44, with serial arrell ports & clock, either RAM module floppy controller.

DATASHIELD UPS

UNITERRUPTABLE POWER SUPPLY Some know that it takes much less than a nuclear bomb to ruin your whole day. Blackouts, brownouts, surges, spikes and line noise name a few.

200 Watt for 5 minutes, 50% Load for 20 minutes

\$310

300 Watt for 5 minutes, 50% load for 20 minutes

\$420

dimension"

68000 **AUTHORIZED DEALER**

YES! We have them in stock **Local Sales**

Runs almost anything now and will run 68000, CPM 68K, UNIX and 'C' in the future

SPACE TABLETS and ADVANCED SPACE **GRAPHICS SYSTEMS**

Interactive 3-D Graphic design for micros. Plugs into your game port to give the most productive design. An aid for architects, designers, inventors, space habitat engineers, and other leading edge technonogists.

APSTEK MULTI FUNCITION CARD

Calendar • Game Port • Print Spooler & Diagnostics • Up to 38K

ALLOY TAPE BACK-UP 17 MEGABYTES

Using a 3M data cassette. File oriented back up system allows infinite back up for any sized drive.

\$1680

External drive and controller.

SURGE FREE

Surge protectors with noise suppression. SF 600 M \$26

6 outlets direct plug into wall socket. 10 outlets switched with circuit breaker

HARD DISKS

33 Megabytes formatted \$2280 External drive with controller & cable.

15 Megabytes formatted \$1440

External drive with controller & cable and 6 foot cord.

STARWRITER CITOH F 10-40 \$915

ONX

NEW: Multi-user systems for IBM PC. Up to 16 users per system.

\$580

VERBATIM DATALIFE

Single Side, Double Density

8 Serial Ports on a Single Card. Control Systems 8 Port IO ... \$690

Take 1 IBM PC add 1 ONX operating system 1-2 of these cards and stir for a mulit-user system of up to 16 users.

TAVA

STANDARD SYSTEMS

256K RAM, 2 each 320K Drives and Controller, Hi-Res Monitor & Video Card, 2 Serial and 1 Parallel ports. COLOR: add \$100.

\$2001

NUDE 256K CPU \$1175

I WISH

Same as the Standard, PLUS 10 MB Hard Disk and 10 MB Tape backup. COLOR: add \$100.

\$4001

ifornia Residents add 6.5% States Sales

ipping extra for outside USA, FPO and

ase include an address reachable by S, no PO boxes, and your phone mber where you can be reached during

(213) 344-4455

Knowledge Systems Inc. 19707 Ventura Blvd. Woodland Hills CA 01264

ORDERING TERMS

Prepaid Money Orders, Cashier's Checks, Certified Checks, Bank Wire Transfers, Master Card, Visa, AMEX (add 3% for AMEX) and Personal Checks (allow 15 banking days for all personal checks). Please include Valid Driver's License # and Major Credit Card for Identification.

ranged similarly to those provided by electronic spreadsheet programs. By pressing a function key, you can enter a command mode and select a command that will cause In-Search either to send a particular command to the Dialog system or to retrieve information from its own local database.

Although it is possible to first prepare a particular search strategy off line and then retrieve references quickly to minimize connect-time charges, In-Search is based on a different, more interactive philosophy of on-line database use.

Menlo's president, Lloyd Kreuzer, argues that In-Search is designed to function in a highly interactive manner. This sets it apart from other PC frontend software packages that assume you know what you want before going on line.

In contrast, Kreuzer believes that the most effective way to use a database like Dialog is to be able to alter a search strategy depending on the nature of the data revealed on a search. "Interactive searching is less precise and therefore more likely to turn up things," he says. "The keyboard is never dead and [in fact] it is uncoupled from the Dialog process."

When using In-Search on a fixed disk, the program provides local on-line detailed information on each individual database. This information, traditionally provided as printed textual documentation by Dialog (on forms called "blue sheets"), allows you to obtain information on the scope of an individual database as well as information on specific database indexes that aid in refining searches.


In-Search also supplies you with local context-sensitive on-line help both for using Dialog and In-Search. If you have an IBM PC without a fixed disk, you must insert one of four separate floppy disks that represent major database categories: arts, education, and social sciences; biology and medicine; busi-

ness, government, and news; and engineering, mathematics, and physical science. On a fixed-disk PC, these files are directly accessible by the program and in the future it may be possible for the Menlo Corporation to use Dialog to download updates both to the on-line reference sheets and to the In-Search program itself.

The search process begins with selection of a database to search in. The first In-Search display shows three windows. Two small windows on the left side of the screen allow you to select one of the four major categories and to select further specific subject areas within each category. After you select category and subject you can select a specific database. At this point you are placed in the query editor (In-Search calls this the Search Keywords and Phrases screen) to formalize a search.

After In-Search sends the query to Dialog, the references yielded by each (continued)

Peripheral Networking Now



Buy ASCI Intelligent Port Expanders

- Eliminate Manual Switching by Remote Control
- Improve Productivity and Reliability
- · Share Printers, Modems or Plotters
- · Expand Computers or Terminals
- Use Matrix Switching for Multiple Transmission or Security
- · Supports Polling and Queing

INSTANT COMPATIBILITY with new computer devices and MAJOR OEM PRODUCTS:

Altos — Burroughs — Data General — DEC H.P. — IBM — NCR — Northstar — Victor and other key manufacturers.

Call 213-793-8979 to EXPAND YOUR SYSTEMS TODAY.




Advanced Systems Concepts Inc. 435 N. Lake Ave., Dept. B7 Pasadena, CA 91101

800-824-7080 Telex: 701 215

spectraLIGHT™ CNC

PERSONAL COMPUTER CONTROLLED LATHE WITH FULL CNC CAPABILITY \$2995.



- *Compatible with APPLE II+, IIe
- · Turn steel, aluminum, brass, plastic
- · Create prototypes and replacement parts to perfect fit
- · Make one or a thousand perfect turnings
- Update and automate your small machining operations
- Fully train new CNC operators

Swing over bed is 3.5", with 8" between centers. Ball bearing spindle and precision gib slides give positioning precision to under $\pm .0005$ ". Program the lathe in conventional CNC code, with linear and circular interpolation and store up to 200 different patterns on one diskette. With the most popular personal computer you can get:

LATHE AUTOMATION FOR \$2995. Call (603) 625-8600.

*IBM PC COMPATIBILITY SEPT. 1, 1984

LIGHT MACHINES CORPORATION

649 East Industrial Drive, Manchester, NH 03103

A few smart reasons to buy <u>our</u> smart modem:

Features	Ven-Tel 1200 PLUS	Hayes
1200 and 300 baud, auto-dial, auto-answer	Yes	Yes
Compatible with "AT" command set	Yes	Yes
Can be used with CROSSTALK-XVI or Smartcom II software	Yes	Yes
Regulated DC power pack for cool, reliable operation	Yes	No
Eight indicator lights to display modem status	Yes	Yes
Speaker to monitor call progress	Yes	Yes
Attractive, compact aluminum case	Yes	Yes
Two built-in phone connectors	Yes	No
Compatible with The Source and Dow Jones News Retrieval	Yes	Yes
Unattended remote test capability	Yes	No
Phone cable included	Yes	Yes
Availability	Now	
Price	\$499	\$699


The Ven-Tel 1200 PLUS offers high speed, reliable telecommunications for your personal computer or terminal. Whether you use information services or transfer data from computer to computer, the Ven-Tel 1200 PLUS is the best product around. Available at leading computer dealers and distributors nationwide.

Also from Ven-Tel: internal modems for the IBM and HP-150 Personal Computers with all of the features of the 1200 PLUS.

You choose. The Ven-Tel 1200 PLUS the smartest choice in modems.

Ven-Tel Inc.

2342 Walsh Avenue Santa Clara, CA 95051 (408) 727-5721





busy or unanswered calls.

Built in speaker monitors call progress. Eight fro provide complete communications status at a g

Crosstalk is a trademark of Microstuf; Hayes and Smartcom II are trademarks of Hayes Microcomputer Products.

Circle 319 on inquiry card. JULY 1984 • B Y T E 351

search are displayed in a separate window referred to as a reference text display. Any search words that you entered in the query editor appear as highlighted text as they are scrolled on the reference text screen.

At the same time, information on modem status is given in a small window in the lower-right corner of the display. When Dialog is sending records, the window indicates Phone-Working. The status changes to Phone-Online after the records have been retrieved or when you interrupt the retrieval process.

For a simple search to answer the question "Are there any books currently available that describe bicycle tours of the California wine-growing region?" You would first select the Books in Print database and then enter the words "bicycle," "wine," and "California" in the query editor. You enter each of these words on a separate line. The first three lines of the editor are labeled S1, S2, and S3. On line S4, you enter the phrase "SI AND S2 AND S3" to insure that any reference in Books in Print that contains the first three words in its abstract will be located. (Running this query with In-Search located one book: Grape Expeditions: Bicycle Tours of the California Wine Country.)

In-Search documents the AND, OR, and NOT logical operators, which are subsets of Dialog's complete range. However, expert users can implement all the other search operators that Dialog permits.

Effective searching of the Dialog database, even with In-Search, is frequently complicated. Since Dialog is generally a collection of document abstracts, it is heavily indexed, and it is important to understand the structure of the indexes to conduct a complete search.

A Dialog database is broken into records that are composed of fields. A typical record might include fields such as title, author, journal, abstract, descriptors, and identifiers. (Descriptors and identifiers are standard and non-standard terms used by the database publisher to identify the subject matter of a record.) Each field is indexed either as a word index or as a phrase index.

In-Search gives you on-line access to specific indexes for each database. You can select an index for any term or phrase entered on the query editor screen. You also can send the Dialog database an "Expand" command that shows a listing of indexed words around the particular search word for a particular field in the database. This often will aid in narrowing down the focus of a search. (It is possible to search only one Dialog database at a time, however, some preselection is possible by searching the subject index first with a special command.)

The importance of indexed searching was exemplified when I searched for my last name in The Computer Database. No references were found; however, when the author index was specified, Dialog located 106 references.

Possibly the most intriguing aspect of this new class of software is the change that it portends in the realm of microcomputer-to-mainframe communications. The analogy that casts the mainframe database in the role of an operating system, linked simultaneously to many remote application programs,

brings many possibilities into view. In this model, interaction between microcomputers and mainframe computers would be similar to program calls to an operating system.

Menlo's Kreuzer has called upon online database providers to develop an open-architecture, machine-to-machine interface standard that would permit third-party software developers to create a new generation of applications programs.

"(What is needed is) a universal set of calls to create an open standard for the on-line community that will let us, or anyone, write applications programs," he says. "The information industry literally will explode once we have a machine interface to all the data."

Such an architecture would move in a philosophically different direction than the one currently being followed by some on-line information providers who have been setting up systems based on hierarchical "user-friendly" menus for novice users.

Instead, Kreuzer is aiming at fundamentally changing the division of labor between mainframes and PCs. While it is logical that the data searching and sorting algorithms will remain on the mainframe computer, the PC can be expected to handle the user interface, on-line help, and preprocessing of the search request more efficiently.

FURTHER BENEFITS

Tighter coupling of the communications process between mainframe host and remote PC potentially can yield other dividends as well. Higher data-commu-

(continued)



Good reading

Order free IRS Publications on deductions, exemptions, tax credits, depreciation—over 90 topics in all. Available by using the handy order form in your tax package.

A public service message from the Internal Revenue Service.

THE LIBRARY OF

COMDUTER AND INFORMATION SCIEN

the oldest, largest and most respected book club for the computer professional



Take any 3 books for only \$1.00 each (values to \$89.85)

You simply agree to buy 3 more books—at handsome discounts—within the next 12 months

(Publishers' Prices shown.)

37377. CDP REVIEW MANUAL: A Data Processing Handbook. Third Edition. Kenniston W. Lord, Jr. In-depth coverage of equipment, management, mathematics and statistics, and more. Softbound.

37970, CICS/VS COMMAND LEVEL WITH ANS COBOL EXAMPLES. Pacifico A. Lim. An excellent guide to on-line (teleprocessing) concepts. \$29.95 guide to on-line (teleprocessing) concepts.

41618-2. DATABASE DESIGN. Second Edition. Gio Wiederhold. Completely revised edition of the comprehensive and authoritative work. Counts as 2 choices.

42013. THE DESIGN AND CONSTRUCTION OF COMPILERS. Robin Hunter Lexical analysis, storage allocation, code generation, syntax analysis, symbol table handling, and more. \$27.50 table handling, and more.

42036. THE DESIGN OF COMPLEX INFORMA-TION SYSTEMS. Grayce M. Booth. Hard-won design techniques and methods. \$29.95

49428-2.FUNDAMENTALS OF INTERACTIVE COMPUTER GRAPHICS. Foley and Van Dam. The representation of 3D shapes, shading models, intensity and color, creating realistic synthetic images, and more. Counts as 2 choices. \$36.95

49476. FUNDAMENTALS OF PROGRAMMING LANGUAGES. Ellis Horowitz. What they are, how they perform, and how superior language designs will arise in

62614. MICROBOOK: Database Management for the Apple II. Ted Lewis. Fully-worked out programs written in Pascal, with sample screens. Softbound. \$19.95

64728. 1984 PROGRAMMER'S MARKET. Edited by Brad McGehee. More than 500 listings of software publishers who use freegance material. Softbound. \$16.95

70723. THE PROGRAMMER'S CP/M HANDBOOK. Andy Johnson-Laird. A technically-oriented guide for the small computer user.

42000-2. DESIGN AND STRATEGY FOR DISTRIB-UTED DATA PROCESSING, James Martin. The basics, potentials and impact of DDP decisions. Counts

40430 CONTROLLING SOFTWARE PROJECTS: Management, Measurement & Estimation. Tom D \$28.50

40072-2. COMPUTER VISION. Ballard and Brown From image scanning to frame theory. Includes: optical flow, templates and image geometry, and more. Counts \$39.95

70748. PROGRAMMING A PERSONAL COM-PUTER. P. Hansen. The fundamentals of the Edison System. Softbound. \$18.95

73625. REAL-TIME SOFTWARE. Robert L. Glass A compendium of outstanding articles on real-time de-sign. \$24.95

88012-2. WRITINGS OF THE REVOLUTION: Se-lected Readings on Software Engineering. Edited by Ed-ward Yourdon. A collection of 25 hard-to-find articles. Softbound. Counts as 2 choices. \$33.00

32152. ADA FOR PROGRAMMERS. Olsen and Whi-\$18.95 tehill. A practical working guide.

43965. 8086/8088 16-BIT MICROPROCESSOR PRIMER. Morgan and Waite. Featuring Intel's 8088 as used in the IBM Personal Computer. Softbound. \$18.95 51923. A GUIDE FOR SOFTWARE ENTREPRE-NEURS. A. L. Frank. \$29.00

52 00. HIGH LEVEL COBOL PROGRAMMING. Weinberg et al. The classic handbook. Softbound edition. \$24.95

53860. HOW TO SOLVE IT BY COMPUTER. R. G

54447. THE IBM COBOL ENVIRONMENT. Robert T. Grauer A guide to the most widely used commercial language. \$21.95

54565. THE ICON PROGRAMMING LANGUAGE. R. and M. Griswold. A general-purpose language with unique abilities to handle nonnumeric data. \$18.95 55098. INFORMATION SYSTEMS IN THE 80's:

Products, Markets, and Vendors. Ulric Weil. 55350. INFORMATION INTEGRITY: A Structure For Its Definition and Management. Hal B. Becker. \$26.95

\$29.95

4 Good Reasons to Join

1. The Finest Books. Of the hundreds and hundreds of books submitted to us each year, only the very finest are selected and offered. Moreover, our books are always of equal quality to publishers' editions never economy edi-

2. Big Savings. In addition to getting either the Encyclopedia of Computer Science and Engineering for \$3.00 or 3 books for only \$1.00 each when you join, you keep saving substantially—up to 30% and occasionally even more. (For example, your total savings as a trial member—including the introductory offer—can easily be over 50%. That's like getting every other book free!)

3. Bonus Books. Also, you will immediately become eligi-

3. Bonus Books. Also, you will immediately become eligible to participate in our Bonus Book Plan, with savings up to 70% off the publishers' prices.

4. Convenient Service. At 3-4 week intervals (16 times per year) you will receive the Book Club News, describing the Main Selection and Alternate Selections, together with a dated reply card. If you want the Main Selection, do nothing and it will be sent to you automatically. If you prefer another selection, or no book at all, simply indicate your choice on the card, and return it by the date specified. You will have at least 10 days to decide. If, because of late mail delivery of the News, you should receive a book you do not want we guerantee return postage. want, we guarantee return postage.

55845. INTERACTIVE COMPUTER GRAPHICS. Wolfgang K. Giloi. Comprehensive, practical guide for generating effective graphic displays, picture representa-tion and transformation, and more. \$28.95

58104. LEGAL CARE FOR YOUR SOFTWARE: A Step-by-Step Guide for Computer Software Writers. Daniel Remer. Copyrights, trademarks, and more. Soft-

58811. LOGICAL CONSTRUCTION OF SYSTEMS.

Jean-Dominique Warnier. Every aspect of system design. \$22,95

59937-2, MANAGEMENT OF COMPUTER OPERA-TIONS, Israel Borovits. How to develop, implement, and monitor data processing policies. Counts as 2 choices

60326-2. MANAGING THE DATA-BASE ENVIRON-MENT. James Martin. "The computer industry's most widely read author, best attended lecturer and foremost authority on the social and commercial impact of com-puters."—Computer World. Counts as 2 choices. \$35.00

82558. TECHNIQUES OF PROGRAM AND SYSTEM MAINTENANCE. G. Parikh. How to keep our systems running. \$24.95 systems running.

86596. OFFICE AUTOMATION & WORD PRO-CESSING GUIDE. *Tony Webster.* An overview of the "electronic office." Softbound. \$19.95

49353, FUNDAMENTALS OF DATA STRUCTURES IN PASCAL, Horowitz and Sahni. Evaluation of algorithm and data structure development. \$26.95 ithm and data structure development.

60365. MANAGING SYSTEMS MAINTENANCE. William E. Perry. A down-to-earth handbook with easy-to-follow forms, checklists, and charts. Softbound.

62638. MICROPROCESSOR SYSTEMS. M. Au-

miaux. How to make reliable evaluations, define overall structure, evaluate characteristics, and more. 67042. PASCAL FOR PROGRAMMERS, Lecarme

and Nehut. Packed with examples, diagrams, and sample codes. 69923. PRACTICAL ASPECTS OF DATA COMMU-NICATIONS. Paul Kreager. Practical information

culled from on-the-job situations, \$29.95

70206. PRINCIPLES OF DATABASE SYSTEMS. Second Edition. Jeffrey D. Ullman. \$24.95 Second Edition. Jeffrey D. Ullman.

70684. PROGRAM DESIGN CONCEPTS WITH AP-PLICATIONS IN COBOL. Philippakis and Kazmier. Packed with sample programs, and basic techniques.

70747. PROGRAMMING IN MODULA-2. Second Edition. Niklaus Wirth. "A worthy successor to Pascal."—BYTE. \$16.95

77651. SELECTED WRITINGS ON COMPUTING.

Edsger W Dijkstra. Articles and papers by a founding father of modern programming. \$28.00


father of modern programming. \$28.00 80823. STRUCTURED COMPUTER ORGANIZATION. Second Edition. Andrew S. Tanenbaum. Computer architecture and its design. \$28.95

80820-2. A STRUCTURED APPROACH TO SYSTEMS TESTING. William E. Perry. How to deliver accurate, reliable, and user-satisfactory software. Counts

If the reply card has been removed, please write to: The Library of Computer and Information Sciences Dept. 7-CD6, Riverside, N.J. 08075 to obtain membership information and an application.

EXTRAORDINARY VALUE!

ENCYCLOPEDIA OF COMPUTER SCIENCE AND ENGINEERING. Second Edition. Ralston and Reilly, Eds. Thoroughly revised, updated and Eds. Thoroughly reorganized. 550 articles. Over 1,670 pages on virtually every aspect of the computer sciences. More than 750 illustrations. Counts



In-Search uses a significant amount of data compression on the large on-line reference files that are stored on the PC to reduce their size by almost 40 percent.

nications speeds is one obvious possibility. In-Search already uses a significant amount of data compression on the large on-line reference files that are stored on the PC to reduce their size by almost 40 percent. There are a series of simple strategies for increasing the data-communications bandwidth as well. If the applications program can be coupled more tightly to the host computer, it is possible to employ a variety of data-compression strategies to go beyond the current 1200-bps (bit-persecond) limitation over phone lines.

Post-processing is another significant area. While In-Search currently formats only downloaded information and stores it to disk or outputs it to a printer, several other on-line search programs permit later manipulation of information as well. SciMate, from the Institute for Scientific Information (ISI) in Philadelphia, is an on-line search program that is priced at \$880 and designed for IBM PC, Apple II, and CP/M computers. It provides for automatic logon and query of four different database

systems and includes a local database manager that makes it possible to store downloaded information. The database component of SciMate is called Personal Data Manager. It will take advantage of the record and field structure of information from a host computer or permit you to create your own structure for a local database. Although there are limitations on field and record size, Personal Data Manager permits you to link records to store longer textual documents. You also can move files to wordprocessing programs or merge locally created notes or documents into the database

In a smaller fashion, Informatics General Corporation and VisiCorp have developed two complementary programs, Answer/DB and VisiAnswer, that permit the transfer of quantitative data from a corporate mainframe computer to an IBM PC where it can then be loaded into a VisiCalc spreadsheet program for local analysis.

FASTER MODEMS FOR PCS

Today there are a series of barriers confronting high-speed PC data communications. Most of these barriers fall within the realm of the voice-grade telecommunication network and into existing modem technologies designed to send data over this network.

Yet, while digital technologies are promising dramatically higher communication speeds, a series of new modem designs is being introduced that will bring PC-to-PC data rates up to 9600 bps and, with additional data compres-

sion, may push speeds higher.

The new technology wasn't originally developed for personal computer users, but rather for digital-facsimile transmission systems. Now that the technology has been moved to PCs, it raises a number of possibilities, including using facsimile machines as remote inputoutput devices for PCs.

Gamma Technology, a Palo Alto, California, data-communications corporation, recently introduced the FAXT-96, a half-duplex 9600-bps synchronous modem board for the IBM PC and PC XT.

Priced initially at \$1995 and designed to be used with a synchronous adapter card, the FAXT-96 plugs directly into a card slot in an IBM PC or PC compatible and permits 9600-bps communication over ordinary dial-up telephone lines. The modem includes auto-dial, auto-answer, and multiple-speed features. It connects directly to a phone line and to a synchronous adapter.

The use of dial-up 9600-bps communications is new. It has been made possible because of improvements in modem technology and improvements in the method of encoding digital data on bandwidth-limited voice-grade lines. Control of the FAXT-96 is handled in software from a "master control panel" screen on the IBM PC.

Previous high-speed synchronous modems have been stand-alone units that have been intended for either remote-terminal or micro-to-mainframe communication. The Gamma Technology modem differs in that, although it can be used as a high-speed micro-

(continued)

Please print clearly.

NFORMATION SYSTEMS MANUFESTO JAMES MARTIN

McGraw-Hill Bookstore

Provides end users, DP staff, and senior and top management with a strategy and direction on how to change and manage the dramatically changing environment of information systems and data processing.

An Information Systems MANIFESTO

by James Martin

The first part of this book describes action which must be taken to improve the use of computers, for example, by placing the end user in the driver's seat and by automating the process of automation.

The second part examines the future, particularly the Japanese and the essential need for entrepreneurs. 300 pp. \$37.95

McGraw-Hill 1221 Ave. of to N.Y., N.Y. 100	ne Americas		\mathcal{A}_{i}^{N}	C W
Please send Information S Martin at \$37	ystems MAI			
Check, money	order or cre	dit car	d only.	
BankAmer	Amer Exp)	_ Master Chg	_
Acct. No		. Expire	es	-
Name	-			_
Address				_
City	State	-	_Zip	
Add applicable valor	tow when \$7 EO	nations a	nd handling	

Professional Software for the Software Professional

DMA products operate on the full range of Z80, 8086, 8088 processors, including the IBM-PC

Here's what you can do!

Application Creation

FORMULA II™

The Application Creator

The first and only Application Creator—a do-it-your-self concept for office automation. FORMULA II lets you define your files, forms, menus, and reports—FORMULA II then creates your program. FORMULA II includes a Database manager with an English Query language and a Form/Report Creator with word processing features.

Communications ASCOM™

ASCOM™ is the most versatile asynchronous communication package for microcomputers on the market. It features interactive, menu-driven, and batch operations; supports auto-answer and auto-dial modems; includes most popular protocols; provides network simulation; and many other options.Xerox Corporation, NCR, Monroe Systems for Business, and the big 8 accounting firms use ASCOM™.

SYNC/COMTM—A bisynchronous communication package that will be configurable for a variety of systems and includes a flexible interface to the operating system. 2780/3780/3270 protocols available on microcomputers with appropriate hardware.

TERMCOM™—A configurable terminal emulator allowing any personal computer to emulate most conversational and selected block mode terminals with asynchronous communications. Available December 1983.

Utilities EM80/86TM

This software emulator lets you use eight bit software on sixteen bit microcomputers without hardware modifications.

The 8086 O.S. Converter™

CP to MS—Permits execution of Digital Research's CP/M-86 programs under Microsoft's MSDOS (or PCDOS).

MS to CP—Permits execution of MSDOS programs under CP/M-86.

UT-86TM

This package of user-friendly utilities for the IBM Personal Computer and similar systems includes copying, directory sorting, patching, and a general purpose file print utility.

Coming Soon

DMA."C"TM—A "C" language compiler which will generate either Z80 or 8086 assembly language code. Due to a unique optimization routine which is based upon a functional "P-code" model, the efficiency of DMA."C" will far exceed that of existing compilers.

DMADMADMA

E SPEAK YOUR LANGUAGE WE SPEAK YOUR LANGUAGE WE SPEAK YOUR LANGUAGE

DYNAMIC MICROPROCESSOR ASSOCIATES, INC.
545 FIFTH AVENUE, NY, NY 10017
Dealer Inquiries only • (212) 687-7115

to-mainframe communications link, a software package also is being offered that permits error-checked PC-to-PC file transmission at 9600 bps.

The shift from asynchronous to synchronous transmission protocols at higher data rates frees the communication process from the start-stop bit overhead, a difference that automatically vields about a 20 percent increase in transmission efficiency.

The significance of higher data communications rates has grown with the deregulation of the communications industry because communication costs are expected to rise. Gamma Technology is claiming that an eightfold increase in data rate (from 1200 bps to 9600 bps) will save several thousand dollars a year if 160K bytes of information are transmitted daily across the United States. Savings would be even greater if data were transmitted overseas.

The FAXT-96 can be programmed to

meet several international modem standards set by the CCITT (International Consultant Committee for Telegraph and Telephone). The standards include CCITT V.29 at 9600, 7200, and 4800 bps and CCITT V.27 at 4800 and 2400 bps. Until now, U.S. modem signaling standards have been dominated by AT&Tdeveloped standards. That's changing, both because of the global need for communications and because AT&T has less influence in an area of deregulation.

There are some limitations. Because sending data at 9600 bps is pressing to the limit what currently is possible with voice-grade lines, poor line quality can make it impossible to send data at that speed. To cope with line-quality problems, the Gamma Technology modem automatically tests line quality during an initial handshaking phase and then sets transmission speed at the highest data rate the line will support, ranging from 9600 bps down to 2400 bps. The line test is done by having one system send

a known signal to the receiving system. The receiving system knows what it is supposed to get and can make adjustments to make the closest fit.

A recent study by Xerox of facsimilesystem performance showed that the same modem technology that Gamma is using would support 9600-bps data transmission worldwide approximately 7.5 percent of the time over voice-grade lines. Over domestic long-distance lines the 7200-bps rate had to be selected only 27 percent of the time.

In addition to cutting communications costs, higher-speed data communications opens up new applications. Facsimile-to-PC connections would make the transmission of the textual information possible for bit-mapped display on the IBM PC. At 9600 bps the facsimiletransmission time for an 81/2- by 11-inch piece of paper is 30 seconds. Another possibility is for the transmission of specialized database information that includes diagrams or other images.

back issues for sale

	1976	1977	1978	1979	1980	1981	1982	1983	1984
Jan.				\$2.75	\$3.25	\$3.25		\$3.70	\$4.25
Feb.			\$2.75	\$2.75	\$3.25	\$3.25		\$3.70	\$4.25
March			\$2.75		\$3,25		\$3.70	\$3,70	\$4.25
April			\$2.75	\$2.75	\$3.25	\$3.25	\$3.70	\$3.70	\$4.25
May		\$2.00	\$2.75	\$2.75	\$3.25		\$3.70	\$3.70	\$4.25
June		\$2.00	\$2.75	\$2.75	\$3.25		\$3.70	\$3.70	\$4.25
July	\$2.00	\$2.00	\$2.75	\$2.75	\$3.25		\$3.70	\$4.25	
Aug.		\$2.00	\$2.75	\$2.75		\$3.25	\$3.70	\$4.25	
Sept.		\$2.75	\$2.75	\$2.75	\$3.25		\$3.70	\$4.25	
Oct.			\$2.75	\$2.75	\$3.25	\$3.25	\$3.70	\$4.25	
Nov.				\$3.25		\$3.25	\$3.70	\$4.25	
Dec.		\$2.75	\$2.75	\$3.25	\$3.25	\$3.25	\$3.70	\$4.25	

Circle and send requests with payments to: **BYTE Back Issues** P.O. Box 328 Hancock, NH 03449

Prices include postage in the US. Please add \$.50 per copy for Canada and Mexico; and \$2.00 per copy to foreign countries (surface delivery).

Check enclosed

Payments from foreign countries must be made in US funds payable at a US bank.

☐ VISA

☐ Master Card

Card # ____

Please allow 4 weeks for domestic delivery and 12 weeks for foreign delivery.

NAME

ADDRESS

STATE ____ ZIP ___



Before Johann Sebastian Bach developed a new method of tuning, you had to change instruments practically every time you wanted to change keys. Very difficult.

Before Avocet introduced its family of cross-assemblers, developing micro-processor software was much the same. You needed a separate development system for practically every type of processor. Very difficult and very expensive.

But with Avocet's cross-assemblers, a single computer can develop software for virtually any microprocessor! Does that put us in a league with Bach? You decide.

The Well-Tempered Cross-Assembler

Development Tools That Work

Avocet cross-assemblers are fast, reliable and user-proven in over 3 years of actual use. Ask NASA, IBM, XEROX or the hundreds of other organizations that use them. Every time you see a new microprocessorbased product, there's a good chance it was developed with Avocet cross-assemblers.

Avocet cross-assemblers are easy to use. They run on any computer with CP/M* and process assembly language for the most popular microprocessor families.

51/4" disk formats available at no extra cost include Osborne, Xerox, H-P, IBM PC, Kaypro, North Star, Zenith, Televideo, Otrona, DEC.

Turn Your Computer Into A Complete Development System

Of course, there's more. Avocet has the tools you need from start to finish to enter, assemble and test your software and finally cast it in EPROM:

Text Editor VEDIT -- full-screen text editor by CompuView. Makes source code entry a snap. Full-screen text editing, plus TECO-like macro facility for repetitive tasks. Pre-configured for over 40 terminals and personal computers as well as in user-configurable form.

CP/M-80 version CP/M-86 or MDOS version	\$150 \$195
(when ordered with any Avocet pro	

EPROM Programmer -- Model 7128 EPROM Programmer by GTek programs most EPROMS without the need for personality modules. Self-contained power supply ... accepts ASCII commands and data from any computer through RS 232 serial interface. Cross-assembler hex object files can be down-loaded directly. Commands include verify and read, as well as partial programming.

PROM types supported: 2508, 2758, 2516, 2716, 2532, 2732, 2732A, 27C32, MCM8766, 2564, 2764, 27C64, 27128, 8748, 8741, 8749, 8742, 8751, 8755, plus Seeg and Xicor EEPROMS.

Avocet Cross-assembler			CP/M-86 IBM PC, MSDOS** Versions	
XASMZ80	Z-80			
XASM85	8085			
XASM05	6805			
XASM09	6809			
XASM18	1802		\$250.00	
XASM48 XASM51	8048/8041	\$200.00 each	each	
	8051			
XASM65	6502			
XASM68 XASMZ8 XASMF8	6800/01			
	Z8			
	F8/3870		\$300.00	
XASM400	COP400		each	
XASM75	NEC 7500	\$	500.00	
Coming soon: XA	ASM68K68000			

(Upgrade kits will be available for new PROM types as they are introduced.)

. \$4	129
tion	1
.\$	75
\$	95
.\$	30
. \$	174
. \$	135
	. \$4

G7228 Programmer by GTek – baud to 2400 ... superfast, adaptive programming algorithms ... programs 2764 in one minute.

Ask us about Gang and PAL programmers.

HEXTRAN Universal HEX File Converter — Converts to and from Intel, Motorola, MOS Technology, Mostek, RCA, Fairchild, Tektronix, Texas Instruments and Binary formats.

Converter, each version \$250

Call Us

If you're thinking about development systems, call us for some straight talk. If we don't have what you need, we'll help you find out who does. If you like, we'll even talk about Bach.

CALL TOLL FREE 1-800-448-8500 (In the U.S. except Alaska and Hawaii)

VISA and Mastercard accepted. All popular disc formats now available -- please specify. Prices do not include shipping and handling -- call for exact quotes. OEM INQUIRIES INVITED.

*Trademark of Digital Research **Trademark of Microsoft



DEPT. 784-B 804 SOUTH STATE STREET DOVER, DELAWARE 19901 302-734-0151 TELEX 467210

STRICTLY BUSINESS AT A DISCOUNT

floppy disk drives

IBM

TANDON TM 100-2 FULLY IBM PC CALL FOR QUANTITY PRICING

\$209

1/2 HT. DISK DRIVES TOP NAMES SOUTH'S LARGEST SUPPLY • DEALER INQUIRIES INVITED .

8179

networking/protocol conversion

IBM

PC	Turbo	by	ORCHID IBM
			 Speeds Up PC 5 Times
	Blosso		64-386K Multifunction Board W/Opt. PCnet Interface

IRMA "STILL A BEAUTY"

REPLACES 3278'S WITH PC'S / IRMALINE

BLUE LYNX 5251/3276 EMULATOR
PCterminal LO-COST Terminal W/Built-in LAN & Processors
Serial and Parallel Ports • Four Extra Open Slots

printers

E&IEM

AMDEK AMPLOT II Supports LOTUS 1:2:3 . 8799
Houst. Inst. Plotters & Digitizer CALL!

DOT MATRIX
EPSON FX 80 & 100 (160 cps) Best Price!
EPSON RX 80 & 100 Best Price!
EPSON LQ 1500 NEW! Letter Quality Best Price!
Mannesman Tally Spirit 80 \$289
RAYDEX Series New Low Cost High Quality Dot Matrix by StarMicronics CALL!
Prism Color (200) cps) Color Graphics
OKIDATA 92&93 Opt IBM Proms Best Price!
OMBATA MICA

OKIDATA 92&93 160 cps Best Price!
OKIDATA ML84 200 cps ... Best Price!
OKIDATA 2410 Pacemark (350 cps) Best Price!
TOSHIBA P-1351 & 1340 Best Price!
GEMINI 10X & 15X \$279/\$399
T.I. 855 24 WIRE PIN HEAD Best Price!

NEC P2 & P3 180 cps Best Price!
DIABLO P38 (400 CPS) *1695

NEC SPINWRITERS 2050, 3550 & 7730 Best Price!
DIABLO 620, 630 Best Price!
DIABLO 630 ECS \$1845
C-ITOH Starwriter (40 cps) \$1055/81455

QUME SPRINT 11/40 PLUS. Best Price!

QU Feeders Great Cut Sheet Feeders for NEC 3550 & SAVE!

micro modems

CINCIPAL DE LA COMPANION DE LA	4000
HAYES SMARTMODEM 300.	Starting at \$205
Ventel 1200 BAUD W/CrossTalk, Half Card Internal Modern for IBM Portable	
Access 1-2-3 Novetion's PC 12008, Crosst	alk XVI, Cables CALL!
RIXON 1200-4800 BAUD . IBM PC Compatible	CALL!
Signalman Mark XII 300 1200 Direct Quelty at a Low.	t Connect \$259

SNA & BISYNC • 3780, 5251, 3274

FORTE DATA IBM 3278/3279 Emulator w/SIIIG.
Plus Graphics Capability

hard disks

IBM

st Buy • 10 Meg/F. s W/Out Ext. Power ternal Installation

Peachtree	D	10	Industry's Bes
Peripherals		10	Auto Boot®Runs Internal or Ex

SYSGEN 10 & 20 MEG/F W/Streamer Tape CALL!
IOMEGA Bernoulli Box • 10 MEG Removable Cartridges • Double Drive
DAVONG 10 MEG/F [15, 21, 35] Available • Ext \$1595
SYSGEN IMAGE Streamer Tape Back Up CALL!

ALL NAME BRANDS AVAILABLE NOW! BEST PRICES!! CALL!

multi-cards

IBM

#1-384K 64-384K • Clock Ser & Par Pts Best Price!
#1 MultiCard Max: 8 Func (64-512K) Best Price!
#1 I/O Card (Opt. 2nd Ser. Par & Game) Best Price!
QUADBOARD New Version 64-384K \$279/\$549
CAPTAIN _{64-384K}
SEATTLE RAM + 3 0.256K • Ser • Par SEATTLE RAM + 3 Flash Disk • Clk • Spooler 8179
J-RAM II 512K Multifunction
PROFIT Systems 64-512K RAM Plus & Elite 8299/8680

BABY BLUE II 64-256K*Z808*Par*2 Ser*Clk
PC Blossom ORCHID'S 6-Pak Clone with
PC Blossom Optional PCnet Piggy Back starting At \$275

MAYNARD SANDSTAR Floppy & Hard Disk Controller Cards . . Best Price!

graphic cards III

Paradise Sys. Color Graphics Monochrome

*379
STB Graphix Plus Color & Mono Graphics * Par Port
RAM Disk * Spooler * Lite Pen Port * Opt. Clk Cal

CALL!

Multigraph 132 Col in Mono W Graphics 720h x 350v Color Graphics to 640h x 400v • Opt Par Port 8375

Apple and the Apple logo are registered trademarks of Apple Computer Inc.

IBM and the IBM logo are registered trademarks of International Business Machines Corporation

Advortised cash prices select to change without notice

IBM&

software

Infoscope New Data Base!! CALL!
OPEN ACCESSSpreadsheet, 3-D Graphics, Word Proc., Time Mgr., & Comm. in 1 Pkg \$299
JACK 2IBM Integrated Word Processing Spread Sheet, Sata Data Base Management Chart on One Screen
Decision Manager IBM All New Integrated CALL!
KEY II 1-2-3 IBM Outstanding Utility for LOTUS \$159
MultiPlan Microsoft's Super Spreadsheet CALL!
SuperCalc ³ IBM now has Superior Graphics than LOTUS \$225
Lattice C-Compiler Manager One Meg RAM on PC \$299
MICROSOFT COMPILERS CALL!
DIGITAL RESEARCH COMPILERS CALL!
Norton Utilities A Must for Every IBM PC
ProKey 3.0 IBM Adds Muscle to Your Keyboard by RoseSoft 895
CROSSTALK XVI No. 1 Communications Software from MICROSTUF CALL!
SMARTCOM II IBM Communications Software from Hayes \$89
Dow Jones Call for Price on Mkt. Microscope . \$249/\$219
IUS IBM A.R., A.P., G.L., Invertory, Order Entry, Payroll Starting at \$299
Peachtree Accounting BM Peachtree Software. CALL!
Open Systems IBM A.R., A.P., G.L., Payroll, Job Cost. CALL!
Multilink IBM Multi User, Multi Tasking Package Supports Up to 8 Dumb Terminals off IBM PC 8249
Sideways IBM for Longer Spreadsheets
ATI Training IBM Critics Choice! \$59
BPS Business Graphics IBM SMC \$149
Chart-Master/Sign-Master CALL!
"CAD Systems" Best Selection Available of CALL!
PC Paint Brush IBM Amazing Mouse Drive Graphics 899
IBM chips
INTEL 8087 High Speed Math CALL!
64K RAMCHIPS
(64K-9 Chip/Upgrade Kit) (192K-27 Chip/Upgrade Kit) CALL FOR QUOTE ON QUANTITY CHIP PURCHASES
IBM& monitors
PGS-MAX 12 Amber • Runs off IBM Best Price
PGS SR-12 690x480 • Non-Interlaced Mode Best Price
PGS-HX 12 Hi Res 690 Dot RGB Best Price
QUADCHROME HI Res RGB Best Price
AMDEK Color II +*399
AMDEK Color IV 720 Dot
AMDEK 300A/300G 🖫 12" \$149/\$139
AMDEK 310A Amber 12" Improved **185
Micro Mart is a registered trademark of Micro Mart Inc.

HARVARD PROJECT MANAGER IRW CALL!
R:base 4000 or 6000 Report Writer & Clout Starts at \$329
Power-base IBM Relational & Hierarchical Data Models CALL!
Knowledge Man IBM Ver. 1.06 Now Available for this \$295
dBasell Med From Ashton Tate
dBase III Ashton Tate's Newest Best Selling Data Base
PFS write, File, Report, Graph, Solutions, Access
MultiMate IBM 3.2 "WANG" Style Word Processor \$279
Microsoft Word W/Mouse • Fourth Generation Word CALL!
VOLKSWRITER DELUXEIBM
WordStar ProPak CorrectStar, MailMerge, CALL!
DayFlo Super New Data Base
WordPerfect Now by Popular Demand \$299
Easy Writer II IBM System Includes Speller & Mailer \$219
Peach Text 5000 13M \$179
FRIDAY! Ashton Tate
QUICKCODE/dGraph/dUtil50% OFF CALL!
Copyll PC 35
Habadex New Style Data Base CALL!
Microsoft Chartes CALL

Habadex New Style Data Base	CALL!
Microsoft Chart Graphics For MacIntosh	CALL!
Microsoft File New for MacIntosh	CALL!
Microsoft Basic New for MacIntosh	CALL!

IBM& miscellaneous

Keytronics 5151 Improved
MOUSE Optical Type LOTUS & VisiOn Compatible \$209
CURTIS Monitor Pedestal Keyboard Extension Cable, Monitor Extension Cable CALL!
MICROFAZER (8K-128K) Stack Spooler Startling AI \$139
BACK UP Power Supply 200 & 425 Watts CALL!
MICRO MART Diskettes 7 Year Warranty \$24
ISOBAR Surge Protectors • With Great Filtering Via Isolated Outlet Pairing • 4 & 8 Plug

ORDERS ONLY 1-800-241-8149 Monday Friday 9 00 AM 7 00 PM Saturday 9 00 AM 5 00 PM

WICRO WART

TECHNOLOGY CORPORATE CAMPUS 3159 Campus Drive • Norcross, GA 30071

For Information Technical Support Telex 1-404-449-8089 1-404-446-3836 880497

Circle 217 on Inquiry card.

The Micromint Micromint. Supporting the varied projects that appear in Steve Ciarcia's monthly article in BYTE Magazine, "Ciarcia's Circuit Cellar." Offering a varied projects that appear in Steve Ciarcia's Circuit Cellar." Offering a varied projects that appear in Steve Ciarcia's Circuit Cellar. Collection

monthly article in BYTE Magazine, "Ciarcia's Circuit Cellar." Offering a wide range of computers and peripherals designed to meet the exacting demands of the hobbyist as well as worldwide corporate clients.

TERM-MITE ST **SMART TERMINAL BOARD**

As featured in Ciarcia's Circuit Cellar BYTE Magazine, January & February 1984

All you need to build a Smart Video Terminal equivalent to the types advertised for \$1,000,00 or more is a Term-Mite ST circuit board, scanned or parallel keyboard, video monitor and power supply.

- Uses brand new Nat'l Semi NS455A Terminal Processor
- 24 lines by 80 characters, 25th reverse-video status
- . Upper & lowercase. Line (block) graphics.
- · Selectable data rate, parity & display options · Reverse video, half intensity, double height & width, underlined, blinking and/or blank character.
- · Separate sync or composite video output. Self Test. Term-Mite ST Video Display Terminal Board

BCC22 Assembled & Tested\$284. BCC23 Complete Kit 244.

MPX-16 MICROCOMPUTER IBM PC COMPATIBLE



As featured on the cover of BYTE Magazine. Also featured in Ciarcia's Circuit Cellar November, December 1982 & January 1983

The Computer With A Split Personality

- -Use it as an IBM PC look alike that directly boots PC DOS 1.1 and accepts all expansion boards designed for the IBM PC
- -Use it as a powerful 8088 single board computer for all your OEM applications. Just add serial terminal, disk drive and power supply. Directly boots CP/M-86

Buy the MPX-16 in the form that best meets your needs or budget. As a bare board, as a wave soldered board that contains all components less ICs, as an assembled and tested circuit board or as a complete system

- . Directly boots PC DOS 1.1 and CP/M-86.
- . Most IBM PC software executes with no modifications.
- IBM PC bus compatible + 9 expansion slots. Intel 8088 16-bit microprocessor.
- . Optional Intel 8087 math coprocessor
- · 256K bytes on board memory.
- Up to one megabyte of system memory.
 Up to 64K bytes of system ROM/EPROM.
- 2 RS-232C Serial & 3 Parallel I/O ports.
- . Disk controller for 51/4" or 8" drives.
- Sixteen levels of vectored interrupts.
- MPX-16 Circuit Board Assembled w/64KRAM.....\$1,200. OEM 100 quantity price.....900.

MPX-16 Circuit Board Asembled	27000
w/256K RAM	1,400
MPX-16 Semi-Kit (wave soldered circuit	
board w/all components) Less ICs	595.
Complete Kit of ICs w/256K RAM	595.
MPX-16 Unpopulated (bare) PC Board	300.
CP/M-86 Operating System + Manuals	80.
MPX-16 Switching Power Supply	300.
MPX-16 Technical Reference Manual	50.
MPX-16 Metal Enclosure with Fan	300.
Tandon TM 100-2 Double Sided/Density	
Drive	300.
IBM PC Keyboard Interface Adapter	100.

IBM PC is a trademark of International Business Machines Inc. CP/M-86 is a trademark of Digital Research Inc. Z8 is a trademark of Zilog Inc.

Shipping & handling additional on all MPX-16 orders.

Circle 218 on inquiry card.

Z8 BASIC SYSTEM CONTROLLER NEW!!!



As featured in Ciarcia's Circuit Cellar. BYTE Magazine, July & August 1981

The Z8 Basic System Controller is an updated version of our popular BCC01. The price has been reduced and features added. The entire computer is 4" by 4½" and includes a tiny BASIC interpreter, up to 6K bytes of RAM and EPROM, one RS-232C serial port with switchable baud rates and two parallel ports. BASIC or machine language programming is accomplished simply by connecting a CRT terminal. Programs can be transferred to 2732 EPROMs with an optional EPROM programmer for auto start applications. Additional Z8 peripheral boards include memory expan sion, serial and parallel I/O, real time clock, an A/D Converter and an EPROM programmer.

- Uses Zilog Z8 single chip microprocessor
- Data and address buses available for 124K memory.
- · Can be battery operated.
- · Cross assemblers for various computers.

BCC11 Assembled & Tested \$149 New Low Price

Z8 MEMORY. 1/O EXPANSION. CASSETTE INTERFACE

- . 8K bytes of additional RAM or EPROM.
- . Three additional 8 bit parallel ports. · Cassette interface—300 baud K.C. Standard
- Software real time clock.

BCCD3 w/4K RAM Assembled & Tested \$150. BCC04 w/8K RAM Assembled & Tested 180

Z8 EPROM PROGRAMMER

- Transfer BASIC or Assembly Language application programs from RAM to 2716 or 2732 EPROM.
- · Comes with programming & utility routines on
- Requires BCC03 Z8 Expansion Board for operation. BCC07 Assembled & Tested \$145.

Z8 ANALOG TO DIGITAL CONVERTER

- Uses Analog Devices 7581 IC, 8-channel 8-bit.
- · Adds process control capability to the Z8 system
- · Over 1,000 conversions per channel per second.
- . Monitors 8 analog signals in one of two 10v ranges BCC13 Assembled & Tested \$140.

Z8 SERIAL EXPANSION BOARD

- · Adds additional RS-232C and opto-isolated 20 ma. current loop serial port to the Z8 System.
- . Runs at 75 to 19,200 baud in all protocols . Comes with listings of sample serial I/O routines.

Z8 16K MEMORY EXPANSION BOARD

- · Add up to 16K of additional memory, RAM or EPROM, to your Z8 System Controller in any multiple
- Accepts 2016, 6116, 2716, or 2732 memory types. . Four 16K cards may be installed on the Z8 System. bringing the total memory to 64K.
- BCC14 Assembled & Tested w/8K RAM BCC16 Assembled & Tested w/16K RAM 155.

COMING SOON! FORTH LANGUAGE VERSION

With the new Z8 with on board 4K FORTH you can program high speed control functions in a few simple high level language commands. Perfect for data reduction, process control and high speed control applications

BCC20 Z8F FORTH Microprocessor chip \$150. BCC21 Z8F FORTH System Controller

(This board is a BCC11 with a BCC20 installed)

Z8 CROSS ASSEMBLERS

From Micro Resources IBM PC, APPLE, 6502 Systems 51/4", CP/M 2.28"..... \$ 75. From Allen Ashley TRS-80 Model I, III, Northstar 51/4".....

Z8 FIVE SLOT MOTHER BOARD

- · Expand your Z8 BASIC System with minimum
- Contains five slots complete w/44 pin connectors. MB02 Assembled & Tested \$69.

TRIPLE VOLTAGE **POWER SUPPLIES**

+5V @ 300 ma. +/-12V @ 25 ma.	
UPS01 Assembled & Tested	35.
UPS02 Complete Kit	27.
+5V @ 1 Amp. +12V @ .5 Amp12V @ 50 I	
UPS03 Assembled & Tested	60.
UPS04 Complete Kit	50.
and the state of t	

SPEECH SYNTHESIZERS

MICROVOX TEXT-TO-SPEECH **SYNTHESIZER**



As leatured in Ciarcia's Circuit Cellar BYTE Magazine September, October 1982.

Microvox is a second generation professional voice quality text-to-speech synthesizer that is easily inter-faced to any computer, modern, RS-232C serial or parallel output device and provides speech of unbelievable clarity.

- Unlimited vocabulary.
- 64 programmable inflection levels.
- . 6K text-to-speech algorithm.
- Full ASCII character set recognition and echo. RS232C and parallel output
- . 1000 character buffer, 3000 optional
- Adjustable baud rates (75-9600).
- Spelling output mode.
- 7 octave music and sound effects.
- . On board audio amplifier & power supply. X-On/X-Off handshaking.
- MV01 Assembled with 1K buffer\$299. MV02 Complete Kit with 1K buffer 219. Add \$15.00 for 3K buffer option.

VOTRAX SC-01A PHONETIC SPEECH SYNTHESIZER IC

The SC-01A Speech Synthesizer is a completely selfcontained solid state device that phonetically synthesizes continuous speech of unlimited vocabulary Used in our Microvox and Sweet-Talker. SC01A Quantity 1–99\$44. ea.

100 + 32. ea. 1000 + 24. ea.

MICRO D-CAM DIGITAL TV CAMERA




As featured in Ciarcia's Circuit Cellar BYTE Magazine, September & October 1983 GIVE YOUR COMPUTER THE DIMENSION OF SIG

- · Interprets, enhances and stores images.
- 256 × 128 digital image sensor. Plug-in boards for the IBM-PC, APPLE II + or e
 Software includes utilities for auto exposure.
- multi-level greyscale, screen dump and image enhancement
- . Includes interface card, 4 foot extension cable. camera assembly, manual, and software on diskette

DC01 IBM PC Assembled & Tested \$2 DC03 APPLE II Assembled & Tested DC04 APPLE II Complete Kit

300 BAUD ANSWER/ ORIGINATE MODEM KIT



As featured in Ciarcia's Circuit Cellar BYTE Magazine, March 1983

Micromint's latest 300 Baud Modern Kit is crystal controlled, uses the TI TMS99532 IC, contains just 25 parts and requires no calibration or adjustments Use with acoustic coupler or in direct connect mode

E-Z COLOR GRAPHIC **INTERFACE WITH SPRITES**

APPLE II E-Z Color plug-in board with Graphics Editor on 3.3 disk EZ02 Complete Kit APPLE II E-Z Color Plus Allows the use of a single monitor or TV set.

EZ11 Assembled & Tested w/Graphics Editor . \$20 KRELL LOGO for E-Z Color and E-Z Color Plus Supports Sprite Graphics. EZ21 Krell LOGO w/full documentation S8

Animation Software for E-Z Color Plus Draw with Sprites using Joystick or Koala Pad Animate Sprites from your own BASIC program. EZ21 Animation Software\$4

S100 E-Z Color Graphics Board

 With sound generator & joystick interface MBASIC Graphics Editor on 8" diskette. EZ04 Assembled & Tested\$28

MICROMINT INC. 561 Willow Avenu Cedarhurst, NY 11516

To Order: Call Toll Free 1-800-645-34 For Information Call: 1-516-374-67 Call: Monday-Friday, 9-5 PM



B·Y·T·E J·A·P·A·N



Start-Up

Wrist computer
Akihabara
RAM chips
Counting words

BY WILLIAM RAIKE

his is my first column as BYTE's Tokyo correspondent. In the coming months I'll be bringing you news about developments in personal computers in Japan, an idea of what kinds of hardware and software are on the market here (and, for you software entrepreneurs, what isn't), and periodic stories about what people use their computers for. When computer shows happen, you'll read about them; when there is interesting hardware progress to be reported on, you'll hear about that, too. And living here in Japan, 10,000 miles or so from Peterborough, offers a unique perspective on the computer explosion in the United States; you'll read my fearless observations and predictions about that as well. If you would like to contact me, I can be reached at BYTE, POB 372, Hancock, NH

SEIKO'S WRIST COMPUTER

For this month's new product preview, I discovered the wrist computer system from Seiko. I couldn't resist it; I went right out and bought one. Not really a "wristwatch computer," this item is actually a system of components. The watch itself, or more properly, the "wrist unit," besides being a normal-size digital watch with alarm and stopwatch features, contains storage space for 2000 characters organized into two pages, or "memos," of 1000 characters each. The watch also has a liquid-crystal display (LCD) with four lines of 10 characters each. Each character is 5 by 7 dots. Buttons (it has only four) at the bottom of the dark-brown bezel allow you to select either Memo A or Memo B and scroll upward or downward, in addition to using the conventional watch, alarm, and stopwatch functions. You can begin scrolling at either the beginning or end of a memo and proceed either one line at a time or, by holding a scrolling button down, four lines at a time.

The legibility of the display is quite good. The characters are typewriter-size (about 12 per inch), except the time-display digits, which are one-and-a-half characters high for better readability. It has no light; after all, the case has to hold five CMOS (complementary metal-oxide semiconductor) LSI (large-scale integra-

tion) chips and one bipolar IC (integrated circuit) in addition to the display and a battery. The display has no shadows and the viewing angle is sufficiently wide. Display contrast, remarkably, is adjustable via a separate keyboard unit.

Data entry is accomplished with the separate keyboard unit, which is about the size of a Hershey bar and weighs a little over 2 ounces. The left side contains a square indentation into which you press the watch either to store data in it or to use the watch as a display for the calculator function. It has a OWERTY-style keyboard with 50 keys, plus a Return key and space bar, 4 cursor keys, 4 mode-selection keys, and 2 Shift keys. In the units sold here in Japan, the second Shift key enables each character key to enter a katakana character (one of the two sets of Japanese phonetic characters—the other is hiragana) in addition to upper- and lowercase alphanumeric entry. One feature I found slightly annoying was that the normal mode is uppercase instead of lowercase, with no shift-lock function. Other than that, the watch and keyboard units work like a charm and are easy to learn and operate.

In order to store data in the watch, you snap the watch into the keyboard unit and press the Transmit button on the watch; then select a memo page by pressing either the Memo A or Memo B key on the keyboard. You enter data (or do editing) simply by positioning the cursor and typing the desired text. When you press the Transmit button again, the process ends. The watch becomes a display for the calculator function by pressing CAL instead of Memo A or Memo B and then using the numeric keys and arithmetic operation keys on

(continued)

William Raike, who holds a Ph.D. in applied mathematics from Northwestern University, has taught operations research and computer science in Austin, Texas, and Monterey, California. He holds a patent on a voice scrambler and was formerly an officer of Cryptext Corporation in the United States. In 1980, he went to Japan looking for 64K-bit RAMs. He has been there ever since as a technical translator and a software developer.

they keyboard; using the CAL function has no effect on the data stored in the watch.

You may wonder how data is transferred between the watch and the keyboard, particularly because they have absolutely no connectors. The answer: a combination of electromagnetic coupling and serial transmission at 2048 bits per second.

In addition to the wristwatch and keyboard units, other devices are available: a "controller," which is the size of a small desk calculator and contains a small printer, and an interface adapter for interfacing between the watch and a personal computer.

The controller, according to the instruction manual, is programmable in Microsoft BASIC (using the wristwatch as its display), in addition to duplicating the data entry and calculator functions of the small keyboard unit. ROM (read-only memory) packs for games are also available. Unfortunately, the controller that was demonstrated to me was not working properly, so it was impossible to correctly evaluate it.

One of the Japanese computer magazines has reported briefly on the interface adapter, but dealers will only say that it will be available "Any Day Now." [Editor's Note: "Any Day Now" is the Japanese equivalent of Jerry Pournelle's "Real Soon Now."]

Being the first on your block to own one of these is sure to elicit oohs and aahs from your friends; no doubt there are multifarious uses for the thing. The amazing thing to me is not the technology; it's that the combined price for the watch and keyboard unit is less than \$100.

AKIHABARA

A whole city district in Tokyo, called Akihabara, is the center of the consumer-electronics explosion. In future columns, I'll report on the goings-on there in the personal computer field and on new products. Upcoming topics will include the latest on two 16-bit machines from Sharp and Fujitsu, and some features of the upcoming Japanese-language personal word processors now appearing on the market.

TECHNOLOGY FRONTIER

The personal computer market in the next few years will be deeply affected

not only by the new generation of 32-bit microprocessors, whose development is being pioneered in the United States, but also by advances in memory technology, such as the 256K-bit RAM (random-access read/write memory) chips now available in sample quantities from Japanese suppliers. And prototypes of 1-megabit RAM chips exist. Over the longer term, Tokyo-area university research groups are already pressing for development of a 100-megabit RAM by the 1990s.

In the immediate future, and of direct relevance to large computer systems, are extremely high-speed memory packages. Hitachi has just announced a bipolar memory module that, although low-capacity, has an access time of 4.5 nanoseconds. Hitachi claims that the density of circuit integration in the new module is the highest in the world.

Six bipolar LSI chips are bonded to a multilayer silicon substrate in a total area of one square centimeter to provide 6K bits of memory. The 108-pin quad package has a hefty heat sink because power consumption is approximately 6 watts. But Hitachi says the basic technology can be used to develop modules for other IC families, including CMOS.

C ACROSS THE SEA

Computers have been a part of my life for more than 20 years now. While more computing power is on my desk now than used to be available in the whole room it took to hold the IBM 704 that first grabbed my interest, I still have a sense of wonder about these quiet beasts. And I still get enthusiastic about developing a new piece of software that helps me or another user, sophisticated or not, get some job done more easily, quickly, or conveniently. So this column will contain descriptions and listings of programs that do that, along with programming hints that may help you write better programs.

Besides being a columnist, I do technical translation and free-lance software development, and sometimes consulting. That means I get to use my computer as a word processor nearly every day for between 20 and 60 pages of text. With that kind of motivation, I have good reasons for developing programs that help me get more out of my word processor. I use WordStar; while it may

not be everything the heart could desire, it does just about everything a word processor should do, and simple postprocessor programs can do a lot to make it (or any word processor) more useful.

One example is something as elementary as word counting. Translations (and other documents) are often paid for on a per-word basis. Believe it or not, many translation agencies in Tokyo employ people to count words, manually, in each document they handle. (But you lose a sense of amazement at such things in Tokyo, where every major department store hires "greeters" to cheerfully and respectfully meet everyone coming into the store with a bow and a smile.)

Word counting is simple, even though WordStar imposes certain additional tasks, like ignoring "dot commands" (lines that begin with a period, used for document formatting) and coping with bytes that have the high-order bit set and therefore don't look like the characters they're supposed to be. (On your system, if you use CP/M to TYPE a Word-Star document file, you'll probably see all kinds of graphics characters where the last letter in a word should be; on mine, I get katakana characters.) Written in C, the program shown in listing 1 is a straightforward software tool that does the job and also provides a foundation for more ambitious programs for processing WordStar files.

If you haven't yet gotten up the energy (or courage, or whatever) to start using the C language, you really should. It's an easy language to learn if you have some experience with at least one other programming language (even BASIC, to which it is not very similar).

C has replaced assembly language for perhaps 90 percent of my programming work. Programs get written faster and debugged faster, and they're portable (mostly). Most important, they're readable and maintainable.

Lots of C compilers are available these days (see the August 1983 BYTE), but I have only good things to say about C/80 from The Software Toolworks. The compiler-plus-assembler package sells for less than \$50; the optional Mathpak, which implements the float and long data types, is about \$30 extra and nice to have. The compiler can also generate code suitable for a relocating assem-

```
Listing 1: A program in C to count words in WordStar files.
#define EOF -1
#define MAXLEN 4000
#include TPRINTF.C
main () /* Count words in input */
        /* For use with WordStar. Ignores hi bits set. */
        /* Ignores lines beginning with periods. (Dot commands.) */
        char *wptr:
        char line[MAXLEN]:
        int wl nw:
        nw = 0:
        while (getline(line, MAXLEN) != 0)
                if (dotcmd(line)) continue:
                for (wptr = line; (wl = getword(\mathcal{E}wptr)) != -1:)
                       if (wl) nw++;
        printf("%d/n", nw);
dotcmd(ptr) /* Returns 1 if char at ptr is '.', 0 otherwise. */
char *ptr:
        return (*ptr == '.' ? 1 : 0 );
getword(ptradd) /* Searches for a word starting at *ptradd */
/* This function returns -1 if no word is found */
/* (e.g., end of line), 0 if word is to be ignored, */
/* and a positive integer which is the length of */
/* the word otherwise */
char *ptradd[]:
        char *ptr; int len;
        ptr = *ptradd; /* *ptradd is a pointer (ptr); *ptr is a char */
        len = 0
        while (isspace(*ptr)) ptr++;
        *ptradd = ptr;
        if (*ptr == '/0' return -1;
        while (!isspace(*ptr) && *ptr != '/0') ptr++;
        len = ptr - *ptradd:
           if (len == 1)
                {if (!isalpha(**ptradd) && !isdigit(**ptradd)) len = 0;
         *ptradd = ptr;
        return len;
getline(s,lim) /* Gets a string (including newline) from std. input, */
             /* 0 terminated. Returns the length of the string. */
             /* Zaps hi bits to 0 in all bytes */
char *s; int lim;
        char *t:
        while (--\lim > 0 \&\& ((*t = getchar()) != '/n') \&\& *t != EOF)
                *t++ &= '/177'; /*zap hi bit*/
        if (*t == '/n') t++:
        *t = '/0':
        return t - s;
            /* Checks only for blanks and newlines, not tabs */
isspace(c)
char c:
/* if (c == '') return 1; if (c == '/n') return 1; return 0; */
#asm
        LXI
                 H.2
        DAD
                 SP
        MOV
                 A.M
        LXI
                 H.1
        CPI
        RZ
        CPI
                 OAH
        R7
        DCR
#endasm
#include stdlib.c
```

bler, if you wish, and comes closer than other more expensive C compilers to the full C standard. And the dealer is extremely helpful and responsive to inquiries, which means a lot when you're as far away as I am.

The word-counting program in listing I was compiled using The Software Toolworks C/80 compiler. In C, #include is a preprocessor directive that tells the compiler to insert a particular file from the disk into the source file at that point. This particular compiler requires the file TPRINTF.C or a similar file to be included when formatted output (e.g., a printf() statement) is used, such as for displaying the result (the word count) on the console. The #include STDLIB.C function at the end of the program includes the standard library routines, such as isalpha() and isdigit(), within the source file prior to compilation. (The library routines are preceded by #ifneed compiler directives, so that only the library routines that are actually required are compiled; this feature is useful when using the absolute assembler supplied with C/80 instead of a relocating assembler and linker.)

The structure of the main routine is as simple as it is short; successive text lines are read into a character array called line[], using the getline() function. If the line begins with a period (i.e., is a Word-Star dot command), it is ignored and another line is read. The line is then scanned for individual words with the getword() function.

The getword() function does what its name implies; starting at the position in line|| that is pointed to by the pointer wptr, it scans subsequent characters in the line, advances wptr to point to the blank or newline character following the first word, and returns the length of the word as its value. (A "word" here is simply any contiguous sequence of characters terminated by a blank or newline character.) The function returns a value of -1 if no word is found, meaning that the end of theline has been encountered. A value of 0 is returned if the word is to be ignored; in this version, getword() ignores any word only one character long that is not a letter or a digit (i.e., any isolated punctuation).

The getline() function uses getchar() to read a line of characters from the





A compact version of our popular standard RS-232 Tester. LED's clearly display status of: TD, RD, CTS, DSR, CD, DTR. Requires no power; may be left in permanently. Satisfaction quaranteed.

ORDER NOW. Only \$49.95. Optional 2-color LED's indicate low, high, or open. \$59.95. Add \$1.75 for shipping (It Res. add 6% tax)MC, Visa accepted. Ask for Free Catalog. Phone: (815) 434-0846. Make checks payable to

P.O. Box 1008B, OTTAWA, IL 61350

Circle 35 on inquiry card.



Circle 145 on inquiry card.



New Sensibly-Priced Paper Tape Reader

A new, smaller, less expensive Stand-Alone Paper Tape Reader Model 605 reads at 150 CPS, has a parallel TTL output and is bidirectional. It stops on character, is completely self-contained and has automatic taut-tape sensing.

The new reader has 5 volt DC and 24 volt DC output power available and an optional internal clock. The desk-top model is priced at \$495 for one unit, a saving of about 25% of the price of the larger Model 612.

Contact Louis Doshay, Addmaster Corporation, 416 Junipero Serra Drive, San Gabriel 91776; telephone (213) 285-1121



Circle 27 on inquiry card.



Circle 243 on inquiry card.



"standard input" into the array called line []. It differs from the usual C function with the same name (and probably ought to have been called something different, like getWSIn) in that an AND operation is performed with each character and a mask (octal 177 or hexadecimal 7F) whose high-order bit is 0, in order to set the high bit in the character to 0. This task is accomplished in C with the statement *t++ &= 177. which is a compact way to write both $*t = *t \& \177' \text{ and } t = t + 1.$ The local variable t is a pointer to the current character, so that *t is the current character itself. Reading stops when either the end of the line (a newline character) or the end of file is encountered. and the line is terminated with a zero byte, as is normal in C. (In C, strings are simply arrays of characters that are explicitly terminated with a zero byte.) The function returns the length of the line, or a value of 0 if no characters were read, in which case the end of file is indicated.

The isspace() function, normally present in the standard C library, is coded here in assembly language both to illustrate how easy it is to include in-line assembly language in a C/80 program and for efficiency reasons.

Reflecting the origin of the C language, all programs written in C/80 accomplish I/O (input/output) redirection. This capability means that a C program such as this one, which reads its input from the "standard input" and outputs to the "standard output" (normally the console), can obtain its input from a file instead, simply by indicating the filename in the command line when the program is run. Thus, if the program shown in listing 1 is compiled and assembled to produce a program called WCOUNT.COM (to be run under CP/M). for example, it can be used to count words in a WordStar file called TEXT by typing WCOUNT < TEXT followed by a carriage return.

COMING UP

In future issues, look for a C program that allows you to implement "pipes," UNIX-style, and multiple-command lines under CP/M; dealing with the file directory yourself instead of using the operating system's DIR command; yet another sort program; more postprocessors for WordStar; and more.



M·A·T·H·E·M·A·T·I·C·A·L R·E·C·R·E·A·T·I·O·N·S

Invariance

A computer card trick and a look at number narcissism

BY MICHAEL W. ECKER

elcome to the world of mathematical recreation. The theme this month is invariance. In point of fact, there are several tricks in mathematics based on some kind of invariance. Some tricks, such as casting out nines, may be more familiar to you than others. Let's look at some of the lesser known ones.

A COMPUTER CARD TRICK

One of my personal favorites is one that you may have seen commercially available with special card decks. One player mentally picks a positive integer, say, from 0 to 63. The other player—the "guesser"—then shows six cards, each containing some of these 64 numbers, and asks whether the chosen number appears on each card. The first player indicates "yes" or "no." At the conclusion, the guesser is able to tell which of the 64 numbers was selected.

You might enjoy trying this game with your computer instead, letting it ask you the guestions and give you the feedback. While I could have written the program (see listing 1) without the data statements, I would have given away all too quickly how this trick works. Figure 1 shows how the "cards" are presented. Because I work with a TRS-80 Model III and also a Sanyo MBC-555 (an IBM PC compatible), those of you with other compatible machines can probably run the programs I provide as is. If you have another machine, you will need to make some modifications to clear the screen, display a printout, and so on. In this case, CLS clears the screen, and the PRINT statements use commas afterward to keep the numbers in columns, the leftmost edges of which are 16 characters apart. You may replace the commas with tab statements to accommodate smaller or larger screens, or use semicolons and then print blanks.

Why does the trick work, mathematically speaking? If you analyze the program, you'll see that this program presents the cards, or screens, and adds a power of two if and only if the player replies "yes" (Y). Essentially, you are exploiting the following mathematical principle: Every positive integer can be represented in one and only one way as a sum of powers of two in which each power of two

is used at most once. This concept may be considered the underpinning for base two, which in itself is interesting and certainly related to computers.

To illustrate, let's take the number 25. It can be represented as such a sum (with the restriction stated—each power of two used at most once) as 1+8+16, and in no other way, apart from the order of specifying 1, 8, and 16. Let's call this breakdown into a sum of powers of two the base-two decomposition. Now look at the cards again (see figure 1). Note that all the numbers on the first screen (a), which corresponds to card 1, require a 1 in their base-two decomposition. Note that 24, for instance, doesn't appear on the first screen precisely because its decomposition, 8+16, doesn't require or allow a 1 in it. For 25, you answer "yes," and the program adds 1 (2 to the power 0). It does not do this for 24.

This process repeats with the second card of choices (b). All the integers on it require a 2 in their representation. Because 25 does not require or allow a 2, the number 25 does not appear. You would answer "no" (N) for this screen if you chose 25. In a similar vein, all numbers in the third screen (c) contain a 4 in their base-two representation. Those in the fourth (d) contain 8, the ones in the fifth (e) have 16, and in the sixth (f), 32.

If you determine which screens contain 25, you will note that it is precisely the ones corresponding to 1, 8, and 16. The program adds them together to reform the original 25. Furthermore, this pattern is easy to read, as the appropriate powers of two are precisely the first numbers (in the upper left) of each card.

An alternate way of viewing the screens is to treat each "yes" response as a 1 and each "no" as a 0. Now look at the yes/no sequence as zeros and ones, but in reverse order. For 25, corresponding to 32, 16, 8, 4, 2, and 1, we have 011001. Because we generally omit leading zeros, this truncates to 11001, which is the base-two representation of 25.

(continued)

Dr. Michael W. Ecker is a mathematics professor at Pennsylvania State University, Worthington Scranton Campus.

```
(la)
        11 13 15
     17 19 21 23
     25 27 29
               31
     33 35 37 39
     41 43 45 47
     49 51 53 55
     57 59 61 63
DOES YOUR NUMBER APPEAR ON SCREEN (Y or N)?
(1b)
     10 11 14 15
     18 19 22 23
     26 27 30 31
     34 35 38 39
     42 43 46 47
     50 51 54 55
     58 59 62 63
DOES YOUR NUMBER APPEAR ON SCREEN (Y or N)?
(1c)
         5 6
         13 14
     20 21 22 23
     28 29 30 31
     36 37 38 39
     44 45 46 47
     52 53 54 55
     60 61 62 63
DOES YOUR NUMBER APPEAR ON SCREEN (Y or N)?
(Id) 8
      12 13 14 15
     24 25 26 27
     28 29 30 31
     40 41 42 43
     44 45 46 47
     56 57 58 59
     60 61 62 63
DOES YOUR NUMBER APPEAR ON SCREEN (Y or N)?
     16 17 18 19
(le)
      20 21 22 23
     24 25 26 27
     28 29 30 31
     48 49 50 51
     52 53 54 55
      56
        57 58 59
     60 61 62 63
DOES YOUR NUMBER APPEAR ON SCREEN (Y or N)?
     32 33 34 35
(1f)
     36 37 38 39
     40 41 42 43
     44 45 46 47
     48 49 50 51
      52 53 54
                55
     56 57 58 59
     60 61 62 63
DOES YOUR NUMBER APPEAR ON SCREEN (Y or N)?
```

Figure 1: (a through f) Sequence of screen displays generated using the program in listing 1.

NUMBER NARCISSISM

Numerical curiosities can be fascinating. For instance, if you write the fraction ¹%4 and incorrectly cancel the sixes—most assuredly nonsensical—you get ½, which just happens to be correct. Another example would be ¹%5 with the nines going out.

If you write the fraction 1%4 and incorrectly cancel the sixes, you get ¼, which just happens to be correct.

I want to focus on a different question though. Suppose you take a positive integer-greater than 1 to avoid trivialities-and cube each digit. Take, for instance, the number 123. The cubes of the digits are 1, 8, and 27, respectively, for a sum of 36. Hmm . . . nothing exciting there. Now try it with 153. The digit cubes are 1, 125, and 27, for a sum of ... 153, the original number! Now that's interesting. Mathematicians call such numbers narcissistic (of order 3, or power 3). Some books also call them Armstrong numbers. Two books that describe this phenomenon and are worth taking a look at are by Donald D. Spencer, Sixty Challenging Problems with BASIC Solutions (Hasbrouck Heights, NJ: Hayden Book Co., 1979) and Computers in Number Theory (Rockville, MD: Computer Science Press, 1982).

The program in listing 2 grinds out narcissistic numbers. Note the iterated multiplication used instead of exponentiation. In this way, you accommodate the vagaries of computer and calculator arithmetic and avoid the consequent errors that sometimes appear. Another solution might be to declare integer variables, which might also speed things up compared to using floating-point real numbers. Also note the use of string functions. You may have to adapt this program to suit your machine. For in-

Listing 1: BASIC program for a computer card trick. I CLEAR 1000 5 DIM A(6.32) 20 CLS PLEASE THINK OF A WHOLE NUMBER FROM 0 to 63" 30 PRINT " 40 PRINT: FOR Z=1 TO 1000:NEXT Z:REM TIME STALLER PRINT:PRINT:PRINT 45 50 PRINT ' PRESS < ENTER > WHEN YOU ARE READY TO CONTINUE" 60 PRINT:INPUT XS 70 CLS 80 FOR J=1 TO 6 90 FOR K=1 TO 32 100 READ A(I.K) 105 IF A(J,K) < 10 THEN PRINT " "; 110 PRINT A(J.K). 120 NEXT K 125 PRINT:PRINT:PRINT 130 INPUT "DOES YOUR NUMBER APPEAR ON SCREEN (Y or N)":NS 140 IF N\$="Y" THEN S=S+2[(J-1):REM "I" IS EXPONENTIATION 150 IF N\$<>"N" AND N\$<>"Y" THEN 130 153 NS= 155 CLS 160 NEXT I 170 CLS 173 For Z=1 to 300:NEXT Z 175 PRINT " OKAY, CONCENTRATE VERY HARD NOW. . ." 180 PRINT " I AM READING YOUR MIND . . . " FOR Z=1 TO 700:NEXT 183 185 PRINT:PRINT 186 FOR K=1 TO 2 188 PRINT ":STRING\$(57,"=") 189 PRINT 190 NEXT K FOR Z=1 TO 300:NEXT Z' 193 194 PRINT" AHA! YOU PICKED THE NUMBER"::PRINT S 196 FOR Z=1 TO 2500:NEXT 198 PRINTPRINT 200 DATA 1,3,5,7,9,11,13,15,17,19,21,23,25,27,29,31,33,35 210 DATA 37.39.41.43.45.47.49.51.53.55.57.59.61.63 230 DATA 2.3.6.7.10.11.14.15.18.19.22.23.26.27.30.31.34.35 DATA 38.39.42.43.46.47.50.51.54.55.58.59.62.63 260 DATA 4,5,6,7,12,13,14,15,20,21,22,23,28,29,30,31,36,37 290 DATA 8.9.10.11.12.13.14.15.24.25.26.27.28.29.30.31.40.41 300 DATA 42.43.44.45.46.47.56.57.58.59.60.61.62.63 320 DATA 16.17.18.19.20.21.22.23.24.25.26.27.28.29.30.31.48.49 330 DATA 50.51.52.53.54.55.56.57.58.59.60.61.62.63 350 DATA 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 360 DATA 50,51,52,53,54,55,56,57,58,59,60,61,62,63

stance, Texas Instruments computers use SEG\$ in place of MID\$. You can circumvent this translation if you are willing to settle for only looking up to a prespecified level, such as 1000, as shown in listing 3, or by judicious and clever use of the INT function. You also can investigate higher-order narcissism using powers greater than 3.

By the way, 153 has another interesting property. Start with any number that is a multiple of 3, say, the 123 we used earlier. Take the sum of the cubes of the digits; in this case, 1+8+27=36. Now

iterate the procedure with 36 to get the sum of the cubes of its digits: 27+216=243. Repeating with 243 gives 99, which in turn gives 1458, then 702, then 351, then 153. Once you hit 153, because it is narcissistic of order 3, you keep getting 153. Hence, no matter with which multiple of 3 you initialize the algorithm, you keep getting pulled inexorably to 153. Try this with other multiples of 3 to see this "black-hole" effect using the program in listing 4.

To gain a glimmer of insight into why (continued)



Circle 190 on inquiry card.



Circle 200 on inquiry card.



Circle 243 on inquiry card.

Listing 2: Narcissistic-number-generating program using iterated multiplication.

- 10 CLS
- 12 INPUT "HOW LOW DO YOU WISH TO TEST FROM";MIN
- 15 INPUT "HOW HIGH DO YOU WISH TO TEST UP TO":MAX
- 20 FOR N=MIN TO MAX
- 30 N\$=STR\$(N)
- 40 FOR L=2 TO LEN(NS): REM START AT 2 DUE TO UNDERSTOOD +
- 50 D(L) = VAL(MIDS(NS,L,I))
- 60 C(L) = D(L)*D(L)*D(L)
- 70 SUM=SUM+C(L)
- 80 NEXT
- 90 IF SUM=N THEN PRINT "A NARCISSISTIC NUMBER IS":N
- 100 SUM=0
- 110 NEXT

Listing 3: Simplified narcissistic-number-generating program for numbers to 1000.

- 10 CLS
- 20 FOR H=0 TO 9
- 30 FOR T=0 TO 9
- 40 FOR U=0 TO 9
- 50 N=100*H+10*T+U
- 60 IF N=H*H*H+T*T*T+U*U*U THEN PRINT N; "IS NARCISSISTIC"
- 70 NEXT U
- 80 NEXT T
- 90 NEXT H

Listing 4: Regardless of which multiple-of-three number you select, this algorithm always produces the number 153, as explained in the text.

- 200 DIM A(15)
- 210 CLS
- 220 PRINT "IN THIS TRICK, I WILL ASK YOU TO GIVE ME A WHOLE NUMBER"
- 230 PRINT "WHICH IS A MULTIPLE OF 3. THE COMPUTER WILL THEN TAKE EACH"
- 240 PRINT "OF THE DIGITS AND CALCULATE THE CUBE OF EACH DIGIT."
- 250 PRINT:PRINT "THEN THE SUM OF THESE WILL BE DISPLAYED. THE PROCESS WILL"
- 260 PRINT "THEN BE REPEATED WITH THAT NUMBER, AS NEEDED, UNTIL"
- 270 PRINT "WE START GETTING THE SAME NUMBER. AMAZINGLY, THIS"
- 280 PRINT "MUST ALWAYS HAPPEN, AND ONE ALWAYS GETS THE SAME ANSWER!"
- 290 PRINT:INPUT "PRESS < ENTER > TO CONTINUE";XX
- 300 CLS:INPUT "GIVE ME A WHOLE NUMBER WHICH IS A MULTIPLE OF 3":N
- 310 PRINT
- 320 NS=STRS(N):L=LEN(NS)
- 330 IF ABS(N-INT(N)) > .00001 THEN PRINT "A WHOLE NUMBER PLEASE!":FOR Z=1 TO 700:NEXT:GOTO 300
- 340 IF ABS(N/3-INT(N/3))>.01 THEN PRINT "A MULTIPLE OF 3 PLEASE!":FOR Z=1 TO 700:NEXT:GOTO 300
- 350 S=0
- 360 FOR I=1 TO L
- 370 A(I) = (VAL(MID\$(N\$,I,1))):A(I) = A(I)*A(I)*A(I)
- 380 S=S+A(I)
- 390 NEXT I
- 400 PRINT "THE SUM OF THE CUBES OF THE DIGITS OF LAST NUMBER IS";S
- 410 IF S=N THEN PRINT:PRINT "PROCESS IS COMPLETE."
- 415 IF S=N THEN PRINT "TO START AGAIN, HIT <ENTER> ":INPUT X\$:GOTO 300
- 420 IF S <>N THEN N=S:S=0:GOTO 320

we get this interesting property, note that a number of four digits or more will have the sum of the cubes of its digits being smaller than itself. Hence, iteration continually "pulls down" large numbers into a small range of numbers, namely those with at most four digits. Then, for numbers from 1 to 9999, consider the number obtained by taking the sum of the cubes of the digits, repeated

It just so happens that if you start with a multiple of 3, the first number you hit that begins a cycle is 153.

as needed. You eventually hit all or some of the numbers and so must get a cycle. For instance, starting with 55, you get 250, then 133, then 55 again, at which point you will keep getting the 55-250-133-55 ... cycle. If you hit one of the narcissistic numbers, the cycle is of length one and keeps looping you back to that same narcissistic number the very next step. In either case, every number may be perceived as leading eventually to the beginning of exactly one such cycle. It just so happens that if you start with a multiple of 3, the first number you hit that is the beginning of some cycle is the number 153. Said in another way, all the multiples of 3 feed into the one cycle ... 153-153 ... I am not aware, offhand, of a more profound explanation for this phenomenon. (An uncanny coincidence was that this article's original manuscript was 153 lines long.)

We plan more installments of "Mathematical Recreations" on a rotating basis with other Kernel articles. Your comments, questions, suggestions, improvements, superior programs, and the like, as well as your indications of interest in this feature, will be most appreciated. Please write to BYTE or me, Dr. Michael W. Ecker, c/o BYTE, 70 Main St., Peterborough, NH 03458. Tell us what you think.

Announcing 4 New Collector Edition

BYTE COVERS

The 4 Byte covers shown below are the newest additions to the Collector Edition Byte Cover series. Each full color print is 11" x 14", including a 1 1/2" border, and is part of an edition strictly limited to 500 prints. Each print is a faithful reproduction of the original Byte painting, printed on museum quality acid free paper, and is personally inspected, signed and numbered by the artist, Robert Tinney. A Certificate of Authenticity accompanies each print.

Collector Edition Prints are carefully packaged flat to avoid bending, and are shipped first class within one week of receipt of order. The price of each print is \$25. All 4 prints are available as a set (Set 21-24) for only \$80.

Other Collector Edition Byte Covers are also available from Robert Tinney Graphics. For a color brochure, or to order one or more of the prints shown, please check the appropriate box in the coupon below.









Please send me the following Prints (\$25), or Sets (\$80). QTY. TITLE & PRINT NO. AMOUNT \$ \$ \$ postage & handling \$3.00 (Overseas \$8.00) \$ TOTAL \$	☐ I have enclosed check or money order. ☐ Visa ☐ MasterCard Card No. Exp. Date: SHIP MY PRINTS (OR BROCHURE) TO: Name: Address:	Mail this coupon to: robert tinney graphics 1864 N. Pamela Drive Baton Rouge, LA 70815 FOR VISA OR MASTERCARD ORDERS Or for more information
Please send me your color brochure.	City:	or for more information CALL 1-504-272-7266



This one sloppy floppy can

THE SLOPPY FLOPPY

Most companies seal their discs with a spot here, a spot there. Leaving most of each seam not sealed at all.

Sooner or later, the seams might do what comes naturally: they bulge. Warp. Pucker. Open up.

You can prove it to yourself. Just take a floppy and twist it.

See those wide open spaces?

That's sloppy. And dangerous. Because if you put a sloppy floppy into your disc drive, it can jam the drive. Lose your data. Or ruin the drive head.

And there goes \$400.

Memorex is a registered trademark of Memorex Corporation. ©1984 Memorex Corporation A Burroughs Company



ruin your \$400 disc drive.

THE MEMOREX® SOLID-SEAM BONDED FLOPPY

Memorex seals its floppy discs with a process it developed, called Solid-Seam Bonding.

Solid-Seam Bonding seals shut every inch of every seam of every Memorex floppy disc. Tight as a drum. That makes the Memorex floppy stiffer. Stronger. And your data safer.

You can prove it yourself. Just take a Memorex floppy and twist it. You'll see no wide open spaces

No wide open spaces that can jam your drive. Lose your data. Or ruin your drive head.

Which could cost you \$400. So why risk it? Protect your drive. And your data. Ask for Memorex floppy discs, with Solid-Seam Bonding.

It's always better to be safe than sloppy.

For more information on the full line of Memorex quality computer media products, including computer tape, call toll-free: 800-222-1150. In Alaska and Hawaii call collect: 408-987-2961.

Your Data. When it matters, make it Memorex."

MEMOREX

Circle 205 on inquiry card.

(continued from page 123)

Are you ready for string arithmetic? Symphony includes some long-awaited string functions (see listing 1).

A valuable indexing function has been added enabling use of subscripted variables. The @INDEX(RANGE.COL.ROW) returns the value in RANGE at the COL and ROW specified. With this command, you can set up a matrix of values and easily access one particular value by specifying two variables (for example, age and salary). A RANGE-TRANSPOSE command is included that serves to switch rows and columns as it copies.

All the other features of Lotus 1-2-3 are alive and well in Symphony. All models developed with Lotus 1-2-3 are compatible with Symphony.

THE DATABASE ENVIRONMENT

Symphony provides you with a formsoriented database with rows as records and columns as fields. A data-entry form, including error checks, can be created in the process of defining the database. You can create a custom database from scratch or use single command and default values. The latter and easier way is to specify the field headings down a column. One command and several keystrokes later you have a form ready for data entry. Symphony prepares a Setting sheet describing the database, which you can later edit. The database environment is fully integrated with the other four Symphony work environments.

A database form can be attached to a window using the FORM environment for easy data entry. For error checking, you can require that each entry be a number, label, date, or time of day. You might have each entry pass a test before Symphony stores it.

All the database features of Lotus 1-2-3 are present. Records can be sorted ascending or descending quickly using three keys. Numerical or string calculations can be performed using individual records or the entire database. You can even add new records to the database by receiving them from a remote computer over the telephone.

As with Lotus 1-2-3, you still need to

specify criteria and output ranges for record selection. Statistical analyses can be performed on entire databases or on groups of records found in a search. The functions include average, count, max, min, standard deviation, sum, and variance of items in a range.

Graphs can be created using raw data in the database or using the results of statistical analysis. A variety of printouts can be made from databases including standard reports, invoices, mailing labels, and form letters—yes, you can get the database and word processor working together.

THE GRAPHICS ENVIRONMENT

If pictures are worth a thousand words, Symphony is not ignoring the fact. An impressive variety of printers and plotters are supported and a strong configuration program lets you make good use of them. However, as with Lotus 1-2-3, you still need to dump pictures to disk and exit to a separate utility to plot them.

All the graphics capability of Lotus 1-2-3 is present. Seven color graphs can be defined in Setting sheets, which, like the other environments, can be freely viewed, edited, and stored in a Setting catalog for later use. You can even browse through the catalog of defined graphs. Both spreadsheet and database numbers can be graphed.

The graphs can be attached to GRAPH environment windows where they become automatically updated during data editing at your option. You can then manipulate the size and position of the graph windows on the screen. They can be freely paged through and stored away at your discretion—there's great potential here for a slide show that uses macro files. Any active graph window can be expanded to full screen at any time using the Zoom command.

THE WORD-PROCESSING ENVIRONMENT

In Symphony you can write, edit, format, and print a document without leaving the word-processing environment. You can create a document window, then blow it up to full-screen size by pressing the Zoom key. The top border of the screen will be marked by margin and tab indicators—and behold, you have a word processor.

Listing 1: String functions included in Symphony.

@ASCII (STRING)

@CHR(X)

@FIND(STR1,STR2,x)
@LEFT(STRING,x)

@LENGTH(STRING)

@LOWER(STRING)

@MID(STRING.x.u)

@PROPER(STRING)

@REPEATISTRING.x)

@REPLACE(STR1,OFFSET,x,STR2)

@RIGHT(STRING,x) @STRING(x,y)

w the to senting

@TRIM(STRING)

@UPPER(STRING)
@VALUE(NUM_STRING)

@ VALUE(NUM_STRING)

@DATEVALUE(DATESTRING)

@TIMEVALUE(TIMESTRING)

@ISSTRING(TEST)

Returns ASCII (American National Standard Code for Information Interchange) code for the first character in STRING

Returns ASCII character represented by number x Returns start of STR1 in STR2 starting at character x

Returns x leftmost characters in STRING

Returns length of STRING

Changes STRING to lowercase

Creates string from x to y characters of STRING

Changes STRING to initial caps

Adds STRING to itself x times

Deletes x characters from OFFSET in STR1; replaces with STR2

Returns x rightmost characters in STRING

Converts number x to string in fixed format with y decimal places

Removes leading/trailing blanks from STRING

Changes STRING to uppercase

Converts NUM_STRING to numeric value

Serial number of DATESTRING

Serial number of TIMESTRING TRUE if TEST is a string

NOTES: 1) x,y, and OFFSET are single-cell numeric

(cell address/range name of single cell, or a number)

 STRING, STR1, STR2 are single-cell strings (cell address/range name of single cell, or string enclosed in double quotes)

 NUM STRING is a single-cell numeric label (i.e., number being used as a label)




Figure 1: The Symphony function-key template.

Standard word-processing commands are available. Word-wrap is the default, but optional. Paragraphs only or the entire text can be justified right, left, or centered. You can move by character, word, line, paragraph, page, or markers inserted in the text. Ranges can be specified for Move, Erase, and Copy commands much like the spreadsheet. This is a very powerful feature.

Search and replace of word and phrases is supported with lowercase ignored and multiple replace and skip. Page breaks can be inserted in a document with a single keystroke. Individual lines or whole sections of the text can be independently formatted and the format definitions saved for later use.

The word processor appears adequate for generating reports. It is available to any window. Calculated spreadsheet cells can even be mixed in with text created with the word-processing environment.

THE COMMUNICATIONS ENVIRONMENT

The communications (COMM) environment lets you transfer files to and from another computer via hardwire connection or modem. You can even capture data during a communications session and send it to disk as an ASCII print file or send it to the worksheet to be edited in the document environment. Data can also be downloaded and inserted into spreadsheet models. The communications features available rival those of specialized communications software, especially considering the macro capability of Symphony to fully automate communications and integrate with other environments in the same program.

As with the other environments, Setting sheets can be created to configure Symphony for each computer system you want to call, and any setting can be loaded automatically with a model. A variety of configuration options are available.

For each Setting sheet you can specify the bits-per-second rate, parity, word length, and stop bits. The phone you use can be pulse or rotary dial with the called phone number specified for autodialing. Auto-log-in sequences can be defined in a log-in Setting sheet.

You can set the screen width for receiving data, set duplex, and even control character-set translation during a terminal session. To aid in talking to temperamental systems, the software gives you control over end-of-line characters to send, characters to handshake on, and delays after each line is transmitted. These features come in handy when trying to communicate with a variety of systems.

You can set the break-key duration and allow or disallow suspension of output for inbound and/or outbound transmissions. In the Install program, I noticed the default error-checking protocol used was XMODEM. This is a popular protocol. Error checking is imperative for the integrity of data transfer. After all, you want to be confident that all those numbers and formulas got through error-free. A missing 0 or character in a formula can be devastating.

THE PROGRAMMING LANGUAGE

Strong features of Symphony are its macros, command language, and Learn facility. You can teach Symphony to perform tasks automatically. Macros (sometimes called script files or command

files) consist of a column of label entries and/or string-valued formulas. The range of cells holding the macro can then be given an English name. Pressing one key and entering the English name executes all the commands in the macro.

The Learn feature of Symphony lets you switch ON a Learn key that remembers subsequent keystrokes and stores them automatically in a user-specified range within a column. Toggling the Learn feature OFF ends the macro, which can then be invoked to execute the same sequence of keystrokes. These macros can remember simple labels or headings to a complex sequence of events you would normally enter from the keyboard.

In addition to remembering and executing your keystrokes, a command language is available to extend the macro capability. You can declare argument types, create macro subroutines, pass arguments to subroutines, passe for operator entry, create menus, conditionally branch, iterate, and use GOTO. In short, you can program seriously with Symphony.


SUMMARY AND CONCLUSION

Lotus has taken the time to research and develop a good user interface to a very complex and powerful program. Although there is a bit of a learning curve using Symphony, the Help files respond precisely to the task you are performing and are designed better than ever. An on-line tutorial is also provided. The Symphony manuals include a glossary of terms.

Use of windows, the focused menu structure and Setting sheets all help to minimize confusion. Creative use of macro files and the command language can serve to further minimize user confusion. The ability to password-lock the worksheet ties everything up in a nice secure knot and prevents unpleasant overwrites and tampering with valuable formulas.

The potential Symphony provides for turnkey model building is profound—I must admit, now I'm less of a skeptic toward integrated software. I don't think much power was lost through integration. The program will vastly improve the quality of modeling on microcomputers. Now, excuse me while I don my tuxedo and slip away to spend a few weeks with Symphony.

To communicate voice the ordinary modern



and data simultaneously, leaves a lot to be desired.

Introducing the Tel-A-Modem. Now you and your personal computer can talk on the same phone at the same time.

Let's say, for example, certain data you were transmitting via your personal computer to a remote computer user needed some verbal explanation to go along with it. With the ordinary modem it couldn't be done. Not simultaneously.

You'd have to first call the user to inform them that data was coming. Hang up. Redial in order to connect modems. Transmit the data. Hang up. And then call back with your explanation. If you had additional input to transmit and discuss, you'd have to begin the whole process again. Talk about frustration.

Code-A-Phone's solution to this problem is the Tel-A-Modem. An innovative twoline desk telephone integrated with an intelligent modem capable of transmitting voice and data simultaneously.

Of course, the genius of Tel-A-Modem doesn't end with its unique communication capabilities and state-of-the-art convenience.

Specially designed for use with RS-232C compatible computers and terminals, it offers a full spectrum of both telephone and modem cost effective features, including: single button selector for voice or data on either line; fullduplex mode; automatic answer/origi-

Circle 55 on inquiry card.

nate modes: 300 and 1200 baud data transmission rates: automatic selection of baud rates: switch dialing for tone-dial or pulse-dial systems; memory autodial; and modem status LEDs.

So much for words.

For more information and the name of your nearest Tel-A-Modem dealer, call 1-800-547-4683. That is, just as soon as your computer gets off the phone. In Oregon, Alaska and Hawaii, call 1-503-655-8940.

A SUBSIDIARY OF CONRAC CORPORATION



(continued from page 137)

crowds. Borland's president, Phillippe Kahn, was there to demonstrate his product and to talk with anyone who'd listen. He's planning a whole line of products, all to be sold at under \$70. Unlike most software publishers, Kahn tries to see how much he can include in his packages. For example, the PC version of Turbo Pascal comes with a nifty spreadsheet program—complete with source code. The source contains a number of screen-handling procedures I'd have been willing to pay separately for.

I'm pleased to say Turbo was selling like mad. In case anyone has any lingering doubts, let me repeat: Turbo Pascal is as good a Pascal compiler as can be found on the micro market regardless of price. The new Turbo 2.0 for the PC has overlays, allowing you to write big programs. The integrated editor is a feature found only in really expensive compiler systems. Turbo Pascal is, as I write this, the *only* Pascal compiler that will work with the IBM PCjr. Not even IBM Pascal will do that! Besides, Turbo is much better than the Pascal IBM sells.

Incidentally, Phillippe Kahn tells me that he tried to get IBM to market Turbo, but IBM wouldn't do it unless he raised the price to at least \$200. For reasons he doesn't understand, he hasn't been able to find anyone at Apple who'll talk to him at all about getting it out on the Macintosh. (Borland doesn't yet have a Macintosh Turbo. Pity.)

Turbo Pascal is an example of where I see this industry heading: an excellent product, well documented and well supported, sold at a fair price.

BLAISE

One reason many of us like Pascal as a programming language is that you can build up a whole raft of utilities—a box of software tools, if you like—and make use of them in many different programs.

Blaise Computing—I suppose the name is derived from Blaise Pascal?—offers a set of functions and procedures for writing programs in either Microsoft or IBM Pascal. They include both string handling and screen handling. There's a distinct possibility that using these could save a lot of time; it would depend on just how well done the tools are.

They don't support Turbo, alas, but

source code comes with the tools, so it shouldn't be that hard to adapt. I haven't actually looked at what they offer, so I can't tell how much they go beyond the routines given in Peter Norton's book.

FRIENDS AND BOOKS

One reason I like the West Coast Faire is that I meet a lot of old friends and make new ones. This year I met Doug Clapp, who has been, uh, kind enough to mention me in his columns. Clapp's book Macintosh! Complete was, I think, the first one on the Macintosh to be published; alas, it reads as if it were rushed into print, and most of what's in it is either elementary or full of goshwow! breathless awe of the machine. It wouldn't be a bad beginning book, except for the price, which is pretty steep for what's actually covered.

A better Macintosh book is Cary Lu's The Apple Macintosh Book, which goes into heavy technical detail but also covers a lot of elementary essentials. Like Clapp's book, it assumes there's going to be a lot of software for the Mac and that many of its problems will be solved. If you have to get your book out the same month that the computer appears, you'll always have this problem, of course. Eventually there will be books written by people who have used the mature system; until then, Lu's is certainly the best reference I've seen, and I recommend it to anyone who either has a Mac or is thinking of getting one. Alas, Clapp has a really bad case of Macworship; you won't get an objective assessment from his book.

Robert Tinney, the genius who does the BYTE covers, was at the BYTE booth with Susan, his wife. He was selling posters made from his old covers, and doing a pretty good business. He also took some photographs of me; he'll be doing the cover to my collection of columns and reminiscences that comes out this October from Jim Baen Associates.

While I was talking with Robert and Susan, I met Peter Norton, whose Inside the IBM PC is just plain excellent. The book gives lots of examples, in BASIC, Pascal, and even assembly language, but it's written in a clear and intelligent style that neither talks down to the reader nor leaves out important information. Highly recommended for anyone with a PC or close PC clone.

Infoworld, as usual, held a big blowout party; this year it was in City Hall. I ran into John Dvorak there and couldn't resist asking him to rate the party, but he wouldn't do it. Adam Osborne was also there. He'd just announced his new software development and publishing venture. He seemed happy enough. Alas, I couldn't stay long; the party featured a rock band and was held under the City Hall dome. Great acoustics if you want to be deafened...

DIMENSION

One of the most interesting hardware items was Micro Craft's Dimension 68000 "Professional Personal Computer." At CP/M East in Boston these folks had only one copy of the machine in their booth; now there were half a dozen, and they were selling them right there at the show; I noticed a couple of software companies buying, and Chris Rutkowski's Rising Star, which is overhauling the Epson QX-10 software, seemed decidedly interested.

The Dimension is supposed to run software written for nearly any 8-bit or 16-bit machine, including Apple, IBM PC, Kaypro, TRS-80, UNIX, and Osborne. The idea is that Dimension owners won't have to worry about software compatibility; one machine runs everything.

I've had no chance to examine the machine, so I merely report the company's claims. Micro Craft had one set up with transparent cover, and it looked well constructed, but that kind of inspection isn't worth much. It's certainly an intriguing concept.

THE BIG MAC

The most spectacular display at the Faire was Apple's giant-size model of a Macintosh. This big Mac is large enough to walk into! The screen is a projection image of a nearby normal size Macintosh, so that crowds of people can watch Macdemonstrations, and it certainly drew the crowd.

There were also several dozen Macintosh computers upstairs; those interested could make an appointment to go play with one for half an hour. Many people took Apple up on the offer, and they all seemed to come away with smiles. There's no doubting it: the Macintosh is fun. I haven't seen so much excitement since the very earliest days.

In spite of all the Macexcitement, there was essentially zero applications software for the Mac. No one had any hardware to hang on the Mac's I/O port (called a "virtual slot" in Macsales literature). There was a MacForth to be available Real Soon Now, and the FORTH people had a second disk drive—without a case—attached to the Mac. They'd apparently cobbled that up themselves; Apple wasn't supplying second drives. Or perhaps they were blessed.

Macintosh comes with Macwrite, a limited text editor, and Macpaint graphics-support packages. Apple expects outsiders to develop software for the machine. So far there isn't much. Except for Microsoft's Multiplan—which is copy protected on the Macintosh although the IBM PC version is not; presumably Macintosh users are less honest than IBM customers?—I saw only one other applications program for the Mac.

That was at the Workman and Associates booth: Bruce Tonkin, software author, shared Barry's booth. Bruce writes really complex programs in Microsoft BASIC (MBASIC). Actually, he writes in P-BASIC, which is a structured BASIC precompiler that compiles to, of all things, legal MBASIC. The P-BASIC compiler is written in Microsoft BASIC, so it wasn't very difficult for Bruce to get it onto the Mac.

He used it to write a highly complex database program called the Creator for the Macintosh. Guy Kawasaki, Apple's Macproject head, was quite impressed when he saw it running. It's a good program, not up to dBASE II, but good enough for a lot of serious business work, and it's fast (even in interpretive Microsoft BASIC).

That was all we found for the Mac. The machine has some limits, especially for serious business users. Lack of applications software is one major difficulty. A full discussion of this machine and what

it means to the micro world will take more space than I have here and appears in this month's column.

MORE NETWORKS


Bill Godbout's CompuPro company was proudly showing off the four-user Shirley; you'll recall CompuPro had a mock-up of it at the last Faire. Shirley puts four computers in a single box and internally networks them; each user has a central processor and memory banks.

The CompuPro folks announced that they'll be using Datapoint's Arcnet system to tie their multiuser machines together. This includes not only the Shirley machine (officially known as the "10") but also the new machine based on the iAPX20286 chip. The 286s are pretty expensive just now, but they are available to software developers.

CompuPro also had Concurrent CP/M 3.0 running on an 8/16 8085/8088 Dual Processor system much like mine. With

(continued)





four users and eight tasks, it worked, all right, but it was pretty slow. I'm much looking forward to getting Concurrent CP/M with windows running here, but I'll never put multiusers on a single microprocessor. One user, at least one central processor; that's the rule (mine, anyway).

OVER THE RAINBOW

Digital Equipment Corporation had a large booth just next to Apple, but the people there seemed to have trouble generating any excitement.

DEC is a company that has learned fast. When the people at DEC first brought out their Rainbow PC, they seemed determined to isolate their users from the rest of the micro world. The Rainbow wouldn't even format its own disks! You had to buy them preformatted.

No more. Rainbow now reads lots of disk formats and runs all manner of outside software; DEC never tires of bragging about just how much. Like the Fujitsu, the DEC Rainbow has both 8-bit Z80 and 16-bit 8088 microprocessors and can run CP/M-80, CP/M-86, and MS-DOS software. It's a pretty machine, with a good display—and very nearly the same wretched keyboard as the IBM PC. Since the IBM designers have said in interviews that they just sort of "made up" the IBM PC keyboard, I wonder why DEC's salespeople insist theirs is some kind of European standard?

The Rainbow deserves more attention than it got; being next to the overcrowded Big Mac display must have been pretty grim for the DEC booth people.

Corvus

As I've reported in previous columns, we have a Corvus Concept computer. It implements Corvus's Omninet system, which lets us link up an Apple, IBM PC, Zenith Z-100, TI PC, and CompuPro S-100 bus system so that they can all share the Concept's large hard disk.

The only person I "know" at Corvus is a software engineer named David Ramsey, and I've never actually met him: we've corresponded and talked many times on the phone. When I spotted the Corvus booth at the Faire, I headed right for it. A rather pretty young lady with blue eyes was the only person visible.

"Is David Ramsey here?" I asked.

She didn't hesitate a second. "Oh, no. We don't let him come to the Faire. We keep him chained to his desk."

Alex was later told the same thing. This makes me more anxious than ever to meet him.

Corvus has made some changes in its system. For example, our Concept's hard-disk unit is very large, about 1½ times as wide as an 8-inch disk drive and a little taller. This size is a hangover from the days when they shipped 8-inch hard-disk drives some years ago, since the drive inside is a 40-megabyte 5½-inch drive. Corvus showed off a new hard-disk drive at the Faire. It's only a little larger than the 5¼-inch hard disk it contains.

The new model has the Omninet interface built in-ours has a separate unit, about 11/2 times as high as a halfheight 514-inch disk drive, to connect it to the Omninet. Believe me, the amount of space taken by these drives is large, so I was happy to see these improvements. Mr. Ramsey swears he's coming down to Chaos Manor to oversee installation of the new and improved system, run twisted pairs of Omninet wires around, and in general improve on communications here. I'm much impressed by the Corvus; I keep hoping the company will mate that big bit-mapped screen to the Modula operating system, but Corvus says it has something even better, or at least as good, which Ramsey will show us when he comes. I'm prepared to be impressed.

I just hope they take the chains off before they let him come.

PC-WRITE

PC-Write is a full-screen text editor that makes use of many special features of the IBM PC. I haven't tested PC-Write, but I've seen enough of it to know it's a pretty good editor—especially for the price. You can get it for \$10, or even for free

PC-Write is distributed as "Shareware." What this means is that you can buy a copy from the publisher for \$10, but that's not the principal means of distribution. Anyone who has a copy is encouraged to give copies to all his friends. The program and its documents are all on disk, so this is quite feasible.

People who get the program and like it are requested to send \$75 to Quick-

soft, the program's publisher. When you send in the money, you get a printed copy of the document—a marginal improvement over what's on the disk—and an "official registration number." Put the registration number into your copy. Now, when you give copies away, if anyone you've given it to sends in the \$75, you'll get a \$25 sales commission.

Quicksoft's Bob Wallace says the company's not doing too badly. A number of people have liked the program enough to register it. He's meanwhile writing new programs to distribute this way.

I don't know whether the "shareware" concept will catch on. I encourage the trend.

TUTSIM

One program I'm likely to use often has the odd name of Tutsim and comes with a picture of an Egyptian pharaoh. I presume he's King Tut. I have a copy, and when I get a chance I'll wring it out; meanwhile, I saw it work at the Faire, and it was impressive.

Tutsim solves differential equations. It does this by turning your computer into a kind of analog device: that is, you can simulate the various kinds of operational amplifiers some of us older types remember from days long ago. Once you have the analog model set up, Tutsim solves the equations and produces the graphical results.

This probably makes little sense to some readers. Don't worry about it. I'll have a lot more in upcoming columns. Tutsim looks to be a very practical engineer's toolbox, and anyone who has to work with, or teach, differential equations should write Applied i for more information. It might be exactly what you're looking for; certainly it was one of the most unusual items I saw at the Faire.

RANA SYSTEMS

I don't recall Rana Systems being at the Faire before, but I may simply have missed it. Since the last show, I've met Fran Mulvania, Rana's director of communications, and we have installed Rana systems, so I tend to notice the company more.

Anyway, the Rana folks were out in force this year with a variety of products. Their flagship item remains the 2.5-megabyte floppy disk that so im-

pressed me last year at NCC. They also make a full line of disk drives for Atari and Apple computers. I've used them, and they're faster and more reliable than the ones Apple and Atari supply.

Rana's monster floppy-disk controller goes into a standard IBM PC slot. It can control standard floppy disks as well as 2.5-megabyte drives (good for an over-crowded PC). I've been using 1.1-megabyte 8-inch floppy disks for some time now, and every time I have to work with smaller disks I miss the big storage capacity. It would be a weird experience to have 5¼-inch disks with a greater capacity than my 8-inch disks!

Rana will shortly have the 2.5-megabyte disks for Apple IIe systems as well. We expect to get one pretty soon. Full report then.

OSBORNE

Suddenly a lot of people were wearing buttons that said "Osborne is back!" However, if you read the fine print it wasn't so certain.

The people at Osborne had a booth, not as large as the ones they had in the salad days, but large enough and complete with balloons. (Interestingly enough, Kaypro, which is the entry-level system I most often recommend, was in the booth Osborne occupied last year.) The Osborne people had videotapes of Adam Osborne himself telling how wonderful the Osborne computer is. They even had a bunch of computers that looked like the old Executive, until you got close to them.

What they didn't have was order books. No computers were for sale, and no price for the new Osborne PC has been established. This Osborne is different enough from the ill-starred Executive to warrant calling it a new machine. They say it is definitely PC compatible: I saw it run Flight Simulator, which is the program people often use to test PC compatibility. Otherwise, the machine looked a lot like the older Executive.

There are a lot of differences, though. There's an RGB (red-green-blue) color board adapter, an expansion chassis, and a socket for the 8087 math chip.

At last year's Faire, Osborne had patches with the big "barred O" symbol and the words "Osborne—teaching others to be humble." There weren't any of those patches this year.

ZENITH'S FRIENDS

As usual, Zenith took one of the largest booth areas of the Faire. It doesn't look all that big, because the folks at Zenith always invite certain people to share it with them. For example, Jim Hudson, whose 8087 math board greatly increases 8086 machine capabilities, was there. Iim was showing off his 8087 boards for the Z-100 and the CompuPro. The Z-100 board is especially ingenious: it's an S-100 board with 256K bytes of RAM (random-access read/write memory) and the 8087 both aboard. The 8088 goes on his board, and a header plugs into the motherboard where the 8088 went; the memory connects to the S-100 connector and gets all the decoding and so on there. The Hudson board has a lot of bang for the buck.

Walt Bilofsky's Software Toolworks also shared quarters with Zenith. The Toolworks has changed a bit. Instead of Insta-press flyers, Walt has a big color catalog printed on slick paper. The logo of the blacksmith forging a floppy disk on an anvil is gone, too. For nostalgia buffs, he still distributes software in Ziploc sandwich bags though.

The Software Toolworks used to specialize in Heath/Zenith software, and the company still has a lot for those machines, but most of what I got from Walt this trip is for the IBM PC. I'll report in a later column; meanwhile, those who don't know about the Toolworks ought to get a catalog. Bilofsky sells good stuff at remarkably low prices.

The MPI printer people were also in the Zenith area. Zenith now sells MPI printers. So does Heath in its catalog. The printers say "Zenith" on the outside, but the catalog lists them as MPIs. Pretty honest. I've written about the line before: we have four MPI printers, and we're happy with them all.

HEATH/ZENITH'S NEW Z-150

The Zenith Z-150 ZPC is its entry into the IBM-compatible arena, and it's an impressive one, so much so that my first thought is that this is probably the PC clone to buy if you want one. We'll be getting one shortly—full report then. It sure has a lot of nice features.

The Z-150 is a desktop, smaller than the IBM. It seems to run everything that the IBM will, right out of the box. We watched Bruce Tonkin put his MyWord

word-processing program in the Zenith and run every feature. Rachel Klau, a programmer for Heath, said that people came by through the entire show and ran all their favorite IBM programs without fuss, muss, or bother. While she was saying this, a group of people came over and ran their newfangled 2-D structural modeling program on it. They all applauded when it ran and went away saying that it worked better than on the IBM PC. After Rachel had relaxed (they were still batting 1.000 on IBM compatibility), she told me that the Z-150 was designed from the start to run Microsoft's Flight Simulator, which is in some ways the very best test of IBM compatibility.

It's certainly the only IBM compatible that you can build yourself. If you're skillful with tools and soldering iron, you could save yourself a lot of money. The folks at Zenith showed a prototype of their "portable" (33 pounds!). Alex says it's one of the funkiest machines ever built. It's portable in about the same sense that a 19-inch TV with a handle is portable—with great care you can get it from room to room. To be fair, the Compaq weighs 32 pounds and the IBM portable 30.

Both the table model and the "portable" have eight IBM-type slots and an 8087 socket, and both run at the same speed as the IBM PC. Given the company's quest for absolute compatibility, that's no surprise, but there is no speed-up switch or anything to let the Z-150 cut loose on its own, and that's a bit sad. Still, the machines seem to run absolutely everything that people tried, including MS-BASCOM (Bruce wrote My-Word in BASCOM). The Z-150 uses two half-height 51/4-inch drives.

You can get it with a hard disk, which takes the place of one of the floppy disks. Since it's a full-height hard-disk drive, it sticks down into the cabinet below where the lower half-height drive would normally go. Very slick. The detached keyboard doesn't have quite as nice a touch as the Z-100's keyboard, but it's better than most. The keyboard has moved all the "wrong" position keys on the IBM PC to more reasonable places. It has lighted LEDs (light-emitting diodes) for Caps-Lock, Num-Lock, and Shift-Lock keys.

This is definitely a "Heath/Zenith" (continued)

machine, in that order. It was developed in St. Joseph, Michigan (Heath's headquarters) by Heath employees. The Zenith Z-100 was developed by Zenith. though of course Heath is famous for its kit versions of computers-including the Z-150 ZPCs. Kit versions usually bear the Heath name and fully assembled ones the Zenith name.

The Z-150's main claim to fame is its color board. It seems 100 percent compatible with IBM color programs and is by far the best PC clone color board I've ever seen. If the folks at Zenith want to sell this board to IBM owners, they'll make a mint. Unlike the IBM, which blinks horribly every time a line is scrolled, Zenith's has (settable!) smooth scrolling that looks good with both graphics and text. In addition, I heard rumors of high-resolution color boards in development. Don't be surprised if the first one looks a great deal like the Z-100's color palette.

One other twist: there's a built-in debugging tracer in ROM that you can access at any time. It shows you what code is being run, what's on the stack, and what's in the registers. You can get to it as long as the machine is listening for interrupts; if not, you'll have to turn it off and on. The lack of a real reset switch, one that always works, is the major blemish on an otherwise nearly perfect machine.

Incidentally, don't expect Zenith to suddenly phase out the Z-100 in favor of the Z-150. This is the same Heath that will sell you a knob for a 25-year-old kit tuner out of its warehouse stock. If the company's reputation won't convince you, the sales of the Z-100 should: GSA, the Army, Navy, Air Force, and UPI have all bought more than 5000 each of these machines. It's likely to be the machine at the Air Force Academy. The Z-150 is to get Zenith an entry into the market of PC clones, not because Zenith wants to dump the Z-100. A small company looking for a machine to develop PC software on could do a lot worse

Speaking of the Navy, I talked to two sailors, one from the Enterprise, the other

than buy the H-150 kit.

in an LHA helicopter carrier (or Large Hotel, Afloat). Both had Z-100s onboard—there are 23 on the Enterprise. Both complained that the power supplies tended to burn out on the Z-100s because of the spikes in shipboard power. Otherwise, they are extremely happy with their Z-100s. Considering that most big shipboard navigation and fire-control computers have just been upgraded to 64K-byte core (!) memory. I can see why! It isn't generally known, but the BB New Jersey still uses big mechanical analog integrators for fire control. A Z-100 with a good power filter would be a lot more machine....

BOTTOM LINES

There was a great deal more to see, including a Japanese import color system using a light pen to do in 265 shades of color what Macpaint does in black and white. The FORTH people handed me a thick stack of books and program disks that are supposed to produce the brand of FORTH described in Leo (continued)

IBM's "Channel Arrangement"

'm not much impressed with the IBM PCjr. so I would have ignored the IBM booth, but the folks there had big signs proclaiming their new "network." This looked interesting, and I sent my son Alex off to investigate. Here's his report:

"IBM showed off a new product to tie the PC. PC XT. PCir. and Portable PC together. It's not a network. It's a 'channel arrangement.' I'm not sure what that is. I can tell you what it is not: a real network. With a raw communication speed of 375K bits per second (bps) and only 64 users maximum, it's not going to compete with Ethernet, Omninet, or Arcnet. To compare, Arcnet and Omninet run at about 1 million bps and Ethernet at about 10 million bps. Those are raw speeds, not equal to the amount of data that can really be sent. Nonetheless, I think the low speed alone means it won't do well, even with the IBM name on it.

'Data is carried on a 75-ohm coaxial (TV) cable. You put a Tee in for every station; that Tee cable can be about 16 feet (5 meters) long. The distance between the

farthest stations can be only 1000 meters at most, so IBM's 'channel arrangement' is good only for pretty local communications to start with.


"There are some other problems. IBM doesn't even support all of its own machines; I specifically asked, and no, the company doesn't support the PC XT/370 on this net. Nope, no way to hook up to its own mainframes or non-PCs. Only 10 megabytes can be shared on line; the folks at IBM don't even support multiple hard disks! They said you cannot put a second XT hard drive on the channel.

'There's no true file sharing or record locking (goodbye, shared databases). No DMA (direct memory access), which means that each byte must go through a register (rather than being transferred directly into the receiving machine's memory). This omission is ostensibly because the PCir doesn't support DMA. (I think that last point is a nail in the coffin of both the ir and the channel arrangement.)

"The IBM employees I talked with stressed how you could run the PCir with no disk drives by doing an 'IPL'-an old IBM mainframe term meaning Initial Program Load-from the net, making the PCir a diskless workstation. Perhaps they are attempting to crack the school market with this? This might work if it didn't require a hard disk, but in fact the 'channel arrangement' does require one. I could see a bunch of PCirs being fed by a single PC XT, but I see no cost savings over PCjrs with a disk. First, you must buy IBM's board and software (\$400 in quantity), then you must buy a central PC XT (\$5000 and up). A PCjr's extra memory and disk drive are only \$600; that's an awful lot of PCjrs to buy to get a cost savings-and there's very little school software for the PCjr right now.

"But: IBM knows all these things. Rumors have it that this isn't IBM's network, but merely an aberration (er, stopgap) to fill in at the moment. All those deficiencies lead me to believe that the folks at IBM are using their customers as paying test sites to de-kink their ideas of what a network should be:

-Alex Pournelle



My name's McGruff, and it's my business to help prevent crime. I think it should be your business, too—to teach your employees how to protect themselves. Just send for my business kit

-it'll help you develop a program
that teaches your employees how
to make their homes burglarproof, make their neighborhoods
safer, even how not to get mugged.
And, while you're at it, get in
touch with the cops—they can help
you out. So now you're probably wondering (like a top cat businessman
should), what's in it for you. That's easy.
When your company works harder for
your people, your people work harder for
your company.

So take the time, and...

TAKE A BITE OUT OF

20 Banta Plac	ne Prevention Coali ee, Hackensack, NJ	07601
Please send n Crime Preven	ne lots of information	on on
	totott.	
Name:		
Company:		
Address:		
City:	State:	Zîp:

PRODUCTS REVIEWED

Apple Computer..... Macintosh Computer 20525 Mariani Ave. Cupertino, CA 95014

(408) 996-1010

Palo Alto CA 94306 (415) 325-4800

Blaise Company..........Blaise Pascal utilities

1609 Acton St. Berkeley, CA 94702 (415) 524-6603

Borland International..... Turbo Pascal

4807 Scotts Valley Dr. Scotts Valley, CA 95066 (800) 227-2400

CompuPro CompuPro 10 multiuser computers

3506 Breakwater Court Hayward, CA 94545 (415) 786-0909

Corvus Systems......Concept and Omninet network

2029 O'Toole Ave. San Jose, CA 95131 (408) 946-7700

Digital Equipment Corp....Rainbow Computer

146 Main St. Maynard, MA 01754 (617) 897-5111

Hudson and Associates 8087 Math Board

Box 2957

Santa Clara, CA 95055-2957 (408) 554-1316

IBM Channel Arrangement

1615 South Congress Del Rey Beach, FL 33432 (305) 998-2000

Micro Craft Corp...... Dimension 68000 Computer

9995 Monroe Dr. Dallas, TX 75220 (214) 350-6008

Modula Computers American Lilith Computers

950 North University Ave. Provo, UT 84604 (801) 377-3598

Modula Research Institute...Public-domain Modula 950 North University Ave. compiler Provo, UT 84604 (801) 377-3598

Osborne Computers Computers 26538 Danti Court

Hayward, CA 94545 (800) 227-1617

Quicksort PC-Write

219 First North #224 Seattle, WA 98109 (206) 282-0452

Rana Systems Disk drives

21300 Superior St. Chatsworth, CA 91403 (213) 709-5484

Software Toolworks...... Many IBM PC and 15233 Ventura Blvd.. Zenith Z-100 programs

Suite 1118 Sherman Oaks, CA 91403

(818) 986-4885

Tinney. Robert BYTE cover posters

1864 N. Pamela Dr. Baton Rouge, LA 70815 (504) 272-7266

Workman and Associates . . . WRITE 112 Marion Ave.

Pasadena, CA 91106 (818) 796-4401

Zenith Data Systems.....Zenith Computers

1000 Milwaukee Ave. Glenview, IL 60025 (312) 391-8865

BOOKS REVIEWED

Clapp, Douglas. Macintosh! Complete North Hollywood, CA: Softalk Books, 1984. \$19.95

Lu, Cary. The Apple Macintosh Book Bellevue, WA: Microsoft Books, 1984. \$18.95

Norton, Peter. Inside the IBM PC Bowie, MD: Brady, 1983. \$19.95

Brodie's excellent introduction, Starting FORTH. MicroPro has a new 16-bit spelling-correction system called CorrectStar. It has more features than The Word Plus, which I use at present, and I liked it quite a lot; I'll go into more

detail on that in my next column.

There were a lot of good speeches and seminars, all well organized. Despite a few glitches, the new Faire management team kept things running far more smoothly than I would have

believed they could. Final attendance was a bit over 40,000, down from the 48,000 of last year, but good enough, especially since so many people bought merchandise.

It's still my favorite computer show.

If they can make it here, they'll make it anywhere.



When's the last time you saw "digging a well" or "installing bio-gas digesters" on someone's résumé? Working in the Peace Corps is not your average everyday job. But it sure has trained volunteers to cope with the unexpected—including any company's everyday problems, once the volunteers have come home.

Whatever it takes to be Peace Corps volunteers, it's a way of working that develops a resourcefulness and a degree

of self-reliance that volunteers use long after they've come home. Anyplace they work. On any job they're given. And they all have a unique understanding of different cultures in developing countries.

Hire a former Peace Corps volunteer, and put that experience to work on your "toughest job." Call Peace Corps toll-free, 800-424-8580 (ext. 76) to tell them about job possibilities for returned volunteers. Or if you know of those who might like to volunteer, use the same phone number (ext. 93) to put their experience to work where it can do a world of good.

Peace Corps The toughest job you'll ever love.



Byte Book Club

DATABASE DESIGN. By G. Wiederhold. 2nd Ed., 704 pp. The expanded second edition of this widely acclaimed book presents the methods, the criteria for choices between alternatives, and the principles and concepts that are relevant to the practice of database design.

\$33.00 701/326B (Counts as 2 of your 3 books)

MICROCOMPUTER GRAPH-ICS AND PROGRAMMING TECHNIQUES. By H. Katzan, Jr. 240 pp., 100 illus. and tables. Here's a stimulating introduction to computer graphics for small computers. It covers all the advances to date in color coding and computer graphics technology and-best of all-it's written for information professionals who can't draw! Includes actual graphics programs worth hundreds of dollars! 582576-7

COMPUTER PERIPHERALS FOR MINICOMPUTERS, MI-CROPROCESSORS, AND PER-SONAL COMPUTERS By C. L.

Hohenstein \$29.95 294/518B (Counts as 2 of your 3 books)

PROGRAMMING GUAGES: DESIGN AND IM-PLEMENTATION. By T. W. Pratt, 2nd Ed., 624 pp., 93 illus. This book identifies and discusses the key concepts in programming languages . . . explains their hands-on implementation . . . and covers se-mantic structures, run-time representations, and the effect of syntax on language structures.

582879-0B (Counts as 2 of your 3 books)

PROGRAMMING WITH ADA: An Introduction By Means of Graduated Examples By P. Weg-

789/24XB \$25.00 (Counts as 2 of your 3 books)

OPERATING SYSTEMS By H. Lorin & H. M. Dietel 582354-3B (Counts as 2 of your 3 books)

CP/M® BIBLE: THE AU-THORITATIVE REFERENCE GUIDE TO CP/M®. By M. Waite and J. Angermeyer. 429 pp., illus. This all-inclusive, easy-to-use reference offers a complete description of all the built-in commands, transient commands, and operating procedures you need to make your particular version of CP/M work harder—and more efficiently-for you. 582917-7B \$29.95 (Counts as 2 of your 3 books)

ASSEMBLERS, COMPILERS, AND PROGRAM TRANSLA-TION By P. Calingaert 582110-9B \$25.95

(Counts as 2 of your 3 books)

DATA STRUCTURES AND PROGRAM DESIGN By R. L. Kruse

583036-1B (Counts as 2 of your 3 books)

TROUBLESHOOTING & RE-PAIRING PERSONAL COM-**PUTERS** By A. Margolis 582890-1

AN INTRODUCTION TO VISI-CALC® MATRIXING FOR AP-PLE® AND IBM®. By H. Anbar lian. 252 pp., illus., softcover Enables you to use VisiCalc matrixes—also known as templates and models-to put your Apple or IBM personal computer to productive use almost immediately. It describes the actual process of developing matrixes for such applications as expense vouchers, price/ earnings ratios, payrolls, stock portfolios, and more.

THE BUSINESS GUIDE TO SMALL COMPUTERS By L. Cal-

016/054

096/627

PROGRAMMING ANGUAGES

WALTER SIEONOWIX

INTERFACE PROJECTS FOR THE TRS-80 By R. C. Hallgren 582466-3 \$18.95

POWERFU TOOLS! POWERFUL SAVINGS!

New Members take any \$400 3 books for only

each* Values up to \$79.50

APPLE PASCAL GAMES By D. Herget & J. T. Kalash \$19.95 582521-X

MATHEMATICS FOR THE OF ANALYSIS ALGO-RITHMS. By D. H. Greene and D. E. Knuth. 107 pp. Gives you a clear picture of both the structure and the power of algorithms-and their intimate relationship to the world of the computer programmer. 582707-7

THE BOWKER BANTAN 1984 COMPLETE SOURCEBOOK OF PERSONAL COMPUTING. By

R. R. Bowker Co. 700 pp., illus. This dynamic reference provides seven product directories that cover hardware (with full specs and prices), peripheral hardware, software, books, magazines, computer association publications (many of them free!), and consumer data-582915-0 \$24.95

REAL-TIME COMPUTING With Applications to Data Acquisition and Control. Edited by D. A. Mellichamp. 552 pp., 260 illus. This comprehensive quide helps you specify the type of realtime computing system you need, start it up, and keep it running smoothly and productively. (Counts as 2 or your 3 books)

GUIDE TO THE IBM PER-**SONAL COMPUTER: Features** DOS 2.0 and BASIC 2.0 for the IBM PC and XT. By W. Sikonowiz. 352 pp., illus. Going far beyond the manufacturer's manuals, this guide gives you the invaluable hands-on experience necessary to make the most of your machine. 574/847

LEARNING WITH LOGO By D. H. Watt \$14.95 685/703

GRAPHICAL PLAYS. By D. L. Ryan. 337 pp., 148 illus., outsized 11 x 8½ format, softbound. Let this easy-to-follow guide show you how to produce displays with a variety of applications-from animation to engi-

COMPUTER PROGRAMMING

neering drawings and documents. It describes and illustrates how to produce program . . . how to select and use such devices as pen plotters, joysticks, and light pens...and how to use simple graphic entities. 582931-2B \$26.95


(Counts as 2 of your 3 books)

INTRODUCTION TO THE UCSD p-SYSTEM". By C. W. Grant and J. Butah. 330 pp., illus. This book takes you through the whole process of implementing the UCSD p-System—and gives you hands-on programming experience in Pascal. \$24.95 582767-0


CROCOMPUTER DATA DI-GEST. By W. H. Buchsbaum and G. Weissenberg, 336 pp., 199 diagrams. Containing all the detailed technical data for every microprocessor integrated circuit that is currently listed as a "standard," off-the-shelf item, this book presents the critical pin configura tions, voltages, operating parameters, descriptions of each IC. \$29.95 582835-9B

BASIC: Getting Started. By W S. Davis. 152 pp., illus., softbound Step by step, this manual guides you through your first programs unti you're "over the hump" and fee comfortable with the computer. I takes you from defining the problem through branching and looping right up to arrays and data state ments \$6.95 582355-1

384 BYTE • JULY 1984



ANNOUNCING: The Most Important Computer Handbook



The McGRAW-HILL COMPUTER HANDBOOK. 992 pp., 475 illus., edited by Harry L. Helms, with over 24 world-reknown contributors, is by far the most useful and comprehensive reference yet designed for today's computer user. Crammed with easy to get at information, ranging from design concepts to programming techniques, from data bases to interfacing, networking, speech synthesis and recognition to mention just a few of hundreds of entries, this one volume reference does it all—in language and presentation everyone can understand. Invaluable for home, office, and school use, The Computer Handbook "can be helpful to users in solving many mysteries, while opening new doors for exploration and serving as a continuing reference," writes Thomas C. Bartee of Harvard 279/721A

(Counts as 3 of your 3 books)

* 3 books for only \$1.00 each . . . if you join now for a trial period and agree to purchase three more books—at handsome discounts—during your first year of membership. (Publishers' prices shown)

SYSTEMS PROGRAMMING FOR SMALL COMPUTERS. By D. H. Marcellus, 432 pp., 154 illus, From designing a user-interface dialogue to give instructions right up to parsing TINY BASIC, the author shows you how to make your machine more responsive to your needs. Coverage ranges from ROM monitors, assembler languages, and text editors to some larger microcomputer systems with hard disks and multi-tasking capabilities. \$26.95 582937-1B (Counts as 2 of your 3 books)

THE SMALL COMPUTER CONNECTION: Networks for the Home and Office. By N. L. Shapiro. 256 pp. Shows you how to use existing hardware and software to link your small computer to other computers—large and small—and to a vast universe of databases. 564/124 \$15.95

ELECTRONICS ENGINEERS'
HANDBOOK, 2/e By D. G. Fink
& D. Christiansen
209/812A \$79.90
(Counts as 3 of your 3 books)

Z80 USERS MANUAL. By J. Carr. 326 pp., with diagrams, charts, and tables. Takes you through every opportunity the ZAP can offer! It covers Z80 pin definitions, CPU control signals, support chips, interfacing peripherals, and much more.

582336-5 \$21.95

INTRODUCING THE UNIX SYSTEM. By H. McGilton & R. Morgan. 256 pp., 50 illus. soft. This book helps you over the initial hurdles of learning this new and powerful computertool—even if you have never used the Unix system or penetrated any of its literature.

450/013 \$18.95

HANDS-ON BASIC For the IBM® Personal Computer By H. Peckham. 308 pp., spiral-bound, softcover. Learn BASIC programming right at the computer! Step by step, this manual gives you hands-on experience with BASIC through a series of guided activities. Each of the 12 chapters requires at least one hour at the computer and at least one hour studying the text. 491/78X

HANDS-ON BASIC FOR THE Atari 400/800/12XL By H. Peckham 491/941 \$22.00

THE C PRIMER. By L. Hancock & M. Kreider. 256 pp., 25 illus., softbound. This is the only book on the market that describes the C language clearly and simply from the novice's point of view.

259/81X \$16.95 ELECTRONICS DICTIONARY,

4/e By J. Markus 404/313B \$32.95 (Counts as 2 of your 3 books) APPLE PASCAL: A Hands-On Approach. By A. Luehrmann and H. Peckham, 426 pp., spiralbound. Finally—a how-to-use-PASCAL book for Apple computer users that makes a complete language as easy as (forgive us!) applesauce. Takes you from "total ignorance" all the way up to a very impressive competence in the use of that rather complex language, PASCAL.
491/712 \$20.00

Sproull. 2nd Ed., 544 pp., illus. Now in a revised, updated Second Edition, this volume has long been THE standard source of information for designers! Now, as before, it is utterly comprehensive and up to the minute in its coverage. 463/387B \$36.95

PRINCIPLES OF INTERAC-TIVE COMPUTER GRAPH-

ICS. By W. M. Newman and R.

(Counts as 2 of your 3 books)

Consider these Byte Books as well! -

MICROCOMPUTER OP-ERATING SYSTEMS By M. Dahmke

150/710 \$16.95

TRS-80 GRAPHICS FOR THE MODEL I AND MODEL III By D. Kater & S.

Thomas 333/033 \$14.95

THREADED INTERPRETIVE LANGUAGES By R. G. Loeliger

383/60X \$22.95

THE BRAINS OF MEN AND MACHINES By E. W. Kent

341/230 \$20.95

ROUTINES, Vol. II By Dr. F. R. Ruckdeschel \$26.95

(Counts as 2 of your 3 books)

CIARCIA'S CIRCUIT CEL-LAR, Vol. 2 By S. Ciarcia 109/63X \$18.95

BYTE BOOK OF PASCAL By B. W. Liffick

By B. W. Liffick 789/673B \$27.50 (Counts as 2 of your 3 books)

BASIC SCIENTIFIC SUB-ROUTINES, Vol. I By Dr. F. R. Ruckdeschel 542/015B \$27.95 (Counts as 2 of your 3 books) CIARCIA'S CIRCUIT CEL-

LAR, Vol. III By S. Ciarcia 109/656 \$15.95 MICROCOMPUTER DISK

MICROCOMPUTER DISK TECHNIQUES By P. Swanson 625/824 \$15.95

BUILD YOUR OWN Z-80 COMPUTER By S. Ciarcia 109/621 \$18.95

Why YOU should join the Byte Book Club™ now!

- Best and newest books from ALL publishers! Books are selected from a wide range of publishers by expert editors and consultants to give you continuing access to the best and latest books in your field.
- Big savings! Build your library and save money too! Savings range up to 30% or more off publishers' list prices—usually 20% to 25%.
- Bonus books! You will immediately begin to participate in our Bonus Book Plan that allows you savings up to 70% off the publishers' prices of many professional and general interest books!
- Convenience! 14-16 times a year (about once every 3-4 weeks) you
 receive the Club Bulletin FREE. It fully describes the Main Selection

and alternate selections. A dated Reply Card is included. If you want the Main Selection, you simply do nothing—it will be shipped automatically. If you want an alternate selection—or no book at all—you simply indicate it on the Reply Card and return it by the date specified. You will have at least 10 days to decide. If, because of late delivery of the Bulletin you receive a Main Selection you do not want, you may return it for credit at the Club's expense.

As a Club member you agree only to the purchase of three additional books during your first year of membership. Membership may be discontinued by either you or the Club at any time after you have purchased the three additional books.



Fill out the card and mail today! If the card is missing, write to:

BYTE BOOK CLUB, P.O. Box 582, Hightstown, New Jersey 08520

(continued from page 141)

Ada Compilers for Microcomputers

ne of the partial Ada compilers, called Janus Ada, is sold by R&R Software for Z80- and 8088-based machines. I have the 8088 version that operates under MS-DOS. Although the developers of Janus Ada have not developed a full Ada compiler to date, they plan to do so with this compiler. As it stands, the compiler is a powerful tool that can be used to learn some of the features of Ada, but remember that it is not a true implementation of Ada.

To see how a partial compiler differs from a full compiler, I submitted the examples from parts 1 and 2 of this primer to the Janus Ada compiler. In order for these examples to run. I had to make some modifications. In most cases the changes were cosmetic, but in one major aspect the changes were significant because Janus Ada does not support subprograms that can be separately compiled. Each subprogram must be placed in a package and compiled as a package. In Janus Ada, the concept of the main program is more like that of a main package; that is, what Ada's designers considered to be the initialization part of a package becomes the main program. This is not such a bad way to start: it would have been far worse if lanus Ada had only a single procedure as the main program. As it is, lanus Ada supports separate compilation of package specifications and package bodies. A package can also contain several subprograms; all the examples that follow contain only one subprogram per package, however.

The smallest Janus Ada program is

--tiny.pkg
--package name must be same
--as file name in Janus
--smallest Janus Ada program
package body tiny is
--main program
begin
--do nothing in main program
null;
end tiny;

To invoke the compiler, the source program was placed on disk B and the compiler on disk A. The command was given on disk A as A>janus b:tiny.

Only a compiler writer could understand the information presented, but the message provides a warm feeling that something is going on. Finally this message is displayed:

Thank You For Using JANUS/Ada A>

After this, the linker disk is put in disk A, and you type the command A>jlink b:tiny, which causes the program to be linked and stored on disk B as tiny.com. To execute the program, give the command A>B:tiny.

I strongly recommend that the compiler (or at least its scratch files) be put on an electronic disk to speed up the process. If the linker can be left in disk A, it's convenient to create a batch file to make a command sequence that compiles, links, and executes.

The other significant difference is that the name of a package has to match the name of the file where the package is stored. Under MS-DOS, this limits package names to eight characters.

The smallest Janus Ada program with a subprogram is

- example.lib
- Smallest Ada program with
- a subprogram in a package
- --Specification in Janus Ada

package example is

- -subprogram specification procedure do_nothing; end example;
- example.pkg
- Smallest Ada program with
- a subprogram in a package
- package body example is
 - -subprogram implementation procedure do_nothing is
 - begin

null;

end do_nothing; end example;

- small.pkg
- Main program

with example;

- -main program uses subprograms in package package body small is -main program
- -use must be in declaration part use example;

--executable part of main program begin

do__nothing; end small;

This program is split across three files: example.lib for the package specification of the subprogram, example.pkg for the package body of the subprogram, and small.pkg for the main program.

Altogether, the packages do not appear very different from standard Ada. Requiring that separate units be in separate files is probably not a bad idea for small computers. It isolates changes to small units of code and keeps compilation times shorter.

Both of the programs to display a message look very much like standard Ada and both display the correct message. Note that Janus Ada does not use the text_io package. Instead, various forms of get and put are built into the compiler.

- hello1.pkg
- Greet the world
- Introduce output in Ada package body hello1 is begin

put ("Hello, world!");

new_line; end hello1;

This version of the program also displays Hello, world!

- hello2.pkg
- Greet the world
- In another version

package body hello2 is

begin

put ("Hello");

put (","); put (" ");

put ("world");

put ("!");

new_line;

end hello2;

Janus Ada requires that all variables be declared and have predefined types. The main difference between the following program and the standard Ada example is that the input and output routines do not require instantiation.

(continued)

```
put (" a
                                           the Ada compiler ");
    new_line:
    put (" s
                                     the Ada syntax checker ");
    new_line:
    put (" I
                                    the Ada library manager ");
    new_line:
    put
               Your request? "):
    new__line;
 end greet;
 -receive response
 -filtering out tabs, blanks, and carriage returns
 procedure get_response (c : out character) is
   C := ":
   while c = " or c = ascii.ht loop
      get (c);
    end loop:
 exception
    when end_error = >
        c := ascii.eot;
 end get_response;
 procedure help (help_topic : help_topic_type) is
 begin
   case help_topic is
      when ada_help =>
            put (" The ADA command compiles and executes
            the program.");
            new_line:
      when syntax_help = >
            put (" The ADAP command parses an Ada
            program.");
            new_line:
      when library_help = >
            put (" The /LIBFILE=[file] option uses a library.");
            new_line:
      when error_help = >
            put (" Did not understand that. Please rerun the
            program.");
            new_line;
    end case:
 end help:
end help_package;
with help_package; use help_package
procedure main is
 c : character;
begin
 greet;
  get_response (c);
 case c is
    when ascii.eot = > null;
    when 'a' 'A'
                 = > help (ada_help)
    when 's' 'S'
                 = > help (syntax_help);
    when 'l' L'
                  = > help (library_help);
    when others = > help (error_help);
  end case;
end main:
```

First, we establish a package that contains three procedures:

Curtom

Compuler

Pystems

1616 W. Jefferson, Joliet, IL 60435

TERMS: We accept VISAIMC, prepay, check or money order. allow checks two weeks to clear before strong charge on all orders under \$50.00. 15% ill orders shipped via UPS unless otherwise sportders require a Ceshiers Check. OUR produitE YEAR parts and labor wrranty actual which carry the full OEM fact. printers and terminals which carry the Juli OEM lactor ty. PRICES SUBJECT TO CHANGE WITHOUT NOTICE



CCS 2300 System, A & T \$1349.00

★ Includes CP/M® 2.2
 ★ 2300 Maintrame 10 Slot M/B ★ 2422 Disk Controller
 ★ 2810 Z-80A CPU @ 4MHz
 ★ 2719 2 SER - 2 PAR

CS Add On Boards	
2710 4 Port Serial RS-232	\$245.00
2719 2 Serial - 2 Parallel Centronics	219.00
2810 CPU Z-80 at 4 MHz in Stock	Only-199.00
2422 Disk Controller with CP/M 2.2	Only-299.00
2066 64K Dynamic Memory	Only-280.00
23004 Mainframe Assem + Tested	Only-455.00

DISK DRIVE SPECIALS

S' Siemens 100-8 SS/DD	\$164.50 +	* WINCHESTER HAR	D DISK *
Shugart 851R DS/00 1.2 Meg.	457.00 +		
Shugart 801-R SS/DD	330.00 +		
3" Qume Datatrak -8 DS/DD	479.00 +	SPECIALS	
" Mitsubishi Full Height DS .	445.00 +		
" Mitsubishi Thinline DS/DD	465.00 +	5-1/4 Miniscribe Har	d Disk
-1/4" Mitsubishi 96TPI DS/DD	295.00 +	5 Meg \$689	10 Meg \$849
-1/4" Tandon DS/DD 48 TPI	259.00 +	8" Quantum 20 Meg 2-Platt	\$2,250.
-1/4" Tandon OS/DD 96 TPI	369.00 +	8" Quantum 40 Meg 4-Platt	2,850.
		8" Occuptum 85 Megaboda	9.450

ORDER TOLL FREE 1-800-435-9357 Illinois Residents Call (815) 485-0006

DUAL DRIVE SUBSYSTEMS





HORIZONTAL OR VERTICAL Fully Assembled and Tested Units ONE YEAR P+L WARRANTY On Shugart and Mitsubishi Subsyste

O'n Shugart and Mitsubian Subaya.

Whi Misubian Soyi Assem - Intel 24 Meg.

w/two Shugart 8018 SS/00 Assem - Intel 21 Meg.

w/two Shugart 8018 SS/00 Assem - Intel 21 Meg.

w/two Shugart 8018 SS/00 Assem - Intel 21 Meg.

w/two Sumars 106 SS/00 Assem - Intel 21 Meg.

w/two Gunger 10 A SO/00 Assem - Intel 21 Meg.

w/two Gunger 10 A SO/00 Assem - Intel 21 Meg.

w/two Gunger 10 A SO/00 Assem - Intel 21 Meg.

Capter 61 Assem 15 Tellet w/two Supply and Accs.

Capter 10 Assem 15 Tellet w/two Supply and Accs.

Capter 10 Assembly 1,225.0 675.0 235.00 88 54

\$ 25.0 51/4" Subsystems — Cabinot — Power Supply — Drives w/two 48TPI SS/DD includes all cables Assem + Tested /two 48TPI DS/DD includes all cables Assem + Tested wo 96TPi DS/DD includes all cables Assem + Tested

SOFTWARE

REPORT MANAGER *ENERGRAPHICS* AMERICAN INTEGRITY *MICRO PRO* Call for Fantastic Prices!

6 Ft. Centronics	6 Ft 50 Pin Data Cable
Any Configuration \$25.00	2-Card Edge 1-Dual Row \$33.00
	1-Card Edge 1-Dual Row
6 Ft. RS232	1-Card Edge 1-Card Edge 27.50
Any Configuration 25.00	ASK FOR OTHER CABLE ASSEMBLIES

THE IBM* COMPATIBLE **16 BIT COMPUTER**

*5 Expansion Ports

*100 Watt, Fan Cooled Power Supply Intel 8088, 16 Bit, 4.77 MHz.

Optional 8087 Math Co-Pressor

*RAM 64KB to 512 KB

ONT BASIC UNIT \$995.00

MS-DOS .



*83 Key Low Profile Detachable Keyboard

THE XPC

20 Key Type Head Buffering, 10 Functional (Keys) 10 Digit Numeric Pad

*2 DS/DD Floppy Drives Hard Disk Add-On Optional

*RS232 Port, Parallel Port *3270 Emulator

COMPLETE ONLY SYSTEM

\$1,995.00 CP/M 86

CUSTOMER SERVICE NUMBER (815) 485-0006

PRINTERS

				_	
EPS	DN	*GEMI	NI*	*OKII	ATA*
FX 80	\$599 1	0	\$299	82A	\$995
FX 100	750 1	0XX	. 279	92A	599
RX80FT					
	#	ANNESM	AN TAL	LY	
MT160	\$660 M	T180	\$995	SPIRIT	\$375
		8801	THER		
HR15	\$439			HR25	\$850

HR15	\$439			HR25	. \$850
Tractor.	130	Cut Sheet	240	Keyboard	190
	JUKI 6100	*	*P	RINTEK 920	
	\$439.00			\$1,895.00	
(1)	etter Quali	ty)		(340 CPS)	

S-100-4 \$1,995.00 4 Siot S-100 Bus # incuides CP/M* 2.2 and Mani
Two Separate Power Supplys # All Cables Provided

XOR S-100 Brd Set (above) # Dimensions only 9" x 9" x 18"2"

S-100-12 \$1 450.00

With the XOR S-100 MOD

12 Stol Motherboard and
Card Cage
+3% 4 30A ● ±16V ⊕ 6A
CC Power to Run up to 4 Drives

COmplete Manual

CC Power to Run up to 4 Drives

COmplete Manual Set

IBM* Add On Boards:

\$65.00

AST 6-PAK, C.S.P.64K	\$355.00	Z-808 CPU	\$875.00
AST I/O PLUS C.S	145:00	VIDEO BRD. 44 x 132	
AST I/O PLUS C.S.P.	180.00	+ GRAPHICS	860.00
QUADBOARD, 15, 1P, 64K	515:00		

APPLE* Add On Boards:

7114-01 Rom/Rom	\$115.00	7712-01 Ser Synch	\$115.00
7424-01 Clock	95:00	7720-01 Pril	90.00
7440-01 Timer	85.00	7729-01 Pril Centrn	70.00
7470-01 A/D Conv	95.00	7811-01 Arth Pro-DSK	360.00
7710-01 Ser (Prnt)	99.00	7811-02 Arth Prc-ROM	360.00
7710-02 Ser (Modm)	99.00		

XOR BOARD SETS

CPU	\$255
DSK CONT	275
64K BOARD	249
ADVANCED DIGITAL	

The First Complete S-100 System on a Single Board *Super Quad 64K, DSK CNT, 2S, 2P @ 4MHz ...
*Super 6-64 64K, DSK CNT, 2S, 2P @ 6MHz ...

```
-var1.pkg
-- Introduce variables
package body var1 is
 --declaration for integer variable
 age: integer;
begin
 age := 40:
  put ("This year Sam is ");
  put (age,2);
  put(" years old. ");
  new_line;
end var1;
lanus Ada also has subtypes so that the
second version of the program appears as
--var2.pkg
-Introduce variables and subtypes
package body var2 is
  subtype age_type is integer range 0..99;
  -declaration for age_type variable
  age : age_type;
begin
  age := 40;
  put ("This year Sam is ");
  put (age,2);
  put(" years old. ");
  new_line;
end var2;
  The control structures for Janus Ada are
faithful to standard Ada. The following ex-
amples required only minor changes. Since
each was a separate program, it was merely
a matter of making each into a package
body and eliminating the text_io setups.
  The first program demonstrates the while
loop construct.
--while1.ada
-The while construct
package body while1 is
  subtype count_type is integer range 1..5;
  count : count_type;
begin
  count := 1;
```

```
end while1;
  The second program is another version
of the while loop construct using the succ
operation to perform incrementing of the
control variable.
--while2.pkg
-The while construct
package body while2 is
  subtype count_type is integer range 1..5;
  count : count_type;
begin
  count := 1;
  while count < = 4 loop
    put (count * 10, 2);
    new_line;
    count :=
      count_type'succ(count);
  end loop;
end while2:
  The following program demonstrates the
for loop construct.
-for1.pkg
-The for construct
package body for1 is
begin
  for count in 1..4 loop
    put (count * 10, 2);
    new_line;
  end loop:
end for1;
```

In Janus Ada, get and put do differ in the semantics for how input and output are performed. get reads the end-of-line character, which makes the copy program easier to understand. The strange construction end_of_file(standard_input()) is left over from a version of Ada before it became standardized. I was not able to use Control-Z as an end-of-file, but Control-C stopped the program. Janus Ada does not have exceptions, so the other version of the program is not possible.

```
-copy1.ada

-Copy input to output

with io,util;

package body copy1 is

use io,util;
```

c : character;

```
begin

while not end_of_file(standard_input())
loop

get(c);
put(c);
end loop;
end copy1;
```

The io and util packages brought into this program have the end_of_file and end_of_line functions. Other useful input and output functions and procedures in these two packages are provided with the Janus Ada compiler.

The if statement is no different from standard Ada, as can be seen in the following examples.

-- if1.pkg

-- greeting.lib

```
- Illustrate the if
- and else statements
package body if1 is
  answer: character:
begin
  put (" Do you like Ada so far? ");
  new_line;
  put (" Type y for yes, or n for no: ");
  new_line;
  get (answer);
  if answer = 'y' or answer = 'Y' then
    put (" Glad to hear it!");
  else
    put (" Hope it changes.");
  end if;
end if1:
```

The only major difference in the next example is the fact that the program was in three files because of the separate package for greet.

```
-greeting for elsif example

package greeting is
    procedure greet;
end greeting;
-greeting.pkg
- greeting for elsif example
package body greeting is
    procedure greet is
    begin
    put (" Do you like Ada so far?");
    new_line;
    put (" Type y for yes, or n for no: ");
```

(continued)

while count < = 4 loop

put (count + 10, 2);

count := count + 1;

new_line;

end loop;

ADA PRIMER

greet, get_response, and help. The procedure greet presents information on the display as to what the program does in response to user inputs. This is always a good practice, even for more complex programs.

The procedure **get_response** contains some additional code to make it more user-friendly. Some users of interactive programs type a space (or even an enter or carriage-return symbol) before entering a response, just as someone about to give a talk may blow into the microphone before speaking. Ada refers to the *tab* character as **ascii.ht** (**ht** stands for horizontal tab). Since the carriage-return symbol is not returned by **get**, there is no test for the carriage return. The *exception* is used to denote the end of a transmission (**ascii.eot**).

After returning from <code>get_response</code>, the value of the character <code>c</code> is tested in a case statement. If it is an <code>end_of_file</code>, the program exits from the case statement doing nothing, and then it exits the program at the bottom of the procedure. This is the usual way of terminating an Ada program. The other calls result in the display of some of Ada's on-line help features or display a message to the user. Although you could use a <code>put</code> at the point of the call to the <code>help</code> procedure, the example illustrates the use of the case statement calling another program.

The case statement evaluates the expression following the keyword case. The expression must evaluate to one of the enumerated types, such as character. After evaluation, the statement transfers to the **when** clause that matches the case value, resuming execution with the statement following the symbol =>. For example, if c contains an a or an A, it matches the first case, and the call will be to display the help information for the Ada compiler. The bar symbol (|) can be read as an **or** between values such as a or A. If none of the **when** clauses that contain character values match the value in c, then the **others** clause is taken.

Ada requires that a when clause be listed for each possible value of the expression in the case statement or that a when others clause be used. This is to help prevent a common programming mistake called missing logic.

POINTERS

Pointers, often a source of difficult bugs in programs, are sometimes considered mysterious or tricky. Ada eliminates many of the problems associated with pointers by providing protection against some of the common bugs arising from the misuse of pointers. Ada does not even call its pointers by the name pointers. Instead it calls them access types. Nevertheless, variables of an access type contain addresses as their value just as integer type variables contain integers as legal values. The following example is a version of the Hello, world! program (from part 1) rewritten to introduce access types.

-access.ada
-To introduce access types
with text_io; use text_io;
procedure main is
 type message_access is access string;
message : message_access;

begin

--A --B

(continued)

COMPETITIVE EDGE -

P.O. Box 556 • Plymouth, MI 48187 • 313-451-0665

LOMAS DATA PRODUCTS INC.

NEW LOWER PRICES					
THUNDER 186TM, 256K, CCP/M-867 286/287\$1450 LD	M\$1179 P72204	LIGHTNING 286TM\$1032 HAZITALL			
RAM 67TM		LDP256K DRAM596 S-100 PC W/2863370			
CompuPro® Components					
CPU 85/88TM	K IATM A&T 459 U ZTM A&T 215 U 68K CSC 525 CLOSURE 2D 599 S SUPPT 1TM 297 M 21TM A&T 657	DISK 3TM A&T 525 12 SLOT MB 121 20 SLOT MB 183 ENCLOSURE 2 RACK 635 RAM 17TM A&T 329 16TM A&T 359			
TELETEK Components SYSTEMASTER® SINGLE BOARD COMPUTER Z80A, 64K. 557 HD/CTC HARD DISK/TAPE CONTROLLER ANY Z80A S100 SYS 499 SBC-2 DUAL SLAVE \$995 SBC-1 6MHZ 128K SLAVE 733 TURBODOSTM MULTIUSR 650. CP/M® 2.2 FOR SYSTEMASTER 135 COMPLETE SYSTEMASTER SYSTEM WITH 2-8" ZMB FLOPPYS 2095					
COMPLETE SYSTEMS					
FASTEST 286/Z80B SYSTEM, 1024K RAM, 1-8" FLOPPY					
LDP 286 CPU, 256K STATIC, LDP72, HAZITALL, CCP/M-86					
THUNDER 186 TM , 2-5" DRIVES, 4 SLOT CABINET, 256K					
LIGHTNING 1 (8086), 256K DRA CC/PM-86 3.1, 2-8" 2MB FLOP					
85/88, DISK 1, I/O 4, RAM 17, ENCLOSURE 2D, 2-8" 2.4MB					

I.B.M. P.C.\$1995 !!

86 are either trademarks or registe 17. RAM 16. RAM 21. RAM 22 Sys

SYSTEM INCLIDES CPU W/64K, CONTROLLER, 1 DS/00 DRIVE COLUMBIA 1600-1...\$2595

INCLUDES CPU W/L28K,CONTROLLER,2 DS/DD DRIVES COLOR CARD,KEYBOARD,AND INTEGRATED SOFTWARE PACKAGE

SYMPHONY....\$495 !!!

UPGRADE FOR LOTUS 123 OWNERS...\$149

LETTER QUALITY 24 PIN PRINTHEAD DOT MATRIX PRINTER

EPSON FX-80....\$519

BROTHER HR-25...\$695

SDFTWARE, HARDWARE, WE HAVE IT ALL!!
WE CARRY ALMOST EVERY LINE AVAILABLE
TO PLACE ORDERS OR FOR OUR CATALOG

CATT 1(200)2/1-6/1/

10810,783/400,787*(0)K*00R

P.O. BOX 1048 SLC, UT 84110

PRICES FOR PREPAID ORDERS ONLY & SUBJECT TO CHANGE HINIHUM SHIPPING \$4.00 WE ACCEPT VISA & MASTERCARD Now you can take an active interest in interactive video thanks to Sony's unique introductory workshop. An affordable oneday seminar that's offered throughout the country.

Taught by the creators of interactive, you will receive intensive instruction in the latest uses of training, pointof-sales and communications innovations,

spanning both video disc and computer technology.

To find out when this workshop will be in your area or to make reservations, call Sony Video Utilization Services at the number below.

1-800-662-SONY

In California, (213) 462-1984. Visa/MasterCard accepted. @ 1984 Sony Corp. of America. Sony is registered trademark of Sony Corp.

SONY.

MORE POWER... MORE SPEED...



C86, the leading C compiler for PC-DOS and MS-DOS is better than ever. 50% faster execution, highest portability, floating point math, strong support, and much more. Still only \$395.

FOR MORE INFORMATION OR TO ORDER CALL:

800-922-0169

Technical Support: (201) 542-5920



COMPUTER INNOVATIONS

980 Shrewsbury Avenue, Suite B Tinton Falls, NJ 07724

C86 is a trademark of Computer Innovations, Inc. MS-DOS is a trademark of Microsoft. PC-DOS is a trademark of International Business Machines.

ADA PRIMER

message := new string'(" Hello, world! ");	-C
put (message.all);	D
end main;	

The declaration in line A states that message_access is an access type that can point to strings. Then in line B, a declaration is made that message is an access variable; hence, message can point to a string. In line C, the message pointer is assigned to the string created by the new string' (" Hello, world!"). To picture this operation, consider it as represented in figure 1. Line D then displays the message with message.all, which indicates that everything pointed to by message is to be used.

```
--message.ada
-- Copy from access string to string
with text_io; use text_io;
procedure main is
  type message_access is access string;
  small: constant := 20;
  original: message_access;
  copy : string (1..small);
procedure string_copy
      (from_string : message_access;
       to_string : out string) is
  begin
    to_string := (1..to_string'length = > ");
                                                               --A
    for i in from_string.all'range loop
                                                               -B
      to_string(i) := from_string.all(i);
    end loop:
  end string_copy;
begin
  original := new string'(" This will repeat. ");
  string_copy (original, copy);
                                                               -D
  put (original.all);
                                                               -E
  put (copy);
end main:
```

The string_copy procedure shows that strings can be operated on by pointers and can be stored in arrays. In fact, the string type is predefined in Ada to be type string is array (positive range <>) of character;

In line A, the procedure sets to_string to all blanks with an aggregate expression. It specifies that as many blanks as designated in the aggregate are to be assigned to to_string. In line B, a for loop is set to address every element in the string by the use of the 'range attribute. The loop parameter i picks out the individual characters in line C, transferring them from the string pointed to by original into the string copy.

In the body of the main program, original is set to point to a string. Then the procedure **string_copy** is called. Finally, in lines D and E, the original and the copy are displayed.

The following example performs the same operations without a loop. In Ada, assignment statements between strings of the same length are possible.

--message2.ada --Copy from access string to string with text_io; use text_io;

ADA PRIMER

```
procedure main is
  type message_access is access string;
  small: constant := 20;
  original: message_access:
  copy : string (1..small);
  procedure string_copy
        (from_string : message_access;
        to_string: out string) is
    length: integer;
  begin
    length := to_string'length:
                                                              --A
                                                              -B
    to\_string := (1..length = > ");
                                                              --C
    length := from_string.all'length;
    to_string (1..length) := from_string.all;
  end string_copy;
begin
  original := new string'(" This will repeat. ");
  string_copy (original, copy);
  put (original.all);
  put (copy);
end main:
```

The assignments in lines A and B blank out the copy string. The length of the destination string is determined in line C. The assignment in line D copies the entire string in a single assignment statement to the copy string. Of course, Ada will detect an error if the original string is longer than the space set aside for the copy. We can test the lengths of the two strings to prevent an error.

Let us now look at the program weekday, in which a function returns a character string given an integer. In line A, day_type is declared to be an array that is 8 long, having the index values 0 to 7. Note that indices can start with 0, 1, or any other enumeration value. Each element in the array saves a string. It could also save a pointer to a string but, in this example, it is better to work directly with the strings.

```
-weekday.ada
-return name of weekday
with text_io; use text_io;
procedure main is
  type day_type is
    array (integer range 0..7)
        of string (1..9);
                                                             --A
  day : day_type :=
                                                             --B
       ( "Oppsday
         "Monday
         "Tuesday
         "Wednesday"
         "Thursday
                                                       (continued)
```



Figure 1: A pictorial representation of the "Hello, world!" program on page 389.

ENHANCE WordStar

P-r-o-p-o-r-t-i-o-n-a-l Spacing on WordStar

You are reading text printed by WordStar in proportional spacing, providing a professional, easy to read, typeset appearance, direct from the print command on any version of WordStar. Also print two or more columns on a page, underline spaces between words, and much more. Works with most letter quality printers (Diablo, Qume, NEC, Juki, Brother, C. Itoh, Silver Reed, others).

"The best and least expensive method of dramatically improving the appearance of any WordStar text" - LIST Disk version (CP/M, MS/PC-DOS) automatically modifies WordStar 575 including manual. Manual only (100 pages - with full details for implementing PS using Install) \$25. No technical skill is needed. Text can be right justified. Printer does not require PS logic. Prices include shipping in U.S. NYS add tax. Okay! My check is enclosed for \$_____ (or charge my VISA/MC acct # exp).

Writing Consultants

Suite 238, 11 Creek Bend Drive - Fairport, NY 14450 1-800-828-6293 (in NYS 1-716-377-0130) phones open 24 hours - dealers please call or write

The Little Board®

Quantity One...

The world's simplest and least expensive single board computer



*Substantial Quantity discounts available

- 4mHz Z80A† CPU, 64K RAM
 Two RS232 serial ports
- Mini floppy controller
- · Parallel printer port
- On-board -12V converter
- Only 5.75 × 7.75 inches
- Power Requirement: +5VDC @ .75A; +12VDC @ .05A
- · Screws directly onto a mini floppy drive

COMPUTERS. INCORPORATED

All this... and CP/M^{††} 2.2 also!

67 East Evelyn Ave. • Mountain View, CA 94041 • (415) 962-0230

```
new_line;
  end greet;
end greeting;
-elsif1.pkg
- Illustrate use of elsif
with greeting;
package body elsif1 is
- Illustrate use of if
- and elsif and else
  use greeting;
  answer: character;
begin
  -greet the user
  greet;
  get (answer);
  if answer = 'v' or answer = 'Y' then
    put (" Glad to hear it! ");
    new_line;
  elsif answer = 'n' or answer = 'N' then put
    (" Sorry to hear that. Hope it changes. ");
    new_line;
    put(" I don't understand ");
    put (answer);
    put(" . ");
    new_line;
  end if;
end elsif1:
  The exit statement is also the same as in
standard Ada. The version that follows
makes use of the end_of_file construct to
exit the program. I am not sure if Control-
C is the right end-of-file command, but it
gets you out of the program.
-greets.lib
-greeting specification
package greets is
  procedure greet;
end greets;
-greets.pkg
-greeting implementation
package body greets is
  procedure greet is
  begin
    put(" If you type a certain letter ");
    new__line;
    put(" I'll congratulate you for guessing
    it. ");
    new_line;
    put(" If you get bored, type control-c
      instead. ");
    new_line;
  end greet;
end greets:
-exit1.pkg
```

```
-Illustrate the if and exit statements
with io, util, greets;
package body exit1 is
  use io, util, greets;
  c: character;
begin
  greet; --display a greeting to the user
  while not end_of_file(Standard_input())
  loop
     get(c);
     if c = 'e' then
       put(" -- You guessed it! Congratula-
       tions! ");
       new_line;
       exit:
     end if;
  end loop:
end exit1;
 The other version of the exit example
program uses the same packages as
before.
-exit2.pkg
-Show how to eliminate
-an exit statement
with greets, io, util;
package body exit2 is
  use greets, io, util;
  -initialize c to blank
  c: character := ' ';
begin
-display a greeting to the user
  while c /= 'e' and not end_of_file
  (standard_input()) loop
    get(c);
    if c = 'e' then
      put(" -You guessed it! Congratula-
      tions! ");
      new_line;
    end if:
  end loop;
end exit2:
```

This version of Janus Ada does not support exceptions or aggregates and requires the use of packages for the main program and for any subprograms. This is an appropriate structure for subprograms that in most cases should be placed in packages.

The following program copies characters until an end-of-file marker is reached. end_of_file is defined in a package named io; the input and output functions get and put are built into the compiler. The standard_input function is in the package util. The program is in three files: copy.lib for the package specification that names the subprogram in a procedure specification, copy.pkg for the package implementa-

tion that defines the subprogram, and copies.pkg for the main program that calls the subprogram copy.

The subprogram copy_in_out actually makes more sense than in the full Ada example, which needs special handling to store the carriage return and seems to require an exception to handle the end-of-file. A simple while loop continues until an end-of-file condition is reached.

```
-copy.lib
-Copy input to output
package copy is
  procedure copy_in_out;
end copy;
-copy.pkg
-Copy input to output
with io, util;
package body copy is
  procedure copy_in_out is
    use io, util;
    c: character:
    while not end_of_file(standard_input())
    loop
      get(c);
      put(c):
    end loop;
  end copy_in_out;
end copy;
-copies.pkg
 _main program to call copy_in_out
with copy;
package body copies is
  use copy;
begin
  copy_in_out;
```

The following set of packages reads in a line until it reads either an end-of-file marker or a carriage return. The line read in is then displayed. The main program is in lines.pkg: the subprograms are get_my_line and put_my_line. packaged in myline.

end copies;

```
--myline.lib
--read a line and display a line

package myline is

limit: constant := 80;

type string_type is array (1..limit)
of character;
subtype index_type is integer range 0..limit;

procedure get_my_line (line: out
string_type;
length: out index_type);

(continued)
```

ADA PRIMER

"Friday "Saturday "Sunday function weekday (number : integer) --C return string is d: string (1..9); begin if number < 1 or number > 7 then d := day(0); else d := day (number); end if: return d: end weekday: begin put (" I was born on a " & weekday(4)); end main:

In line B, the variable day is declared to be of type day_type; all eight elements of the array are set by an aggregate. Day (0) is "Oppsday" and day (7) is "Sunday".

The function weekday inputs an integer number and returns a string. If the value of the parameter falls between 1 and 7, the returned value is the string that names the appropriate day. If the number falls outside the bounds, the value for "Oppsday" is returned.

The main program causes the program to display I was born on a Thursday. The & in the put statement is an operator that joins the two strings together.

If you don't mind giving up lowercase letters in your output. Ada has a way of displaying strings directly from integers.

```
--weekday2.ada
-display weekday value using image attribute
with text_io; use text_io;
procedure main is
  type day_type is
    (Monday, Tuesday, Wednesday, Thursday,
    Friday, Saturday, Sunday);
                                                            --A
  week_day : day_type;
                                                            --B
begin
                                                            -C
  week_day := day_type'val(3);
  put (" I was born on a " &
      day_type'image(week_day));
                                                            -D
end main:
```

Line A defines day_type to have a set of 7 values, Monday through Sunday. Line B defines week_day to be of the type day_type. This enables week_day to take on any of the seven names of the days of the week.

In line C, week_day is set to an attribute of the type day_type. This attribute, 'val, returns the name of the value in the specified position. In this case, the value of 3 yields Thursday. Line D displays the result that combines the message string with another useful attribute of day_type. This attribute, 'image, returns a string representing the name of week_day so it can be displayed. The output from this program is I was born on a THURSDAY.

Note that image provides only an uppercase representa-

(continued)

MANAGEMENT SOFTWARE FROM WILEY

BY SOFTWARE PROJECTIONS, INC.

Project Planning and Scheduling

THE PROJECT MANAGER

Critical Path Analysis on the IBM PC

51/4" disk with documentation for IBM PC or PC/XT with 128K memory. (0 471-88196-1) \$495.00 Demo disk: (0 471-80364-2) \$30.00

Transparencies for Presentation

SLIDE-PRO

51/4" disk with documentation for the IBM PC or PC/XT with 96K memory. (0 471-80554-8) \$125.00

3-D Color Computer Graphics

GRAPH-PRO

51/4" disk with documentation for IBM PC or PC/XT with 192K memory. (0 471-80711-7) \$295.00 Demo package for Graph-Pro and Slide-Pro: (0 471-80716-8) \$30.00

Call **TOLL FREE** 1 800-526-5368 TO ORDER YOUR DEMONSTRATION DISK. Order Code #5-1175

For further information, call (212) 850-6009 or write to:



WILEY PROFESSIONAL SOFTWARE Attn: Peter Clifton JOHN WILEY & SONS, Inc.

605 Third Avenue, New York, N.Y. 10158

DUMP/RESTORE-XT Can Help You Avoid Disaster!



When's the last time you backed up your hard disk? Are you flirting with disaster? The School of Hard Knocks proves that when you're least expecting it, head crashes, electrical outages, and system failures occur when sufficient backups have not been made.

Up until now, you've had to buy add-on hardware to accomplish this necessary task, outlaying hundreds of dollars. But now, there's **DUMP/RESTORE-XTI** Using your own floppy disk drive and our backup program, you can backup your hard disk in about 30 minutes*.

DUMP/RESTORE-XT spans diskettes, tool So, if your diskette runs out of room, don't panic... just insert another diskette and press ESC to continue. Full positive and negative wildcard selections are supported.

DUMP/RESTORE-XT is modeled after FAST DUMP/RESTORE, which was designed for CP/M systems. We have over 1,500 copies of this program in use world-wide. Our track record speaks for itself. Our hundreds of satisfied users speak for us.

*Depending on volume of data.

Suggested retail: \$90. MasterCard and Visa accepted. Dealer inquiries welcome.



24000 Telegraph Road Southfield, Michigan 48034 USA (313) 352-2345

```
procedure put_my_line (line : in
  string_type;
        length : in index_type);
end myline;
--myline.pkg
with io, util;
package body myline is
  use io, util;
  procedure get_my_line (line : out
  string_type;
        length : out index_type) is
    c : character;
  begin
    for i in 1..limit loop
       get (c);
       line (i) := c;
       length := i;
    exit when end_of_line (standard_
    input());
    exit when end_of_file (standard_
    input());
    end loop;
   end get_my_line;
   procedure put_my_line (line : in
   string_type;
         length: in index_type) is
   begin
     for i in 1..length loop
       put (line(i));
     end loop:
     new_line;
   end put_my_line;
end myline;
-lines.pkg
--line functions test
with myline;
package body lines is
   use myline;
   my_line : string_type;
   my_length : index_type;
begin
   get_my_line ( my_line, my_length );
   put_my_line ( my_line, my_length );
 end lines;
```

In compiling this program, the compiler was invoked as A>janus b:myline.lib to first compile the package specification for the myline package. Then the compiler was invoked a second time with A>janus b:myline.pkg to compile the package body for the myline package. The third invocation of the compiler, A>janus b:lines.pkg, compiled the main program. After the message Thank You For Using JANUS/Ada, the command A>jlink b: lines caused the program to be linked and stored on disk B as

```
lines.com. The program was executed with the command sequence
```

```
A>time
A>b:lines
This is some normal data.
A>time
```

to give some indication of the time taken to load and execute the program (including the time taken to type the sentence). It took less than 20 seconds, most of which was spent loading the program and typing the message. The program appeared to operate instantaneously, as it should for such a simple program.

The example that shows the case statement was also rewritten in Janus Ada. It could filter out blanks only. When I tried to establish a loop with end_of_line, I had to type the character I wanted twice. It appeared that the end_of_line function swallowed a character. Otherwise, the program is not much different than the full Ada version.

```
-help.lib
-Demonstrate case statement
with io, util;
package help is
  -send instructions to display
  use io, util;
  -make up for missing ascii character
  package
  eof : constant character :=
                character'val(26);
  procedure greet;
  -- receive response
  --filtering out tabs, blanks, and
  -carriage returns
  procedure get_response (c : out character);
  -show help messages
  type help_topic_type is (ada_help,
    syntax_help, library_help, error_help);
  procedure get_help (help_topic :
    help_topic_type);
end help;
-help.pkg
with io, util;
package body help is
  use io, util;
  -send instructions to display
  procedure greet is
  begin
    put (" On line help for Ada
    programmers ");
    new_line; new_line;
    put (" Type
                   For help about ");
    new_line;
    put (" -
```

the Ada compiler ");

end main;

new_line;

put (" a

```
new_line:
   put (" s
                  the Ada syntax checker ");
   new_line;
   put (" 1
new_line;
                  the Ada library manager ");
   put (" Your request? ");
   new_line;
 end greet:
 -receive response
 -filtering out blanks
 procedure get_response (c : out character) is
 begin
   C := ' ':
   while c = ' ' loop
     get(c);
        if end_of_file (standard_input())
        then
          c := eof:
          exit;
        end if:
      end loop;
    end get_response;
    procedure get_help (help_topic : help_
      topic_type) is
    begin
      case help topic is
        when ada_help = >
           put (" The ADA command com-
           piles and executes the program.");
           new_line:
        when syntax_help = >
           put (" The ADAP command parses
           an Ada program. ");
           new_line;
        when library_help =>
           put (" The /LIBFILE=[file] option
           uses a library. ");
           new_line;
        when error_help = >
           put (" Did not understand that.
           Please rerun the program.");
           new_line;
      end case;
    end get_help;
 end help;
-main.pkg
with help;
package body main is
  use help;
 c : character;
begin
  greet;
  get_response (c);
  case c is
    when eof
                   = > null:
    when 'a' 'A'
                   = > get_help (ada_help);
                  = > get_help (syntax_
    when 's' 'S'
                  help);
    when 'l' L'
                   = > get_help (library_
    when others
                  = > get_help (error_help);
  end case;
```

Janus Ada also has access types, as demonstrated in the following program. The main difference between this program and the full Ada version is the Janus compiler won't allow allocation of an object at the same time as setting the object. This restriction is very common in partial compilers. As a result, it requires two statements, whereas one is sufficient in full Ada. Another difference not obvious in this program is that strings in Janus Ada are not fixed-length strings but variable-length strings. In the previous examples, I declared a type called ada_string, which is more like a true string. But I could not use the type in this example and set it to a string literal, so I used Janus strings.

```
-point.pkg
-To introduce access types
package body point is
  type message_access is access string;
  message : message_access;
begin
  message := new string;
  message.all := " Hello, world! ";
  put (message.all);
end point;
```

It's possible to gain access to individual characters in a string pointed to by an access type variable through such notation as from_string.all(i). However, with Janus's dynamic strings, it is not possible to refer to an element of the string until it is there. Hence, I did just the second version of the program, which eliminates the for loop. Since the string_copy subprogram is just one statement, it does not seem very worthwhile as a subprogram.

```
original := new string;
original.all := " This will repeat. ";
string__copy (original, copy);
put (original.all);
put (copy);
end message;
```

The original version of the weekday program uses aggregates to initialize the array day. These were changed to assignment statements that assigned the elements of the array individually. The second version of the full Ada program uses the image attribute, and the third version uses an exception handler. Equivalent versions could not be written in Janus Ada because these features are not part of Janus Ada.

```
--week.pkg
--return name of weekday
package body week is
  type day_type is
    array (integer range 0..7) of
        string (9);
 day : day_type;
  function weekday (number : integer)
                     return string is
    d: string(9);
  begin
    if number < 1 or number > 7 then
      d := day(0);
    else
      d := day (number);
    end if:
    return d:
  end weekday;
begin
  day(0) := "Oppsday
  day(1) := "Monday
  day(2) := "Tuesday
  day(3) := "Wednesday";
  day(4) := "Thursday
  day(5) := "Friday
  day(6) := "Saturday
  day(7) := "Sunday
  put (" I was born on a " &
        weekday(4));
end week:
```

The output from the program is I was born on a Thursday.

Janus Ada provides for records, as shown in the following program. It makes you appreciate the use of aggregates in full Ada.

The missing 'range attribute requires that the loop be changed if the number of items in the list is increased. The output from the program is the same with the full Ada program.

--list.pkg

```
-Show an array of records
package body list is
  type list-type is
    record
      name : string (12);
      number: string (12);
    end record;
  type phone_list_type is
    array (1..3) of list_type;
  phones : phone_list_type;
begin
  phones(1).name := "Sabina Saib "
  phones(1).number := "805-964-7724";
  phones(2).name := "Weather
  phones(2).number := "805-962-6878";
  phones(3).name := "Time
  phones(3).number := "805-966-0611";
  for i in 1..3 loop
    put (phones(i).name);
    put (phones(i).number);
    new_line;
  end loop;
end list:
```

These simple examples show that Janus Ada, while not a full Ada, bears a close resemblance to Ada. I leave you to judge how close the resemblance is. We can hope that future versions will come closer to Ada.

What these examples do not show are the nice error messages and diagnostics that Janus Ada provides. At one point in testing the examples, I omitted a semicolon and the compiler asked me if I wanted it to insert one and continue. I let it continue; it compiled and executed correctly. In another instance, I was in violation of a constraint and the run-time system told me which line in which subprogram caused the error. It also told me which parent program called the subprogram and at which line the call was made. These features make me hope that this compiler will become a full Ada compiler.

tion of the name. If you use a value outside the range 0 to 6, Ada causes an error, called an *exception*, to occur. You can refine this example by handling the exception.

```
-weekday3.ada
```

-display weekday value using image attribute

```
--contains exception handler
with text_io; use text_io;
procedure main is
  type day_type is
   (Monday, Tuesday, Wednesday, Thursday, Friday, Saturday,
```

(continued)

U S C Proudly introduces Our New "PROFESSIONAL COMPUTER CHASSIS/ POWER SUPPLY" for IBM PC/XT & Compatibles

Designed to enable easy, straight-forward conversion of IBM PC/XT & compatibles board-level products into complete microcomputer-based systems meeting specific performance and installation requirements.



Features:

- More than just another pretty face
- Sturdy to withstand the vigors of use in the
- intended environment.
 Good RF attenuation to eliminate interference with adiacent electronic equipment.
- High efficient switching power supply, with all DC cables-plug right in
- Built in fan, 2 additional AC sockets plus card racks with plastic guides.
- · Assembled & Tested
- Professional PC-Chassis (65W).

.....\$199.00 Professional XT-Chassis (130W).....\$259.00

Dealers & OEM inquiries invited

US Components

1055 Sunnyvale - Saratoga Rd. Sunnyvale, CA 94086 TEL (408) 730-1399

Midwest Distributor Macrotron Systems Inc. 8147 Delmar Blvd. St. Louis, MO 63130 (314) 721-3356

Terms: Prepaid check or money order, Mastercard or Visa. Shipping Charges: U.S. FREE, Canada \$2.00, COD \$5.00 (No COD's to Canada)

DEALERS ONLY!

IBM PC™Compatible

SANYO

Business Computer System

STANDARD FEATURES:

- MS DOS
- 16 Bit 8088 CPU
- SANYO BASIC
- 128K Internal Memory
- Centronics Printer Port
- Color Graphic Capabilities Diagnostics, Utilities, Speaker,
- & Joystick Port



1 single sided/double density disk drive (160K)
WordStar & CalcStar Included

MBC 555

- 2 single sided/double density disk drives (320K)
 128K memory expandable to 256K
 WordStar, CalcStar, DataStar, InfoStar, & MailMerge Included

Also available in double sided drives



MICRO EQUIPMENT CORPORATION

245 West Wieuca Rd. Suite 210 Atlanta, Ga. 30342

404/843-3128

ADA PRIMER

Sunday): week_day : day_type; begin week_day := day_type'val(3); put (" I was born on a " & day_type'image(week_day)); exception when others => put (" Opps, something was wrong! "); end main:

The program, down to the exception in line A, is the same as before. If something goes wrong, the statement following the = > causes the message Opps, something was wrong! to be displayed.

RECORDS

Ada records are very much like Pascal records. In the example that follows, line A defines list_type to be a record with two fields: name and number. Each record is a string. Both name and number are 12 characters long.

Line B defines a type that is an array of three records. Line C defines an object that can be used to store up to three names and numbers. The object is initialized with an aggregate giving the three names and numbers.

The main program simply lists the information stored in the record. The for loop in line D uses a valuable attribute of arrays 'range. If the array was changed to 25 or 100 instead of 3, the loop would not need to be changed.

The put statements in lines E and F show how individual elements in the array, and then individual fields in the record, are referred to with a dot notation.

-Show an array of records with text_io; use text_io; procedure main is type list_type is record --A name : string (1..12); number: string (1..12); end record; type phone_list_type is --B array (1..3) of list_type; phones : phone_list_type := (("Sabina Saib ", "805-964-7724"), ("Weather ", "805-962-6878"), ", "805-966-0611")); ("Time begin --D for i in phones'range loop -E put (phones(i).name); put (phones(i).number); new_line;

When run, the preceding program displays:

Begin Ada execution

end loop; end main:

Sabina Saib 805-964-7724

Weather 805-962-6878 Time 805-966-0611

Execution complete
Execution time: 12 seconds
I-code statements executed: 44

GOING FURTHER IN ADA

Although you have seen some complete Ada examples and should be able to write your own Ada programs, you can learn much more about the language from the numerous textbooks on the language. Some of these texts are listed in the bibliography.

You will also need access to an Ada compiler. The most comprehensive compilers are on large machines, such as the NYU Ada/Ed on VAX 11/780 computers. There are also some promising microcomputer compilers, such as Janus Ada from R&R Software (see the text box beginning on page 386). Whatever compiler you use, try some of the simple examples from this article and then add your own applications with help from a textbook.

Eventually you will want to have your own Ada Language Reference Manual, available from the U.S. Government Printing Office, as well as from several commercial publishers. Be sure to get the 1983 ANSI standard version of the manual instead of a preliminary version.

BIBLIOGRAPHY

Barnes, John. Programming in Ada. Reading, MA: Addison-Wesley, 1983. Booch, Grady. Software Engineering with Ada. Reading, MA: Addison-Wesley, 1983.

Buhr, R. I. A. System Design with Ada. Englewood Cliffs, NJ: Prentice-Hall, 1984.

Cherry, George. Parallel Programming ANSI Standard Ada. Englewood Cliffs, NJ: Prentice-Hall, 1984.

Downes, V. A. Programming Embedded Systems with Ada. Englewood Cliffs, NJ: Prentice-Hall, 1984.

Gehani, Narain. Ada: An Advanced Introduction. Englewood Cliffs, NJ: Prentice-Hall. 1984.

Gehani, Narain. Ada: Concurrent Programming. Englewood Cliffs, NJ: Prentice-Hall. 1984.

Habermann, A. Nico, and Dewayne Perry. Ada for Experienced Programmers. Reading. MA: Addison-Wesley, 1984.

Hibbard, P. Studies in Ada Style. New York, Springer-Verlag, 1983.

Leathrum, J. Ada Software Designer's Primer. Englewood Cliffs, NJ: Prentice-Hall, 1984.

Lewis, William. Problem-Solving Designer's Primer. Englewood Cliffs, NJ: Prentice-Hall, 1984.

McDermid, John A., and Knut Ripken. Life Cycle Support in the Ada Environment. New Rochelle, NY: Cambridge University Press, 1984.

McGettrick, A. D. Program Verification Using Ada. New Rochelle, NY: Cambridge University Press, 1982.

Olsen, Eric. Ada for Programmers. Englewood Cliffs, NJ: Prentice-Hall, 1984.

Pyle, Ian. Ada Programming Language. Englewood Cliffs, NJ: Prentice-Hall,

Saib, Sabina, and Robert Fritz. The Ada Programming Language: A Tutorial. Los Alamitos, CA: IEEE Computer Society Press, 1983.

Saxon, James, and Robert Fritz. Beginning Programming with Ada. Englewood Cliffs. NJ: Prentice-Hall. 1983.

Stratford-Collins, M. J. Ada: Programmer's Conversion Course. New York: Wiley, 1982.

Wiener, Richard, and Richard Sincovec. Programming in Ada. New York: Wiley, 1982.

Young, S. J. An Introduction to Ada. New York: Wiley, 1982.

Could you pass this Red Cross swimming test?

SWIM:

- 1. Breaststroke 100 Yds.
- 2. Sidestroke 100 Yds.
- 3. Crawl stroke 100 Yds.
- 4. Back crawl 50 Yds.
- 5. On back (legs only) 50 Yds.
- 6. Turns (on front, back, side).
- 7. Surface dive underwater swim 20 Ft.
- 8. Disrobe—float with clothes—5 mins.
- 9. Long shallow dive.
- 10. Running front dive.
- 11. 10-minute swim.

Anybody who's taken a Red Cross swim course knows how tough it can be. There's a good reason.

We believe drowning is a serious business.

Last year alone, we taught 2,589,203 Americans not to drown—in the seven different swim courses we offer all across the country. (Incidentally, most of the teaching—as with almost everything American Red Cross does—is done by dedicated volunteers.)

A good many of the youngsters not only are learning to keep *themselves* safe. Thousands upon thousands of them are learning to become lifesavers.

And the life they save - may be your own.



A Public Service of This Magazine & The Advertising Council



adds u

7101	មួយ លាភាយសំព្រស់ មេណី ១៧ ស្មា	A 8
是然例	онновопропостью	
	നെതമതമരതമായ വരു കാള	
C Sec		
	of Parish Areas and	

HOME COMPUTERS

600XL	\$149
800XL	\$229
WHILE SUPPLY LA	ASTS

		120
	850 Interface\$159.00	
	1010 Recorder\$71.99	148
	1020 Color Printer\$219.00	CX30
	1025 Dot Matrix Printer \$299.00	CX40
	1027 Letter Quality Printer \$289.00	4011
	1030 Direct Connect Modem \$99.99	4022
1	1050 Disk Drive\$349.00	4025
	1064 Memory Module\$125.00	8026
	Touch Tablet/Software\$64.99	8031
	Light Pen/Software\$72.99	8034
	CX22 Track Ball\$39.99	8040
	7097 Atari Logo\$74.99	8043
	4018 Pilot (Home)\$57.99	8044
	405 Pilot (Educ.)\$99.99	8045
	8036 Atari Pilot	8052
	5049 VisiCalo \$149.99	4003
	488 Communicator II\$119.99	8126

1200XL	CALL
1450XL	CALL
CX30 Paddles	\$11.99
CX40 Joystick	\$7.99
4011 Star Raiders	\$31.99
4022 Pac Man	\$31.99
4025 Defender	\$31.99
8026 Dig Dug	\$31.99
8031 Donkey Kong	\$35.99
8034 Pole Position	\$37.99
8040 Donkey Kong Jr	\$33.99
8043 Ms Pacman	
8044 Joust	\$37.99
8045 Pengo	
8052 Moon Patrol	\$33.99
4003 Assembler	\$44.99
8126 Microsoft Basic I or II.	\$64.99

DISK DRIVES FOR ATARI

AT 88-S1 \$279.00	1000	\$299.00
AT 88-S1 PD \$299.00	TH	XAX
IMDUS	AT-D2	\$389.00
GT Drive\$379.00	AT-D4	\$589,00

		MEMORY	BO.	ARDS	
	ATARI			APPLE/FR	ANKLIN
Axlon	32K	\$59.99	Axlon	128K	\$299.0
Axlon	48K	\$99.99	Axlon	320K	\$849.0
The state of the s					

	ALIEN VOICE BOX	
Atoni	\$110 OO Annle	\$140.00

		DISKET	HT	g
	MAX			EI
514"	MD-1	\$24.99	51/4"	SS/SD

Axlon 128K\$299.00

MAXELL	ELEPHANT
5¼" MD-1 \$24.99	5 1/4 " SS/SD \$18.49
51/4" MD-2\$34.99	51/4" SS/DD. \$21.99
8" FD-1 \$39.99	514" DS/DD\$26.99
8" FD-2\$49.99	DISK HOLDERS
VERBATIM	INNOVATIVE CONCEPTS
814" 88/DD Value Life \$22.99	Flip-n-File 10\$3.99
814" DS/DD Value Life \$29.99	Flip-n-File 50 \$17.99
373	Flip-n-File 50 w/lock \$24.99
514" Disk Head Cleaner \$14.99	Flip-n-File (400/800 ROM)\$17.99
	THE STREET AS SECURITION OF STREET

CONTROLLERS & JOYSTICKS

	MICO	KRAFT	
	Joystick\$21.9	99 Joystick	\$41.99
	3-way Joystick \$22.9	9 Atari Single Fire	\$12.99
	Power Grip. \$21.9	9 Atari Switch Hitter	\$15.99
	BOSS Joystick \$17.8	9 Apple Paddles	\$34.99
	ATARI/VIC Trak Ball\$34.9	9 IBM Paddles	\$34.99
	Apple Trak Ball\$54.9	99 IBM Joystick	\$46.99
9	Apple Analog\$37.9	99	
	K	oala	
	Atari (ROM)\$79.9	9 IBM	\$99.99
	- 12 Fig. 14 Call 12 C	A STATE OF THE PARTY OF THE PAR	400.00

Apple/Franklin

AKIOM	PRINTERS

	WWIOW - SPECE	
	100 Atari Interface Printer\$239.00	MANNESMAN TALLY
GP-	100 Parallel Interface\$199.00	160L\$589.00
GP-	550 Atari Bidirectional\$319.00	180L \$799.00
GP-	700 Atari Color Printer \$489.00	Spirit 80\$309.00
GP-	550 Parallel Printer\$269.00	NEC
	BMC	8023 Dot Matrix\$389.00
401	Letter Quality\$589.00	8025 Dot Matrix\$669.00
	80 Dot Matrix \$269.00	2010/15/30 \$749.00
1021	C.ITOH	3510/15/30 \$1369.00
	U.LION	7710/15/30\$1799.00
	illa Banana\$209.00	OKIDATA
Pro	writer 8510P\$379.00	82, 83, 84, 92, 93, 2350, 2410CALL
Pro	writer 1550P\$599.00	OLYMPIA
A10) (18 cps)\$569.00	Compact 2\$479.00
Ho	Dot MatrixCALL	Compact RO\$509.00
FIC	\$999.00	ESW 3000 \$1449.00
FIC	-55\$1349.00	SMITH CORONA
	COMREX	TP-1000 \$449.00
Cor	nWriter II Letter Quality \$499.00	Tractor Feed\$119.00
-	DIABLO	SILVER REED
620	Letter Quality \$949.00	500 Letter Quality\$449.00
	Letter Quality\$1749.00	550 Letter Quality
200	DAISYWRITER	770 Letter Quality\$899.00
200	\$999.00	STAR
	ctor Feed\$109.00	Gemini 10X\$299.00
	EPSON	Gemini 15X\$399.00
RX	-80. RX-80FT. RX-100	Serial Board\$75.00
	80. FX-100	Radix 10\$599.00
	1500 CALL	Radix 15\$699.00
-	IDS	TOSHIBA
Pri	sm 80. For Configuration CALL	1340\$869.00
	sm 32For ConfigurationCALL	1351\$1699.00
	JUKI	TRANSTAR
610		120P\$469.00
0.0	433.00	130P \$649.00
		315 Color\$459.00
	MODE	MS

ANCHOR	NOVATION
Volksmodem \$59.99	J-Cat\$99.99
Mark IL Serial	Cat\$139.00.
Mark VII (Auto Ans/Auto Dial)\$99.99	Smart Cat 103\$179.00
Mark XII (1200 Baud)\$299.99	Smart Cat 103/212\$399.00
Mark TRS-80\$99.99	AutoCat \$219.00
9 Volt Power Supply\$9.99	212 AutoCat\$549.00
HAYES	Apple Cat II\$249.00
Smartmodem 300\$209.00	212 Apple Cat\$449.00
Smartmodem 1200\$499.00	Apple Cat 212 Upgrade\$259.00
Smartmodem 1200B\$449.00	PC Cat Access 1 2 3\$399.00
Micromodem He \$269.00	ZENITH
Micromodem 100\$299.00	ZT-1 \$339.00
Smart Com II	ZT-10 \$309.00
Chronograph \$199.00	ZT-11\$369.00

MONITORS \$149.00

\$199 00

\$539.00

\$649.00

	LEGISLA ALVAN
300 Amber	\$159.00
310 Amber	.\$169.00
Color 1	\$279.00
Color 1 Plus	\$299.00
Color 2 Plus	\$419.00
Color 3	\$349.00
Color 4T IBM	
BMC	
1201 (12" Green)	\$88.99
1201 Plus (12" Green Hi-Res)	\$98.99
9191 Plus	
GORILLA	
12" Green	\$88.99
12" Amber	\$95.99
NEC	
JB 1260 Green	.\$109.00
JB 1201 Green	.\$149.99
JB 1205 Amber	.\$159.99
JB 1215 Color	\$259.00
JC 1216 RGB	\$429.00
JC 1460 Color	\$359.00
PRINCETON GRAPHIC	CS

AMDEK

300 Green

MAX-12 Amber...

HX-12 RGB.

SRT-2 RGB

OALD	
SAKATA	
SC-100 Color	\$269.00
SG-1000 Green	\$129.00
SA-1000 Amber	
TAXAN	
210 Color RGB	\$299.00
400 Med-Res RGB	\$319.00
415 H1-Res RGB	\$439.00
420 Hi-Res RGB (IBM)	\$489.00
100 12" Green	
105 12" Amber	\$135.00
USI	
Pi 1, 9" Green	\$99.99
Pi 2, 12" Green	\$119.99
Pi 3, 12" Amber	\$129.99
Pi 4, 9" Amber	\$119.99
1400 Color	\$269.99
QUADRAM	
Quadchrome 8400 Color	\$519.00
ZENITH	
ZVM122 Amber	\$99.99
ZVM123 Green	
ZVM124 IBM-Amber	\$149.00

\$429.00

\$469.00

\$85.99

\$849.00



800-648-3311

In NV call (702)588-5654, Dept. 100 Order Status Number: 588-5654 P.O.Box 6689 Stateline, NV 89449

canada Ontario/Quebec 800-268-3974 Other Provinces800-268-4559

In Toronto call (416)828-0866, Dept. 100 Order Status Number: 828-0866 2505 Dunwin Drive, Unit 3B Mississauga, Ontario, Canada L5L1T1

800-233-8950

ZVM133 RGB.

ZVM135 RGB/Composite...

In PA call (717)327-9575, Dept. 100 Order Status Number: 327-9576 Customer Service Number: 327-1450 477 E 3rd-St., Williamsport, PA 17701

No risk, no deposit on C.O.D. orders and no waiting period for certified checks or money orders. Add 3% (minimum \$5) shipping and handling on all orders Larger shipments may require additional charges. NV and PA residents add sales tax. All items subject to availability and price change. Call today for our catalog.

pest prices

APPLE/FRANKLIN DISK DRIVES MICRO-SCI

A2	\$219.00
A 40	\$299.00
A70	\$319.00
2 Controller	\$79.99
C47 Controller	\$89.99
RANA	
Elite 1	\$279.00
Elite 2	\$389.00


lite	3				\$569.	00
	PPL	E IIe	STAR	TER P	ACK	
4K	Apple	He, D	isk Dri	ve & Co	ontroll	er
00					mag	

80 Column Card, Monitor II & DOS 3.3 COMPLETE......CALL Call on all other Apple Models



ACE	1000 Color Compu	terCALL
ACE	PRO PLUS System	CALL
ACE	1200 Office Mgmt.	System.CALL
ACE	PORTABLES	CALL

	550	
	C 555-2	
IBC	1100	\$1499.00
IBC	1150	\$1899.00
IBC	1200	\$1849.00
IBC	1250	\$2099.00
R 5	500 Printer	\$599.00



HEWLETT PACKARD \$419.99 1CV\$189.99

į	HP 11C	\$62.99
	HP 12C	\$92.99
	HP 15C	\$92.99
	HP 16C	\$92.99
	HP 75D	.\$879.99
	HPIL Module	\$98.99
	HPIL Cassette or Printer	.\$359.99
	Card Reader	.\$143.99
	Extended Function Module.	\$63.99
	Time Module	\$63.99

SHARP

1CX \$249.99

PC-1800A\$165.99 PC-1250A\$88.99	NEC
E-125 Printer/Cassette \$128.99 E-150 Color Printer/Cassette \$171.99 E-155 8K RAM \$93.99 E-161 16K RAM \$134.99	PC-8281A Data Recorder \$99.99 PC-8201-06 8K RAM Chips \$105.00

(E commodo	re	
BM 8032	\$599	-
BM 8096	.\$869.00	-
ВМ 9000	\$999.00	1
128-80	\$769.00	3
032 to 9000 Upgrade		
031 LP Disk Drive	\$299.00	
050 Disk Drive		ä
250 Disk Drive	\$1199.00	
023 Printer		
023 Printer	\$569.00	
400 Printer		3
RAM	\$499.00	
ilicon Office	\$699.00	
he Manager		
oftROM	\$125.00	(
oftROMisiCale	\$159.00	1
PROFESSIONAL SOFTW		
ord Pro 2 Plus	\$159.00	
ord Pro 3 Plus	\$189.00	
ford Pro 4 Plus/5 Pluseach.		
	ALMO OO	177

NEC	NEC
NI	C
PC-8221A Thermal	Printer\$149.99
PC-8281A Data Rec	order\$99.99
PC-8201-06 8K RAI	M Chips\$105.00

SX-64Portable	\$839
CBM 64	\$199
C1541 Disk Drive	
C1530 Datasette	\$69.99
C1520 Color Printer/Plotter.	\$129.00
M-801 Dot Matrix Printer	\$219.00
C1526 Dot Matrix/Serial	\$299.00
C1702 Color Monitor	.\$259.00
C1311 Joystick C1312 Paddles C1600 VIC Modem	84.99
C1312 Paddles	\$11.99
C1600 VIC Modern	\$59.99
C1650 Auto Mdoem	\$89.99
Logo 64	\$49.99
Pilot 64	\$39.99
Word Pro 64 Plus	\$59.99
Calc Result 64	\$65.99
Calc Result Easy	\$39.99
Codewriter 64	\$75.99
MCS 801 Color Printer	\$499.00
DPS 1101 Daisy Printer	
Magic Voice Speech Module.	\$54.99
Desk Organizer Lock	
Vidtex Telecommunications.	\$34.95
MSD	
SD1 Disk Drive	\$349.00

NEC PRINTERS NEC 2050..... \$899.00 NEC 3550. \$1669.00

PERCOM/TANDON DISK DRIVES 514" 320K Floppy... 5 Meg Hard w/Controller....\$1049.00 10 Meg Hard w/Controller...\$1349.00 20 Meg Hard w/Controller...\$1899.00

VISICORP VisiCalc IV.....

VisiWord + \$249.00 Visi-on Application Manager...\$79.99 Visi-on Calc.....\$269.00 Visi-on Graph... \$179.00 Visi-on Word..... \$240 00 Optical Mouse .. \$189 99

AST RESEARCH from \$279 00 Six Pak Plus

MIN TONE TIME	
Combo Plus II	from\$279.00
Mega Plus	from\$309.00
I/O Plus	from\$139.00
QUAI	RAM
Quadlink	\$479.00
Quadboard	as low as\$289.00
Quad 512 Plus	as low as\$249.00
Quadcolor	as low as\$219.00
Chronograph	\$89.99
Parallel Interface	Board\$89.99

64K RAM Chips Kit

WordStar Professional Pack	\$389.00
InfoStar	\$299.00
SpellStar	\$159.00
CalcStar	
MICROSTUF	
Crosstalk	\$105.00
MICROSOFT	
MultiPlan	\$159.00
ASHTON-TATE	
dBASE II.	\$339.00

Friday	
IUS	
EasyWriter II	\$249.00
EasySpeller	\$119.00
EasyFiler	\$229.00
CONTINENTAL SO	FTWARE
1st Class Mail/Form Le	tter\$79.99
The second secon	

St Class Mail	Form Letter \$79.99
Iome Account	ant Plus
	LOTUS
ymphony	\$549.00
-2-3	\$339.00
PROFESSI	ONAL SOFTWARE

PC Plus/The Boss... \$329.00 SYNAPSE \$59.99 File Manager ...



\$159.00

\$449.00

PC COMPATIBLE 16 BIT

dBASE III.....

Z-150 PC

S

Z-160 PC

Call for price and configurations

SOFTWARE

	C-64	Atari	IBM	Apple	
Electronic Arts					
One on One	\$29.99	\$29.99	\$29.99	\$29.99	
Music Construction	\$29.99	\$29.99	\$29.99	\$29.99	
Pinball Construction	\$29.99	\$29.99	\$29.99	\$29.99	
Cut & Paste	\$39.99	\$39.99	\$39.99	\$39.99	
Hard Hat Mack	\$27.99	\$27.99	\$27.99	\$27.99	
InfoCom					
Witness	\$29.99	\$29.99	\$29.99	\$29.99	
Infidel	\$29.99	\$29.99	\$29.99	\$29.99	
Deadline	\$29.99	\$29.99	\$29.99	\$29.99	
Planetfall	\$29.99	\$29.99	\$29.99	\$29.99	
Enchanter	\$29.99	\$29.99	\$29.99	\$29.99	
Zork1,2,3 ea	\$27.99	\$27.99	\$27.99	\$27.99	
Suspended	\$29.99	\$29.99	\$29.99	\$29.99	
Sorcerer	\$29,99	\$29.99	\$29.99	\$29.99	
AtariSoft					
Joust	\$35.99	N/A	\$28.99	\$28.99	
Moon Patrol	\$35.99	N/A	\$28.99	\$28.99	
Ms. PacMan	\$35.99	N/A	\$28.99	\$28.99	
PacMan	\$35.99	N/A	\$28.99	\$28.99	
Donkey Kong	\$35.99	N/A	\$28.99	\$28.99	
Pole Position	\$35.99	N/A	\$28.99	\$28.99	
Spinnaker					
Aerobics	\$28.99	\$28.99	\$28.99	\$28.99	
Trans	\$24.99	\$24.99	\$24.99	\$24.99	
Adventure Creature	\$24.99	\$24.99	\$24.99	\$24.99	
Aegean Voyage	\$24.99	\$24.99	\$24.99	\$24.99	
Snooper Troops 1,2 ea	\$28.99	\$28 99	\$28.99	\$28.99	
Traction Fever	\$22.99	\$22.99	\$22.99	\$22.99	
Alphabet Zoo	\$22.99	\$22.99	\$22.99	\$22,99	
In Search of	\$24.99	\$24.99	\$24.99	\$24.99	
Facemaker	\$22.99	\$22.99	\$22.99	\$22.99	
Kinder Comp	\$17.99	\$17.99	\$17.99	\$17.99	
Dynatech			Constitution of the last of th		
Code Writer	\$79.99	\$79.99	\$175.99	\$155.99	
VisiCorp					
VisiCale	\$159.99	\$149.99	\$159.99	\$159.99	
VisiCale Advanced	N/A	N/A	N/A	\$269.99	
pfs:					
Write	N/A	N/A	\$89.99	\$89.99	
Graph	N/A	N/A	\$89.99	\$79.99	
Report	N/A	N/A	\$79.99	\$79.99	
File	N/A	N/A	\$69.99	\$79.99	
Solutions: * as low as	N/A	N/A	\$16.99	\$16.99	
*Coll on Titles	177.00		- N-10000	1.00000000	

west

\$399.00 \$79 99

SD2 Disk Drive.

800-648-3311

In NV call (702)588-5654, Dept. 100 Order Status Number: 588-5654 P.O.Box 6689 Stateline, NV 89449

canada Ontario/Quebec 800-268-3974 Other Provinces800-268-4559

\$599 00

In Toronto call (416)828-0866 Dept. 100 Order Status Number: 828-0866 2505 Dunwin Drive, Unit 3B

800-233-8950

In PA call (717)327-9575, Dept. 100 Order Status Number: 327-9576 Customer Service Number: 327-1450 477 E. 3rd St., Williamsport, PA 17701

Mississauga, Ontario, Canada L5L1T1 CANADIAN ORDERS: All prices are subject to shipping, tax and currency fluctuations. Call for exact pricing in Canada. INTERNATIONAL ORDERS: All orders placed with U.S. offices for delivery outside the Continental United States must be pre-paid by certified check only. Include 3% (minimum \$5) shipping and handling. EDUCATIONAL DISCOUNTS: Additional discounts are available to qualified Educational Institutions. APO & FPO: Add 3% (minimum \$5) shipping and handling.

le 74 on inquiry card

dministrator.



(continued from page 145)

tively acknowledge the expected command. The potential problem occurs in either the Receive Init state or when a Kermit server is waiting for a command. In either case, Kermit won't know whether communication has begun if the other side's initial packet was lost. Kermit can't assume the other side will time out and retransmit, so it must check periodically by sending a NAK for packet zero. If Kermit gets no response, it assumes nothing has happened yet and goes back to sleep for a while.

But sending periodic NAKs opens the door to the buffering problem. Some systems buffer input for a device; when a program isn't looking for input, some or all the input is saved by the computer for future requests. This can cause problems when talking to a Kermit server or sending a file to a Kermit in receive wait. If some time has elapsed since activating the remote Kermit sending the file and escaping back and starting up the local Kermit, a number of NAKs may have accumulated in the local Kermit's input buffer, so clear the input buffer at the beginning of a transfer.

If the input buffer is not cleared, the local Kermit will think the remote side is having trouble receiving the first packet. In an effort to get the packet through, it will be sent again; this repeats for every NAK waiting in the input buffer. By the time the first ACK is finally encountered in the buffer, a number of duplicates of the first packet will

have been sent out. If this number exceeds the NAK threshold, the connection will be broken. If not, however, the second packet will be retransmitted once for each of the extra ACKs the remote Kermit correctly sent for the duplicate first packets. This can continue throughout the file transfer, causing each packet to be sent many times. So, clear the input buffer after reading each packet. Any computer that buffers its input should clear its input buffer before the transfer and after each packet that arrives successfully. But since not all systems provide a clear-buffer function, we may add our last rule: discard redundant ACKs.

In the situation just described, the first packet would be sent out multiple times, once for each buffered NAK. Upon receipt of the first ACK, the second packet would go out, but the next response would be another ACK for the first packet; by the last rule, Kermit would simply take in the redundant ACK, ignore it, and look for the next ACK, until it got the desired one, in violation of the spirit of the first rule.

If we allowed ourselves to violate the first rule, we could add another rule, an ACK for packet n also acknowledges all previous packets, as is done in some network protocols, allowing data packets to be sent in a continuous stream. Kermit cannot use this rule for many reasons: sequence-number wraparound, buffer overflows, and locking out half-duplex systems (how can you negatively acknowledge a bad packet if you can't get

control of the line?). Thus, if we violate the first rule, it must be only in a very minor way.

AN EXAMPLE

A sequence of packets from a real file transfer is shown in listing 1. Each packet starts with Control-A, shown as A. In the first packet, we see following the Control-A the packet length ")" (41 less 32, or 9) followed by the packet type, S (Send Init), and then by the appropriate parameter declarations: maximum packet length is H (72 - 32 = 40). time-out is "(" (40 - 32 = 8), number of padding characters is 0 (space = 32 -32 = 0), the padding character is 0, endof-line is "-" (45 - 32 = 13), the ASCII value of a carriage return), the controlquote character is "#", and the remaining fields are omitted, defaulting to appropriate values. The final character ("^") is the single-character checksum, computed as follows (all numbers and computations are in octal, and "sp" represents a space):

The receiver acknowledges with its own parameters, which are the same. Then comes the file header, the file, EOF, and EOT. One data packet was corrupted by a burst of "%" characters, negatively acknowledged, and retransmitted.

PERFORMANCE

For text files (documents or program source), assuming an average line length of 40 characters with lines separated by a carriage return/linefeed pair, the only control characters normally found in the text file, we see about 5 percent overhead for prefixing of control characters. Assuming no line terminators for packets (although one or both sides may require them), no retransmissions or time-outs, and no time wasted for the line to turn around between packet and response, for an average packet length p, using a singlecharacter checksum, the Kermit protocol overhead consists of five controlfield characters in the data packet, five characters in the acknowledgment

```
Listing 1: A sequence of packets from an actual file transfer. Comments are on the right side or in parentheses.
```

Send Init

File header

ACK for Send Init

ACK for file header

Second data packet, bad

NAK for second data packet

ACK for second data packet

Second data packet again

First data packet ACK for first data packet

```
A) SH( @-#^
A) YH( @-#%
A+!FMOON.DOC2
A#!Y?
AE"D No celestial body has required J
A#"Y@
AE#Das m%%%uch labor for the study of its#
A##N8
AE#Das much labor for the study of its#
A##YA
```

AE\$D#M#Jmotion as the moon. Since ClaA

(many packets omitted here)

A#\$YB

A#\$YB

^AD"Dout 300 terms are sufficient.#M#JU ^A#"Y@ ^A##ZB ^A##YA ^A#SB+ Last data packet ACK for last data packet EOF ACK for EOF EOT ACK for EOT packet, and 0.05p for control-character quoting.

This gives 10/p + 0.05 overhead. A packet length of 40 gives 30 percent overhead. If p is 96 (the maximum). there is about 15 percent. These figures will vary with the average line length and the frequency of other control characters (like tabs and formfeeds) in the file and will go up with immediate retransmissions—and way up with delayed retransmissions. For binary files, the quoting overhead will be higher. But transmission overhead can also go down dramatically if prefix encoding is used for repeated characters, depending on the nature of the data (binary data containing many zeros, highly indented or columnar data, or program text will tend to benefit). Each file transfer also gets a fixed overhead for the preliminary (Send Init, File Header) and terminating (EOF, EOT) packets.

If the mainframe end of a connection is heavily loaded, it may take considerable time to digest and process incoming characters before replying. On halfduplex mainframes, a pause may occur between sending and receiving, even if the load is light; this might be used to advantage by preparing the next packet in advance while waiting for the current ACK. Another problem may occur on heavily loaded mainframes-undesirable time-outs. Time-outs are intended to detect lost packets. A heavily loaded system may take longer than the timeout interval to send a packet. For this reason, mainframe Kermits should take the requested time-out interval only as a minimum and should adjust it for each packet based on the current system load, up to a reasonable maximum.

A noisy line has a greater likelihood of corrupted packets and therefore of retransmission overhead. Performance can be improved by reducing the packet length (and thus the corruption probability of any particular packet) and the amount of time required to retransmit it. A Kermit program can unilaterally adjust the packet length according to the number of retransmissions that are occurring. Short packets cut down on retransmission overhead; long packets cut down on character overhead.

THE USER INTERFACE

Kermit was designed from a mainframe perspective. Like many mainframe programs. Kermit issues a prompt, the user types a command. Kermit executes the command and issues another prompt, and so on until the user exits from the program. Much care is devoted to the command parser, even on microcomputer versions. The goal is to provide English-like commands composed of sequences of keywords or operands, with abbreviations possible for any keyword in any field down to the minimum unique length and with "?" help available at any point in a command. Not all implementations need follow this model, but most do.

The basic commands are SEND and RECEIVE. These allow most Kermits to exchange files. Operands can be the name of a single file or a file-group designator (e.g., with wildcards) to transmit multiple files in a single operation. Although some systems may not provide wildcard file processing, the Kermit protocol allows it.

The CONNECT command provides the mechanism for logging in and typing commands at the remote host, which is necessary in order to start the Kermit on that side. The CONNECT facility provides character-at-a-time transmission, parity selection, remote or local echoing, and the ability to send any character, including the escape character that must be used to get back to the local Kermit. However, no error detection or correction occurs during CONNECT, just as none normally occurs between an ordinary terminal and a

When two systems are dissimilar, a SET command is provided to allow them to accommodate each other's peculiarities, for instance, SET PARITY ODD to add odd parity to all outbound characters or SET LOCAL-ECHO to do local echoing when connected as a terminal to a half-duplex system. The SET command must sometimes be used to supply information to the target system on how to store an incoming file with respect to block size, byte size, record format, and record length.

Most Kermit implementations take special care to reassure the user during file transfer. The names of the files being transferred are shown, and a dynamic display is made of the packet traffic, showing successful transmission of packets as well as time-outs and re-

(continued)



Circle 243 on inquiry card.



Circle 109 on inquiry card.




THE PCT-100 IS A CONFIGURABLE IN-LINE RS-232 PROTOCOL AND DATA TRANSLATOR. THE PCT-100 CAN PROVIDE:

TERMINAL OR PRINTER EMULATION DEC OR IBM SYSTEM COMPATIBILITY MACRO-FUNCTION KEYS
"TYPE-AHEAD" AND DATA BUFFERING BAUD RATE CONVERSION HANDSHAKE PROTOCOL TRANSLATION (E.G. CTS/RTS, XON/XOFF)

THE PCT-100 IS CONFIGURED USING A BUILT-IN COMMUNICATIONS TRANSLATION LANGUAGE. PROGRAMS CAN BE EASILY ENTERED & EDITED FROM ANY ASCII DEVICE.

PCT-100-PCB (PCB onLy)....\$ 289 PCT-100-ASM (PCB w/ case)..\$ 339 PCT-512-MOD (POWER SUPPLY).\$ 59





METHOD SYSTEMS INCORPORATED 19751 SOUTH LAKESHORE BOULEVARD EUCLID, OHIO 44119 (216) 531-0404

transmissions. Messages are issued when the user connects to the remote system or escapes back from it, and Kermit prompts identify the implementation. Helpful error messages are displayed when necessary; these may emanate from either the local or the remote system. The final disposition of the transfer is clearly stated: complete or failed.

The actions required of the Kermit user depend upon the degree to which the Kermit programs involved have implemented the specification. Minimal implementations require that the user connect to the remote host, start Kermit there, issue a SEND (or RECEIVE) command, escape back to the local machine, and issue the complementary RECEIVE (or SEND) command. All this must be done for each transfer. More advanced implementations allow the remote side to run as a server and to take all its instructions in special command packets from the local Kermit; all the user

has to do on the remote end is make the initial connection to start the server. The server will even log itself out upon command from the local Kermit. A minimal server can process commands to send files, receive files, and shut down.

See listing 2 for an example of a session in which the user of an IBM PC transfers files from a DECSYSTEM-20. The actions shown are required for minimal Kermit implementations.

The session is somewhat simpler when the remote Kermit is being run as a server. The user must still use CONNECT, log in, and start Kermit on the remote end but need never again use CONNECT to issue subsequent SEND, RECEIVE, EXIT, or LOGOUT commands, even though many transactions may take place. All actions can be initiated from the PC.

ADVANCED FEATURES

An optional feature of the Kermit protocol is a special packet designed to ex-

press the attributes of a file in a compact and generic manner. The receiver may either attempt to use the attributes to store the incoming file, or archive them for later use. Attributes include not only file characteristics but also the intended disposition-store, print, submit for batch processing, send as mail, etc. Other optional features include mechanisms for gracefully interrupting. delaying, or suspending operations in progress; alternate forms of packet-data encoding; filename conversion; local file management; raw-data transmission and capture; command-macro definition: etc.

Although Kermit was never intended to fulfill the role of a general-purpose network server, its design has made it simple to add new functions. A Kermit server can accept commands in packets from a remote Kermit. The basic commands are for sending or fetching files and for shutting down the server. Other commands may require the display of text at the user's terminal, which is controlled by the local Kermit. For example, a directory listing could be requested; the resulting text is sent back to the local Kermit exactly as if a file were being transferred, except the destination is the user's screen rather than a disk file. With this ability in place, it is possible to implement all sorts of commands, for instance, to delete a file, show who's logged in, inquire about disk space, verify access to a directory, submit batch jobs, send messages, and so forth.

The ability of the Kermit server to perform host functions can be added very simply under certain operating systems. For instance, under UNIX, Kermit can "fork" a shell with commands to perform any function possible under UNIX, redirecting the standard output through a process (Kermit itself) that encapsulates it into Kermit packets and sends it along

A server with these capabilities could provide convenient access to a time-sharing system by users at personal workstations, without requiring the users to be directly involved with the host. If, for instance, workstations had dedicated connections to a host, and the host had dedicated Kermit servers for each such line, users could get access to and manage their host files completely by commands typed at the workstation. Taking this idea one step further,

```
Listing 2: A sample session that transfers a file between an IBM Personal Computer and a DEC mainframe. The parts the user types are in italic and comments appear on the right or in parentheses. Everything else is system typeout.
```

A > kermit ! Run Kermit on the PC.
Kermit V1.20

Kermit-86> ! This is the Kermit prompt for the PC.

Kermit-86 > connect ! Connect to the DEC-20. [Connecting to host. Type CTRL-]C to return to PC.]

! You are now connected to the DEC-20.

Columbia University CU20B | The system prints its herald. | Set your terminal type (optional).

@login my-id password ! Login using the normal login method.

(The DEC-20 prints various messages.)

@kermit ! Run Kermit on the DEC-20.
Kermit-20> ! This is Kermit-20's prompt.

Kermit-20>send • Jor | Send all FORTRAN files.

1 Type the escape sequence to return to the PC.

[Back at PC.]

Kermit-86 > receive ! Tell the PC that files are coming.

(The progress of the transfer is shown continuously on the screen.)

Transfer Complete.

Kermit-86>connect ! Get back to the DEC-20. |
|Connecting to host. Type CTRL-|C to return to PC.|
|Kermit-20>exit ! Get out of Kermit-20.
|@logout ! Logout from the DEC-20.

Logged out Job 55, User MYID, Account MYACCOUNT, TTY 146, at 24-Apr-84 15:18:56, Used 0:00:17 in 01:21:55

1 Now, escape back to the PC Back at PC.

Kermit-86 > exit ! and exit from the PC's Kermit.

the workstation system software could be modified to make the whole process transparent by incorporating the Kermit protocol in its file access logic-fetching and updating host files as necessary behind the user's back. Since the demands placed on a host by Kermit are relatively modest, many simultaneous users could probably be serviced in this way. This approach could be a relatively painless entry into the distributed, networked environment of tomorrow; when local-area-network protocols become mature and the hardware economical and widespread. Kermit can be replaced by the real thing. But for the ordinary computer user for whom dedicated connections are impractical, doit-yourself Kermit, or some similar facility, will be a valuable tool for years.

CONCLUSIONS

The need for a cheap, convenient filetransfer capability among diverse systems is pressing, and many efforts similar to ours are under way at many places. We hope that this article may contribute to those efforts: we don't claim to have the last word on any of the issues raised here and expect that this article may uncover some other approaches. We have billed Kermit as a simple protocol; anyone who has read this far will appreciate what must go into the more complicated protocols used in real networks or when integration of microcomputer and mainframe is a major goal—demand paging of remote files, remote database queries, distributed editing, and computation.

Meanwhile, the Kermit protocol has proven successful and continues to grow in popularity. As of this writing, implementations exist for over 50 computer systems; the major ones are listed in table 1. Some have been contributed or enhanced by the institutions listed in the acknowledgments. No single implementation necessarily includes all features mentioned in this article, but all are able to communicate at least at base level. Additional implementations are in preparation, and present ones are being enhanced.

Columbia University is willing to provide all Kermit programs, sources, manuals, and other documentation to computing centers, academic or corporate, in return for a modest fee to cover costs for media, printing, postage, labor,

Table 1: The computers and operating systems that the Kermit protocol is available on and the computer language the program is written in.

Machine	Operating System	Language
DECsystem-10	TOPS-10	MACRO-10
DECSYSTEM-20	TOPS-20	MACRO-20
IBM 370 Series	VM/CMS	IBM Assembler
VAX-II	VMS	Bliss-32
VAX, SUN, PDP-11, etc.	UNIX	C
PDP-11	RT-11, RSX, RSTS	MACRO-II
8080, 8085, or Z80	CP/M-80	8080 ASM
8086, 8088	MS-DOS, CP/M-86	MASM, ASM86
Apple II 6502	Apple DOS	DEC-10/20 CROSS

and computing resources. Only magnetic tape and listings can be shipped. We cannot produce floppy disks; instructions are included for bootstrapping the microcomputer implementations from the mainframe computers. Details will be provided on request. Write to

Kermit Distribution Columbia University Center for Computing Activities 7th Floor, Watson Laboratory 612 West 115th St. New York, NY 10025

The protocol specification supplemented by examples of existing Kermit implementations allows new implementations to be created with relative ease. In the past, Kermit implementers have shared their work with other Kermit users by contributing it to the Columbia Kermit library. We hope that this practice will continue until Kermit has spread throughout the known world.

ACKNOWLEDGMENTS

In designing the initial Kermit protocol, we studied several models, primarily the ANSI recommendation. Others included the Stanford University DIALNET project, the University of Utah "Small FTP" project, and the Stanford University Medical Center TTYFTP project. And we examined some real networks, such as ARPANET and DECnet.

Acknowledgments are also due to the many sites that have contributed new Kermit implementations or enhanced old ones: Stevens Institute of Technology, Digital Equipment Corporation, the National Institutes of Health, Cornell University, the University of Toronto, the University of Tennessee, University of Toledo, Pima Community College, Cerritos College, and others. Thanks to Dr. Howard Eskin for help with this article and to Henson and Associates for permission to use Kermit.

REFERENCES

1. ANSI X3.15-1976. Bit Sequencing of ASCII in Serial-By-Bit Data Transmission. New York: American National Standards Institute, 1976.

2. ANSI 3.16-1976, Character Structure and Character Parity Sense for Serial-By-Bit Data Communication in ASCII. New York: American National Standards Institute, 1976.

3. ANSI X3.28-1976, Procedures for the Use of Control Characters of ASCII in Specified Data Communications Links. New York: American National Standards Institute. 1976.

4. ANSI X3.4-1977. Code for Information Interchange. New York: American National Standards Institute. 1977.

 DNA Data Access Protocol (DAP) Functional Specification, AA-K177ATK. Marlborough, MA: Digital Equipment Corporation, 1980.

 DNA Digital Data Communications Message Protocol (DDCMP) Functional Specification, AA-K175ATK. Marlborough, MA: Digital Equipment Corporation, 1980.

7. EIA Standard RS-232C. Washington, DC: Electronic Industries Association, 1969, 1981.

8. Hamming, R. W. "Error Detecting and Error Correcting Codes." Bell System Technical Journal, April 1950, page 147.

9. ISO Reference Model for Open Systems Interconnection (OSI), Draft Proposal 7498. International Organization for Standardization, 1982.

 Knuth, D. E. The Art of Computer Programming, Volume 1: Fundamental Algorithms. Reading, MA: Addison-Wesley, 1973.

 Mackenzie, C. E. Coded-Character Sets: History and Development. Reading, MA: Addison-Wesley, 1980.

12. McNamara, J. E. Technical Aspects of Data Communication. Bedford, MA: Digital Press, 1982.

13. Martin, James. Teleprocessing Network Organization. Englewood Cliffs, NJ: Prentice-Hall, 1970. 14. Neigus, N, J. File Transfer Protocol for the ARPA Network, RFC 542, NIC 17759. Cambridge, MA: Bolt Beranek and Newman Inc., 1973. (Available in the ARPANET Protocol Handbook, NTIS AD/A-052 594.)

15. Perez, Aram. "Byte-wise CRC Calculations." IEEE MICRO. June 1983. page 40. 16. Pierce, J. R., and E. C. Posner. Applications of Communications Theory: Introduction to Communication Science and Systems. New York: Plenum Press, 1980.

17. Thomas, R., and J. Yates. A User Guide to the UNIX System. Berkeley, CA: Osborne/McGraw-Hill, 1982.

Diskette Users...

When you've heard from all the animals in the diskette zoo, but vou need fast delivery and high quality diskettes...



Call Communications Electronics

Diskette order desk 800-USA-DISK In Canada 800-CA1-DISK

Choose your brand Choose your price

Product Description

8" SSSD IBM Compatible 128B/S, 26 Sector 8" SSSD Shugart Compatible, 32 Hard Sector 8" SSDD IBM Compatible (128 B/S, 26 Sectors) 8" DSDD Soft Sector (Unformated)

8" DSDD Soft Sector (256 B/S, 26 Sectors) 8" DSDD Soft Sector (512 B/S, 15 Sectors) 8" DSDD Soft Sector (1024 B/S, 8 Sectors)

51/4" SSSD Soft Sector w/Hub Ring

51/4" SSSD Same as above but bulk product 51/4" SSSD 10 Hard Sector w/Hub Ring

51/4" SSDD Soft Sector w/Hub Ring

5\" SSDD Same as above, but bulk product

51/4" SSDD Soft Sector Flippy (use both sides)

51/4" SSDD 10 Hard Sector w/Hub Ring 51/4" DSDD Soft Sector w/Hub Ring

51/4" DSDD Same as above, but bulk product

51/4" DSDD 10 Hard Sector w/Hub Ring 5¼" DSDD 16 Hard Sector w/Hub Ring

51/4" DSDD Soft Sector w/Hub Ring (96 TPI)

For more information

about this brand call:

31/2" SSDD Soft Sector micro-floppy



Super Disk diskettes ::: \$0.99 each

100 price per disk (\$)
-
1.19
0.99
1.44
1.24
-
1.94
1.74
2.84

Lifetime warranty For more into on Super Disk call 800-USA-DISK In Michigan 313-973-1111



Wabash diskettes w. \$1.14 each

Wabash Part #	CE quant. 100 price per disk (\$)
F111-H	1.89
F31A-H	1.89
F131-H	2.29
F14A-H	2.69
F144-H	2.69
F145-H	2.69
F147-H	2.69
M11A-H	1.34
M11AB-H	1.14
M41A-H	1.34
M13A-H	1.59
M13AB-H	1.39
M18A-H	2.59
M43A-H	1.59
M14A-H	2.09
M14AB-H	1.89
M44A-H	2.09
M54A-H	2.09
M16A-H	2.99

6 year warranty For more info on Wabash call 800-323-9868



diskettes ::: \$1.54 each

BASF 1	
FlexyDisk	3
	05:00 m
BASF	100

3 M diskettes ## \$1.59 each

BASF Part #	CE quant 100 price per disk (\$)	3M Part #	CE quant 100 price per disk (\$
		8SSSD-H	1.94
2.70		-	100000
		8SSDD-H	2.39
-	V	8DSDD-H	2.89
		8DSDD-1024-H	2.89
-	-	-	-
			_
4974-Н	1.54	5SSDD-RH-H	1.79
		58SDD-BL-H	1.59
		-	-
64980-H	2.04	5DSDD-RH-H	2.24
	-	375-F-100	-
	-		
54992-Н	3.14	5DSDD-96RH-H	3.14
	2.75		27.5
54112-Н	2.74	3SSMD-H	3.74

Lifetime warranty For more late on BASF call 800-343-4600 In Massachusetts 617-271-4000

Lifetime warranty For more into on 3 M call 800-328-9438 In Minneseta 612-736-9524

CE...your best source for diskettes

For you the diskette buyer, it's a jungle out there. There are so many different brands to choose from, you need to go on a safari to find a good brand at a reasonable cost. Fortunately, CE has already hunted for the best diskettes and offers you an excellent choice at a CE price. To save you even more, CE also offers bulk product where 100 diskettes are packed in the same box without envelopes or labels. Since we save packaging costs, these savings are passed on to you. Diskette envelopes are also available from CE. These super strong and tear resistant Tyvek® envelopes are only \$15.00 per 100 pack. Use order # TE-5 for a 100 pack of 51/4" diskette envelopes.

Quantity Discounts Available

Our diskettes are packed 10 disks to a carton and 5 or 10 cartons to a case. The economy bulk pack is packaged 100 disks to a case without envelopes or labels. Please order only in increments of 100 units for quantity 100 pricing. With the exception of bulk pack, we are also willing to accommodate your smaller orders. Quantities less than 100 units are available in increments of 10 units at a 20% surcharge above our 100 unit price. Quantity discounts are also available. Order 300 or more disks at the same time and deduct 1%: 500 or more saves you 2%; 1,000 or more saves 3%; 2,000 or more saves 4%; 5,000 or more saves 5%; 10,000 or more saves 6%; 50,000 or more saves 7%, 100,000 or more saves 8%, 500,000 or more saves 9% and 1,000,000 or more disks earns you a 10% discount off our super low quantity 100 price. Almost all our diskettes are immediately available from CE. Our efficient warehouse facilities are equipped to help us get you the quality product you need, when you need it. If you need further assistance to find the flexible diskette that's right for you, call the appropriate manufacturers compatibility hotline telephone number listed at the bottom of this ad. Dealer inquiries invited.

Buy your diskettes from CE with confidence

To get the fastest delivery of your diskettes, phone your order directly to our order desk and charge it to your credit card. Written purchase orders are accepted from approved government agencies and most well rated firms at a 10% surcharge for net 10 billing. For maximum savings, your order should be prepaid. All sales are subject to availability, acceptance and verification. All sales are final. All prices are in U.S. dollars. Prices, terms and specifications are subject to change without notice. Out of stock items will be be placed on backorder or substituted for equivalent product at no extra cost to you unless CE is instructed differently. A \$5.00 additional handling fee will be charged for all orders with a merchandise total under \$50.00. All shipments are F.O.B. CE warehouse in Ann Arbor, Michigan. COD terms are available, in U.S. UPS areas for \$5.00 extra, and are payable with cash or certified check.

For **shipping charges** add \$8.00 per 100 diskettes and/or any fraction of 100 8-inch diskettes, or \$6.00 per 100 diskettes and/or any fraction of 100 5½-inch or 3½-inch diskettes for U.P.S. ground shipping and handling in the continental U.S. UPS 2nd day air rates are *three* times continental U.S. rates. For Canada, Puerto Rico, Hawaii, Alaska, or APO/FPO delivery, shipping is *three* times the continental U.S. rate.

Mail orders to: Communications Electronics, Box 1045, Ann Arbor, Michigan 48106 U.S.A. If you have a Visa or Master Card, you may call and place a credit card order. Order toll-free in the U.S. Dial 800-USA-DISK. In Canada, order toll-free by calling 800-CA1-DISK. If you are outside the U.S. or in Michigan dial 313-973-8888. WUI telex anytime 671-0155. Order today. Copyright °1984 Communications Electronics Inc.

Ad #062184

COMMUNICATIONS ELECTRONICS





Computer Products Division Box 1045 Ann Arbor, Michigan 48106-1045 U.S.A.

Box 1045 □ Ann Arbor, Michigan 48106-1045 U.S.A. Call toll-free 800-USA-DISK or outside U.S.A. 313-973-8888









Memorex diskettes ### \$1.84 each



Ultra diskettes ### \$1.89 each



TDK diskettes ## \$2.09 each



Fuji diskettes ## \$2.14 each



Dysan diskettes w. \$2.49 each

Verbatim Part #	CE quant. 100 price per disk (\$)	Memorex Part #	CE quant. 100 price per disk (\$)	Ultra Part #	CE quant 100 price per disk (\$)	TDK Part #	CE quant. 100 price per disk (\$)	Fuji Part #	CE quant 100 price per disk (\$)	Dysan Part #	CE quant. 100 price per disk (\$)
	<u></u>	3062-Н	1.94	81726-H	1.99	F1-8-H	2.69	FD18-128N-H	2.79	800501-H	2.79
- - 10110- 3	-	3015-H	1.94	-	ALC: N	10-y-110-4			A		-
		3090-H	2.39	-	-			-		800605-H	3.19
	_	3102-H	2.89	82701-H	2.94	F2 D-8-H	3.29	FD2 D-H	3.59	800803-H	3.59
		3104-H	2.89	82708-H	2.94	F2D-81024-H	3.29	FD2 D-1024-H	3.59	800839-H	3.59
28820-H	1.79	3481-Н	1.84	51401-H	1.89	M1 D-8-H	2.09	MD1 D-H	2.14	801187-H	2.49
	-		-	52402-H	2.69		-		<u> </u>		-
28821-H	2.54	3491-H	2.59	52401-H	2.64	M2 D-S-H	2.84	M 02 D-H	2.89	802060-Н	3.49
28823-H	3.44	3501-H	3.49	52801-H	3.54	M2 DX-S-H	3.89	MD2 D-96TPI-H	3.94	802067-H	4.29
		6100-H	3.74	1							

Lifetime warranty
For more info on Verbalim call
800-538-8589
In California 408-245-4400

2

21

21

5 year warranty
For more into on Memorex call
800-448-1422
Monday-Friday 9am-4pm ET

For more late on Ultra call
408-728-7777
Monday-Friday 9 am-4 pm PT

For more into on TOK call 800-645-6571 in New York 516-625-0100

Lifetime warranty
For more lete on Full call
800-223-6535
In New York 212-736-3335

f year warranty
For more late on Dyzan call
800-552-2211
In California 408-970-6096

B.O.O.K.S R.E.C.E.I.V.E.D

THE ABC'S OF THE IBM PC. Joan Lasselle and Carol Ramsay. Berkeley, CA: Sybex, 1984; 160 pages, 17.5 by 22.8 cm, softcover, ISBN 0-89588-102-0, \$12.95.

ADVANCED PASCAL PROGRAMMING TECHNIQUES, Paul A. Sand. Berkeley, CA: Osborne/McGraw-Hill, 1984; 380 pages, 18.5 by 23.3 cm, softcover, ISBN 0-88134-105-3, \$19.95,

ALL ABOUT HAND-HELD AND BRIEFCASE-PORTABLE COMPUTERS. C. Louis Hohenstein. New York: McGraw-Hill, 1984; 380 pages, 15 by 22.8 cm, softcover, ISBN 0-07-029452-6, \$9.95.

APL: AN INTERACTIVE APPROACH. 3rd ed. Leonard Gilman and Allen J. Rose. New York: John Wiley & Sons, 1984; 380 pages, 21.3 by 27.8 cm, softcover, ISBN 0-471-093041, \$22.95.

AN APPLE BUSINESS USER'S GUIDE: BUSINESS DECISION MAKING FOR HIGHER PROFITS, William R. Osgood and James F. Molloy Jr. Somerville, MA: Curtin & London, 1983; 160 pages, 21.5 by 27.8 cm. softcover, ISBN 0-930764-66-8, \$15.50.

APPLESTAT, Peter Rob. Englewood Cliffs, NJ: Prentice-Hall, 1984; 84 pages, 20 by 24.8 cm, hardcover, ISBN 0-13-038951-X, \$49.95. Includes floppy disk.

THE APPLE II BASIC HANDBOOK, Douglas Hergert. Berkeley, CA: Sybex, 1983; 270 pages, 15 by 22.8 cm. softcover, ISBN 0-89588-115-2, \$13.95.

APPLIED CONCEPTS IN MICROCOM-PUTER GRAPHICS, Bruce A. Artwick. Englewood Cliffs, NJ: Prentice-Hall, 1984; 384 pages, 18.5 by 24.3 cm, hardcover, ISBN 0-13-039322-3, \$27.95.

ASSEMBLER FOR THE IBM PC AND PC-XT, Peter Abel. Reston, VA: Reston Publishing Co., 1984; 432 pages, 17.5 by 23.3 cm, softcover, ISBN 0-8359-0153-X. \$16.95.

ATARI BASIC TUTORIAL, Robert

A. Peck. Indianapolis, IN: Howard W. Sams & Co., 1983; 224 pages, 13.8 by 21.5 cm. spiral-bound, ISBN 0-672-22066-0, \$12.95.

ATARI PLAYER-MISSILE GRAPHICS IN BASIC, Philip C. Seyer, Reston, VA: Reston Publishing, 1984; 188 pages, 14.8 by 22.8 cm. spiral-bound, ISBN 0-8359-0112-2, \$14.95,

BASIC PROGRAMMING, Donald D. Spencer. New York: Charles Scribner's Sons, 1984; 224 pages, 15.3 by 22.8 cm, softcover, ISBN 0-684-18039-1.

CAAP '83, G. Ausiello and M. Protasi, eds. Lecture Notes in Computer Science #159, New York: Springer-Verlag, 1983; 423 pages, 13 by 19 cm, softcover, ISBN 0-387-12727-5, \$18.

COBOL FOR MICROCOMPUTERS. Ruth Ashley and Judi N. Fernandez. New York: John Wiley & Sons, 1983; 336 pages, 17 by 25.3 cm, softcover, ISBN 0-471-87241-5, \$15,95,

COMMODORE 64, John A. Heil and lack Martin, Wayne, PA: Banbury Books, 1983; 208 pages, 18 by 23.5 cm, spiralbound, ISBN 0-88693-067-7. \$14.95.

COMMODORE 64 EXPOSED, Bruce Bayley. Nashville, TN: Melbourne House Software Inc., 1983; 206 pages, 14 by 20.8 cm, softcover, ISBN 0-86759-144-7, \$14.95.

COMMODORE 64 FUN AND GAMES. Ron Jeffries, Glen Fisher, and Brian Sawyer. Berkeley, CA: Osborne/McGraw-Hill, 1984: 192 pages, 21.3 by 27.5 cm, softcover, ISBN 0-88134-116-9. \$11.95.

COMMODORE 64 VIC 20 BASIC. Richard Haskell and Thomas

and the publishers who sent them.

Windeknecht. Englewood Cliffs, NJ: Prentice-Hall, 1983; 192 pages, 21.5 by 27.8 cm, softcover, ISBN 0-13-152281-7, \$13.95.

THE COMMODORE 64/VIC-20 BASIC HANDBOOK, Douglas Hergert. Berkeley, CA: Sybex, 1983; 208 pages, 15.3 by 22.8 cm, softcover, ISBN 0-89588-116-0, \$14.95.

THE COMPLEAT KAYPRO, Steven Frankel. Reston. VA: Reston Publishing Co., Inc., 1984; 240 pages, 17.5 by 23.3 cm, softcover, ISBN 0-8359-0802-X, \$16.95

COMPUTER BASICS FOR STUDENT PROGRAMMERS. Dominick Sodano, Harry Klaff, and Susan White. Freeport, NY: Educational Activities Inc., 1983; 128 pages, 15 by 23 cm, spiralbound, ISBN 0-9611246, \$6.95.

COMPUTER BUYER'S PROTECTION GUIDE, L. J. Kutten. Englewood Cliffs, NJ: Prentice-Hall, 1984; 160 pages, 15.3 by 22.8 cm, softcover, ISBN 0-13-164187-5. \$12.95.

COMPUTER SCIENCE WITH STRUC-TURED BASIC, James Poirot, David Groves, and Charles Hammons. Austin, TX: Sterling Swift Publishing, 1983; 348 pages, 19.5 by 25 cm, softcover, ISBN 0-88408-279-2, \$18.95.

COMPUTERS IN CHESS, English ed. M. M. Botnvinnik. New York: Springer-Verlag, 1984; 176 pages, 16 by 24.3 cm, hardcover, ISBN 0-387-90869-2, \$22.

COMPUTERS AND YOUR CHILD, Ray Hammond. New York: Ticknor & Fields, 1984; 286 pages, 14.5 by 22 cm, hardcover, ISBN 0-89919-210-6. \$15.95.

THE COMPUTHINK GUIDE TO WORD PROCESSING, Jesse Berst, Indianapolis, IN: Howard W. Sams

THIS IS A LIST of books recently received at BYTE Publications. The list is not meant

to be exhaustive, its purpose is to acquaint BYTE readers with recently published titles in

computer science and related fields. We regret that we cannot review or comment on all the

books we receive; instead, this list is meant to be a monthly acknowledgment of these books

& Co., 1983; 192 pages, 20 by 23.5 cm, ISBN 0-672-22069-5. \$12.95.

CREATIVE DESIGN WITH MICROCOM-PUTERS. Steven K. Roberts. Englewood Cliffs, NJ: Prentice-Hall, 1984; 400 pages, 17.5 by 23.3 cm, softcover, ISBN 0-13-189317-3, \$14.95.

DATABASE MANAGER IN MICROSOFT BASIC, Greg Greene. Blue Ridge Summit, PA: Tab Books, 1983; 176 pages, 19.5 by 23.5 cm, softcover, ISBN 0-8306-0567-3, \$12.50.

DATABASE, A PRIMER, C. J. Date. Reading, MA: Addison-Wesley, 1983; 288 pages, 18.3 by 23.3 cm. softcover, ISBN 0-201-11358-9, \$12.95.

DIGITAL CONTROL SYSTEM ANALYSIS AND DESIGN, Charles L. Phillips and H. Troy Nagle Jr. Englewood Cliffs, NJ: Prentice-Hall, 1984; 576 pages, 18.3 by 24.3 cm, hardcover, ISBN 0-13-212043-7, \$36.95.

THE EASY GUIDE TO YOUR COM-MODORE 64, Joseph Kascer. Berkeley, CA: Sybex, 1983; 144 pages, 15.3 by 22.8 cm, softcover, ISBN 0-89588-126-8,

8-BIT & 16-BIT MICROPROCESSOR Сооквоок, Joseph J. Carr. Blue Ridge Summit, PA: Tab Books, 1983; 302 pages, 13.5 by 21.5 cm, hardcover, ISBN 0-8306-0643-2, \$19.95.

ELEMENTS OF COMPUTER PROCESS CONTROL, Pradeep B. Deshpande and Raymond H. Ash. Englewood Cliffs, NJ: Prentice-Hall, 1983; 400 pages, 16 by 24 cm, hardcover, ISBN 0-13-264093-7, \$47.95.

THE EVOLUTION OF PROGRAMS. Nachum Dershowitz. Cambridge. MA: Birkhäuser Boston Inc., 1983; 366 pages, 14.5 by 22.8 cm, softcover, ISBN 0-8176-3171-2, \$16.95.

THE FIFTH GENERATION, Edward A. Fiegenbaum and Pamela McCorduck, Reading, MA: Addison-Wesley, 1983; 288

pages, 16.5 by 24 cm, hardcover, ISBN 0-201-11519-0, \$15.55

FIRST COURSE IN DATA PROCESSING WITH BASIC, 2nd ed. J. Daniel Couger and Fred R. McFadden. New York: John Wiley & Sons, 1984; 620 pages, 21.3 by 27.8 cm, softcover, ISBN 0-471-86945-7, \$25.95.

FIRST COURSE IN DATA PROCESSING WITH BASIC, COBOL, FORTRAN, AND RPG, 3rd ed. J. Daniel Couger and Fred R. McFadden. New York; John Wiley & Sons, 1984; 702 pages, 21.3 by 27.8 cm, softcover, ISBN 0-471-86946-5, \$26.95.

FUNDAMENTALS OF PROGRAMMING LANGUAGES, 2nd ed, Ellis Horowitz. Rockville, MD: Computer Science Press, 1984: 464 pages, 15.5 by 23.5 cm, hardcover, ISBN 0-88175-004-2, \$26.95

GAMES COMPUTERS PLAY, Keith S. Reid-Green. Bedford. MA: Digital Press, 1984; 256 pages, 21.5 by 25.5 cm, softcover, ISBN 0-932376-29-0, \$16.

GETTING THE MOST FROM WORD-STAR AND MAILMERGE, M. David Stone. Englewood Cliffs, NJ: 1984: 256 pages, 17.5 by 23.5 cm, softcover, ISBN 0-13-354382-X, \$14.95.

GETTING THE MOST FROM YOUR VIC 20, Hank Librach. Englewood Cliffs, NJ: Prentice-Hall, 1983; 144 pages, 15 by 22.8 cm, softcover, ISBN 0-13-354357-9, \$9.95

A GUIDE TO THE BEST BUSINESS SOFTWARE FOR THE IBM PC. Richard C. Dorf. Reading, MA: Addison-Wesley, 1983; 224 pages, 18.5 by 23.5 cm, softcover, ISBN 0-201-10256-0, \$12.95.

HOW TO BUY SOFTWARE, Alfred Glossbrenner. New York: St. Martin's Press, 1984; 672 pages, 15.5 by 23.5 cm, softcover, ISBN 0-312-39551-5, \$14.95.

HOW TO CREATE YOUR OWN COM-PUTER BULLETIN BOARD, Lary L.

Myers. Blue Ridge Summit, PA: Tab Books, 1983; 224 pages, 19.5 by 23.5 cm, softcover, ISBN 0-8306-1633-0, \$12.50.

HOW TO GET INTIMATE WITH YOUR COMPUTER, Fred D'Ignazio, New York; McGraw-Hill, 1984; 168 pages, 13.5 by 20.3 cm, softcover, ISBN 0-07-016901-2. \$6.95.

How to Program Your Com-MODORE 64, Carl Shipman. Tucson, AZ: HP Books, 1983; 336 pages, 21.5 by 27.5 cm, softcover, ISBN 0-89586-310-3. \$9.95.

THE IBM/PC & BUSINESS SOFT-WARE, James E. Kelley Jr. Wayne, PA: Banbury Books, 1983; 254 pages, 17.8 by 23.5 cm, spiralbound, ISBN 0-88693-000-6, \$39.95. Includes two floppy

IBM PC EXPANSION & SOFTWARE GUIDE, 3rd ed. Staff of Que Corp. Indianapolis, IN: Que Corp., 1983; 672 pages, 20.5 by 27.5 cm, softcover, ISBN 0-88022-057-0. \$19.95.

THE IBM PC USER'S GUIDE. Michael Bane with Mark Andrews. New York: Macmillan Publishing Co., 1983; 128 pages, 13.5 by 20.8 cm, softcover, ISBN 0-02-008710-1, \$5.95.

INTERACTIVE PROGRAMMING ENVIRONMENTS, David R. Barstow, Howard E. Shrobe, and Erik Sandewall. New York: McGraw-Hill, 1984; 224 pages, 15.8 by 23.5 cm, hardcover, ISBN 0-07-003885-6, \$34.95.

INTERFACING TEST CIRCUITS WITH SINGLE-BOARD COMPUTERS, Robert H. Luetzow. Blue Ridge Summit, PA: Tab Books, 1983; 256 pages, 19.5 by 23.5 cm, softcover, ISBN 0-8306-0583-5, \$13.50.

INTEGRATED-CIRCUIT OPERATIONAL AMPLIFIERS, 2nd ed. George B. Rutkowski. Englewood Cliffs, NJ: Prentice-Hall, 1984; 334 pages. 15.5 by 23.8 cm, hardcover, ISBN 0-13-469007-9, \$26.95.

(continued)

64K S100 STATIC RAM

NEW

LOW POWER! RAM OR EPROM!

BLANK PC BOARD WITH DOCUMENTATION \$55

SUPPORT ICs + CAPS \$17.50

FULL SOCKET SET \$14.50

FULLY SUPPORTS THE NEW IEEE 696 S100 STANDARD (AS PROPOSED)

FOR 56K KIT \$185

ASSEMBLED AND TESTED ADD \$50

REQUEST

UPON

COPY

FREE

WARRANTY.

LIMITED

DAY

90

OUR

OF

TERMS

2

SUBJECT

SALES



FEATURES:

Uses new 2K x 8 (TMM 2016 or HM 6116) RAMs. Fully supports IEEE 696 24 BIT Extended

Fully supports IEEE 696 24 BIT Extended Addressing. 64K draws only approximately 500 MA. 200 NS RAMs are standard. (TOSHIBA makes TMM 2016s as fast as 100 NS. FOR YOUR HIGH SPEED APPLICATIONS.) SUPPORTS PHANTOM (BOTH LOWER 32K AND ENTIRE BOARD). 2716 EPROMS may be installed in any of top 48K. Any of the top 8K (E000 H AND ABOVE) may be disabled to provide windows to eliminate any possible conflicts with your system monitor, disk controller, etc.

disk controller, etc.

Perfect for small systems since BOTH RAM and EPROM may co-exist on the same board.

BOARD may be partially populated as 56K.

256K S-100 SOLID STATE DISK SIMULATOR! WE CALL THIS BOARD THE "LIGHT-SPEED-100" BECAUSE IT OFFERS AN ASTOUNDING INCREASE IN YOUR COMPUTER'S PERFORMANCE

WHEN COMPARED TO A MECHANICAL FLOPPY DISK DRIVE. FEATURES:

256K on board, using + 5V 64K DRAMS. Uses new Intel 8203-1 LSI Memory

Controller. Requires only 4 Dip Switch

Requires only 4 Dip Switch
Selectable I/O Ports.
Runs on 8080 or 280 S100 machines.
Up to 8 LS-100 boards can be run
together for 2 Meg. of On Line Solid
State Disk Storage.
Provisions for Battery back-up.
Software to mate the LS-100 to your
CP/M* 2.2 DOS is supplied.
The LS-100 provides an increase in
speed of up to 7 to 10 times on Disk
intensive Software.
Compare our price! You could pay
up to 3 times as much for similar

up to 3 times as much for similar boards

#LS-100

(FULL 256K KIT)

PROGRAM ON DISKETTE) \$6995

BLANK PCB

(WITH CP/M* 2.2

PATCHES AND INSTALL

THE NEW ZRT-80 CRT TERMINAL BOARD!

A LOW COST Z-80 BASED SINGLE BOARD THAT ONLY NEEDS AN ASCII KEYBOARD, POWER SUPPLY, AND VIDEO MONITOR TO MAKE A COMPLETE CRT TERMINAL. USE AS A COMPUTER CONSOLE, OR WITH A MODEM FOR USE WITH ANY OF THE PHONE-LINE COMPUTER SERVICES.

FEATURES:

Uses a Z80A and 6845 CRT Controller for powerful video capabilities.
RS232 at 16 BAUD Rates from 75

to 19.200

24 x 80 standard format (60 Hz). Optional formats from 24 x 80 (50 Hz) to 64 lines x 96 characters

(60 Hz). Higher density formats require up to 3 additional 2K x 8 6116 RAMS. Uses N.S. INS 8250 BAUD Rate


Gen. and USART combo IC. 3 Terminal Emulation Modes which are Dip Switch selectable. These

include the LSI-ADM3A, the Heath H-19, and the Beehive. Composite or Split Video.

Any polarity of video or sync. Inverse Video Capability. Small Size: 6.5 x 9 inches.

Upper & lower case with descenders. 7 x 9 Character Matrix. Requires Par. ASCII keyboard.

WITH 8 IN. SOURCE DISK!



BLANK PCB WITH 2716 CHAR. ROM, 2732 MON. ROM

\$5995

SOURCE DISKETTE - ADD \$10 SET OF 2 CRYSTALS - ADD \$7.50


295 (COMPLETE KIT, 2K VIDEO RAM)

Digital Research Computers

P. O. BOX 461565 • GARLAND, TEXAS 75046 • (214) 271-3538

TERMS: Add \$3.00 postage. We pay balance. Orders under \$15 add 75¢ handling. No C.O.D. We accept Visa and Master-Card. Texas Res. add 5% Tax. Foreign orders (except Canada) add 20% P & H. Orders over \$50 add 85¢ for insurance.

BEFORE YOU BUY CABLE ASSEMBLIES,



CHECK UNDER THE HOOD!

DATA SPECtm cable assemblies are the very best. Each cable is fully shielded to exceed FCC EMI/RFI emission requirements. Furthermore, the unique P.D.T. technique is employed beneath the hood shield for maximum integrity under the most adverse conditions. DATA SPECtm was the first to use the P.D.T. process, and cable assemblies constructed with P.D.T. carry a lifetime warranty. DATA SPECtm has interface cables for all your requirements: Modems, Monitors, Disk Drives, and much more. Insist on DATA SPECtm cables in the bright orange package. Available at better computer dealers everywhere. For more information, call or write:

18215 Parthenia Street, Northridge, CA 91325 (818) 701-5853



A NEW STANDARD IN PROFESSIONAL VOICE QUALITY

The new INTEX-TALKER features unlimited vocabulary, automatic inflection control and has an unmatched pronounciation accuracy. An optional, new 16K vocabulary module and the built-in text-to-phoneme algorithm enable the INTEX-TALKER to pronounce the 5000 most commonly used words with approx. 100 percent accuracy. INTEX-TALKER can speak or spell any ASCII text-including punctuation. Other available options are an 8 K byte user programmable memory and a 2.7 K character buffer for text storage or down loading user programs. Additional features include:

- 64 inflection levels
 (automatic or manual control)
- RS232C and Parallel connectors
 Spelling and phoneme access modes
- Adjustable baud rates (75-9600)
- Adjustable baud rate
 5 octaves of music
- 6502 Microprocessor
- Completely self-contained (requires no overhead)
 Built-in speaker option
- Available at board level (Standard or CMOS version)

For More Information

Write or call us at (313) 540-7601 to order, request our product brochure or to discuss your requirements. Prices start at \$295. (plus shipping)

Intex Micro Systems Corporation 725 S. Adams Rd. - Suite L-8 Birmingham, Michigan 48011

BOOKS RECEIVED

INTRODUCING THE IBM PCJR, Andrew M. Seybold. Indianapolis, IN: Howard W. Sams & Co., 1983; 160 pages, 20 by 23.5 cm, softcover, ISBN 0-672-22317-1, \$12.95.

Introduction to Business Programming & Systems Analysis, Keith Lohmuller. Blue Ridge Summit, PA: Tab Books, 1983; 240 pages, 13 by 21 cm, soft-cover, ISBN 0-8306-1437-0, \$13.50.

THE IOTA PROGRAMMING SYSTEM, R. Nakajima and T. Yuasa, eds. Lecture Notes in Computer Science #160, New York: Springer-Verlag, 1982: 228 pages, 16.5 by 24 cm, softcover, ISBN 0-387-12693-7, \$11.50.

THE JOY OF COMPUTERS, Peter Laurie. Boston, MA: Little, Brown and Company, 1983: 193 pages, 21.5 by 28.5 cm, hardcover, ISBN 0-316-51636-8, \$19.95.

A KID'S MANUAL FOR PROGRAM-MING THE SINCLAIR/TIMEX COM-PUTERS, Ed Hoornaert. Blue Ridge Summit, PA: Tab Books, 1983; 168 pages, 13 by 21 cm, softcover, ISBN 0-8306-0608-4, \$7.25

LEARNING LISP, Gnosis. Englewood Cliffs, NJ: Prentice-Hall, 1984; 208 pages, 17.3 by 23.8 cm, softcover, ISBN 0-13-527839-2, \$29.95.

THE MBASIC HANDBOOK, Walter A. Ettlin and Gregory Solberg. Berkeley. CA: Osborne/McGraw-Hill, 1983; 478 pages, 16.3 by 23.3 cm, softcover, ISBN 0-88134-102-9, S17.95.

MICROCHIP TECHNOLOGY, Charles Kerridge. New York: John Wiley & Sons, 1983; 192 pages, 15.3 by 22.8 cm, softcover, ISBN 0-471-90240-3, \$16.95.

MICROCOMPUTER PROGRAMMING WITH MICROSOFT BASIC, Robert G. Crawford and David T. Barnard. Reston, VA: Reston Publishing Co., 1984; 432 pages, 17.5 by 23.5 cm, softcover, ISBN 0-8359-4356-9, \$15.95.

MICROCOMPUTER SYSTEMS: THE 8086/8088 FAMILY, Yu-cheng Liu and Glenn A. Gibson. Englewood Cliffs, NJ: Prentice-Hall, 1984; 560 pages, 18.5 by 24 cm, ISBN 0-13-580944-4, \$32.95.

MICROCOMPUTING IN AGRICULTURE, James Legacy, Tom Stitt, and Fred Reneau. Reston. VA: Reston Publishing Co., 1984; 272 pages, 18 by 24 cm, hard-cover, ISBN 0-8359-4353-4, \$19.95.

MINICOMPUTERS IN INDUSTRIAL CONTROL, Thomas J. Harrison, ed. Englewood Cliffs, NJ: Prentice-Hall, 1983; 384 pages, 18.5 by 26.3 cm, hardcover, ISBN 0-13-584235-2, \$39.95.

NOTES ON INTRODUCTORY COM-BINATORICS, George Pólya, Robert E. Tarjan, and Donald R. Woods. Boston, MA: Birkhäuser Boston Inc., 1983; 208 pages, 14.5 by 22.8 cm, softcover, ISBN 0-8176-3170-4, \$9.95.

THE OSBORNE/MCGRAW-HILL GUIDE TO YOUR APPLE III, Stanley M. Miastkowski. Berkeley, CA: Osborne/McGraw-Hill, 1983; 288 pages, 16.3 by 23.5 cm, softcover, ISBN 0-88134-101-0, \$17.95.

THE OSBORNE/MCGRAW-HILL HOME COMPUTER SOFTWARE GUIDE, Steve Ditlea. Berkeley, CA: Osborne/McGraw-Hill, 1984; 206 pages, 15.8 by 23.3 cm, softcover, ISBN 0-88134-107-X, \$11.95.

PROBLEM SOLVING WITH BASIC, Donald D. Spencer. New York: Charles Scribner's Sons. 1984; 160 pages, 13.8 by 20.8 cm, softcover, ISBN 0-684-18036-7, \$7.95.

PROGRAMMING IN C. Robert J. Traister. Englewood Cliffs, NJ: Prentice-Hall, 1984; 206 pages, 15.3 by 22.8 cm, softcover, ISBN 0-13-729641-X, \$16.95.

PROGRAMS FOR YOUR TIMEX/ SINCLAIR 1000, Melbourne House. Englewood Cliffs, NJ: Prentice-Hall, 1983; 112 pages, 14 by 20.3 cm, softcover, ISBN 0-13-729780-7, \$5.95.

PROPER BASIC, Brian C. Walsh. New York: John Wiley & Sons, 1983; 416 pages, 15.3 by 23.5 cm, hardcover, ISBN 0-471-90081-8, \$27.95.

REAL MANAGERS USE PERSONAL COMPUTERS!, Dick Heiser. Indianapolis, IN: Que Corp., 1983; 224 pages, 18.5 by 23.5 cm, softcover, ISBN 0-88022-031-7, \$14.95

REINVENTING MAN. THE ROBOT BECOMES REALITY. Igor Aleksander and Piers Burnett. New York: Holt, Rinehart and Winston, 1984; 304 pages, 15.5 by 23.5 cm, hardcover. ISBN 0-03-063857-7, \$17.95. SECURITY, IFIP/SEC '83, V. A. Fak, ed. Amsterdam and New York: North-Holland Publishing Co., 1983; 366 pages, 15.5 by 23 cm, hardcover, ISBN 0-444-86669-8, \$39.

SOFTWARE SOLUTIONS FOR THE IBM PC, Thomas H. Willmott. Englewood Cliffs, NJ: Prentice-Hall, 1983: 240 pages, 17.5 by 24.3 cm, softcover, ISBN 0-13-822387-4, \$14.95.

SPRITE GRAPHICS FOR THE COM-MODORE 64, Sally Greenwood Larsen. Englewood Cliffs, NJ: Micro Text/Prentice-Hall, 1983; 192 pages, 15 by 22.8 cm, softcover, ISBN 0-13-838136-4, S15.95.

TELECOMMUNICATIONS IN THE INFORMATION AGE, Loy A. Singleton. Cambridge, MA: Ballinger Publishing Co., 1984; 256 pages, 15.5 by 23.5 cm, hard-cover, ISBN 0-88410-428-1, \$19.95.

THROUGH THE MICROMAZE,

Wayne Creekmore. Culver City, CA: Ashton Tate, 1984; 64 pages, 21.5 by 25.3 cm, softcover, ISBN 912677-02-3, \$9.95.

THE TI 99/4A USER'S GUIDE, Bill Brewer with Mark Andrews. New York: Macmillan Publishing Co., 1983: 128 pages, 13.5 by 20.8 cm, softcover, ISBN 0-02-008720-9, \$5.95.

TIMEX SINCLAIR 1000/ZX81 USER'S HANDBOOK, Thevor J. Terrell and Robert J. Simpson, Indianapolis, IN: Howard W. Sams & Co., 1983; 160 pages, 13.5 by 21.5 cm, spiral-bound, ISBN 0-672-22012-1, \$5.95.

UNDERSTANDING THE APPLE II, James Fielding Sather. Chatsworth. CA: Quality Software, 1983; 356 pages, 21.5 by 27.5 cm, softcover, ISBN 0-912985-01-1, S22.95.

UNDERSTANDING COMPUTERS, Donald D. Spencer. New York: Charles Scribner's Sons, 1984; 400 pages, 15.3 by 22.8 cm, softcover, ISBN 0-684-18038-3, \$13.95

UNDERSTANDING UNIX. James R. Groff and Paul N. Weinberg. Indianapolis. IN: Oue Corp., 1983; 256 pages, 18.3 by 23.3 cm, softcover, ISBN 0-88022-064-3, \$17.95.

UNLEASH YOUR POCKET COM-PUTER, David P. Sumner, Reston, VA: Reston Publishing Co., 1984; 176 pages, 15.3 by 22.8 cm, softcover, ISBN 0-8359-8072-3, \$14.95.

USING dBASE II, Carl Townsend. Berkeley, CA: Osborne/McGraw-Hill, 1984; 240 pages, 18.5 by 23.3 cm, softcover, ISBN 0-88134-108-8, \$18.95.

USING & PROGRAMMING THE ZX81/TS1000, Albert N. Sickler. Blue Ridge Summit, PA: Tab Books, 1983; 176 pages, 13 by 21 cm, softcover, ISBN 0-8306-0617-3, \$8.25.

VIC 20 EXPOSED, John Vander Reyden. Nashville, TN: Melbourne House Software Inc., 1983; 174 pages, 14 by 20.8 cm, softcover, ISBN 0-86759-123-4, \$14.95.

VISICALC FOR APPLE II, II+, IIe, John S. Craver. Tucson, AZ: HP Books, 1983; 224 pages, 21.5 by 28 cm, 3-ring binder, ISBN 0-89586-274-3, \$14.95.

WHAT COMPUTERS CAN DO, 2nd ed. Donald D. Spencer. New York: Charles Scribner's Sons, 1984; 368 pages, 15.3 by 22.8 cm, softcover, ISBN 0-684-18037-5, \$12.95.

Your First VIC 20 Program, Rodnay Zaks. Berkeley, CA: Sybex, 1983; 208 pages, 17.3 by 27.8 cm, softcover, ISBN 0-89588-129-2, \$9.95.

YOUR PERSONAL COMPUTER CAN MAKE YOU RICH IN STOCKS AND COMMODITIES, Curtis M. Arnold. West Palm Beach, FL: Weiss Research Inc., 1984; 320 pages, 17.5 by 24 cm, hardcover, ISBN 09613048-0-4, \$34.95. ■

Modula-2. Simply Better.

More and more software developers are finding a new language simply better than C or Pascal. They're finding Modula-2, by Niklaus Wirth, the creator of Pascal. For professional programmers, it's simply a better language.

Modula-2. Simple like Pascal (if you know Pascal, you can be writing Modula programs in hours) but with much more power and flexibility. Power to handle any professional application, so there's no need for extensions.

Modula-2. Better than C because it gives you strong typing and superior separate compilation facilities. That means you write cleaner programs, faster.

Only LOGITECH's Modula-2/86 system translates directly into high-speed native code for PC-DOS™, MS-DOS™ and CP/M-86™.

PC-DDS is a TM of IBM, MS-DOS is a TM of Microsoft, CP/M-86 is a TM of Digital Research, VAX/VMS is a TM of Digital Equipment Corp.

No other system speeds your Modula programs along faster than our native code compiler. And our high-level, symbolic debugger ensures your programs arrive in flawless running condition.

Multi-level overlays, 8087 support, ROMable code, and a full library of standard modules make Modula-2/86 the perfect system for every professional application.

We also offer the only VAX/VMS™ resident and cross compiler for the 8086.

For VAX mainframes to PCs, look to LOGITECH's Modula-2 software development systems. For professional programmers, it's simply a better choice.



805 Veterans Blvd., Redwood City, CA 94063 415*365*9852 LOGITECH SA (in Europe), CH*1143 Apples, Switzerland

LOGITECH SA (in Europe), CH+1143 Apples, Switzerland LOGITECH Srl., Corso Nigra 60, 10015 IVREA TO, Italy

PERIPHERALS

Portable 360K-byte Disk Drive for Briefcase Computers

You no longer have to connect your briefcase computer to a desktop micro whenever you want to dump your files to disk because you can do it with the Percom Portable Disk Drive. A 360K-byte floppy-disk drive, the Portable Disk Drive features hardware by Percom Data Company and software by the Portable Computer Support Group.

This mass-storage device is powered by a 12-volt rechargeable battery pack, and it connects to a briefcase computer's RS-232C printer port with a cable. It weighs 3 pounds and measures 2 by 4½ by 8½ inches.

The Percom Interface operating system comes with the drive and resides in an 8K-byte ROM within the drive.

Also provided is Portable DOS, which allows the computer to talk with the drive and provides access to a RAM directory, called RAM Files. From RAM Files you can save any RAM file to disk, delete RAM files, ascertain the size (in bytes) of any RAM file, save files presently in RAM under a single disk filename, and save single files to a previously saved subdirectory.

The Portable Disk Drive sells for \$799, including all software, a connecting cable, an AC adapter/battery charger, and manual. An accessory cable is available for applications requiring simultaneous use of a peripheral through the RS-232C port. For further information, contact Portable Computer Support Group, 11035 Harry Hines Blvd. #207, Dallas, TX 75229, (214) 351-0564.

Commodore 64 Memory Expansion

Leader Electronic Technology Company has announced the availability of an adapter that lets you use Leader's 64K-byte memory expander with the Commodore 64. When used with the Commodore 64, the Model 64KV memory expander and the Model 64KVA adapter combine to partition hexadecimal addresses 8000 through 9FFF into eight separate blocks of 8K-byte locations. Each block is selected by a single POKE instruction. The RAM module plugs directly into the Commodore 64's expansion port.

The Model 64KVA adapter has a suggested list price of \$29.95. The Model 64KV memory module, which can work with the VIC-20, sells for \$109.95. A complete package for the Commodore 64 is available for \$139.95. Full documentation is provided. A memory expander that will provide the Commodore 64 with up to 256K bytes of memory is in development. At press time, the manufacturer anticipates pricing to be in the range of \$140 per 64K-byte module. For details, contact Leader Electronic Technology Co., 7310 Wells Rd., Plain City, OH 43064, (614) 873-4410.

Circle 516 on inquiry card.

Low-Cost Dot-Matrix Printer


The \$259 Fastext-80 dot-matrix impact printer from Smith-Corona runs at 80 cps and produces an 80-character line at 10 cpi (characters per inch). It features emphasized or elongated impressions, bitmapped graphics, and true descenders. It has a full-line buffer and a 96-character ASCII set. The Fastext-80 has six pitches: pica-sized at 10 cpi, elite-sized at 12 cpi, condensed at 16.7 cpi, and enlarged print at 5, 6, or 8.3 cpi. Standard and elongated character matrices are 9 by 8 and 10 by 8 dots. respectively. Horizontal resolution is 60 or 72 dots per inch; vertical is 72 dots per inch.

Fastext-80 uses drop-in ribbon cassettes, which are said to yield 1 million characters before replacement. Among its diverse features are bidirectional printing. Centronics parallel-interface compatibility, friction feed, and a self-test switch.

Available accessories include a removable tractor feed that accepts forms ranging from 3 to 10½ inches wide, a user-installable RS-232C serial interface, and a roll-paper holder. Contact Smith-Corona, 65 Locust Ave., New Canaan, CT 06840, (203) 972-1471.

Circle 512 on inquiry card.

Full-Duplex Modem Priced at Less than \$1000



The Model 224 full-duplex 2400-bps modem from Universal Data Systems has a suggested retail price of less than \$1000. This modem uses the intelligence of a microprocessor to provide you with automatic telephone answering, adaptive equalization, and complete diagnostic capabilities. It operates asynchronously or synchronously over the Public Switched Telephone Network. In its 1200-bps fallback mode, it communicates with any other product that's compatible with AT&T 212 standards.

This modem complies with the international CCITT recommendation for a V.22 bis data modem at 2400 bps. When on the receiving end, the Model 224 automatically detects if the calling modem is compatible with AT&T 212 and adapts its speed and modulation scheme accordingly. Miscellaneous features include front-panel LED indicators and switches.

Universal Data Systems, a unit of the Information Systems
Group of Motorola Corporation, has set the price of the Model 224 modem at \$995. Contact Universal Data Systems, 5000 Bradford Dr., Huntsville, AL 35805, (205) 837-8100.
Circle 511 on inquiry card.

Remote On/Off for PC XT

Tel-A-Switch lets you switch on or off an IBM PC XT over telephone lines. This solid-state, self-contained unit uses the signal generated by Hayes Microcomputer Products' Smartmodem to perform this service. Tel-A-Switch can provide up to 1200 watts of electricity, which is equivalent to the power consumed by three IBM PC XTs.

A lock-on feature is provided.
Once the computer is powered up and operating, this mode prevents power loss due to interruptions that can occur on telephone lines, Tel-A-Switch can

be used without a telephone connection to automatically turn off the PC XT after a task has been executed in the batch mode

A remote software package is available for Tel-A-Switch that supports up to 20 different terminals. The remote software requires a minimum of 64K bytes, one disk drive, and PC-DOS.

Tel-A-Switch alone is priced at \$175. With the remote software package, the suggested price is \$287.50. Contact Texas Technology Co., POB 740694, Dallas, TX 75374, (214) 783-9218. Circle **515** on inquiry card.

NEW SYSTEMS

Three Single-Board Computers Use IAPX 86/186

Three recently introduced single-board computers from Intel use the company's iAPX 186 or iAPX 86 microprocessors. The computers, the iSBC 186/03, iSBC 186/78, and iSBC 86/35, measure 634 by 12 inches and provide a central processor, operating-system functions, peripheral and device interfaces, memory, and industry-standard software. They are based on Intel's 16-bit 8086 and 80186 microprocessors and operate under the iRMX 86 operating system. The iSBC 186/03 costs \$1650, and the iSBC 86/35 is \$3495. Engineering samples of the iSBC 186/78 are \$3000.

The iSBC 186/03 comes with the 6-MHz 80186, eight 28-pin universal memory sites (expandable to twelve), the 80130 iRMX 86 nucleus operating-system component, two iSBX I/O expansion connectors, an iLBX interface for high-speed memory expansion, two serial I/O channels, and a parallel port.

The iSBC 186/78 is a graphics subsystem built on the 80186. In addition to the memory sites and iSBX connectors, it includes Intel's 82720 bit-mapped graphics controller, a dedicated 512by 512- by 4-byte RAM display buffer, and a color lookup table that allows 16 simultaneous colors to be displayed from a palette of 4096. In addition. graphics-software interpreters supporting the NAPLPS standard or the proposed ANSI virtual device interface are offered

Built around the 8086 microprocessor with a 5- or 8-MHz clock rate, the iSBC 86/35 contains 512K bytes of dual-ported RAM (expandable to 1 megabyte), four 28-pin JEDEC sockets for increased memory, and an optional iAPX 8087 numeric coprocessor.

Contact Intel Corp., Literature Dept. C-21, 3065 Bowers Ave., Santa Clara, CA 95051. Circle 520 on inquiry card.

16-Bit IBM-Compatible Computer Kit

The 16-bit HS-151 Desktop Personal Computer from Heathkit is software- and hardwarecompatible with the IBM PC Offered in kit or preassembled versions, the HS-151 comes with 128K bytes of RAM, two RS-232C serial ports, a Centronics-type parallel interface, RGB color output, eightlevel gray-scale monochrome output, four IBM PC-compatible expansion slots, and a detached keyboard. Mass storage is provided by one or two 514-inch IBM-format floppy-disk drives. each with a 360K-byte capacity.

The HS-151 uses Intel's 8088 microprocessor and MS-DOS. Its expansion bus is electrically and physically compatible with most off-the-shelf accessory boards for the IBM. The HS-151's keyboard is a redesigned IBM-compatible device,



offering an enlarged L-shaped Return key and a double-wide Shift key. Three testing procedures help you check out the HS-151's operating condition.

A preassembled version of the HS-151 with a built-in 10.6-megabyte Winchester harddisk drive will be available

soon. The single-drive kit is \$1899, while the dual-drive kit is \$2199. Contact Heath Co., Dept. 349-175, Benton Harbor, MI 49022. In Canada, contact Heath Co., Dept. 3100, 1020 Islington Ave., Toronto, Ontario M8Z 5Z3. Circle 518 on inquiry card.

MPF-III Compatible with IIe Software

The MPF-III microcomputer from Multitech International is distributed in North America by Cyber Videocom of Vancouver, Canada. Designed to be software-compatible with the Apple IIe, the MPF-III can run such programs as Apple Pascal. Logo, WordStar, dBASE II, and Multiplan. It employs the 6502 microprocessor and offers you 64K bytes of RAM and 24K bytes of ROM.

Standard are 80-column text displays, uppercase and lowercase characters, high-resolution graphics with 6 colors, and lowresolution graphics with 16 colors. Monitor and NTSC television connectors and a sound generator are supplied. The MPF-III has interfaces for joysticks, data cassettes, floppy-disk drives, and a printer with Epson and C. Itoh drivers.

The MPF-III has a 90-key

detached keyboard with numeric pad and function keys, including one-key BASIC- and DOS-command entry. For fullscreen editing, dedicated keys for character delete, insert, replace, and copy are provided.

The base price is \$995. Contact Cyber Videocom Inc., POB 35401. Station E. Vancouver. British Columbia V6M 4G5. Canada, (604) 875-1517. Circle 519 on inquiry card.

Computer Offers Low-Cost Office Networking

QSA, a San Diego-based computer manufacturer, offers its Q/Net multiuser, multiprocessor microcomputer as a low-cost alternative to office networking. The company claims that a fiveuser network system would cost \$11,220 including terminals.

Q/Net nodes and resources can be connected in any configuration ranging from 1 to 254 users with 1 to 8 file servers on

the network. System expansion is merely a matter of adding another node to the network. Additional hard disks can be added to multiple file servers. and other peripherals can be supported through O/Net's SASI interface.

The network operating system is TurboDOS, a CP/M-compatible DOS that provides a pathway for CP/M-86 and MS-DOS. Other

software features include interprocessing communications, interfaces to IBM communications protocols (including 3270 and X.25), print spooling, and shared databases.

For details on possible configuration schemes, contact QSA, 7170 Convoy Court, San Diego, CA 92111, (619) 292-1891. Circle 521 on inquiry card.


(continued)

ADD-INS

Bus Interface for PC

The National Instruments GPIB-PC interface card uses the NEC 7210 GPIB controller chip and a programmable-array logic to provide a complete set of GPIB functions with a minimum of circuit elements and only eight I/O (input/output) addresses. Transfer of large data files between the GPIB and the IBM PC's memory is accomplished by a DMA controller at speeds of 300 bytes per second. Subroutines are callable from applications programs in BASIC. 8088 assembly language, Pascal, FORTRAN, SuperSoft FORTRAN, and C. GPIB-PC conforms in height, width, and I/O channel slot dimensions for use with the IBM PC or PC XT. It will work with standard GPIB cables.

A handler, high-level and primitive functions, a configuration program, diagnostic programs, and an interactive control program make up the GPIB-PC's software. The handler program controls the GPIB-PC hardware interface and is designed as a loadable device handler



rather than as a driver. The operating system manages the GPIB as one of its system resources. The handler can control more than one GPIB-PC simultaneously, which lets you place a variety of devices on separate GPIB's to meet special needs.

The GPIB-PC interface card is

\$385. The software handler is \$75. Optional programming languages are \$50, and connecting cables range from \$60 to \$70, depending on length. Contact National Instruments, 12109 Technology Blvd., Austin, TX 78727, (800) 531-5066; in Texas, (512) 250-9119.

Circle **527** on inquiry card.

Multifunction GPIB for IBM Controls Instruments

Ziatech's ZT 1444 IEEE-488 GPIB (General-Purpose Interface Bus) Controller lets engineers and scientists control measurement, instrumentation, and test equipment with their IBM PCs. The ZT 1444 is a short-slot card offering fast data throughput and software drivers callable from assembly language, BASIC, C. Compiled BASIC, FORTRAN. and Pascal. All the drivers feature a time-out ability, which ensures that the system does not hang up if a device fails to respond. The BASIC package includes an interactive verification program that allows you to exercise the GPIB without having to write code.

The ZT 1444 uses Texas Instruments' TMS9914A GPIB controller chip. It transfers data to or from devices at rates approaching 450K bytes per second using direct memory access. Pass control, which permits more than one computer to control the same devices without recabling, is supported.

Its cable-connector backplate is a plated-steel bracket that effectively controls electromagnetic interference emissions from the IBM. It incorporates a machined GPIB connector housing capable of accepting standard stacking GPIB connectors with no loss of seating reliability.

The ZT 1444 costs \$375. The software drivers range from \$45 to \$55. Contact Ziatech Corp., 3433 Roberto Court, San Luis Obispo, CA 93401, (805) 541-0488.

Circle 523 on inquiry card.

Modem Card for PC Uses CMOS Chips

The POPCOM Model C100 from Prentice Corporation is a 1200-bps auto-dial modem card for the IBM PC, PC XT, PC Portable, and IBM-slot-compatible computers. The C100 uses a pair of CMOS (complementary metal-oxide semiconductors) ICs to achieve full-duplex AT&T 212-compatible operation, tone sensing, and voice/data control. This 12.4- by 4.2- by 0.575-inch card uses only one

IBM PC expansion slot and lists for a suggested price of \$445.

Among its technical specifications are full call-progress tone sensing of dial and busy tones, remote ring, and voice. This is implemented by a 20-pole filter, which has a patent-pending switching technique. The card is said to be the first one to be able to sense when the local telephone handset is lifted. With this capability, the C100 can switch between voice and data operations, even during the same telephone call. This function eliminates the need for dedicated telephone lines for data.

Production deliveries of the POPCOM C100 began last month. Contact Prentice Corp., 266 Caspian Dr., POB 3544, Sunnyvale, CA 94088-3544, (408) 734-9810.
Circle **522** on inquiry card.

Hard-Disk Bootloader for IBM PC

A plug-in chip offering hard-disk boot capability for third-party hard-disk drives for the IBM PC, FiXT is manufactured by Golden Bow Systems. FiXT creates a complete BIOS interface between the IBM PC and the hard disk similar to that provided by the IBM PC XT. It allows the operating system to be boot-loaded directly from the fixed disk and permits fixed-disk operations to be performed directly by the operating system.

FiXT plugs into the unused

ROM socket of the IBM Personal Computer. It's a complete replacement for installable device drivers. This chip allows standard PC-DOS disk partitioning and formatting facilities for multiple operating systems.

FiXT is currently available for

Datamac, Davong, Pegasus by Great Lakes, Percom, and Zobex hard-disk drives. The suggested retail price is \$70. Contact Golden Bow Systems, POB 3039, San Diego, CA 92103, (619) 298-9349. Circle **525** on inquiry card.

SOFTWARE · APPLEII

Mini-Database for Apples

Facts Files 2 is a low-cost minidatabase program for the Apple II family from D:Ness Software Company. This \$24.95 program gives you an unlimited number of files, password protection. on-disk instructions, and the ability to design your own record forms. It has an edit feature that lets you quickly update records, and with its sort feature you can organize your records by any field.

Facts Files 2 accommodates up to 400 records in any file and up to 10 different files per floppy disk. Each file's record outline can contain from 2 to 13 fields of data.

Minimum system requirements are 64K bytes of memory and one disk drive. When ordering from the manufacturer, add \$1 for shipping and handling. Contact D:Ness Software Co., POB 5671, Fort Smith, AR 72913. Circle 535 on inquiry card.

DB Master 4 Plus Is Designed for Apples

Stoneware's DB Master 4 Plus information-management system for Apple II series computers has a global editor and a special label printer. Other programming options let you combine data from two or more files with the same format. change the file format without retyping information, recover data from damaged disks, and transfer data between DB Master files and DIF text files.

DM Master 4 Plus comes with a file-converter program that can convert VisiFile and pfs: files to DB Master files. A user's guide, which contains a tutorial and a reference guide, is supplied.

DM Master 4 Plus requires 64K bytes of RAM. The retail price is \$350. Contact Stoneware Inc., 50 Belvedere St., San Rafael, CA 94901, (415) 454-6500. Circle 536 on inquiry card.

Double-Res Package ProDOS-Compatible

ALF Products' HGR6 Double-Res Graphics Package for the Apple Ile is compatible with ProDOS. This program adds a variety of new functions directly to Applesoft: e.g., statements HGR3 through HGR6 work like the familiar HGR and HGR2 statements, but with 16 high-resolution colors and a 560- by 192-dot resolution.

HGR6 gives you the ability to modify existing Applesoft programs so that they can use the additional colors and higher resolution. You can save your double-resolution images to both DOS 3.3 and ProDOS disks

HGR6 is provided with both a DOS 3.3 disk and a ProDOS disk. It requires an extended 80-column card. Owners of the older version of this program can return it to ALF Products for a free replacement. The list price is \$49.95. Contact ALF Products Inc., 1315-F Nelson St., Denver, CO 80215, (303) 234-0871.

Circle 532 on inquiry card.

Word Processor **Features Typing Tutor**

The Write Choice for the Apple Il computers, including the IIc, combines a full-feature word processor with a typing tutorial. The typing lessons come with a high-resolution game and a keyboard tutorial. Twenty-three lessons are dedicated to teaching the Dvorak keyboard, and 24 lessons cover the OWERTY keyboard.

The Write Choice comes with documentation that shows you how to correct grammar and properly format written documents. It also covers punctuation rules and offers tips on composition. The retail price is \$44.95. Contact Roger Wagner Publishing Inc., Suite E, 10761 Woodside Ave., Santee, CA 92071, (619) 562-3221. Circle 533 on inquiry card.

SOFTWARE · APPLE MACINTOSH

Data Manager Uses Mac's Features

The Main Street Filer information-management program takes advantage of the Macintosh's technology by using pulldown menus, dialogue boxes, and mouse commands. All file designs, record retrievals, and reporting functions can be handled with the Mac's mouse.

Main Street Filer's filing system and report generator can handle up to 65,000 records in each user-designed file, with up to 36 fields of 40 characters in each record.

This program uses a B+ Tree index system, which eliminates time-consuming sorting operations. Four indexes for each file can be maintained. Supplied print programs let you prepare customized reports, mail-list reports and labels, envelopes, and Rolodex cards.

The suggested retail price for Main Street Filer is \$249.95. Contact Main Street Software, Suite 304, One Harbor Dr., Sausalito, CA 94965, (800) 824-8757; in California, (415) 332-1274.

Circle 537 on inquiry card.

CAD Program for Civil Engineering

PC CAD, a computer-aided design program for civil engineering and oil and gas mapping, operates on the Macintosh and requires a Hewlett-Packard plotter. It draws subdivision, contour, plan and profile, and surveying maps.


A complete set of coordinate geometry routines for threedimensional computation is supplied with PC CAD. Among the point routines are resection, merge and plot, decimal formats, and assign/reassign. Its intersection routines give you such functions as offset, rightangle, and right-of-way.

The plotting package for HP 7400/7500 series plotters creates automatic tables, contouring, and sheet sizing. Userdefinable and user-selectable options are supplied.

PC CAD is also available for the IBM PC. The suggested list price is \$1450. Contact Houseman & Associates, Allied Cypress Bank Building, POB 474, Cypress, TX 77429, (713) 890-5160.

Circle 541 on inquiry card.

ClickArt for MacPaint and MacWrite



ClickArt gives you more than 100 professionally drawn images that can be used with MacPaint or MacWrite to create invitations, charts, and slides, or for adding a snappy punch to a report. Images include arrows, stars, borders, wine glasses and bottles, city skylines, cartoons, and full-page pictures of classic cars. Albert Einstein, and Boy George

ClickArt illustrations can be modified in any way you choose or surrounded with text. The program is priced at \$49.95. Contact T/Maker Co., 2115 Landings Dr., Mountain View, CA 94043, (415) 962-0195. Circle 538 on inquiry card.

Figure 1: Michelangelo's David at the beach.

(continued)

SOFTWARE . IBM PC

InfoStar+, Powerful DBMS

MicroPro has announced the availability of version 1.6 of InfoStar+, a database-management system. InfoStar+ has a built-in model for transaction processing, a datadictionary utility, and the ability to automatically restructure an existing database.

The transaction-processing model prompts you into identifying the files to be updated and the data within each file to be used. You can access 16 files simultaneously. After receiving your responses, InfoStar+ automatically records current transactions and updates the master file while letting you access additional information derived from the process. Reports can be produced.

The data-dictionary utility lists all fields in the database and their characteristics. A database restructure feature lets you add, delete, and change the order of fields in an existing database without reentering data.

InfoStar + has the ability to customize data-entry requirements down to the character level, and its sorting routine is said to be high speed. It allows up to 255 fields per record, 64,000 records per file, and 255 characters per field, sorting on 32 files, and 9 control breaks.

Additional features include cursor-drawn data-entry forms, a fill-in-the-blank data-entry procedure, a 60-second quickreport feature, and a built-in tutorial. For comprehensive tasks, InfoStar+ supplies menus that guide you through its full custom-report option.

StarBurst, MicroPro's systems integrator, is included in the InfoStar+ package. StarBurst lets you create customized, menudriven systems that make automating routine tasks a matter of a single keystroke. Its interface lets you unite MicroPro and non-MicroPro packages, such as WordStar or Lotus 1-2-3, into InfoStar+.

A minimum of 96K bytes of processor memory is required. InfoStar+ will operate with two 320K-byte floppy-disk drives, but a hard-disk drive is recommended. Available in PC-DOS format, it lists for \$595, with documentation. Updates to early versions can be obtained through MicroPro's Customer Update department, Update prices are \$100 for InfoStar+ 1.0 to 1.6: \$150 for InfoStar 1.0 to 1.6; and \$300 for StarBurst to InfoStar + 1.6. MS-DOS formats for the Tandy 2000. TI Professional, and other computers will be offered later this summer. Contact MicroPro International Corp., 33 San Pablo Ave., San Rafael, CA 94903, (415) 499-1200

Circle 542 on inquiry card.

MAIN HOME I Forms & Data Entry Reports Serving 4 System Building Welp Tree=Cals Nenu-MainMENU Alfor more info

Word III Suitable for Complex Tasks

The Samna Word III word processor is suitable for complex word-processing tasks, such as lengthy proposals and contracts. It provides automatic indexing, section numbering, glossaries, a column mode, and five-function mathematics. It's currently available for the IBM PC, PC XT, and such IBM PC compatibles as the Compaq, Columbia, Colby, and Corona. The list price is \$650.

Word III's automatic indexing feature eliminates the need to manually locate words to be indexed. You merely enter a list of words to be indexed and Word III will locate each occurrence. In the column mode, you can move, copy, insert, and delete columns. The glossary mode enables you to store or retrieve paragraphs and other materials with a single keystroke during document assembly. The five-function mathematics feature eliminates the need to call in a separate program or

module to perform simple calculations.

Other capabilities include user-defined function keys, spelling-error detection and correction, and file support for tree-structured directories and subdirectories under MS-DOS 2.0. Tables of contents with section titles and descriptive information can be easily created.

Word III also provides line drawing, hyphenation, justification, pagination, mail-merge, and multilevel Help messages. Alternate keyboard support, including French, German, Spanish, Canadian bilingual, and Greek/mathematics, facilitates special-purpose applications.

Current users of Samna Word II can upgrade to Word III for \$250. For further details, contact Samna Corp., Suite C-1200, 2700 Northeast Expressway, Atlanta, GA 30345, (404) 321-5006.
Circle 543 on inquiry card.

NAPLPS Videotex Creation Software

A NAPLPS videotex-creation system that runs on the IBM PC and selected compatibles is available from ESC Information Services Ltd. PCS-UVIC lets you wield 16 colors simultaneously. Colors are selected from a palette of 4096. Using its three standard or four user-defined texture masks, you can create additional color effects. You can also adjust the color bar and backdrop to produce basic screen animation.

PCS-UVIC has keyboard, tablet, and mouse interfaces. Transfers among these user interfaces are unrestricted.

An attributed text mode lets you choose fonts, rotate letters, change line direction, define character size, letter-space words, and set line spacing. You can delete anything you've typed by backspacing. Another feature is a user-definable keyboard, which provides single-keystroke commands.

PCS-UVIC is \$500. Contact ESC Information Services Ltd., 381 Irving Rd., Victoria, British Columbia V8S 4A3, Canada, (604) 598-0395.

Circle 546 on inquiry card.

Programming Editor Emulates IBM ISPF

A high-speed programmer's editor by Phaser Systems, SPF/ editor emulates the IBM mainframe ISPF editor. It offers full-screen panels that help speed applications editing and full DOS 2.0 path support, which allows you to edit files in any directory as well as execute from any path directory.

Both EBCDIC and ASCII hexadecimal commands are provided with SPF/editor.

The introductory price for SPF/editor is \$100. For more information, contact Phaser Systems Inc., 24 California St., San Francisco, CA 94111, (415) 434-3990.

Circle 547 on inquiry card.

SOFTWARE - IBM PCIT

Accounting Application Uses One Drive

PCWare gives a small business complete accounting and invoicing functions for processing as many as 250 customers yielding 300 invoices a month, yet it requires only one IBM PCjr disk drive. This package contains full accounts-receivable, accounts-payable, general-ledger, and invoicing applications.

PCWare will handle 150 suppliers generating up to 400 checks a month and up to 200 general-ledger accounts with as many as 500 monthly postings. In addition, its detailed invoice function accommodates all current taxation rules.

PCWare costs \$795. Contact Private Label Software Ltd., 93 Queen St. S, Mississauga, Ontario L5M 1K7, Canada, (416) 826-5510; in Canada, (800) 387-8202.

Circle 548 on inquiry card.

Jr Can Paint Color Graphics

Graph Power Jr from Monument Computer Service lets you draw and paint business-quality graphics on your 128K-byte IBM PCJr. Figures can be drawn and painted with any of IBM's standard palette colors; palettes are modifiable under user control. You can draw images and use various graphics-screen pages for animation. A number of predrawn shapes are included.

You can dump Graph Power Jr images to an IBM Graphics Printer and other dot-matrix or daisy-wheel printers. This package will also work on the IBM PC and PC XT. A single floppy-disk drive and a color monitor are required. The list price is \$90. Contact Monument Computer Service, Village Data Center, POB 603, Joshua Tree, CA 92252, (619) 365-6668. Circle 549 on inquiry card.

Color-Coded Commands Ease Word Processing



WordPlus-Ir from Professional Software uses a color-coded command system that helps make word processing on the IBM PCir a breeze. More than 100 features are contained in this program, including onscreen display of the final output, text and column moves, built-in mail-merge facility. horizontal scrolling, three-line headers and footers, automatic pagination, a numeric mode, global search and replace, freefloating cursor movement, and six levels of on-screen help.

WordPlus-Jr will create lists of variable information, print personalized letters, and merge data into a document using user-defined templates for preprinted forms. It can read print files generated by many popular spreadsheet programs as well as records from most mailing-list and database programs. Simultaneous foreground and background operations with full disk access are also supported.

A complete end-user tutorial and reference/learning guide are supplied with WordPlus-Jr. Customer support is available by means of a toll-free telephone number. The suggested retail price for WordPlus-Jr is \$149.95. Contact Professional Software Inc., 51 Fremont St., Needham, MA 02194, (617) 444-5224

Circle 550 on inquiry card.

Practical Pascal Runs on PCjr

Practical Pascal is available for the IBM PCjr. This complete programming kit consists of the p-System operating system, a UCSD Pascal compiler, a fullscreen editor, a file handler, turtle graphics, extended memory capability, RAM disk, and a print utility for formatting letters and labels.

Its documentation is geared toward individuals new to Pascal and includes an implementation guide and the book *UCSD*

Pascal: A Considerate Approach, by David Price.

A variety of optional software to expand the capabilities of the system can be obtained. Practical Pascal is priced at \$295. Contact Network Consulting Inc., Suite 110, Discovery Park, 3700 Gilmore Way, Burnaby, British Columbia V5G 4M1, Canada, (604) 430-3466 (sales) or (604) 430-6448 (administration/technical). Circle 552 on inquiry card.

SOFTWARE . TANDY / RADIO SHACK

Statistical Package and Data Manager

STATS, a statistical package and data-management system for the Radio Shack TRS-80, runs under DOSPlus. It supplies you with a data-management system with general transformation and subset selection, high-quality graphic outputs, step-wise regression analysis, normality and outlier tests, and an ASCII text editor for data entry. All of

STATS's routines are in machine language, but to handle large data sets, it stores data on disk in binary code.

The ASCII text editor is fully compatible with Microsoft's FORTRAN and BASIC compilers. You can incorporate your own FORTRAN or BASIC module into STATS. With the supplied FORTRAN interface, you can

tailor the software to your needs.

The graphics-output print driver keeps your Epson or Gemini printer operating continuously; the software selects the appropriate format for data listings, plot scales, and analysis. All intermediate results are saved in ASCII files. The final output can be polished either

with a program or with a text editor.

STATS is priced at \$99.95. When ordering, specify the model numbers of your computer and printer. Contact Summers Statistical Software, 121 South 1225 E, Bountiful, UT 84010.

Circle 554 on inquiry card.

(continued)

PUBLICATIONS

Directory Lists Interface Cables

SPAG, Standard Products
Applications Guide, is a comprehensive directory of interface cables for more than 4600 current computer applications. This hard-bound, three-ring book offered by Milford Null Modem lists all major microcomputers alphabetically by manufacturer and model number, sublists potential peripheral applications, and indicates the specific cable required for the interface.

Subscribers to SPAG receive updates all year. A hot-line for technical assistance is supported. Subscriptions are \$50. Contact Milford Null Modem, Phoenixville Pike and Charlestown Rd., Malvern, PA 19355, (215) 296-8467.

Circle 555 on inquiry card.

Health Software Described in Catalog

A catalog describing physical and mental health programs is available from CTRL Health Software. The catalog contains diet/nutrition, exercise/aerobics, self-improvement, health education, psychology, and game packages for Apple, Atari, Commodore, IBM PC, and Radio Shack TRS-80 computers. The price for each program is listed. and all the programs are available by mail order. Contact CTRL Health Software, 18653 Ventura Blvd. #348, Tarzana, CA 91356, (818) 788-0888. Circle 558 on inquiry card.

Computer-Science Publications Brochure

New Publications in Computer Science, Technology and Applications 1983 from North-Holland has details on 59 books and 2 new journals covering computer science, technology, and applications. Titles cover a wide range of subjects, including software technology, data communications, graphics, system design, automated manufacturing, robotics, and electronics.

This 128-page brochure is free of charge. Contact North-Holland, Elsevier Science Publishing Co. Inc., POB 1663, Grand Central Station, New York, NY 10163. In Europe, contact North-Holland, POB 1991, 1000 BZ Amsterdam, The Netherlands, Attn: Mr. J. Dirkmaat.

Circle 559 on inquiry card.

Tool and Instrument Catalog

Contact East's free 1984 Electronic Tool and Test Instrument Catalog features more than 5000 technical products for assembling, testing, and repairing electronic equipment. Products covered include precision hand tools, test instruments, tool kits, soldering supplies, and staticcontrol products. Photographs. detailed descriptions, and pricing information support each product. Write or call Contact East Inc., 7 Cypress Dr., POB 160, Burlington, MA 01803, (617) 272-5051.

Circle 561 on inquiry card.

Directory Lists RCA Replacements for Industry Devices

A Cross-Reference Directory from RCA Solid State outlines RCA replacements for more than 5500 integrated circuits and power devices. Parts are arranged alphabetically, which provides a quick reference to industry types that correspond to RCA devices. Types of devices included are linear integrated circuits, CMOS logic integrated circuits, CMOS microprocessors, power transistors, CMOS memories, power MOSFETs, CMOS peripherals, SCRs, triacs, and ultra-fast recovery rectifiers.

This 36-page publication is free. Request catalog CRG-100B. Contact RCA Solid State Division, Route 202, Somerville, NJ 08876, (800) 526-2177.

Solid-State Processing and Production Guide

The '84 Solid State Processing & Production Worldwide Buyer's Guide & Directory is a sourcebook of materials, equipment, and industry services used by manufacturers of solid-state-related products, devices, and circuits. This 460-page softcover book lists more than 2000 companies and 20,000 products. More than 2200 product/services categories and over 3500 cross-references are included. The guide is divided into 60 major categories.

The '84 Solid State Processing & Production Buyer's Guide is \$50. Contact Technical Publishing, 875 Third Ave., New York, NY 10022, (212) 605-9400. Circle **556** on inquiry card.

International Videoand Optical-Disk Iournal

Memoires Optiques is an Englishlanguage, European-based journal devoted to the videodisc and digital optical disk industry. Translated from French each month, Memoires Optiques covers international news, developments, and current applications relating to videodisc and digital optical disk technologies. Each issue is illustrated with drawings and photographs.

Single issues of Memoires Optiques cost 150 French francs. Air-mail delivery subscriptions are 1500 francs. For more information, contact Memoires Optiques, ARCA Editions, 97, rue Mme Molé, 5600 Vannes, France. Circle **560** on inquiry card.

Data Sheet Details Compliant Pin

A data sheet describing Interconics Compliant Pin is available. The Compliant Pin is designed for use in printed wiring backplanes and other printed-circuit boards requiring replaceable pins with provisions for wire wrap and adaptability to a two-piece daughter-card connector. It's suitable for applications using sophisticated multilayer backplanes that cannot tolerate damage to the plated through holes. The data sheet describes the pin, its applications, performance, and availability. Photographs and diagrams of the pin in use are provided. Contact Interconics. 610 Bremer Tower, Saint Paul, MN 55101, (612) 228-6590. Circle 562 on inquiry card.

DEC-Compatible Products Listed


Monosson's DEC*-Compatible Product Directory lists products and services for the DEC market. It includes hardware, software, third-party maintenance, and publications. Lists of equipment-leasing concerns and vendors are supplied. This directory is published quarterly. Single copies are \$25. Contact Monosson's DEC*-Compatible Product Directory, POB 71, Kenmore Station, Boston, MA 02215.

Circle 557 on inquiry card.

WHERE DO NEW PRODUCT ITEMS COME FROM?

The new products listed in this section of BYTE are culled from the thousands of press releases, letters, and telephone calls we receive each month from manufacturers and distributors. The basic criteria for selection for publication are a) does a product match our readers interests, and b) is it new or simply a "reintroduction" of an old item. If you want your product to be considered for publication (at no charge), send full information about it, including its price and an address and telephone number where a reader can get more information. Send this to the New Products Editor, BYTE, POB 372, Hancock, NH 03449.

Unlock the Power of your IBM PC with MNRS II



If you're like most of us, you bought your IBM PC/XT to perform a few simple functions. But with the right software, the PC can do much more.

Mainframe-quality solutions for your PC

With MDBS III and your PC, you can build mainframe-quality application systems. Integrated accounting systems. Order entry. MRP. Job costing. Library management. Banking. Logistics. To name a few.

MDBS III is the most advanced data base management system running under PCDOS, MSDOS, CP/M-86 and MP/M-86. In fact, many have said it's the only authentic DBMS available on 8 and 16 bit microcomputers. MDBS III provides many facilities otherwise available only on mainframe DBMSs.

MDBS III allows application developers to define data base structures in the most natural and logical way, without resorting to redundancy to describe data relationships. Its truly innovative data structuring capabilities surpass but also accommodate the older relational, hierarchical and CODASYL-network architectures. That means power for your PC and flexibility for you.

How to get the most from your PC

Get MDBS III and get more of what

you need to get the results you demand:

- Post-relational, extended network modeling of real-world data relationships for truly integrated application systems
- English-like non-procedural query language for spur of the moment questions
- Report generator for quickly specifying customized reports
- Automatic guarantees of data and relationship integrity
- Recovery and restart capabilities for physical data protection
- Active and passive locking down to the record level, supporting up to 127 simultaneous users
- Redundancy and chaining eliminated, plus full data compression for optimum efficiency
- Data independence for easy maintenance
- Compatibility with all major programming languages for flexibility and convenience
- Encryption and access protection down to the field level for unparalleled data security
- Fine-tuning features for optimizing performance
- Compatibility with SCREEN MASTER, the PC's most comprehensive screen management system
- Interface to Knowledge Man, the first system to integrate third generation spreadsheet and relational data management

So if you want to improve your productivity and your PC's capabilities, get MDBS III.

For further information, Contact:

DENMARK: ISE-DATEMA A/S PHONE: (45) 1 22 66 11 TELEX: (855) 16067 DATEMA DK

FINLAND: ISE-TIETOTEHDAS PHONE: (358) 0 177 633 TELEX: (857) 125679 ISEH SF FRANCE: ISE-CEGOS PHONE: (33) 1 620,61.28 TELEX: (842) CGOSIDE 201537 F

NORWAY: ISE-DATEMA PHONE: (47) 2 229410 TELEX: (856) 72840 DNAS N

SWEDEN: ISE-DATEMA PHONE: (46) 8 83 4020 TELEX: (854) 15088 DATEMA US SWITZERLAND: ISE-ADV/ORGA PHONE: (41) 41 23 02 72 TELEX: (845) 862775 IASO CH

UK/EIRE: TAMSYS, LTD. PHONE: (44) 07535 56747 TELEX: 849462 TELFAC G

W. GERMANY: ISE-ADV/ORGA PHONE: (49) 89 129 2071/2/3/4 TELEX: (841) 5213454 ADV D



ELSEWHERE: ISE-INTERNATIONAL P. O. Box 600 Lafayette, IN 47902 USA PHONE: (317) 463-4561

MDBS III, KnowledgeMan and SCREEN MASTER are trademarks of Micro Data Base Systems, Inc.; PCDOS and PC/XT are trademarks of IBM; MSDOS is a trademark of MICROSOFT; CP/M-86 and MP/M-86 are trademarks of Digital Research.

TELEX: 209147 ISE UR



Exporting Services

We Are Buyer's Agent for Overseas Dealers and Distributors

- Lowest prices, immediate quotations, prompt delivery.
- □ Access to all major hardware and software manufacturers.
- All professional services provided:
 Licensing, Export Documentation, and
 Follow-through.

24-Hour Response as Close as Your Telex

TELEX 470851

American Buying and Export Services 1036 Country Club Drive, Moraga, CA 94556 (415) 376-7600

NEED A BREAK? Come on down to Apple Country!

We make it our business to offer ROCK BOTTOM PRICES on quality computers and programs. We invite you to join our high volume of satisfied users.

CHECK US OUT TODAY—CALL 1-800-222-2602

MONITORS	N. C.	PRINTERS	
MONITORS AMDEK COLOR I PLUS AMDEK COLOR IV AMDEK VIDEO 300 (GREEN) AMDEK COLOR IV AMDEK VIDEO 300 (GREEN) AMDEK VIDEO 300 (GREEN) AMDEK VIDEO 300 (AMBER) AMDEK VIDEO 310 (AMBER) BMC 13" COLOR BMC 13" RGB AP2 COLOR COMREX 12" HI-RES AMBER COMREX 12" HI-RES AMBER COMREX 12" HI-RES GREEN COMREX 13" RGB COLOR GORILLA 12" AMBER GORILLA 12" AMBER GORILLA 12" GREEN NEC 12" LO-RES COLOR NEC 12" LO-RES COLOR NEC 12" AMBER SCREN NEC 12" COLOR - IBM NEC 12" COLOR - IBM PRINCETON GRAPHICS HX-12 SAKATA 13" RGB COLOR SAKATA 31" RGB COLOR SAKATA 12" GREEN SANYO CTR-70 HIRES COLOR TAXAN 12" GREEN TAXAN 12" GREEN TAXAN 12" GREEN SANYO CTR-70 HIRES COLOR TAXAN 12" GREEN SANYO CTR-70 HIRES COLOR TAXAN 12" GREEN SANYO TR-70 HIRES COLOR TAXAN 12" GREEN SANYO TR-70 HIRES SOLOR SENTH 12" GREEN SANYO TR-70 HIRES COLOR SAKATA SUPER RGB SANYO TR-70 HIRES COLOR SAKATA 12" GREEN SANYO TR-70 HIRES COLOR SAKATA 11 (RS-232) NCHOR SAKATA 11 (RS-232) NCHOR SANATA 11 (RS-232)	309 95 3454 95	ANADEX DP-9501B ANADEX DP-9625B ANADEX DP-9625B ANADEX DP-9620B ANADEX DP-9620B ANADEX WP-6000 ANADEX DP-6500TR 500CPS ANADEX 9725B COLOR C.ITCH 2000 ANADEX SPECIAL STATES C.ITCH 8510SP C.ITCH 8510S C.ITCH 8510S C.ITCH 8510S C.ITCH 8510S C.ITCH 8510S C.I	1099 .91 11799 .91 11799 .91 22599 .91 1394 .91 569 .91 499 .91 579 .91 1129 .91 1129 .91 1129 .91 1129 .91 1129 .91 1189 .91 284 .91 285 .91 286 .91
MODEMS	20122	PANASONIC P1090 PANASONIC P1091	334.95 394.95
ANCHOR MARK I (RS-232) ANCHOR MARK II (RATARI) ANCHOR MARK VII (RS-232) ANCHOR MARK XII (RS-232) ANCHOR WARK XII (RS-232) ANCHOR VOLKSMODEM NOVATION J-CAT NOVATION 212 AUTO CAT RIXON R212A 1200 BAUD SMARTCAT 103/212 SMARTCAT 103 SMARTMODEM 300 BAUD SMARTMODEM 1200 BAUD SMARTMODEM 1200 B- IBM US KOBOTICS AUTODIAL 212 US KOBOTICS PASSWORD DISKETTES SS/SD ELEPHANT 16.95 OPU	84.95 84.95 119.95 289.95 64.95 119.95 624.95 624.95 429.95 199.95 419.95 419.95 499.95 379.95	PRINTMASTER (DAISY) PROWRITER I (1550P) PROWRITER II (1550P) PROWRITER II (1550P) PROWRITER II (1550P) PROWRITER II (1550P) PROWRITER DAISY WHEEL STAR POWER-TYPE DAISY STARWRITER DAISY WHEEL TOSHIBA P-1351 LY TRANSTAR 130P 18CPS TRANSTAR 120P 14CPS TRANSTAR 130P 18CPS TRANSTAR 140P 40CPS MICKOBUFFER(EPSON RS232) GRAPILET (AAD (APPLE) GRAPPLER + (APPLE) MICKOBUFFERI 16K(APPLE) MICKOBUFFERI 16K(APPLE) WIZARD BPO 16K (APPLE) WIZARD SDB 16K (APPLE)	1439.91 354.91 1439.91 1439.91 1139.91 11719.91 464.91 129.91 129.91 119.91 139.91 139.91
DS/DD ELEPHANT 19.95 OPU	S 20.95 S 26.95	OTHER PRINTERS AVAIL	ABLE

COMPUTERS

	IIe STARTER SYSTEM	
APPLE	MACINTOSH COMPUTER	LOWI
ATARI	600XL COMPUTER	199.9
ATARI	800XL COMPUTER	309.9
ATARI	850 INTERFACE	199.95
ATARI	1027 PRINTER	289.95
COMMOD	OORE 64 COMPUTER	LOW!
	ORE 1541 DISK DRIV	
EAGLE	PC PLUS-2 SYSTEM	
-	128K, 2-DS/DD DRIV	
MONI	TOR, EAGLEWRITER,	
	EAGLECALC, & CP/M-	
		2559.95
PROTE	CDTDTM-VI.	3050 01

AGLE SPIRIT-KL 3959.95
PORTABLE 128K EXPANDABLE TO
640K ON BOARD, 1 320K FLOPPY,
10 MEGABYTE HARD DISK, 1BM
COMPATABLE KEYBOARD, 2 SERIAL
1 PARALLEL PORT, MS-DOS 2.0,
MONOCHROME MONITOR, CP/M 86 NEC APC-H01 2239.95
NEC APC-H02 2799.95
NEC 8201 COMPUTER 649.95
SANYO 550-1 1SS/DD DRIVE 819.95
SANYO 555-1 2SS/DD DRIVE 1124.95
SANYO 555-2 2DS/DD DRIVE 999.95
SANYO 555-2 DS/DD DRIVE 1429.95

ZENITH IBM COMPATABLE ZENITH W/10 MEG DSK

WILDCAT STARTER SYSTEM 1329.95
APPLE II COMPATABLE SYSTEM
64K, DETACHABLE KEYBOARD,
2 APPLE COMPATABLE DISK DRIVES,
HI-RES 12" AMBER MONITOR,
RBG & COMPOSITE COLOR OUTPUT,
2 CPU'S (Z-80 A & 6502),
80-COLUMN CARD & JOYSTICK

TAVA PC -IBM COMMATIBLE 1999.95 128K-RAM, 2 SERIAL PORTS, 1 PARALLEL PORT, 2 DS/DD DRIVES, COLOR GRAPHICS CARD, & MORE.

WALNUT PC - IBM PC COMPATIBLE SPECIAL \$1799.95 128K RAM, 2 DS/DD DRIVES, SERIAL, PARALLEL, COLOR CARD & SOFTWARE.

TO TECHNOLOGIES. INC. SMART CABLES

INSTANT RS-232 CONNECTIONS

#817 (WORKHORSE) 79.95 #821 DIAGNOSTIC FEATURES 164.95

ONE CABLE FITS ALL *

APPLE HARDWARE & SOFTWARE

4TH DIMENSION DRIVE-ONLY	199.95
4TH DIMENSION DRIVE+CTRL	299.95
ALS CP/M CARD	299.95
APPLE-CAT II MODEM	284.95
BANK STREET WRITER	49.95
BUFFERED GRAPPLER+	199.95
d-BASE II (REO Z-80)	499.95
HAYES MICROMODEM IIe	234.95
MACH II JOYSTICK IIe	34.95
MACH III JOYSTICK IIe	41.95
MASTERTYPE	29.95
MICROBUFFER II+ 16K (P)	199.95
PFS:FILE	89.95
PKASO/U PRINTER I/F	139.95
PREMIUM SOFTCARD IIe	384.95
OUADRAM 64K80COL CRD IIe	
VIDEX VIDEOTERM W/SFTSW	239.95
	294.95
VIDEX ULTRATERM	294.95

HERCULES GRAPHICS CAR KOALA PAD TOUCH TABLE KRAFT JOYSTICK MICROPRO PRO PACK MICROSOFT SYSTEMCRD 20 MICROSOFT MOUSE MUSE SYSTEMS PC MOUS OUADCHROME MONITOR	119.95 49.95 419.95 256K 479.95 139.95
QUADLINK APPLE EMULAT QUADRAM QUADEOARD I 6 QUADRAM QUADCOLOR I RANA DS/DD DISK DRIVE STB SUPER I/O MULTIFU TG JOYSTICK W/TOGGLE TRANSEND P.C. MODEM 1 VERSAWRITER GRAPH TAN WIZARD SPOOLER P/S 16	FOR 519.95 54K 299.95 229.95 274.95 INCT 184.95 44.95 1200 439.95 BLET 249.95

COMMODORE 64

COMMODORE 04	
CARDBOARD/5 5 SLOT EXPAN- CARD? GRAPHICS INTERFACE DATA20 Z-80 VIDEOPAK	69.95
DELPHI'S ORACLE DATA BASE DISKEY	34.95
DONKEY KONG EASY SCRIPT64	34.95
EASY SCRIPT64 EASY SPELL 64 FLIGHT SIMULATOR II HOME ACCOUNTANT HOMEWORD WORD PROCESSOR	34.95
HOME ACCOUNTANT HOMEWORD WORD PROCESSOR	54.95
JOUST KOALA PAD TOUCH TABLET	35.95 79.95
MERLIN 64 ASSEMBLER MSD-SD1 DISK DRIVE MULTIPLAN OMNI-CALC	35.95
MULTIPLAN OMNI-CALC	74.95
PAPER CLIP W/P PAC-MAN POPEYE ROBOTRON S.A.M.	64.95
POPEYE ROBOTRON	39.95
S.A.M. SARGON II	44.95
VOICE BOX	84.95

We will try to meet or beat any advertised price! ... WE CAN HELP 1-800-222-2602

For technical assistance, order status and California calls (619) 765-0239 Apple Country, Ltd., P.O. Box 1099, 2602 Washington St., Julian, Calif. 92036

We accept AmEx. Prices reflect 2% discount for VISA/MC cash & check (2 weeks to clear). S&H in continental US 5%(\$5 min) Monitors \$10 min. APO/FPO & others call. Calif add 6% tax. P.O. must include check. No COD. All orders prepaid. All items are new with Mfgr's warranty. Prices, products & terms subject to change without notice. All sales final. Returns require RMA#. No returns on software. Volume discounts available

Apple Country, Ltd. is a DISCOUNT MAIL ORDER HOUSE for the micro computer industry and is a California corporation not affiliated with Apple Computer Inc. Apple is a trademark of Apple Computer Inc.

Savings\$

DO IT YOURSELF! An IBM® PC/XT Compatible

To start, you need a high-quality Switching Power Supply and a heavy duty Mainframe to cabinet your Cpu Board, Power Supply, Cards, Drives, etc.



\$179.00/ea. 130 WATT.

- #HSC 130-40 +5V/15A, +12V/4.2A, -12V/0.25A, -5V/0.3A
 - •Built-in Fan
 - •Power Switch
 - •Cables w/Connectors for Cpu Board and 4 Disk Drives
- Switching Power Supply •2 Switched AC Outlets for Printer & Monitor
 - One Full Year Warranty



Cabinet only

\$99.00/ea.

·Heavy duty welded steel

•2 Full or 4 Half Height Disk Drives allowed

•IBM® Look-alike

64K D-RAM 150ns-200ns \$49.00/9 pcs.

765AC 8272A 8275 8237A-5 8284A

> TMS 9980 \$19.00/ea

DEALER & OEM's INQUIRY INVITED



DATA

EPSON

BANANA

OKIDATA

TOSHIBA

GEMINI

DIABLO

DEC

M.T.

NEC

DYNAX

COMREX

C.ITOH

DIABLO

QUME

JUKI

STAR

HAYES

NOVATION

PRODUCT

PRINTERS

MICROPRISM 110 cps, 84 × 84, graphic. . 379

PRISM 132 200 cps, 132 col.....1,100

Letter Quality 2050 20 cps for IBM

FX-80, FX-100, RX-80, RX-100CALL

50 cps......195

Full Line CALL

192 cps 24-wire 1,450

LA50 599

P38 400 cps, 132 col...1,795

Spirit 80 cps......345

3550 35 cps for IBM . . . 1,610

7710 55 cps for serial . . . 1,750

HR25 23 cps parallel 735

DX15 13 cps parallel 445

Comwriter III 740

F-10 40 cps Excellent 999

A-10 18 cps..........530

630 API w/interface . . . 1,735

Power Type 18 cps.....379

Smartmodem 300/1200 bps 499 Micromodem II w/software . . 270

Smartmodem 300/1200 bps 415 PC Cat 300/1200 bps.....450

Password 300/1200 339

MODEMS

Anchor Automation, Anderson Jacobson

Lexicon, Multi-Tech, Racal Vadic, Ventel

ZENITH ZT-1, ZT-11 with modem Call

P11 100 cps, 80 col.....

8000 series ...

FORTRON CORP.

4447 ENTERPRISE ST. FREMONT, CA 94538

488

Dealer & OEM 415-490-8403 415-490-8171

176632

800-821-9771

Personal check requires 2 weeks clearance before shipping. 6.5% sales TAX required for CA. residents.

Terms: Shipping immediately from stock usually, or within 4 weeks if run out of inventory. Minimum \$5.00 shipping + handling.

Our specialty: 68000, DEC, graphic, database, communication, export *Hablamos Español

Come visit us in our New York City Showroom COMPUTER-Whichever's right for you!

Columbia, Corona, Cromemco, DEC Rainbow, Eagle, Leading Edge, NEC APC, Sanyo, Televideo *ZENITH **EPSON OX-10**

(for local and corporate customer) Altos, Northstar, OSM, TAVA

PORTABLE ON-THE-GO Columbia, Corona, Eagle, Epson, NEC PC 8021, Televideo, Zenith

AST, PERSYST, PLANTRONIC TECMAR, QUADRAM, HERCULES

POWERFUL 68000 CPU

Cromemco 68000/Z80 CPU option Fast Floating Point Processor DUAL 68000 CPU, 80MB SMD hard disk, intelligent I/O, UNIX, Database WICAT 1 to 12 users, 68000 CPU, 256K to 4.5MB RAM, 10MB to 474MB hard disk, graphic

DEC V	T-100 Compatible Terminals
DEC	VT100AA 1,600
	VT220A 1,050
QUME	103780
Visual	102 14"
(option)	graphic 695
WYSE	75 675
ZENITH	Z-49 CALL

	PLOTTERS/DIGITIZERS
HOUSTON	INSTRUMENT DMP 29 1,795
	DMP 40
	DMP 41, DMP 42 CALL
	HIPAD digitizer725
AMDEK	XY plotter 1 pen620
	6 pens895
M.T.	PIXY-3 3 pens 650
HEWLETT	PACKARD Plotters
	7470A 2 pens940
	7475A 6 pens1,640
SWEET-P	100 w/support pack 625
	tizerCALL

TI	ERMINALS/MONITORS
ZENITH	Z-29 smart terminal BEST PRICE
ZVM 135	RGB color/green monitor 475
ZVM 123	green monitor87
ZVM 124	22 MHZ, for IBM 169
Amber Mon	itor: Comrex, Panasonic, Zenith
PRINCETON	Graphic Monitor
	HX-12 490
	SR-12 630
HAZELTINE	Esprit II 540
	Esprit III625
	Esprit 6310599
WYSE	50 14" 80/132559
VISUAL	55 12"
QUME	102548

Prices subject to change. American Express, Visa/Mastercard add 3%. F.O.B. point of shipment. 20% restocking fee for returned merchandias. Personal checks take 3 weeks to clear. COD on certified check only. N.Y. residents add sales tax. Manufacturers' warranty only. International customers, please confirm price before order. Accept P.O. from Fortune 500, schools and gov't.

Computer Channel 21-55 44th Road Long Island City, NY 11101 For information CALL (212) 937-6363 To order CALL 1-800-331-3343



S-100 ESTABLISHED 1977 SALES 800 - 528-3138 TECHNICAL 602-991-7870 MODEM ORDERS 602-948-1387 TELEX: 16 5025 FTCC SEC PHX.

OmpuPro_®

SYSTEM 816/A A&T	84,299
SYSTEM 816/B A&T	\$4,999
SYSTEM 816/C* A&T	\$6,399
SYSTEM 816/D* A&T (8086)	\$9,299
SYSTEM 816/E* A&T (68000)	\$7,099
The state of the s	

100 HOUR SYSTEM "BURN IN"
*XEROX ON-SITE SERVICE WHERE AVAILABLE

CPU Z 6MHz A&T	\$229
CPU 8085/88 A&T	\$349
CPU 8086 10MHz A&T	\$569
CPU 68K 10MHz CSC	\$600
RAM 17 64K STATIC A&T	\$349
RAM 16 64K STATIC 8&16 A&T	\$389
RAM 22 256K STATIC 8&16 A&T	\$1,229
M-DRIVE/H 512K RAM-DISK	\$895
INTERFACER 3-8 SERIAL A&T	\$489
INTERFACER 4-3 SERIAL/2 PARALLEL	\$319
SYSTEM SUPPORT 1 A&T	\$319
DISK 1 A&T	\$349
DISK 2 A&T 8" H.D. CNTRL	\$559
DISK 3 54" H.D. CNTRL W/CP/M80 & 86	\$559

MORROW I

DJ/DMA 5¼" & 8" S-100 FLPY CNTRL	\$556
MD2 SYSTEM W/MDT60 TERMINAL	
AND TALLY "SPIRIT" PRINTER	\$1,699
MD3 AS EQUIP. ABOVE W/PEARL DBMS	\$1,999
MD-3E AS EQUIP. ABOVE WITH ONLY	
CPM 2.2, NEW WORD CO-PILOT	\$1,499
MD3-MDCP88-256 AS EQUIP. ABOVE W/	
8088 CO-PROC. & 256K RAM UPGRD.	\$2,498
MDP-3 PORT. SAME AS MD3 EXCEPT 5X7	**
SCRN. & INCLD. TALLY "SPIRIT"	\$1,899
MD11 SYSTEM W/11 Mb H.D., CP/M 3.0,	
128 RAM, MDT60 TERMINAL, EPSON	
RX80FT PRT.	\$2,995
MD-16 SAME AS MDII W/ 16.44Mb	\$3,495
MD-34 SAME AS MDII W/34Mb	\$4,995



 CPZ 48006 6MHz MASTER
 \$739

 256KMB MEMORY BOARD
 \$709

 CPS-MX 64K RAM SLAVE 6MHz
 \$389

 CPS-BMX 128K RAM SLAVE 6MHz
 \$529



SUPER SIX/128-6 MHz	\$575
SUPER SLAVE/128-6 MHz	\$519
CP/M 3.0	\$350
TURBODOS MULTI-USER W/SPOOLER	\$595
DMA-MICROMAGNUM 5Mb WINCHEST	ER
FIXED & 5Mb RMOV, CARTG.	\$1,595
HDC-1001 DMA W/DRIVERS	\$429
SUPERSTAR W/SUPERSIX 128K,HDC-	
1001-5, MICROMAGNUM 5Mb/5Mb	
CART, WINCH., TURBODOS 1.3	



2 SUPER SLAVES 128K-6MHz

JEFFERSON ELECTRIC

\$4,995

TRUE SINE WAVE, 100% BATTERY OPER. W/NO SWITCH-OVER, BYPASS STATIC SWITCH 750 WATTS @ 15 MIN. #370-811-100 \$1,575 1 HR. W/AUXILJARY BATTERY \$149

IBM.

IBM-PC W/FLPY CTRL., STB GRAPHICS + CRT CTRL., 256K RAM, PC DOS 2.10, 2 DSDD DVRS., 12" AMBER MON. \$2,995

TECMAR FOR IBM-PC

1st MATE 256K, SERIAL, PARA. CLOCK	\$412
CAPTAIN SAME AS 1st MATE W/384K	8557
GRAPHICS MASTER HI-RES RGB	\$521
IEEE 488 BOARD W/SOFTWARE	\$367
5Mb H.D. CARTRIDGE INSTALLS IN P.C.	\$1,496
33Mb FIXED H.D. W/5Mb REMOVABLE	
CART. IN AN EXPANSION CHASSIS	84,121
EXPANSION CHASSIS W/8 SLOTS	\$725
BASE BOARD - DO-IT YOURSELF	
MULTIFUNCTION	\$259
BOSUN XT MULTIFUNCTION BD.	8149
JrCAPT. 128K W/TREASURE CHEST	\$319
irWAVE 256K	\$399
JrCADET 384K PIGGY-BACK BD.	
ADD-ON FOR jrCAPT. & jrWAVE	\$479
The state of the s	



SUPER "RIO" 256K W/PARA 2 SERIAL & GAME PORTS, CLOCK-CAL/BATT, PARA. & SERIAL CABLES 8448 PIGGYBACK 512K FOR SUPER "RIO" 256 \$571 RIO PLUS W/384K SAME AS SUPER "RIO" EXCEPT ONLY 1 SERIAL AND NO PIGGYBACK BD. \$549 SUPER I/O LIKE RIO+ W/O RAM/XT \$149 I-384 MEMORY EXPANSION BD. 384K \$484 GRAPHICS PLUS II RGB & MONO. PRINTER & LT. PEN PORTS \$325

Electralogics

 QUASI-DISK
 512K
 RAM-DISK
 W/ON-BD.
 DRV.

 STATUS
 LED'S,
 WRITE
 PROTECT,
 DMA

 E-Z
 INSTALL
 W/SAMPLE
 CP/M
 BIOS
 \$895

 512K
 PIGGY-BACK
 EXPANSION
 \$695
 \$169

 BATTERY
 BACK-UP
 W/PWR.
 SUPPLY
 \$169

 64K
 CMOS
 RAM
 OR
 ROM

 LOADS
 OF
 FEATURES
 \$409

MFIO ALL-IN-ONE I/O BD.
8 ASYNCH. SERIAL, 2 PARALLEL
BAUD RATE GENERATOR, CLOCK-CAL
W/BATT., PROG. PRIOR INTERRUPT
SERIAL OPTION BD. FOR MFIO
\$25
CENTRONICS PARALLEL BD. FOR MFIO
\$39
STD. PARALLEL OPTION BD. FOR MFIO
\$25

Votrax

PERSONAL SPEECH SYSTEM \$285



U.S. ROBOTICS

FREE TELPAC SOFTWARE INCLD.

s-100 BD. MODEM 300/1200 \$359

PASSWORD 1200 AUTO ANS./DIAL \$359

AUTO DIAL 212A (HAYES COMPAT.) \$459

PRINTERS:

BROTHER HR-15 SERIAL	8425
BROTHER HR-25 SERIAL	8725
DAISYWRITER 2000 W/48K	\$998
EPSON MX, RX & FX IN STOCK	CALL
OKIDATA 92	\$439
OKIDATA 93	\$729
TALLY MT160L	\$579
TALLY MT180L	\$795
TALLY 'SPIRIT' N.L.Q. @ 80 C.P.S.	\$299

TERMINALS = 8 MONITORS

	_
COMREX CR5600-Y, HI-RES, P-39	\$125
FREEDOM 100 TERMINAL	CALL
FREEDOM 110 TERMINAL - AMBER	CALL
FREEDOM 200 TERMINAL - AMBER	CALL
(EMUL TELEVIDEO 950 & ADM 31)	CALL
PRINCETON GRAPHICS HX12 HI-RES RGB	\$495
QUME QVT102A	\$545
QUME QVT102G	\$529
TAXAN RGB 420 (IBM LOOK-ALIKE)	\$495
USI AMBER 12" HI-RES MONITOR (20MHz)	\$109
WYSE-50 14", 132 COL., EMUL. TVI 910,	
920, 925, ADDS-VP & HAZELTINE 1500	\$519

DISK DRIVES

DMA 5Mb REMOV. CART. W/5Mb	
FIXED WINCH. BARE DRIVE	\$1,600
S-100'S SUBSYS DUAL DSDD 8"	
FLOPPY, QUANTUM 40 Mb H.D.,	
DISK 1 & 3, CP/M80 & 86	\$3,999
S-100's 514" 40Mb QUANTUM H.D. SUB-	
SYSTEM W/DISK 3 & CP/M80 & 86	\$2,895
MAXTOR XT-1065 51/4" 65Mb H.D.	\$2,249
MAXTOR XT-1105 51/4" 105Mb H.D.	\$2,995
MAXTOR XT-1140 51/4" 140Mb H.D.	\$3,749
QUANTUM Q540 51/4" 40Mb H.D.	\$1,895
SEAGATE ST419 51/4" 20Mb H.D.	\$1,195
SEAGATE ST212 5¼" 1/2HI 12Mb	\$679

ZOBEX 51/4" H.D. CNTRL FOR IBM-PC SUPPORTS ST506 INTERFACE DRIVES \$319

ASK ABOUT SUBSYSTEMS FOR IBM or S-100 BUS

QUITE 270 DAY WARRANTY

142 DSDD 5¼"-½ HI	\$189
242 DSDD 8"-1/2 HI	\$395
842 DSDD 8"-STD HI	\$455
NATIONAL (SA455L COMPAT.)	
THE DOOD WILL FLOW DOW	****

CARINETS

CADINEIS_	
DUAL 1/2HI HORIZ. 51/4" FLPY.	\$75
SINGLE STD HI HORIZ. 51/4" FLPY	\$59
DUAL 1/2 HI VERT. 8" FLPY	\$195
SINGLE STD. HI VERT. 8" FLPY	\$195
	-

_SOFTWARE

ACCOUNTING PEARL FOR IBM-PC	\$635
ASHTON-TATE dBASE-2 CP/M-86 8 INCH	8449
BDS "C" COMPILER	\$99
COMP. INNOVAT. "C" COMPILER	\$299
COMPUVIEW VEDIT-86/MS-DOS	\$185
FOX & GELLER dUTIL	\$69
FOX & GELLER QUICKCODE	\$205
KNOWLEDGEMAN 8086 DATA BASE MGR.	\$345
MICROPRO'S PRO PAK	\$435
MICROSOFT'S BASIC COMPILER	\$292
PERSONAL PEARL DATA BASE MGR.	\$215
SORCIM SUPERCALC-3/IBM-PC	\$245

DIGITAL RESEARCH

	HILL SENTEN	
MP/M-86		8419
"C" COMPILER/IBM-PC		\$219
DR. LOGO/IBM-PC		\$62
CBASIC COMPILER-80		\$310
PL/1-86		\$465
DR ASSEMBLER PLUS TOOLS		8124
PASCAL MT+		\$217
DISPLAY MANAGER-80		\$249
ACCESS MANAGER-80		\$186
PC ACCOUNTING PACK/IBM-PC		\$597
SELECT (WORD PROC.) MSDOS		\$307

S-100 DIV./696 CORP. 14425 North 79th Street Scottsdale, Arizona 85260

FULL DEALER SUPPORT VISIT OUR SHOWROOM Hrs. 8:30AM - 5:00PM M-F Subject to Available Quantities
Prices Quoted Include
Cash Discounts
Shipping & Insurance Extra

MEGA-BYTES FOR MICAO-BUDGETS енрапо your system...shrink your cost.

Why pay more for top quality products when our prices are consistently among the lowest anywhere? We invite you to compare prices, then call us.

MISC. PERIPHERALS	SALE PRICE
HAYES SMARTMODEM 1200B (IBM-PC)	\$399.50
HAYES SMARTMODEM 1200 (RS-232)	
HAYES CHRONOGRAPH	
ROLAND DG XY800 6 PEN PLOTTER	
BAUSCH&LOMB DMP-29 PLOTTER	
PENCEPT PENPAD 320	

EPSON PRINTERS	SALE PRICE
MX-100	\$475.00
FX-80	489.00
FX-100	
RX-80	309.00
RX-80 F/T	375.00
LQ-1500	

DYSAN DISKETTES (Boxes of 10 each) SALE PRICE

104/1 51/4" SINGLE SIDE, SINGLE DENSITY . 104/1D 51/4" SINGLE SIDE, DOUBLE DENSITY 3740/1D 8" SINGLE SIDE, DOUBLE DENSITY. 3740/2 8" DOUBLE SIDE, SINGLE DENSITY . 3740/2D 8" DOUBLE SIDE, DOUBLE DENSITY

ORDERS ONLY 800-858-4810 IN CALIF. 800-821-6662



GREAT LAKES (PEGASUS) HARD DISK SYSTEMS SALE PRICE 10 MEGABYTE INTERNAL \$1149.00 10 MEGABYTE EXTERNAL 23 MEGABYTE EXTERNAL . .1895.00 40 MEGABYTE EXTERNAL . . 65 MEGABYTE EXTERNAL . .

PRINCETON GRAPHICS SYSTEMS

TAPE DRIVE 23 MEGABYTE INTERNAL

TAPE DRIVE 23 MEGABYTE STAND ALONE

140 MEGABYTE EXTERNAL .

COMPUTERS AT LOW PRICES

CALL FOR CONFIGURATIONS AND OPTIONS MEMOTECH MTX-512 SHARP PC-5000 PORTABLE LEADING EDGE PC IBM PC-XT

2858 S. ROBERTSON BLVD., LOS ANGELES, CA 90034




INFORMATION (213) 559-0596

4995.00

950.00

Phone orders accepted on Visa and Mastercard only. California residents add 6.5% sales tax. No C.O.D. Actual shipping and handling charge added to all orders. Prepaid orders as follows: Money orders or cashier's check-merchandise shipped upon receipt. Personal checks must clear before shipping. 20% restocking fee. Prices and availability subject to change. \$100 minimum order.



MOTHER BOARD:

- 8088 CPU with socket for co-processor 8087
- 8088 is supported by 8259A interrupt controller and 8237 DMA controller
- · 2 (two) 28 pin sockets for ROM
- · 8 (eight) expansion slots
- No RAM on board (RAM is on multifunction board)

Bare Board	
Ready Board	
(with IC sockets, resistors, capacitors, transistors soldered)	connectors, crystals,
Tested Board (w/o ROM)	399.00

Build Your IBM™PC Compatible at **Competitive Prices**

MULTIFUNCTION BOARD

 2 serial ports, 1 parallel port real time clock, 64k RAM up
to 256k RAM299.00
Floppy disk drive controller board
Hard disk controller board299.00
• Color graphic board
Monochrome + color + graphic board Call
 Panasonics disk drive, 320k, half height
• Hard disk drive 10 MB
• 100W power supply with fan
• Case149.00
• Manual25.00
• Keyboard149.00
High resolution color RGB monitor
High resolution green monitor129.00
• Monitor stand 39.00
• Hayes 1200B modem
• Hayes 1200 modem

IBM is the trademark of International Business Machines. Prices subject to change without notice



4962 El Camino Real . Los Altos, CA 94022 (415) 962-9265 1-(800) 821-3628 TLX: 171947 HANDWELL LTOS

NEC

STANDARD HARDWARE PACKAGE INCLUDES:

NEC ADVANCED PERSONAL COMPUTER - THE APC


8086 16BIT CPU
 128K RAM, EXPANDABLE TO 512K

• 640 × 475 pixel CRT • Great Keyboard	8" FLOPPIES WITH 1 MBYTE EACH 48 DEFINABLE FUNCTION KEYS
STANDARD SOFTWARE PAG	
• MS-DOS 2.0	• WORDSTAR 3.3
• DBASEII	MULTIPLAN
NEC APC- 1 Drive, Green	w #H01\$2095
NEC APC- 2 DRIVE, GREEN	w #H02\$2550
	a #H03\$3150
NEC APC- 1 DRIVE, COLOR	#H04\$2575
NEC 10MBYTE WINCHESTE	R #H26 \$2175

LIMITED TIME GRAPHICS SPECIALS:

ALL GRAPHICS PACKAGES INCLUDE ADDITIONAL 128K USER RAM, AND HIGH PERFORMANCE GRAPHICS VIDEO INTERFACE, WHICH CREATES 1000 × 1000 graphics. The dot matrix printer, where in-CLUDED, IS THE #H16, AKA PC-8023.

GPKG #1 GRAPHPLAN, CP/M-86, PRINTER GPKG #3 VIDEOGRAPH, GRAPHWRITER, SCREENSHOO GPKG #2 CONTEXT MBA, PRINTER GPKG #4 AUTOCAD. CP/M-86	TER	ı
NEC GPKG-xx-MONO NEC GPKG-xx-COLOR		. \$685





IRM PC Systems

THE EXPERT SAYS YOU NEED 256K RAM. AND THE PRICE IS LOW.
#1 SYSTEM: 2-360K DRIVES 256K RAM, GRAPHICS VIDEO
CARD
#2 SYSTEM: 2-360K DRIVES, 256K RAM, MONOCHROME VIDEO
CARD, AMBER CRT
(6)

IBM PC-XT SYSTEMS

#1 SYSTEM: STANDARD UNIT - LIST \$4995	\$4300
#2 SYSTEM: 256K GRAPHICS VIDEO, AMBER CRT	\$4845
#3 SYSTEM: 256K, MONOCHROME VIDEO, AMBER CRT.	\$4990



TAVA PC SYSTEMS

ALL TAVA'S INLCUDE S	2 SERIAL PORS, I PARALLEL PORT, 2 DSDD
	DEO INTERFACE (EITHER GRAPHICS OR RAM, AND A 12" MONOCHROME CRT.
FREE SOFTWARE: WO	RD PROCESSOR, DATA BASE, SPELLING, ELEC-
TRONIC MAIL	
TAVA #1: GRAPHICS	VIDEO
TAVA #2: MONOCHRO	ME VIDEO

TAVA PC-XT	#2: 10	MBYTE HARD,	MONOCHROME	Video	\$2945
	$\widehat{\otimes}$	SAN	OYN		

TAVA PC-XT #1: 10 MByte Hard, Graphics Video . . . \$2895

SANYO MBC550 Systems

and DOS 2
. \$ 985
. \$1315
. \$ 100
. \$ 80
. \$ 140
. \$ 535

FRANKLIN

FRANKLIN	1200-OMS w/CRT	\$1435
FRANKLIN	1000-PRO PACK W/CRT	\$ 975

LETTER QUALITY PRINTERS

C. ITOH/TEC: THESE DAISYWHEEL PRINTERS USE DIA	BLO WHEE
INK CARTRIDGES, AND SOFTWARE CODES.	
F-10-18 18cps	\$ 495
F-10-40 40cps	\$ 950
F-10-55 55cps	\$1275
ABATI LQ-20P 20cps, 132 COLUMN	\$ 395
DYNAX-BROTHER HR-15	\$ 410
HR-15 Tractor	\$ 105
HR-15 CUT SHEET FEEDER	\$ 185
DYNAX_BROTHER HR-25	\$ 675
HR-25 Tractor	\$ 120
HR-25 CUT SHEET FEEDER	\$ 210
Brother HR-35	\$895
JUKI 6100 20cps	\$ 185
NEC Spinwriters #2050	8 965
NEC #3550	\$1785
NEC #7730	\$2100
SILVER-REED EXP500P	\$ 475
SILVER-REED EXP550P	\$ 555
BILVER INDED LIAI 9001 ATTACKET TO THE STATE OF THE STATE	000
DOT MATRIX PRINTERS	
BMC CP-80 w/carbon Ink	\$ 265
C ITOH/TEC 180CPS	\$ 495
180CPS-Wide	\$ 695
180CPS-COLOR	\$ 575
180CPS-Color-Wide	\$ 795
Epson FX-80	\$ 499
EPSON FX-100	\$ 730

IDS Prism 132 w/Color.....

Prowriter 120cps, std

\$ 415

\$ 595

\$ 795

\$1485

\$ 345

SAKATA MONITORS

SC-100 COLOR COMPOSITE 13"							. \$275
SC-200 COLOR RGB FOR IBM 13"							. \$460
SC-300 COLOR RGB FOR IBM 13"	W.		63	6			. \$695
SC-1000 GREEN 12"		 45					. \$125
SC-1000 Amber 12"	٠.					ï	. \$135
NEC PC8201 Lap Computer		 					\$575

COMPAG

COMPAQ 2 DRIVE,	256K.	 ,	0	(K)	A)						0	\$246	É

MICR@SOFT.

MICROSOFT "WORD"	w/Mouse\$295
QUBIE MODEM 12001	3 INTERNAL\$295

EXPERT COMPUTERS

21804 ROSCOE BLVD., SUITE 18 CANOGA PARK, CA 91304

(213) 344-6063 (800) 528-9537

CALIFORNIA RESIDENTS ADD SALES TAX. PRICES MAY CHANGE -

→ SANYO 550-2.....\$987 → SANYO 555-2.....\$1325

TSENG LABORATORIES ULTRA-PAK

 132×44 column video interface with graphics for the IBM MONOCHROME CRT. INCLUDES PARALLEL PORT, SERIAL PORT, CLOCK. OPTIONAL FLOPPY DISK CONTROLLER OR 64K-384K RAM

I AUK.	
ULTRA-PAK	LIST \$680 \$495
DISK-PAK	
RAM-PAK (64K EXPANDABLE TO 384K)	. LIST \$245 \$205

PROFIT SYSTEMS

MULTIGRAPH (80 × 40 VIDEO W/GRAPHICS & PRINTER PORT MULTIGRAPH OPTION BOARD (132 COLUMNS, MULTI-USER SUBSYSTEM: FOR 4 USERS, HARDWARE & SOFTWARE \$650

EVEREX

THE EVEREX SYSTEMS ARE COMPLETE WITH CABLES, INTERFACES, AND SOFTWARE NECESSARY TO INSTALL AND USE

10MByte	INTERNAL, HARD DISK SYSTEM	8	945
20MByte	INTERNAL TAPE BACKUP SYSTEM	8	975

	MULTINOTTIC	
KB5151		\$ 215

MODEMS

Anchor Automation "Signalman"	
MARK II (ATARI)	\$ 89
MARK III (TI)	\$ 110
MARK IV (COMMODORE PET-CBM)	\$ 120
MARK V (OSBORNE)	\$ 100
MARK XII (1200 BAUD SMARTMODEM)	345
THE NETWORKER FOR APPLE W/SOFTWARE	159
THE NETWORKER-NO SOFTWARE	110
HAYES SMARTMODEM 300	215
HAYES SMARTMODEM 1200	505
HAYES MICROMODEM II-E	295
Novation Access 1-2-3	\$ 445

"WE'RE EXPERTS SO YOU DON'T HAVE TO BE!"

Circle 131 on inquiry card.



ADD 4% FOR AMERICAN EXPRESS. ADD 2% FOR VISA/MASTER-CARD, 20% PREPAID DEPOSIT REQUIRED ON COD ORDERS. CALL TO VERIFY PRICES AND DELIVERY.

SAVE \$\$\$\$ ON OUR IPIC MARATHON SAL

CALL FOR PRICING

DISPLAY MONITORS

HOL	
USI	100
PI 2 (12" Green)\$ PI 3 (12" Amber)	
Carling 10	120
GORILLA	00
Hi-Res. 12" Green	85
Hi-Res. 12" Amber	95
AMDEK	
V300G, 12" Green	135
V300A, 12" Amber	149
V310A for IBMPC	165
Color I, 13" Color Composite	289
Color II, RGB	399
BMC	
12 UW (12" Green)	89
9191 Plus	249
NEC	
JB 1201M, 80 col\$ JB 1205M(A) w/audio	149
JB 1205M(A) w/audio	155
JC 1216 RGB Hi-Res IBM comp	399
TAXAN	
12N (12" Green)	109
12NUY (12" Amber)	119
PRINCETON GRAPHICS	
HX12, RGB for IBM\$	479

* * GOLD MEDAL SPECIALS *

* * * * * * * * * * * * * * * * * * *	* * * * TANDON * * * * * * TM100.2 for IBM PC \$ 189 189
* * * * * TEAC * * * * * * * * * * * * * * * * * * *	* * * * * * SANYO * * * * * MBC550:2 w/1 dbl/dbl Drive 8 Software \$.945 MBC555:2 w/2 dbl/dbl Drives 8 More Software 1295 ver with Purchase of IBM PC or XT

PRINTER ACCESS		PERSONAL SYSTEMS
ORANGE MICRO		APPLE
Grappler +\$	119	Apple IIE Starter System \$1249
Buffered Grappler +, 16K exp. 64K .	169	FRANKLIN
FOURTH DIMENSION	0.00	Ace 1000 w/color \$ 799
Par. Card & Cable for Apple \$	49	Ace 1200 w/drive
TRACTORS	-	TAVA
Okidata for 82A & 92 \$ Juki Bi-Directional		1 Par. & 2 Ser. Ports, 128K, 2 - 320K Drives,
	129	Color Card
PRACTICAL PERIPHERALS		DISK DRIVES
Mic/Buf IIP, 16K		
Mic/Buf IIS, 16K	149	SIEMENS
Any Computer to Parallel Printer \$	20	FD 100-8
Any Computer to Paranet Printer \$	29	Drives For Apple & Franklin
IBM/APPLE ACCES	S.	MICRO-SCI
AST RESEARCH		A2 \$ 199 QUENTIN RESEARCH
Six Pak Plus\$	200	QUENTIN RESEARCH
Mega Plus II	279	Apple Mate
MICROMAX	210	DANIA CVCTEMC
Viewmax 80E, 128K 80 col. card		Elite \$ 229
for Apple IIE	129	Elitell
for Apple II & II +	139	Elite III
PC PEACOCK		PANASONIC
Color Graphics Card w/Printer Port .\$	269	1/2 Height 360K
PLANTRONICS		JMR 100% Apple Comp. Drive 179
Color + Board\$	379	Controller Card

PERSONAL SYSTEMS


Apple IIE Starter System\$1	249
FRANKLIN	
Ace 1000 w/color\$	799
Ace 1200 w/drive	
TAVA	
1 Par. & 2 Ser. Ports, 128K, 2 - 320K Dri	wan
Color Card	
DISK DRIVES	
SIEMENS	440
FD 100-8	
Drives For Apple & Frankli	n
MICRO-SCI	
A2\$	199
QUENTIN RESEARCH	
Apple Mate	100
	100
RANA SYSTEMS	000
Elitel	229
Elite III	349
	429
PANASONIC	
1/2 Height 360K	165
JMR 100% Apple Comp. Drive	179


PRINTERS

OKIDATA	000
	298 539
ML92P, 160 cps	419
	699
G. ITOH	169
	329
Prowriter II 1550 AP, 15" 120 cps	545
	969 299
Printmaster F10-55PU, 55 cps 1 EPSON	299
	369
FX80, 10" 160 cps	485
FX100, 15" 160 cps	699
JUKI	400
6100 LQ 15", 18 cps w/propor. spac\$ TOSHIBA	439
P1350(1) Dot Matrix, L.Q., graphics . \$1	495
MANNESMANN TALLY	100
160L, 160 cps\$	575
180L, 180cps	795
PANASONIC	
1091 w/Tractor, 120 cps\$	369

IF YOU SEE IT ADVERTISED FOR LESS, CALL US FIRST FOR LOWEST QUOTE! MAIL ORDER:

12841 S. Hawthorne Blvd., No. 585 Hawthorne, California 90250





Mon.-Fri. 8 a.m. to 6 p.m.

Mon.-Fri. 8 a.m. to 6 p.m.

Saturday 11 a.m. to 3 p.m.

Wa accopt VIBA, MasterCard, COD (widept Cortified Checks or Wire Transfers. Ship minimum \$4.00. Some items subject to back or CA Res. add 65% Tax. Prices subject to change

HERE COMES THE SUN

IBM Compatible Products Apple Compatible Products General Products- cont.



QUADRAM-2 (2) Ser. Ports w/64K .. \$355.00 QUADBOARD (1 ea)Par/Ser. w/64K..355.00 QUAD 512+ w/64K305.00 QUAD 512+ W/512K 665.00 CLOCK/CALENDAR BOARD 105.00 ADD-ON Hard Disk Drive System 6Mb w/Power Supply & Cabinet .1799.00 Controller for above Hard Drive ... 279.00 AST SIXPACK (64 K) MSI DUAL I/O (2 ea) Ser./Par. & Clk 175.00 MSI 256K RAM Board with 64K 199.00 MSI 256K w/Parallel or Serial Port 256K w/Parallel Port and 64K 256K w/Serial Port and 64K 259.00 VISTA DISKMASTER DMA Diskmaster interface Sub 4", 51/4", 8" 8 V1200 6Mb Hard Disk 225.00 IBM TEAC Disk Drive DSDD. 40 Track Slimline 215.00 APPARAT IBM PROM Blaster CABLE Parallel for IBM, Eagle & Columbia 29.95/ea 17.00/2 Micro Log. Baby Blue II Z80B Co. Pros. Multifunction Board Call IBM Prototype Board-SUN-208 Double Sided Glass with Gold Plated Terminals . . . 19.50 MULTIFUNCTION BOARD 64K, Serial, Parallel, Clock IBM UP-GRADE KIT (4164-200 ns) 49.00/Per Kit



AFDC-1 Floppy Disk Drive Controller Runs DOS 3.3 with any standard Shugart com patible 51/4" disk drive. (2 drives each card). Does not read 1/2 track.

Apparat PROM Blaster	
"ALS" 80 Column Card	
"ALS" Z-CARD (Z80 CPU)149.00	
API Apple Parallel Printer Interface card.	
Centronics Compatible \$39.00 Apple Compatible Disk Drive	
Slimline, Quite 195.00	
SUN-Z-80 CARD (Softcard	
Compatible)	
SUN-80 COLUMN CARD	
POWER SUPPLY (5 amp) 59.95	
COOLING FAN42.00	
Software	

WORD PROS (Benchmark) 299.00
TELECOM (Benchmark)
WORD STAR Call
LOTUS Call
VISICALC Call
DISCOVER BASIC 69.95
PEARSONAL PEARL
TYPE ATTACK
SPANISH 49.95
Formats Inclued CP/M, Apple, IBM, TRS-80
General Products


10 up 100 ur

SS/DD (100% certified)	1.75	1.55
DS/DD (100% certified)	2.50	2.30
MODEM Novation 103 Sm	nart-Cat	\$210.00
MODEM Signalman Mark	7 (RS232)	. 115.00

51/4" Diskattes

COMPARE OUR HIGH RESOLUTION

THEN CHECK OUR PRICE!



SUPER SALE!!

Features :

Anti-glare Screen with Attractive Case
Standard Composite Video Input
Output for Second Monitor -22 MHz Video Bandwidth High Resolution - 1000 Lines or 132 Charactors Across Input Impedance - High or 75 Ohm Passes FCC Test for Computer Equipment

UL Approved
Compatibility: IBM PC, IBM PCjr, Apple II,
Apple Ile, Comodore, Columbia MPC, Eagle,
Radio Shack, Sinclair/Timex, And More

12" GREEN OR AMBER \$99.00

MX COMPATIBLE PRINTER CT-80 dot Matrix Printer (80 cps) ... 249.00

RAM & ROM IN STOCK Call

Mother Boards & Card Cages SLOTS Bare Bd KIT A & T W/CAGE \$19.00 \$44.00 \$59.00 \$84.00 24.00 56.00 81.00 116.00 29.00 75.00 110.00 150.00 10MHz, No termination, Includes power indicator and wiring for muffin fan. Uses OK connector for sold installation and removal of power & reset lines. ector for solderless

1-800-421-5775 ed all Info Call 213-644-1149

S-100 Products



64KSM A&T without RAM ...

64KSM A&T w/64k RAM (32-6116's) 339.00 S-100 Board Uses 6MHz 6116's, 1/2 Amp max. power, Bank Select plus Extended Addressing allows for multi-memory board set-up. 4 independent 16K Blocks make easy use with multi-user sys-tems. Any 2K RAM may be replaced by a 2716 EPROM.

SBC-880 Z80A CPU, A&T\$149.00 4MHz Z80A CPU boards with RAM, ROM & Serial/Parallel Ports

UFDC-1 Floppy Controller, A&T.....245.00 UFDC-1 Floppy Controller, Kit225.00
The UFDC-1 Floppy Controller uses the WD1795 chip which runs either and/or 8"/51/4" Disk Drives.

CLOCK CALENDAR A&T......115.00 4 interrupts, Time, Day of Week and Battery Backup.

Call for S-100 Quantity Discounts

Special Sale Items

SUN-721 S-100 Prototype Board 9.95 SUN-722 Apple Prototype Board 5.95 IBM Prototype Board-SUN-208 Double Sided Glass with Gold Plated Terminals 19.95



SUNTRONICS CO., INC. 12621 Crenshaw Blvd., Hawthorne, CA 90250

STORE HOURS: MON.-FRI. 9:00am to 6:00pm SATURDAY 10:00am to 5:00pm Mail Order—Min. Order \$10. Visa or MasterCard (please include expiration date). Add \$2.00 (shipping and handling) for first 3 pounds plus .50 for each additional pound to your order. CA residents add Calif. sales tax



If you still believe in me, save me.

For nearly a hundred years, the Statue of Liberty has been America's most powerful symbol of freedom and hope. Today the corrosive action of almost a century of weather and salt air has eaten away at the ron framework; etched holes in the copper exterior.

On Ellis Island, where the ancestors of nearly half of all Americans first stepped onto American soil, the Immigration Center is now a hollow ruin.

Inspiring plans have been developed to restore the Statue and to create on Ellis Island a permanent museum celebrating the ethnic diversity of this country of immigrants. But unless restoration is begun now, these two landmarks in our nation's heritage could be closed at the very time America is celebrating their hundredth anniversaries. The 230 million dollars needed to carry out the work is needed now.

All of the money must come from private donations; the federal government is not raising the funds. This is consistent with the Statue's origins. The French people paid for its creation themselves. And America's businesses spearheaded the public contributions that were needed for its construction and for the pedestal.

The torch of liberty is everyone's to cherish. Could we hold up our heads as Americans if we allowed the time to come when she can no longer hold up hers?


Opportunities for Your Company.

You are invited to learn more about the advantages of corporate sponsorship during the nationwide promotions surrounding the restoration project. Write on your letterhead to: The Statue of Liberty-Ellis Island Foundation, Inc., 101 Park Ave, N.Y., N.Y.10178.



save these monuments. Send your personal tax deductible donation to: P.O. Box 1986, New York, N.Y. 10018. The Statue of Liberty-Ellis Island Foundation, Inc.

Cancer is often curable. The fear of cancer is often fatal.



American Cancer Society



COMPUTER DISCOUNT PRODUCTS

HUGE Inventories ● APPLE-IBM Specialists ★ ASK ABOUT OUR FAIR PRICE POLICY-IT'S GUARANTEED! ★



divolational Educational Programs School Below

* * * * * * * * * * CDP SPECIALS

16K UPGRADE 4116 200 NS 64K UPGRADE 4164 200 NS (Set/9) 79.99 APPLE FAN w/Surge, 2 Outlets 39.99 PAR. PRINTER CARD & CABLE 39.99 16K RAM CARD 39.99 POWER STRIP w/Surge 3-RING BINDER DISK SHEET (10) 7.99

DISKETTES

DYSAN 5" SS/DD (10)	31.99
DYSAN 5" DS/DD (10)	38.99
MAXELL 5" SS/DD (10)	27.99
MAXELL 5" DS/DD (10)	37.99
VERBATIM 5" SS/DD (10)	24.99
VERBATIM 5" DS/DD (10)	36.99
MEMOREX 31/2" (MAC)	41.99

SHARPEN YOUR SKILLS THIS SUMMER!

ALGEBRA I-III, Ap	31.99
ALGEBRA I, IBM	34.99
FLIGHT SIM II, Ap	37.99
FLIGHT SIM, IBM	34.99
FRACTION FEVER, Ap/IBM	21.99
MASTERTYPE, Ap	29.99
MASTERTYPE, IBM	34.99



ALPHA PLOT APPLE MECH., FLEX TEXT BEAGLE BASIC, DOUBLE TAKE

OUADRAM 🕮

APIC (APPLE /// PARALLEL)

eRAM 80 column 64K IIE MICROFAZER 8K Parallel MICROFAZER 8K Serial QUADBOARD I or II (64K)

QUADCOLOR II (Board For Above)

QUADLINK

DOS BOSS FRAME-UP GPLE PRONTO DOS TIP DISK #1 UTILITY CITY

24.99 ea19.99 ea24.99 15.99 16.99 32.99 19.99

19.99

129.99

\$CALL 139.99 159.99 269.99 219.99

479.99

SPINNAKER

FOR APPLE & IE	19.99
A DRAWING	32.99
MAKER	21.99
DIDDLE	19.99
ERCOMP	19.99
T AMAZING THING	26.99
ME & RIDDLE	19.99
DPER TROOPS I & II	27.99
RY MACHINE	21.99

ontinental

GRAPHICS BOOK

AP, AR, PAY)(AP)

1st CLASS MAIL (AP)

1st CLASS MAIL (IBM)

ACCOUNTANT (AP)
ACCOUNTANT + (IBM)
ERTY MGMT. (AP, IBM)

DVANTAGE (Ap) DVANTAGE (IBM)

14.99 ea149.99 59.99 71.99 44.99 84.99 295.99

39.99

CDP Is Your

UTHORIZED MICROPRO DEALER! This month We'll Match **Any Published Price** Same Terms - At Time Of Order This Issue Only \$CALL

SOFTWARE RPLICE AP AR PAY INVA

APPLE

	BPI (GL, AP, AH, PAT, INV)	69783-33
	BRODERBUND Arcade Machine	39.99
	Bank Street Writer	44.99
	Drol, Loderunner	ea24.99
	CENTRAL POINT Copy II +	25.99
	DLM Alien Addition	27.99
	Alligator Mix	27.99
	Demolition Division	27.99
	Dragon Mix	27.99
	Meteor Multiplication	27.99
	Minus Mission	27.99
	Verb Viper/Word Invasion	ea37.99
	Word Radar/Spelling Wiz	ea37.99
	EDUWARE Counting Bee	23.99
8	Decimals/Fractions 3.0	ea39.99
8	Hands on Basic	61.99
ŝ	PSAT Word Attack	39.99
	SAT Word Attack	39.99
8	JACK REPORT	74.99
	KENSINGTON Format II	119.99
8	KOALA Spider Eater New!	23.99
	LEARNING CO Bumble Games	26.99
8	Bumble Plot/Magic Spell	ea26.99
8	Gertrudes Puzzle/Secret	ea29.99
	Moptown Parade/Hotel	ea26.99
81	Rocky's Boots	34.99
籃	MICROLAB Miner 20-49er	27.99
8	MICROSOFT Mutiplan	165.99
	ODESTA Chess	45.99
	Odin	37.99
8	PFS Report	89.99
	File	99.99
	Graph	99.99
	Write	99.99
	SENSIBLE SPELLER	87.99
	SUBLOGIC Night Mis. Pinball	32.99
	ULTIMA III	39.99

APPLE **HARDWARE**

	AUTO REPEAT KEY	19.99
	BASIS 108	SCALL
	DAN PAYMAR Lower Case 1 (rev 1-6)	25.99
ı	Lower Case 2 (rev 7)	19.99
	DARK STAR Snapshot II	65.99
	EASTSIDE Wildcard	79,99
	Wildcard II	111.99
	FOURTH DIMENSION Drive	219.99
t	HAYES Micromodem IIe	235.99
	KOALA PAD	85.99
	KRAFT Joystick	44,99
	Paddles	31.99
	LEGEND 128K Ram	359.99
	MICRO-SCI A-2 Drive	209.99
	MOUNTAIN Ramplus + 32K	159.99
	ORANGE MICRO Grappler +	114.99
	Bufferboard	119.99
	Buffered Grappler +	179.99
	PADDLE ADAPPLE	24.99
	TITAN TECH 128K Ram	379.99
	Accelerator II	444.99
	Neptune 64K	199.99
	TG Joystick	34.99
	Paddles	25.99

ACCESSORIES

FLIP'N FILE (original)	17.99
FLIP'N-FILE w/Locktray (25)	17.99
FLIP'N FILE w/Locktray (50)	27.99
HAYES 300 Baud Smartmodem	199.99
1200 Baud Smartmodem	474.99
LIBRARY CASE	1.99
KENSINGTON PC Saver	29.99
PRINTERS C-ITOH	379.99
Epson FX80	549.99
Epson RX80	349.99
Okidata 82-93	SCALL
PRINTER STAND Sm. (plxgls)	24.99
PRINTER STAND Lg. (pixgls)	29.99
RIBBONS-Brother	SCall
MX & FX 80	4.99
MX & FX 100	7.99
OKI 82, 83, 92, 93 & Gemini	2.99
FINGERPRINT: Epson	Unavada
FINGERPRINT, Epson	upgrade

RX, FX, MX 44.99

Vr Height DS/DD Drive .	239.99
ALPHA Typefaces	79.99
ASHTON TATE dBase II	399.99
Friday	184.99
Encyclopedia	59.99
AST Mega Plus	299.99
Six Pack Plus	279.99
BRODERBUND Serpentine	26.99
Lode Runner	24.99
CAI Masters	ea31.99
Subjects	ea16.99
CENTRAL POINT Copy II PC	25.99
CROSSTALK	139.99
HAYDEN Piewriter	129.99
HAYES 1200B Modem	439.99
KRAFT Joystick	44.99
LIFETREE Volkswriter	119.99
LOTUS 1-2-3	SCALL
MICROLAB Miner 20-49er	27.99
MICROSOFT Mouse	129.99
Multiplan	165.99
MONOGRAM Dollars & Sense	129.99
NORTON Utilities	55.99
PC CRAYON	49.99
Tutor	47.99
PFS Write	99.99
File	99.99
Report	89.99
Graph	99.99
POOL 1.5	27.99
SIERRA ON-LINE Frogger	26.99
SIR-TECH Wizardry	44.99
SUBLOGIC Night Mis. Pinball	32.99
TG Joystick	44.99
TITAN 64K BOARD	499.99
VISICORP. Visicalc	164.99
Schedule.	ea199.99
Julieuve,	en 133.33
PLANTRONICS ColorPlus	s 375.99

QUADCOLOR I

QUAD 512+(64K)

FUNCTION STRIP HARDSWITCH MICROMODEM CHIP PRE-BOOTS Apple Writer Apple Writer for Ultraterm Visicalc Visicalc/Memory Expansion Visicalc for Ultraterm SOFTSWITCH ULTRAPLAN ULTRATERM VIDEOTERM w/SS + INV Visicale

Videx

99.99 34.99 16.99 23.99 39.99 71.99 54.99 25.99 \$CALL 249.99 219.99

MICROWARE KENSINGTON

TRAFILE (IBM) 155.99



STEM SAVER

Surge Suppression Fits Apple Stand **Dual Outlet** s 65 U.L. Listed

IDEACAM

DOLLARS & \$ENSE (Ile/c) 79.99

FOR APPLE & IB	M
DEADLINE, ENCHANTER	ea32.99
PLANETFALL	32.99
SUSPENDED	32.99
WITNESS	32.99
ZORK I-III/STARCROSS	ea24.99
SORCERER NEW!	37.99

MONITORS

PRINCETON RGB HX-12	485.99
TAXAN 420 RGB	499.99
USI Pi 1 9 " Green 20 mh	99.99
USI Pi 2 12" Green 20 mh	119,99
USI Pi 3 12" Amber 20 mh	129.99
USI Pi 4 9" Amber 20 mh	109.99
USI 1400C Color Composite	279.99

Novation

21.99 46.99 49.99 81.99 36.99

NEW

	140
03 Smart Cat	169.9
03/212 Auto Cat	399.9
Cat	99.9
ccess 123 (IBM)	469.9
pplecat II	249.9
pplecat Upgrade 1200 Baud	309.0
at Modern	135.9
xpansion Module	29.9

Sierra ON-LINE INC

FROGGER (Ap) GENERAL MANAGER HOME WORD SCREENWRITER II

BC QUEST FOR TIRES

ULTIMA II



SINCE 1977 -TAIL SHOWROOMS IN CALIFORNIA:

an Jose • (408) 241-2300 n Mateo • (415) 571-1658 Francisco • (415) 626-2244

COMPUTER DISCOUNT PRODUCTS

860 S. Winchester Blvd., San Jose, California 95128 MAIL, PHONE, WILL-CALL SERVICE FROM FROM 6AM (PST) - CALL (408) 985-0400 -

No Charge For Credit Cards Prices Subject To Change Software Sales Are Final International Orders Welcome Min. UPS Chg. \$4 + Ins. Min. US Postal Chg. \$10 P.O's Welcome – Call First







PRINTERS

EXPOTEK

"WE TURN AROUND FOR YOU"

24-HOUR WATTS

800-528-8960 Including Alaska and Hawaii

CUSTOMER SERVICE (602) 482-0400 • 2017 E. CACTUS • PHOENIX, AZ 85022
All prices are for cash, cashiers check or money order. Allow 3 weeks bank clearance for personal checks. C.O.D.'s, Visa/MC, and P.O.'s accepted at additional charge. Prices subject to change.

Returns must have authorization number (call 602-861-1141), and are subject to a restocking charge.

TERMINALS
Adds
Hazeltine Espirit I
QVT 102 Green
910 + 549 925 699 950 899 970 975 Wyse
Wyse 100 680 Wyse 300 1020 Expirit III 735 Visual
Visual 50 Green 599 Visual 55 Green 720 Zenith
Z-29
Altos 580-20 3629 586-20 5549 586-40 Call 986-40 Call Columbia Call Eagle Call Franklin Call Quasar Call Nerthstar Advantage 2160 Advantage W/5MB 3345 3345 S80-20 S80-
Advantage w/15MB 4315 Televideo Systems 802H 4210 803 1815 1605 IBM Compatible Call 806/20 4775 800 A (user station) 999 Teleport Call Zenith Call
MONITORS
Amdek Video 300 GREEN 129 Video 300 AMBER 145 Color 1 Plus 225 Color II Plus 425
Comrex 9" Green 69 9" Amber 69 NEC JB 1201 155
JB 1260
12" Green Screen 95 12" Amber Screen 120

FOR II	ВМ РС
Quadram 489 Quadboard 289 Quad 512 Plus 249 Quadcolor 229 SOFTWARE	WordStar/Mail InfoStar SpellStar
Lotus 1-2-3 \$319	4164-150

Micropro WordStar/MailMerge	349
InfoStar	299
SpellStarCalcStar	. 99
Microstuf	
Crosstalk	105
Microsoft	-070
Multiplan	159
Ashton Tate	
dBASE II	389
Friday!	185
Ram Memory	
4164-150 59/9 pe	r set

\$63°°

Transient Protection With A Solid Reputation™



MODEMS	ACCESSORIES
Anchor	3M
Mark I (RS-232) \$ 79	5 ¹ / ₄ " SS/DD
Mark II (Atari) 79	Memorex 45/BOX
Mark III (TI-99) 109	51/4" SS/DD 19/Box
Mark IV (CBM/PET) 125	5 ¹ / ₄ " DS/DD
Mark V (Osborne)95	Elephant
Mark VI (IBM-PC)	5 ¹ / ₄ " SS/SD
Mark VII (Auto Ans./Auto Dial) 119	51/4" DS/DD
Mark XII (1200 Baud)	Head
TRS-80 Color Computer	51/4" Disk Head Cleaner (2 Disk) 14
9 Volt Power-Supply	5 ¹ / ₄ " Disk Head Cleaner (1 Disk) 9 Koala Pad
Hayes	Commodore 64
Smartmodem 300	Apple
Smartmodern 1200	IBM89
Smartmodern 1200B 459	Kraft Jovstick
Micromodem II 265	Apple Paddles 34
Micromodem II Plus	IBM Paddles 34
Micromodem IIE	IBM Joystick 46
Micromodem 100	Print Wheels & Ribbons
Smart Com II	All Types Call
Chronograph 199	DIOIS DOUGLO
Novation -	DISK DRIVES
J-Cat99	CDC
	5 ¹ / ₄ " 9409-DS/DD
SmartCat 103	Tandon 51/4" TM 100-1-SS/DD 160K
SmartCat 103/212	51/4" TM 100-2A DS/DD 320K 225
AutoCat	TM101-4(96 TPI Quad Den)
212 AutoCat	8" TM848-2(DS/DD) 1.2 MG 400
Apple Cat II	GT—Apple
212 Apple Cat 569	GT—Apple 239
Apple Cat 212 Upgrade 309	Micro-Sci
Cat	A-2 (35TR)
D-Cat	A-20 (35TR)
PC-Cat	A-40 (40TR)
J.S. Robotics	Elite I 249
212A Auto Dial	Elite II
Password	Elite III
	1000
"STRONG ENOUG	H TO STAND ON"



Can Stack,
Hang on Wall, and
Has Carrying Handle.

SPECIAL \$1890

	FRINTERS
	Comrex ComWriter II Letter Quality\$459
	C. Itoh Pro-writer I (8510A) Par
	(8510A) Serial
	Daisywriter Daisywriter 2000
	Datasouth 595 DS120 595 DS180 1155 DS220 1590
	Diablo 620 (25CPS/Serial) 875 630 (40CPS/Multi-F) 1710
	IDS \$ave \$
	Juki 6100-18
The same of the sa	Mannesman-Tally 160L 589 180L 829
S. E. M. Control of the Control of t	NEC 3550 (For IBM PC) 1499 3510 1219 7710 1649
	Qume 1140 W/IBM Interface . 1359 1155 W/IBM Interface . 1489
- Company	Riteman Portable279
A CONTRACTOR OF THE PERSON NAMED IN COLUMN	Star Micronics Gemini 10X
	Silver Reed EXP 550P 575
1	Transtar 120 P
	Sheet Feeders & Tractors
2112	SPECIAL PRICES

Okidata \$ave \$

Epson \$ave \$

\$ave \$

Toshiba (1351)



FLOPPY DISK SERVICES, INC. 39 Everett Dr., Bldg D Lawrenceville, NJ 08648

LEADERS IN INNOVATIVE DISK DRIVE ENCLOSURES!

The FD-PC8™ is a new 8" double-sided disk drive sub-system



IBM PC styling.

The FD-PC8 looks like your other IBM PC components. Same styling. Same color. Same dimensions, It stacks neatly under, on top of, or next to your IBM PC, and better still, is only one-half the height of standard 8" drives. Matches Z100 & others also.

2 Drive System—\$1495 complete with cables.

8356 E (eV) (e) //8


- Full one year warranty on materials and workmanship.
- Two fully assembled and tested Shugart double-sided 8" drives also available in one drive configuration.
- Exactly ½ the height of standard 8" drives.
- IBM PC styled and painted cabinet.
- All cabling included.
- IBM 3740 format compatible.
- No-mar rubber feet.
- Sturdy construction easily supports PC or monitor.
- Power supply designed for long life, trouble-free operation.
- Requires Maynard controller for use on PC.

NEW! FD-PC5™

This versatile new disk drive enclosure comes completely tested and assembled with a 4" cooling fan, and is designed to offer a variety of mounting options, with the power supply rated for any of the following:

- full-size floppy disk drive
 full-size hard disk
- one or two half-height floppy disk drives
- one or two half-height hard disks
- one or two 3.5" drives

Full 1 year warranty—cable choice optional



DISK DRIVES and other Goodies!

Shugart (1 year war.)
sa-860 ds/dd half hat 8"
sa-455 ds 48tpi ½ hgt 5.25"
sa-465 ds 96tpi 1/2 hgt 5.25"
sa-300 ss 96tpi 3.5 inch
sa-851 ds 8" full size
W.S.T. (formerly SIEMENS)
FDD-100-5B4 flippy 5.25"
FDD-211-5 DS 48tpi for PC
FDD-221-5 DS 96tpl full size
FDD-100-5C3 (sa-400 compatible)
Heath H-89 TWOET kit
put 2 half height floppies internal to the H-89 with our exclusive moun-
ting kit, call for details!

			2110		
Maynard Elect	ronics to	r the li	BM-PC		
Memory modu	le (hare)			and the first of the second	210.00
LAW.					20F 0
128K					410.0
92K					510.0
256K					615 0
With 2 serial po	rts				160.0
FDC8 8" contr	oller				245 0

andard controller\$195.	00
controller w/par port275.	00
controller w/ser port	
ard disk module495.	
fodular board	00
fultidisplay (mono & color board)575.	00
GS, HX-12 RGB color monitor	
lagnolia controller for the H-89	00
ata connectors of all types	LL
ower connectors for all drives	

We offer a wide assortment of enclosure sizes, styles and systems, including both 5%" and 8;" IBM look-alikes, and more. All are well constructed, attractive and immediately available at competitive prices. Call for details and prices.

IMPORTANT NEWS!

We are moving, please take note of our address. Our new and expanded facilities will permit us to offer a higher level of service than ever before. Our growth is the result of your patronage; we thank you for it sincerely.

TERMS: MC, VISA, PREPAID. NO COD'S. PERSONAL CHECKS HELD FOR 10 DAYS, WE ALSO ACCEPT P.O.'S FROM MAJOR BUSINESSES & UNIVERSITIES, CALL FIRST.

Toll Free Order Line 800-223-0306

Ask for our free catalog.

DISCOUNT COMPUTER SUPPLIES ORDER TOLL FREE 1-800-821-5339

Mail to: C.R.E. P.O. Box 361 North Salt Lake, Utah 84054 (801)298-0872 Shipping & Handling in Continental U.S. 3.00 for under 50.00 order, Free for over 50.00 order


Call or write for our Excellent Quality Discounts!

HALF PRICE SALE


Locking Diskette File

List \$49.00 Your Cost \$35.00

- Key Lock
- Space Age Design
- Dividers & Tabs
- Quality Guaranteed!
- Holds up to 100 5¼" Diskettes







51/4" Soft Sectored Diskettes High Quality, Lowest Price, 7 Year Warranty!

SS/SD ... NOW ONLY 17.25/10

SS/DD ... NOW ONLY 17.95/10

DS/DD ... NOW ONLY 23.95/10

DS/QD 96 TPI ... NOW ONLY 39.95/10

AC POWER CENTER ONLY \$29.95

- 6 outlets, 4 are switch controlled
- line surge suppression device
- power on indicator switch
- fuse for overload protection
- max 10A for 120 AC

PROTECT YOUR SYSTEN

RIBBONS

Ribbon Type (Prices per ribbon)	6	12
Anadex 9500/9600	7.50 ea.	6.75 ea.
Apple DMP	5.50 ea.	4.46 ea.
Centronics 150/152	4.95 ea.	3.95 ea.
C. Itoh Prowriters	5.50 ea.	4.46 ea.
Dec La 30/36/40	3.75 ea.	3.15 ea.
Dec La 120/180 (plastic spools)	5.50 ea.	4.46 ea.
Diablo Hytype II Multi-Strike	4.73 ea.	3.63 ea.
Diablo Hytype II Nylon	4.73 ea.	3.63 ea.
Epson/IBM FX/RX/MX-80	5.14 ea.	4.10 ea.
Epson/IBM FX/RX/MX-100	6.76 ea.	5.85 ea.
Gemini 10/10X/15/15X	2.50 ea.	2.00 ea.
IDS Microprism 480	5.72 eas	4.46 ea.
IDS Paper Tiger 120/125/225/440	2.50 ea.	2.00 ea.
IDS Paper Tiger 460/560	5.92 ea.	4.88 ea.
IDS Prisam (Black)	6.75 ea.	5.63 ea.
IDS Prism (4 Colors)	7.50 ea.	6.50 ea.
NEC PC 8023A	5.50 ea.	4.46 ea.
NEC 3500 Multi-Strike (single sided)	5.50 ea.	4.75 ea.
NEC 3500 Nylon	7.25 ea.	6.25 ea.
NEC Spinwriter 5500/7700 Multi-Strike	4.90 ea.	3.80 ea.
NEC Spinwriter 5500/7700 Nylon	4.90 ea.	3.80 ea.
Okidata 80/82/83/92/93	2.50 ea.	2.00 ea.
Okidata 84/85	4.90 ea.	3.80 ea.
Qume Sprint 3/5 Multi-Strike	3.75 ea.	3.08 ea.
Qume IV, Sprint 7/9/10/11 Mult-Str	5.25 ea.	4.45 ea.
Riteman	9.50 ea.	8.75 ea.
TI 810	3.75 ea.	3.15 ea.
TI 820	4.95 ea.	4.15 ea.
Tritel	4.95 ea.	3.95 ea.
	THE MODULA	CONTRACTOR

HEAD CLEANING KIT

Industry Recommended Y \$14.95

- wet & dry methods
- prevents costly repair and lost data
- extends diskette and head life
- safe and easy to use
- recommended

usage: 15 cleanings

PRIORITY ONE ELECTRONICS Now Stocks Cromemco

INTRODUCTORY OFFER on Cromemco

- Ultra-Fast "RAM" Disk Included

INCLUDES:

BECRMDPU 68000/Z80 CPU \$749 BECRMMCU Memory Control Unit \$468 BECRM512MSU 512K Memory Card \$2369 BBCRM256MSU 256K Memory Card \$1995

SPECIAL SALE PRICE:

BECRMSP1S Cromix on 51/4" BECRMSPIL Cromix on 8"
(Shipping Weight: 20lbs.)

ADD-ON DRIVE FOR IBM PCTM

51/4"48tpl FLOPPY, DOUBLE SIDED/DENSITY

TANDON

Half Height Full Height 86 HTNBTM1002 Reg. Price \$340.00 B&EPN521 Reg. Price \$269.00 Sh.Wt. 4lbs. Sh.Wt. 3lbs.

\$219

S169

EPSON

51/4"Floppy Cabinet for 2 Half Height or 1 Full Height with Power Supply

BG JMR2SV5

(Sh.Wt. 7lbs.) Reg. Price:\$89.00

VISA

S69

BETTER THAN HAYES! BETTER THAN PASSWORD!

Prometheus ProModem™ 1200 1200baud Auto Answer/Originate Hayes Compatible Dial Up Modem

With Internal Chronographi

- Programmable Intellegent Dialing
- Redial if busy
- Wait for tone before redialing(for Sprint, MCI)
- Help Commands Menu for quick reference
- Built in speaker for monitoring line operation
- Complete internal diagnostics
- Haves command set compatible PLUS an additional extended command set Sh.Wt 2lbs.

List Price: \$495.00

OUR PRICE

PRACTICAL PERIPHERALS PRINTER **BUFFERS**

MICROBUFFER-Stand alone Buffer Part Number Description List Price Our Price 64K Serial BGPRPMB1P84 64K Parallel 2lbs \$349.00 \$989.00 \$179.00 \$145.00 64K Expansion Module

MICROBUFFER II+ For Apple II/IIe™ 16K, Expandable to 64K, Extensive Graphics Features, Serial or Parallel Ports.

BE PRPMB2 PLUS18S w/Serial cable 1lb. BE PRPMB2 PLUS18P w/Parallel Cable 1lb. \$259.00 \$189.00 \$259.00 \$189.00 BR PRPRRAPHICARD Graphics Only Printer Card \$ 99.00 \$ 85.00 BG PRPPRINTERFACE Centronics Parallel I/O Card \$ 75.00 \$ 59.00

BUFFERS for EPSON MX,FX,RX,and IBM

BS PRPMBS8 BS PRPMBP16 Serial 8K Buffer 1lb. Parallel 16K Buffer 1lb. \$159.00 \$129.00 \$159.00 \$129.00

BUY DRIVE AND CABINET TOGETHER AND SAVE \$210

DUAL SIEMENS FDD1008's with JMR2C8 Cabinet, Power Supply and Power Cables



B&PDBJMRSIE (Drives shipped separate from cabinet; Package shipped in 3 containers)

Cabinet Only

88 JMR2C8 Dual 8" Cabinet Reg. Price: \$339.00 (Sh.Wt. 35lbs.)

Sale Price \$325.00

SIEMENS



8" Drive **Single Sided Double Density**

FACH

BESIEFD01008 (Sh.Wt.16lbs.) Reg. Price:\$185.00 BESIEFDD1008M Manual

\$10.00

Circle 253 on inquiry card.

9161 Deering Ave., Chatsworth, CA 91317-5887



PRIORITY ONE ELECTRONICS

ORDER TOLL FREE (800) 423-5922 - CA, AK, HI CALL (818) 709-5111

Terms U.S. VISA, MC, BAC, Check, Money Order, U.S. Funds DNLY, CA residents add 61/4% Sales Tax, MINIMUM PREPAID ORDER \$15.00. Include MINIMUM SHIPPING & HANDLING of \$3.00 for the first 3lbs, plus 406 for each additional pound (206 fi within California). Orders over 70 lbs sent freight collect. Just in case; include
your phone number. Prices subject to change without notice. We will do our best to maintain prices though July, 1984. Credit card orders will be charged appropriate
freight. We are not responsible for typographical errors. Sale prices for prepaid order only.

YOU SAVE \$2182.00 !!

68000/Z80 CPU Board 768 Kbytes of Error Correcting Memory

Multi-User, Multi-Tasking Cromix®

Operating system

Reg. Price: BBCRMCRODIXO Operating System \$595 IF PURCHASED SEPARATELY: \$6177

IBM PC™ Compatible 15 Mbyte Hard Disk With Controller

Compatible With:

- ★ IBM-PC" and PC/XT"
- Zenith Z150
- * Tava
- * Compaq
- **★** Corona

PLUG'N'RUN, READY TO GO RIGHT OUT OF THE BOX!!

EXTERNAL WITH CABINET AND DATA CABLE

POBILIHOPCXIS (Sh. Wt. 16lbs)

INTERNAL

\$1050 BEILINDPCITS (Sh Wt 11lbs)

PROTECT YOUR DATA!!

DATAGARD

NOISE and SURGE SUPRESSOR 6 Outlet

6'Cord

UL LISTED S29.95

BE #BRDG1158 (Sh. Wt. 3lbs) List Price: \$49.95

51/4" Double Density, Soft Sector, 40 Track
Use with IBM, Sanyo, Apple



and Most Personal Computers 2 - 9 boxes BE ULTS 1401 ST 9.00

\$17.00 BE ULT51402 DOUBLE SIDED \$29.00 \$26.00 Minimum 2 box purchase

ORDER TOLL FREE (800) 423-5922 - CA, AK, HI CALL (818) 709-5111

APPLE COMPATIBLE PERIPHERALS 9 780 CARD

for II + ™ & IIe™ (Microsoft comp.™)

■ 80 COLUMN CARD \$60 with inverse & cable (Videx comp.™) \$90 GRAPHICS PRINTER CARD \$90 with cable (Grappler + comp.) FAN lighted power switch, 2 switched outlets, surge protected. \$40

• NASHUA DISKS SSSD \$18 soft sectored DSDD 10 to a box \$25 \$180 (Titan, Saturn comp.

DISK CONTROLLER CARD (Apple comp.™)
All cards are highest quality and fully socketed.

● 6 MONTH WARRANTY ● Call or write for complete price list and data sheets

L'ANTON COMPUTER SYSTEMS

37 Juneau Boulevard . Woodbury, NY 11797 NYS) 800-632-4441 • (outside NYS) 800-645-4441

Allow up to 3 weeks for personal checks to clear. Money orders, certified checks and C.O.D. orders shipped immediately. Please include phone number. Prices and availability subject to change without notice. Shipping & handling charges \$5.00 per order. NYS residents add sales tax.

Circle 180 on inquiry card.

SINGLE BOARD COMPUTER

ZINGER ONE

INS 8073 CPU WITH TINY BASIC INCL 2K RAM EXPANDABLE TO 12K ON BOARD RAM/ROM INTERCHANGEABLE EXPANDABLE TO 56K RAM/ROM OFF BOARD EEPROM PROGRAMMER ON BOARD 24 Line 3 Port Parallel I/O (8255)
REQUIRES +5V @ 300 MA ONLY
ON BOARD SWITCHING POWER SUPPLY
EIA - RS 232 I/O PORT
IDEAL FOR CONTROL OR ROBOTICS
**** \$119.95 ASMBLD & TESTED ****

ZINGER INTERFACE BOARD

ZINGER INTERFACE BOARD
MAY BE PURCHASED WITH ANY OR ALL COMB.
276 WORD SPEECH SYNTHESIZER
8 CHANNEL A/D CONVERTER
REAL TIME CLOCK WITH BATT. BACKUP
24 LINE 3 PORT PARALLEL I/O (8255)
64 KEY KEYBOARD INTERFACE
8 CHAR ALPHA/NUMERIC DISPLAY
INTERRUPT REGISTER ON ALL DEVICES
COMMODORE VIC 20
ADAPTER AVAILABLE

SCHULZ ENTERPRISES INC.

1285 LAS TUNAS DR. SAN GABRIEL, CA 91776 (818) 287-5067

Circle 275 on inquiry card.

Better **Business Basic**

BB/M.™The original Business Basic Programming Language from MAI/Basic Four.® It's fast: Lets you stop, make corrections and then continue the run. It's convenient: Built-in data file system. It's flexible: Powerful string handling. It's compatible: Runs under MS-DOS.

Call 800-321-9916 or write MAI, 601 San Pedro NE. Albuquerque, N.M. 87108.



MS-DOS is a trademark of Microsoft Corp. MAI & Basic Four are registered trademarks of Management Assistance Inc.

Our UNIFORTH Systems are used on computers from the VIC-20° to the VAX*, and now are available specifically customized for your DEO* mini- and micro-computer. All of these features are standard with UNIFORTH: enhanced FORTH-79 (strings, arrays, etc.); a full macro assembler; video editor (string func-tions, line stack); complete DOS interface (uses standard files for I/O): primitive disk utility (R/W any sec-tor); IEEE-compatible floating point with all trig func-tions; single-step tracing; decompiler; text file support; vectored I/O; and an excellent 200-page User's

Prices

North American postage is included; foreign orders add \$10. Maryland customers add 5% tax.

Unified Software Systems

P.O. Box 2644, New Carrollton, MD 20784, 301/552-9590

DEC, VAX,PDP,RT-11,RSX-11 (TM) Digital Equipment Corp; CP/M (TM) Digital Research; MSDOS (TM) Microsoft; VIC-20

Circle 315 on inquiry card.



6 Year Warranty - 100% Certified FREE B DELIVERY

51/427 \$1 35 SINGLE SOUSTITY SINGLE SOUSTITY 45 TPI WINUE RINKS PRICING TO per Son Fack	BULK SSSD 100/Case Wild Emission Wild Emission
51/4" \$1 55 SINGLE SIDE SINGLE DENSITY 49 TPI WINDS RING A PRESIDENCE OF PACK	BULK SSDD 100/Cate White Envelopes White British
51/4" \$1 89 DOUBLE SIDE DOUBLE SIDE DOUBLE DENSITY 40 17 WHILE BING Freshed 10 per Soft Fech OTY 20	BULK \$169 DSDD \$160/Case White Envelope WHIRE BING

24 Hour Order Desk



1-800-634-2248

Visa, MasterCard, Cert. chk., M/O, C.O.D. cash, Get immediate shipment. Schools & govt. on P.O. #. Personal or company checks held 14 days. APO, FPO. Can. and other non-UPS delivered, add \$5. ders of \$50 or more. Others add \$7 for S.A. H.

Software Services

1326 25th St. S., Suite H, Fargo, ND 58103 1-701-280-0121

Circle 281 on inquiry card

PC'S LIMITED

IBM PC, 64K, 1 Drive\$1875 IBM PC, 64K, 1 Drive and 10 meg Internal Hard Drive \$2770 COMPAQ 256K, 2/360K Drives \$2395 COMPAO 256K, 1/360K Drive, 10 meg Internal \$3065 Tava PC 128K, 1 Drive\$1495 Tava PC 128 K, 1 Drive, 10 meg Internal \$2390 10 meg Internal PC Hard Disk \$895

> Prices Subject to change without notice SHIPPING FREE WITHIN USA EXTRA FOR NEXT DAY AIR ALL EQUIPMENT CARRIES FACTORY WARRANTY IBM is a trademark of IBM Corp. Credit Cards add 3% Quantity Pricing Available

PC's LIMITED

(512) 478-5838

404 East 32nd Street Suite #307 Austin, Texas 78705

SAVE 50% ON Verbatim Datalife

SPECIAL DISKETTE OFFER

Verbatim Datalife Disks have 6 datashielding improvements for greater disk durability and longer data life.

PLUSI If you call, write, or utilize reader service in response to this ad—we'll send you our full-range catalog of computer supplies with Special Offers good for further savings on Verbatim diskettes and many other quality products.

Call or write for our discount catalog.

LYBEN COMPUTER SYSTEMS

1250-E Rankin Dr., Troy, Mi 48083 Phone: (313) 589-3440

DATALIFE • THE NAME IS THE PROMISE THE WARRANTY IS THE PROOF

Circle 191 on inquiry card.

PROMPT DELIVERY!!! SAME DAY SHIPPING (USUALLY)

DYNAMIC RAM 256K 150 ns \$48.99 64K 200 ns 5.44 5.37 64K 150 ns 64K 120 ns 6.80 200 ns 16K 1.21 **EPROM** 27256 Call 250 ns 250 ns \$26.40 27128 200 ns 10.65 2764 450 ns 2732 5.40 3.60 2716 450 ns STATIC RAM 5565P-15 150 ns \$39.97 6264LP-15 150 ns 39.97 6116P-3 150 ns 6.36

Factory New, Prime Parts MICROPROCESSORS UNLIMITED

24,000 South Peoria Ave. (918) 267-4961 BEGGS, OK. 74421

1.5 volume prices. Prices subject to change. Please expect higher due to world wide shortages. Shigong and insurance extra. Cash n. Small orders received by 6 PM CST can usually be delivered to ning, via Federal Express Standard Air or \$5.99!

Circle 221 on inquiry card.

S-100 COLOR GRAPHICS!

MICROSPRITE

- Field-proven board meets IEEE-696 standard; fully socketed with solder masks, silkscreen and gold contact fingers.
 Prioritized display with backdrop and pattern planes plus 32 sorte planes, each pute in a plane can be coinced or transparent.
 Three graphics and one text display mode; maximum graphics. resolution is 256H x 192V in 16 colors.
- Composite video output.
 On-board 16K RAM is separate from system memory.
- Vertical retrace interrupt for real time clock capability.
 0-4 wait states for use with fast MPUs.
 All board options are DIP switch selectable.
- Professional quality documentation with BASIC demonstration programs and TI's TMS9918A manual.
- Exclusive Graphics Editor available on 8" SSSD CP/M-compatible diskette.

\$199.95* (A & T)

MicroDynamics

Corporation

Suite 245 • 1355 Lynnfield Road • Memphis, TN 38119 (901)-682-4054

Price includes MICROSPRITE with documentation. Graphics Editor diskette—\$9.95. UPS ground—\$2.00, UPS air—\$4.00, COD—\$1.65. foreign add \$15.00, VISA & MC welcome.

W. 100	N/Sin	Delta EVA	Lave.	II die	23
	74LS	00		745	00
74LS00	.60	74LS166	2.50	74500	75
74LS01 74LS02	.60	74LS168 74LS169	1.35	74802	.75
74LS02	.60	74LS170	2.50	74S03	75
74LS04	.75	74LS173	1.50	74804	75
74LS05	75	74LS174	1.50	74S05 74S08	.75
74LS08	.75	74LS175	1.50	74509	.95
74LS09	.75 .65	74LS181 74LS190	2.50	74510	.95
74LS10 74LS11	.75	74LS190	1.45	74S11	.95
74LS12	.75	74LS192	1.35	74S15	.95
74LS13	.95	74LS193	1.35	74S20 74S22	.95
74LS14	1.25	74LS194	1.45	74530	.95
74LS15	.75	74LS195	1.35	74S32	.95
74LS20 74LS21	.75	74LS196 74LS197	1.35	74S38	11.95
74LS22	.75	74LS221	1.35	74540	.95
74LS26	.75	74LS240	1.85	74S51 74S64	.95
74LS27	.75	74LS242	1.85	74S65	.95
74LS28	.75	74LS243	1.85	74574	1.50
74LS40 74LS42	.75	74LS244 74LS245	2.25	74S86	1.25
74LS48	.95	74LS247	1.65	74S112	1.25
74LS51	.60	74LS248	1.65	74S113 74S114	1.25
74LS54	.60	74LS249	1.65	745124	3.65
74LS55	60	74LS251	1.75	745133	.95
74LS73 74LS74	1.42	74LS253 74LS258	1.75	74S134	1.25
74LS74	.95	74LS259	2.95	74S135	1.65
74LS76	.95	74LS260	1.15	74S136 74S138	2.25
74LS78	.95	74LS261	3.75	74S139	1.95
74LS83A	1.15	74LS266	1.35	74S140	1.25
74LS85 74LS86	1.25	74LS273 74LS275	1.75	74S151	1.95
74LS80	95	74LS279	.95	74S153	1.95
74LS92	.95	74LS283	1.25	74S157 74S158	1.95
74LS93	.95	74LS290	1.25	74S150	2.95
74LS95	.95	74LS293	1.25	74S161	3.95
74LS96 74LS107	1.25	74LS295 74LS298	1.65	74S163	3.95
74LS109	.75	74LS323	4.95	74S174	2.25
74LS113	.95	74LS324	2.15	74S175 74S188	2.25
74LS114	.95	74LS347	2.55	74S194	2.55
74LS122	1.05	74LS348	2.55	74S195	2.55
74LS123 74LS124	1.35	74LS352 74LS353	1.65	74S196	2.55
74LS124	.95	74LS363	1.95	74S225	7.75
74LS126	.95	74LS365	1.25	74S240 74S241	2.95
74LS132	1.35	74LS366	1.25	745242	3.95
74LS133	.95	74LS367	.95	745243	3.95
74LS136 74LS138	1.10	74LS368 74LS373	.95 2.50	74S251	2.25
74LS139	1.10	74LS374	4.95	74S253	2.25
74LS145	1.75	74LS375	1.25	74S257 74S258	1.95
74LS148	1.75	74LS377	1.95	74S260	1.25
74LS151	1.25	74LS378	2.55	74S280	2.95
74LS153 74LS154	1.25	74LS385 74LS379	1.95	74S283	3.95
74LS 155	1.25	74LS386	1.25	745287	3.95
74LS156	1.35	74LS381	3.95	74S288 74S289	3.95
74LS157	1.25	74LS390	2.55	745373	3.95
74LS158	1.25	74LS393 74LS395	2.55	74S374	3.95
74LS160 74LS161	1.25	74LS395 74LS424	2.55	74S387	3.95
74LS161	1.25	74LS640	3.95	745471	7.95
74LS163	1.25	74LS668	2.75	74S472 74S473	7.95 7.95
74LS164	1.65	74LS645	4.95	745474	9.95
74LS165	1.25	74LS670	2.50	745475	9.95
	7	74LS690	2.50	1	

7400 SERIES CALL FOR PRICE

STATIC

RAM

2101

3.95 5101 5.95 2114-450

SOUND

CHIPS

76477

MOS

2716-450

EPROM

2716-450 3.9 2732-450 5.9 2732-250 6.9 2764-450 7.9 2764-250 9.9 27128-250 25.9 TMS2516 4.9 TMS2516 7.9 TMS2532 5.9	5 2114-450 5 2114-200 6 2147 5 6116-4 6 6116-3 5 6116-2 6 6116LP-4 5 6116LP-3	10406 0.00	
1984 IC Master Manual \$79.95 plus \$5.00 shipping	4116-200 4116-150 4116-120 4164-200 4164-150	1.95 2.4576 2.95 2.26 3.2768 2.95 2.95 3.579535 95 6.75 4.0 2.95 6.95 5.0 2.95 5.0688 2.95	
6502 68000 4 8748 2 8255-5 82\$123 82\$129 82\$131 93422 93L422 93L425 93427 D2125AL-2 D2104 AY5-3600 1 6810	4.95 9.95 4.96 4.96 2.55 2.55 2.59 8.95 9.95 3.95 3.95 3.95 3.95 3.95 3.95 3	5 185 2 95 5 7143 2 95 6 0 2 95 6 144 2 95 6 5556 2 95 8 0 2 95 10 0 2 95 11 738635 2 95 14 31818 2 95 15 0 2 95 16 0 2 95 14 31818 2 95 16 0 2 95 17 430 2 95 18 432 2 95 20 0 2 95 22 1184 2 95 32 0 2 95	

GENERAL PURPOSE BOARDS

BLANK BOARD - HOLES ON 100" GRID, No ETCHED CIRCUIT EXCEPT CONTACT FINGER

	No. Contacts	Size	Contact Centers	Price
P 441-1	22/44	4.5" x 6"	156"	9.95
P 442-1	22/44	4.5" x 9"	156"	10.95
P 721-1	36/72	4.5" x 6"	100"	9.95
P 722-1	36/72	4.5" x 9"	100"	10.95
	74 747			

D- SUBMINIATURE CONNECTORS

Description		er Cup	Right Angle	PC Mountin	ng Ho	od
		Socket	Pin	Socket	Grey	Black
	DXXP	DXXS	RDXXP	RDXXS	DXXCGY	DXXC
9	2.05	2.65	3.90	3.20	1.55	****
25	2.50	3.25	4.50	4.80	1.55	1.25
37			2000			
	9 15 25	9 2.05 15 2.05 25 2.50 37 4.75	Pin Socket DXXP DXXS 9 2.05 2.65 15 2.05 3.60 25 2.50 3.25 37 4.75 7.10	Pin Socket Pin DXXP DXXS RDXXP 9 2.05 2.65 3.90 15 2.05 3.60 3.70 25 25 2.50 3.25 4.50 37 4.75 7.10 9.40	Pin Socket Pin Socket DXXP DXXS RDXXP RDXXS 9 2.05 2.65 3.90 3.20 15 2.05 3.60 3.70 5.40 25 2.50 3.25 4.50 4.80 37 4.75 7.10 9.40 10.95	On Pin Socket Pin Socket Grey DXXP DXXS RDXXP RDXXS DXXCGY 9 2.05 2.65 3.90 3.20 1.55 15 2.05 3.60 3.70 5.40 1.55 25 2.50 3.25 4.50 4.80 1.55 37 4.75 7.10 9.40 10.95 2.95

MODEMS

SIGNAL	MAN	MARK I	RS 232C, 300 BAUD, DIR CONN	89.00
		MARK VI	DIR CONN., AUTO ANS/DIAL	199.00
		MARK VII	RS 232C, 300 BAUD, DIR CONN.	139.00
		DESIGNATION NOTICE	AUTO ANS/DIAL	
		MARK XII	RS 232C. 300/1200 BAUD. DIR CONN., AUTO ANS/DIAL	359.00
		ADAPTER	115VAC to 9V DC	9.00
HAYES	IBM PO	SMARTMODEN	M 1200B, Plug-in	449.00
	SMART	TCOM II COMMU	UNICATIONS SOFTWARE	99.00
	SMART	TMODEM 300, AL	UTO ANS/DIAL, 300 BAUD, RS232	199.00
	SMART	TMODEM 1200. A	AUTO ANS/DIAL: 1200 BAUD, RS232	475.00
	SMART	TMODEL IIe. 300	BAUD, AUTO ANS/DIAL, Plug-in	279.00
			NICATIONS SOFTWARE	79.00

	BARE BOARDS				ECTOR	
25 x 45 2 45 x 65 2 45 x 85 2 45 x 170	2.5" × 4.5" 4.5" × 6.5" 4.5" × 8.5" 4.5" × 17.0"	2.50 4.95 6.50 11.95	44 44 72 72	PIN PIN PIN PIN	ST WW ST	4.95 2.95 5.95 6.95
85 x 170	8.5" x 17.0"	19.95		D	CLIDAL	MIATI

15.95

22.95

22.95

Tel: 1-(800)-821-3628 IDE CONNECTOR ILIMPERS

D-	SUBMINIATURE	CONNECTOR JUMP	EHS
25DP36	36"	Single Male	12.00
25DS36	36"	Single Female	12.80
25DP36DF	36"	Male to Male	18.95
25DP60DF	60"	Male to Male	19.95
25DS36DS	36"	Female to Female	18.95
25DS60DS	60"	Female to Female	19.95
25DP36DS	36"	Male to Female	18.95
25DP60DS	60"	Male to Female	19.95

\$39.95

\$49.95

FOR APPLE II & IIe

16K RAM CARD

Apple II/IIe Compatible

Disk Drive

\$175.00

Programmer

for Apple II \$149.00

Programming 2716, 2732.

2732A, 2764, 27128,

2516, 2532, 2564

Compatible with DOS 3.3 CP/M

Visicalc, PASCAL

1 YR WARRANTY

FLOPPY DISK DRIVES

S - 100 BOARD (5.3" x 10") HOLES ON 100" GRID

Blank Board

Horizontal Busses

Vertical Busses

P 100-1

P 100-2 P 100-3

_						_
	Taxan			monitor	Vision III	500.00
	Taxan		color	monitor	Vision 420	550.00
	Taxan	12 in.	ambe	er		135.00
	Taxan	12 in.	gree	n		130.00
	MONITORS					
	Handwell	HSD-80	514"		1/2 High	185.00
	Handwell	HD-40	514"		Full High	175.00
	11					
	FOR APPLE	II AND IIe				
	Tandon	TM100-2A		320KB	Full High	209.00
	Toshiba			320KB	1/2 High	209.00
	Panasonics			320KB	1/2 High	179.00
	Shugart	SA455L	5'4"	320 KB	1/2 High	209.00
				NAME OF TAXABLE PARTY.		
	FOR IBM PC					

% WATT	5%			JOYSTIC
50 pcs 100 pcs 1000 pcs	Ji im	.99 1.89 9.50	.02 ea .019 ea .010 ea	APPLE II
5000 pcs 72 WATT	5%	42.50 CARBON FILM	.009 ea	\$3200
50 pcs 100 pcs		1.25 2.35	025 ea	\$32.0

1000 pc		11.5 52.5		.012 ea	
		RIBBON C	ABLE		
	GR	EY	COLOR	CODED	
Contacts	3	10.	3	10	
10 14 16	1.45 1.95 1.75	4 50 4 70 4 90	1.95 2.40 2.50	5 95 7 25 7 50	

CENTRONIC PRINTER CABLE

500.00	CONTRO	E-1912
TICK	CARD	\$49.
DR	Speedy E	

in 30 seconds, software control programming, no additional hardware required. U/V EPROM ERASER General Industries \$37.50

SUPER COOLING **FANS For APPLE** WITH SURG

FOR IBM P/C MULTIFUNCTION

WIRE WRAP WIRE

200/3" 250/3 5" 100/4" 4 5" 5" 6"

250/2.5", 4.5", 5", 500/3", 3.5", 4" 100/5.5", 6", 6.5", 7" SPOOLS AVAILABLE IN RED. BLUE YELLOW AND BLACK

> IC SOCKETS WW = WIRE WRAP 1 - 99

> > 65

.65

89

1 00

1 19

1.45

1 89

12 14

16 18

28

28

30

40

48

LP = LOW PROFILE

4.30

13.25

21.95

100

45

55

55 79

1.05

1.09

1 35

1.69

26

24 26

32

WIRE KIT #1 \$9.95

WIRE KIT #2 \$24.95

100

250

500

1000

8 PIN WW

14 PIN WW

16 PIN WW

18 PIN WW

20 PIN WW

22 PIN WW

24 PIN WW

28 PIN WW

40 PIN WW

8 PIN LP

16 PIN LP

18 PIN LP 20 PIN LP

22 PIN LP 24 PIN LP

28 PIN LP

AT PIN I P

64 PIN LP

FDOF 0405

BOARD WITH 128K, 2 Serial Port. 1 Parallel Port Real Time Clock

\$399.00

Color Graphic Display Card \$270.00

64K MEMORY **EXPANSION KIT** for IBM/PC

\$52.95

Joy Stick for IBM P/C \$35.00

8087 MATHEMATICS CO-PROCESSOR \$199.00

VISA



CENTRONICS RIBBON CONNECTORS

CEN 36 M 8.75 CEN 36 F 9.75

CAPACITORS Ceramic Disc

- * Electrolytic Tantalum
- Mylar * Monolithic

TERMS For shipping include \$2.00 for UPS Ground or \$3.00 for UPS Blue Label Air Items over 4 lbs require additional shipping charges \$10.00 minimum order.

IBM is a trade mark of International Business Machines Corporation. Apple is a trade mark of Apple Computer

Price is subject to change without notice



4962 EL CAMINO REAL • LOS ALTOS. CA 94022 • (415) 962-9265

\$39.50

1-(800) 821-3628

d BASE II \$265.00

d BASE III
(IBM PC) \$365.00

Friday! — \$179.00

FRAMEWORK - Call VISA/MC WELCOME


Cabrillo Software

484 Mobil Ave., Suite 42

Camarillo, CA 93010 (805) 484-5353

(800) 421-7354 in Calif. (800) 321-5753 - USA

Circle 57 on inquiry card



* * * FIREBALL DISCOUNTS * * *

25% off List Price (UPS extra) for Cashler's Check or Money Order

You save MONEY = We save TIME

See -> LOMAS <- ad in BYTE or request complete specifications

\ LIGHTNING SPEED /

80286-CPU & 80287-NDP: \$1458.75

! ! THUNDERING PERFORMANCE ! !

80186 & I/O & 256K-DRAM & 5.25"/8" disk controller & CCP/M-86: \$1196.25

Configured for SanTec-S700 printer: TeleVideo-GA970C VDT: \$1121.75 Spellbinder-5.30 W/P: \$371.25

HIERATIC COMPUTER SYSTEMS BOX 133; MEDFORD, MA 02155 (617) 391-8659

Circle 152 on inquiry card.

PRINTER CABLES \$30.00

SHIPPING INCLUDED

Parallel Printer Interface Cable	INTERFACE CABLES RS232 Serial Interface Cable
Apple Centronics Columbia	TELEVIDEO DB 25
Epson Eagle	Male/Female
IBM PC Kaypro NEC WANG Zenith	Cable Length up to 10 feet

SPECIAL PRICING AVAILABLE TO DEALERS CUSTOM CABLES AVAILABLE ON REQUEST



FABRICATION CONCEPTS, INC.

8230 Miralani Drive • San Diego, CA 92126 (619) 271-4522

COBOL CROSS REFERENCE \$95

Required:

IBM-PC, DOS-2.0, 128K memory, & one disk drive. Limits:

1,400 data names & 11,000 references.

Prints cross reference and/or source code. Accepts most versions of COBOL as input. This is a stand alone program which will flag duplicate data names and invalid references. Your name will appear in the report heading. Please print your name and address distinctly.

Your Name

Street Address

City, State, Zip

Send a check or money order (\$95.00) to:

META SYSTEMS INC. ALASKA 200 W. 24th Ave., Suite 115 Anchorage, AK 99503

Circle 206 on inquiry card.

I WILL BEAT ANY PRICE IN U.S.A.

XEBEC (Datamac)—Sunol Systems Winchester Disk Drives

Outstanding Quality Products, Latest Technology Satisfaction Guaranteed 7 Days Trial, The Best Hard Drive Subsystem in the World Complete and Ready to Run, Full Year Warranty

10	MB	51/4"		. \$	1,195.00
16	MB	51/4"			1,895.00
25	MB	514"	100/	. \$	2,150.00
30	MB	514"	:::10%::	. \$	2,195.00
40	MB	514"	10/0	. \$	3,495.00
65	MB	514"		. \$	3,995.00
92	MB	514"	OFF	. \$	4,895.00
184	MB	514"	UTT	. \$	8,995.00
368	MB	514"		. 5	17,895.00
MX-	4 Mu	Itiple	User Kits	. \$	400.00
			utomatic Despools		

MANDINGO COMPUTERS & CAMERAS 900 CASCADE DRIVE FORT WASHINGTON, MARYLAND 20744 (301) 292-5632 (301) 292-6732

Circle 196 on inquiry card.

6800/6809 Micro Modules



OEM 6800/6809 MICROCOMPUTER MODULES for dedicated control and moniforing. Interfaces for sensors, transducers, analog signals, solenoids, relays, lamps, pumps, motors, keyboards, displays, IEEE-488, serial I/O, floppy disks.



1801 South Street Lafayette, IN 47904 317-742-8428

Circle 328 on inquiry card.

wabash

When it comes to Flexible Disks, nobody does it better than Wabash.

MasterCard, Visa Accepted. Call Free: (800) 235-4137



Circle 243 on inquiry card





E-PROMS — CALL! Lowest Prices Anywhere

*4164-150P ... \$530 *4164-200/250 ... 515/469 6116-P3 ... 599 *IBM Ex/Color Boards ... CALL IBM PC, XTs ... Below Market/

CALL
Disk Drives: (FO.B. Tampa)
*TM-100-2......21924

new, no surplus, no seconds 4920 Cypress St., Tampa, FL 33607 In FL and for info, call 813-875-0299

FOR ORDERS ONLY, 800-237-8910





8 AM-8 PM EDT

Circle 244 on inquiry card

DATA ACQUISITION and control for ANY computer



The Model 8232 communicates via RS-232, and has 8 analog inputs (0-5 VDC; 8 bits), 8 digital inputs and outputs, and a 2000 point buffer. Suitable for field data logging or lab use, the 8232 costs only \$540. Direct bus-connect unit for TRS-80/III & 4 is \$295. Detailed manual, \$6. Phone our applications engineer or write:



DATA COMPANY PO Box 24, Newton, MA 02162 (617) 237-7695

Circle 288 on inquiry card.

MICROMAIL

THE PC SYSTEM SPECIALIST

PRICES AND AVAILABILITY SUBJECT TO CHANGE WITHOUT NOTICE



SPECIAL OF THE MONTH



TAVA PC

A Superior quality IBM PC Compatible Personal Computer. Runs DOS 1.1, 2.0, 2.1, CP/M86®, UCSD p-System®, Runs Lotus 1-2-3®, Multi-plan®, Word Star®, PFS®, dBASEII®, and many more! Hardware includes 128K CPU, Floppy Controller, Two DS/DD Disk Drives, Video Monitor, Video Adapter, Parallel & Serial Ports.

CALL FOR LOW PRICE

Suggested List \$2395.00

FREE Lotus 123 or Gemini 10X with TAVA purchase.



IBM.

PERSONAL

Special of the Month!

IBM PC®COMPLETE LINE

COMPLETE SYSTEM VERY SPECIAL PRICE

256K RAM, 360KB Disk Drive, FDC, Video Monitor & Adaptor 10MB Hard Disk Sub-System \$3990

PRINTERS

OKIDATA 82	120 cps .									CALL
OKIDATA 92	160 cps .		 							CALL
OKIDATA 93	160 cps .		 							CALL
OKIDATA 84	200 cps .		 		 				•	CALL
EPSON FX 80	160 cps		 							\$499
EPSON FX 100-	-160 cps		 							CALL
NEC 3550			 							\$1899
DYNAX DX-15	13 cps .		 							\$450
BROTHER HR-										
BROTHER HR-	25 23 cps	5	 	٠.						\$749
GEMINI 10 X	120 cps		 .,	٠.						CALL
GEMINI 15 X	120 cps	*.0	 			69	9.		•	CALL

DISK DRIVES

SLIM LINE	QUMETRAC 142	\$199
	TOSHIBA	\$205
	PANASONIC	\$199
FULL SIZE	TANDOM TM 100-2	

PERIPHERAL CARDS

AST	SIXPACK PLUS 64K	. \$299
	MEGA PLUS 64K	
	I/O PLUS-1s, 1p, c	. \$190

PERIPHERAL CARDS

GAME/SERIAL/PAR \$39 64K MEMORY \$50	
MONOGRAPHIC CALI	
HERCULES GRAPHICS CARD \$369 PLANTRONICS COLOR PLUS \$439	
QUADRAM COLOR I/II CALI PARADISE MULTI-DISPLAY \$489	,

MONITORS

AMDEK	300 G \$14	9
	300 A \$15	
	310 A \$16	9
PRINCET	ON HX-12 \$49	0
	SR-12 CAL	L
	MAX-12A CAL	L
ROLAND	MB-122 G \$13	9
	MR-122 A \$14	0

MODEMS

	The state of the s
HAYES	1200B CALL
	1200 CALL
	300 CALL

MICROMAIL

631 E. First St., Tustin, CA 92680

(714) 838-9100

*IBM PC is a registered trademark of IBM Corp *dBASE II is a registered trademark of ASHTON-TATE, Inc LOTUS 1:2-3 is a registered trademark of Lotus Development Wordstar, Spelistar, Mailmerge are registered trademarks of Micropro International Visicalc is a registered trademark of Visicorp

Multiplan is a registered trademark of Microsoft Corp PFS is a registered trademark of Software Publishing Co CPI/MB6 is a registered trademark of Digital Research, Inc. MS-DOS is a registered trademark of Microsoft Corp UCSDp is a registered trademark of Softech Microsystems



FLEXIBLE DISCS

SOLD!! Call Free (800)235-4137 for prices and information. Dealer inquiries invited and C.O.D's accepted.



Circle 243 on inquiry card

DISK DRIVES

(For PC, Mod I, III & IV)

Qume 142A	\$209
Teac FD55B	\$179
Tandon TM100-2	\$209
Tandon TM101-4	\$295
CDC 9409	\$219
Case and PS.	\$ 45

PC EXPANSIONS

Maynard Disk Controller Sandstar Series Internal 10 MB HD systems: WS4 WS1	\$call \$959 \$990	
Quadboard (64K)	\$269	
Quadcolor I		
AST SixpackPlus (64K)	\$269	
MagaPhie (64K)	\$260	
I/O Plus	\$114	
2nd SP, PP or Game	2 35	
HERCULES graphics board		
HAYES Modems: 300		
Smartmodem 1200 Smartmodem 1200B Set of 9 chips (64K)	\$435	
The state of the s	100	

VLM Computer Electronics

10 Park Place Morristown, NJ 07960 (201) 267-3268 Visa, MC, Check or COD

WE WILL NOT BE UNDER-



Circle 116 on inquiry card.

The Statistician

CPM IBM-PC TRS-DOS XENIX

- Multiple Regression Stepwise
 - Ridge All Subsets Backward Elimination
- Time Series Analysis Descriptive Statistics
- Transformations
- * Survey Research * Nonparametrics
- * X-Y Plots
- ANOVA
- * Random Samples
- Data Base
- * Search & sort * Hypothesis tests

Please call TOLL FREE 1-800-334-0854 (Ext. 814)



for more information or write: Quant Systems Box 628 Charleston, SC 29402 VISA-M/C Accepted

Circle 259 on inquiry card

PAL. EPROM **PROGRAMMERS** FROM \$49.95

LOGICAL DEVICES INC.

Where Reliability and Customer Support is of utmost Importance

SEE OUR AD ON PAGE 200

ORDER TOLL FREE 1-800-EE1-PROM

(1-800-331-7766)



∃DGE-PC: An Affordable IBM PC-Compatible System for \$1495.

 PC-88 CPU card
 Color/Graphic card \$399 . 5-1/4" diskette adapter card \$145 \$220 \$153 Multifunction card (64k) · Keyboard System Enclose \$129 65W Power Supply with fan box

MICRO SYSTEMS, INC. 2350 WALSH AVE., SANTA CLARA, CA 95051 (408) 980-9866 TLX 3719075 EDGE UB

THE OFFICIAL NUMBER TO CALL TO FIND OUT MORE ABOUT THE UNOFFICIAL APPLE LOGO: 617-492-8816



Terrapin, Inc., 380 Green Street Cambridge, MA 02139, (617) 492-8816

Circle 305 on inquiry card.

GILTRONIX SWITCHES ARE THE BEST CHOICE.

. . and here are 10 good reasons why: APPLE IBM PC



7. F.C.C. Approved Units Manual and Automatic Units

ompt Deliver ationally Adv sed Products oad Product

Line Over 30,000 Units Sold to Date

Automatic Units Highest Quality PC Board Switch Technology 10. Buy Direct From Giltronix, or From Any Authorized Distributor

Manual Units-2 to 6 Ports Automatic Units-3 to 15 Ports

Giltronix

ORDER HOT-LINE: 1-800-531-1300 (Outside of California)

Circle 140 on inquiry card

T & A SYSTEMS

MODEMS	LIST	COST
U.S. Robotics Passwork 300/1200 Autodial/Auto Answer.	\$449	\$350
Rixou R212Al (300/1200 10 no Autodial/Auto Log	on) \$499	\$399
Peuril (300/1200)	\$525	\$399
Hayes 1200 Smart Modem	\$699	\$510
Nec 224 (2400/1200/300 Selectable, 18 month warranty)	\$1195	\$890
General Data Comm 4800 1800, works multipoint	\$1575	\$1395
Universal Data Systems 9600 A/B (9600 Dial-lip!)	\$2650	CALLS
CRTS		

Liberty Electronics Freedom 100 (20 Function Keys, Full Editing)	\$495	CALLS
Teletex 3000 (7X10 Matrix, Status Line)	\$599	\$495
Visual 50 (Green Phosphur screen)	\$695	\$595
Televideo 950	\$1195	CALLS
Lear Ziegler ADM 11	\$695	CALLS
Kimtron (New Product, Fully DEC Compatible)	\$795	CALL \$
PRINTERS		
Panasonic 1091 (120 CPS Dot Matrix, 3 Print Modes)	\$599	CALLS
Teletex 1014 (20 CPS Daisy Wheel, Serial & Parallel Parts Std.)	\$649	\$457
Stamene PTRR /Stant 150 CPS tak lat)	*000	CALLS

Parabolic 1031 (120 to 5 to maint, 5 Time moot	4000	CHEL 9
Teletex 1014 (20 CPS Daisy Wheel, Serial & Parallel Parts Std.)	\$649	\$457
Stemens PT88 (Sitent 150 CPS Ink-Jet)	\$900	CALL S
Televideo 740 (45 CPS Daisy Wheel)	\$1595	CALLS
SWITCHES		
Cilternia (24 Wise A /R Switch)		DALL &

Ide A/B Switch 24 Pin	\$130	CALLS
HARD DISK Mountain (10 MEG for Apple, Franklin, 18M)	\$2495	CALL S
MONITOR		
Panasonic TR120 (High Resolution-1100 Lines)	\$220	\$150

P.O. Box 692 Wheeling, IL 60090 800-323-2666

Lyco Computer Marketing & Consultants

TO ORDER

CALL US

TOLL FREE 800-233-8760

MANNESMANN TALLY

SPIRIT 80	\$299.00
	\$559.00
MTL-180L	\$775.00

NEC

NEC8023				,	,					\$369.00
NEC8025			,		*					\$699.00

PRINTER INTERFACING

AVAILABLE FOR COMMODORE VIC. APPLE, ATARI, IBM-PC. TRS-80. TI. AND OTHERS

SAVE

ON THESE PRINTERS

MICRONTICS

GEMINI 10X .\$259.00

	00	 -0-10
GEMINI 15X.		 \$379.00
DELTA 10		 \$449.00
DELTA 15		 \$525.00
RADIX 10		 \$575.00
RADIX 15		 \$675.00
POWERTYPE		 SCALL
SWEETP(Mo		
STX80		

SMITH CORONA TP2 ...\$449.00

GORILLA GX-100)H
GORILLA GX-100	\$169.0
GORILLA SERIAL	\$199.0
PROWRITER 8510	\$335.0
PROWRITER II	\$575.0
8600	\$899.0
STARWRITER	\$999.0
PRINTMASTER	\$1299.0
SHEET FEEDER	\$425.0
620	\$929.0
630	\$1699.0
2512.00	0400 0

8510 SCP.....\$559.00

A10 LETTER QUAL.....\$499.00

HOME ACCOUNT D \$44.75 TAX ADVANTAGE......\$35.75 F.C.M.\$35.75

KOALA 64 KOALA TABLET......\$69.75 PROGRAMMERS GUIDE...\$12.75 GEOMETRIC DESIGNS...\$22.75 LOGO DESIGN......\$27.75 SPIDER EATER\$22.75 HES 64

HES MODEM \$49.95

M. MULTIPLAN\$65.75

TURTLE TUTOR\$22.75 TURTLE TRAINER \$22.75

TURTLE GRAPHICS\$37.75

SOUND BOX\$9.95

64 FORTH.....\$39.95

64 USERS OF ENCYC 20 ENCYCLOPEDIA ...

RX-80SCALL
RX-80 FTsFOR
FX-80\$CURRENT
FX-100 \$PRICES
FX-100SPRICE

OKIDATA

80\$SAVE
82A SON THESE
83ASIN-STOCK
84SPRINTERS
92SCALL &
93 SSAVES

PRINTING PAPER

3000 SHEETS
FANFOLD\$42.75
1000 SHEETS
FANFOLD\$19.75
1000 SHEETS LETTER\$21.95
200 SHEETS LETTER\$8.99
150 RAG STATIONERY\$10.99
MAILING LABELS (1 in)\$9.75
14x11 1000 FANFOLD\$24.75

MODEMS

ANCHOR MARK 1 \$45.75 ANCHOR MARK II \$79.75

HAYES SMART \$239.00

WICO

COMMODORE & ATARI
JOYSTICK\$16.75
RED BALL\$18.75
BOSS JOYSTICK\$12.75
TRACK BALL\$32.75
12 FT EXT CORD\$6.95
TI ADAPTER\$9.95
APPLE ANALOG\$34.75
IBM-PC ANALOG\$34.75

	Section 1
MICROBIT 1000C \$12	29.00
CAT	4.00
D-CAT\$15	5.00
J-CAT \$11	5.00
APPLE CAT II\$27	9.00
212 APPLE CAT SSE	20 00

commodore

CARDCO

G PRINTER
INTERFACE \$64.75
B PRINTER
INTERFACE\$39.75
KEY PAD 64\$29.75
LIGHT PEN\$29.75
3 SLOT EXPANSION\$24.75
5 SLOT EXPANSION \$54.75
6 SLOT EXPANSION\$79.75
PRINTER UTILITY\$19.75
CASSETTE INTERFACE\$29.75
WRITE NOW 20\$29.75
WRITE NOW 64\$39.75
MAIL NOW \$29.75
DM-1 PRINTER\$109.75
LQ-1 PRINTER\$499.75

HAYES MICRO II \$309.00 DISKETTES

SINGLE SIDE SD (10) \$17.75
SD (100)\$16.75/10
SINGLE SIDE DD (10)\$21.75
DD (100)\$20.75/10
DOUBLE SIDE DD (10)\$26.75
DD (100)\$24.75/10

MAXELL

MIDI	(10)		*		*						*		*	٠		9	4		*
MD2	(10)															\$	3	7	
	C	E	=	F	\$	Ī	•	F	2	(0)	8	١	ı				
	CA			-	2	Ξ		_		9			5		7				

	_	-	7	_		_	•	,	٠.	•	-	-	-					
CC-10 (12)				*			,					\$	1	5		9	9
CC-20 (12	1												s	1	7	1	31	g

COMPUTER CARE BIB

DISK DRIVE	CLEANER	\$12.75
COMPUTER	CARE KIT	\$19.75

NORTRONICS

DISK DRIVE CLEANER
WITH SOFTWARE FOR
IBM-PC, ATARI, VIC.
APPLE. & TI\$29.75
DISK CLEANER REFILLS \$14.7
CASS DRIVE CLEANER \$9.9
MEDIA BULK ERASER\$46.7

Computers for people.

800XL										\$	CA	LL
1050 DI	S	1	(ſ)	R	ľ	V	E	9	CA	LL

BRODERBUND 64

BANK STREET D\$44.7	1
CHOPLIFTER R\$29.9	į
DAVID'D MAGIC\$24.9	į
DROL D/R\$24.9	1
LODE RUN D/R\$24.9	
SEAFOX B \$20.0	

DUST COVERS

800	\$3.99
400	\$3.99
1200	\$3.99
410	\$3.99
810	\$3.99
600 XL	\$5.99
800XL	\$5.99
1050	\$5.99
1010	\$5.99
PROWRITER	\$5.99
GEMINI 10X	\$5.99
PERCOM	\$5.99
EPSON	
RANA	
VIC 64/20	
VIC 1541	

MONITORS

SAKATA COLOR	\$249.00
TAXAN GREEN	\$119.00
TAXAN AMBER	\$129.00
TAXAN RGB	
COMPOSITE	\$289.00
ZENITH AMBER	\$105.00
ZENITH GREEN	\$95.00
GORILLA GREEN	\$88.00
GORILLA AMBER	\$95.00
NEC JB1260	\$99.00
NEC JB1205	
NEC JB1215 COLOR	\$269.00
AMDEK GREEN	\$145.00
AMDEK AMBER	\$149.00
AMDEK COLOR 1	\$289.00

TRAK DISK DRIVES

AT-D1\$37	9.00
AT-D2\$39	
AT-D2 TURBO PAK\$2	22.95
PRINTER CABLE\$2	2.95

CONCORD DISK DRIVES

APPLE 163K DRIVE \$199.0
APPLE 326K DRIVE \$229.0
APPLE CONTROLLER
CARD\$69.0

COMMODORE VIC 174K...\$289.00 COMMODORE VIC 348K... \$359.00

ATARI 176K MASTER ... \$289.00 ATARI 348K MASTER ... \$369.00 ATARI ADD-ON DRIVES ... \$CALL

PERCOM DISK AT88 S1 . ..\$249.00 DRIVES

ATARI AT	88-PD	\$329.00
AT-88	OUBLER	\$129.00
ADD-OR	N DRIVES	\$ CALL
HARD	FOR	5 MEG
DISK	APPLE	10 MEG
DRIVES	IBM-PC	15 MEG
AVAILABI	LE	20 MEG

INNOVATIVE CONCEPTS

DISK STORAGE	(10)\$4.95
DISK STORAGE	(15) \$9.95
DISK STORAGE	(25)\$19.95
DISK STORAGE	(50)\$26.75
ROM STORAGE	(10)\$24.75



TO ORDER



CALL TOLL FREE

800-233-8760

or send order to Lyco Computer PO Box 5088 Customer Service 1-717-327-1825 Jersey Shore. PA 17740

Circle 192 on inquiry card.

POLICY

In-stock items shipped within 24 hours of order Personal checks require four weeks clearance before shipping. No deposit on C.O.D. orders. Free shipping on prepaid cash orders within the continental U.S. PA residents add sales tax. All products subject to availability and price change. Advertised prices show 40n discount offered for cash, add 40n for Master Card or Visa DEALER INQUIRIES INVITED.

Wire-Wrap® & Multiwire® Software

Whip your designs into shape with WIREMASTER



Never do another design by hand! Your computer and Wiremaster will quickly and accurately convert your schematic into wire lists, net maps, parts lists, checklists, and plots (optional) to give you total control. Handles ECL and twisted pair wiring. Versions available for NC machines.

Runs on IBM-PC, VAX, CP/M, MSDOS and Unix Computers.

No-risk demo disk available. Call or write for details.

AFTERTHOUGHT ENGINEERING 7266 Courtney Dr., San Diego, CA 92111 (619) 279-2868

Circle 14 on inquiry card.

SL-MICRO

STATISTICAL LANGUAGE for MICROCOMPUTERS

features

VALUE and VAR LABELS DATA TRANSFORMATION CROSSTABS FREQUENCIES REGRESSION PEARSON CORR CONDESCRIPTIVE

> Only \$250. Manual \$15 Available for IBM PC, CP/M or MS-DOS, Many Formats.

QSC BOX 23056 LANSING, MI 48909 PHONE (517) 641-4428

Circle 261 on inquiry card.

SAVE UP TO 50% Zenith Z100 (2 Drives 640K) Columbia, IBM PC, TAVA, NEC Portable and more \$2799.00 PRINTERS_______Brother HR-15 (Letter Quality) \$485.00 Brother HR-25 (Letter Quality, MONITOR \$765.00 \$125.00 Taxan Green Zenith ZVM122A-Non-Glare Screen, Amber Zenith ZVM123A-Non-Glare Screen, Green Zenith ZVM135 RGB HI Res. Color \$119.00 \$119.00 Printer Stand 5½ x 21½ x 13 \$30.00, 5½ x 15 x 13 Rol-Top Diskettes File (holds 100) Multi-Color Quality Diskettes, SSDD \$22.00, DSDD LF. High Quality Diskettes, SSDD \$1.75, DSDD *SQTWARE ACCESSORIES \$25.00 \$34.95 \$29.00 \$499.00 Upgrade to dBase III Upgrade to dease iii Peachtree Accounting-GL, AR, AP, Inventory Control, Payroll, Job Costing TRAINING COURSE AND HANDBOOK \$399.00/ea Lotus 1-2-3, dBASE II, Wordstar, Accounting and others \$65.00/ea Everyman's Database Primer (Book) \$14.95 and many more MANY OTHERS, AT LOWEST PRICE, PHONE OR WRITE Mail of Phone Your Order: Mail of Phone Your Order: F COMPUTER PRODUCTS 8660-D Miramar Rd. Suite 265, San Diego, CA 92126 (619) 566-8823 — Phone order full rebate mastercard/VISA add 3%, Shipping & Handling \$3.95. Calif. Res. add 6% Sales Tax. All Products Manufacture Guaranteed.

COMPUTER PRODUCTS-GUARANTEED

Circle 177 on inquiry card.

HALF HEIGHT DRIVES





SHUGART: SA 455 Double Sided, 40 TRK/Side

\$189

CDC: 9428

\$195


Double Sided, 40 TRK/Side

PANASONIC: 551-2 Double Sided, 40 TRK/Side


\$179

- 120 Day Warranty
- · Free Shipping
- No Charge For Credit Cards

Order Toll Free



(512) 250-1489 (In Texas) Texas Residents Add 5% Sales Tax.



13010 Research Blvd., Suite 101 Austin, Texas 78750

Circle 61 on inquiry card.

0 to

PI-01S Two-way PI-035 Three-way PI-05S Five-way PI-08S Eight-way PARALLEL TWO-WAY 59.95

\$209.95

\$409.95

TRANSFER SWITCH FEATURES

- PI-SWITCH lets you SAFELY SHARE multiple SERIAL (RS-232) devices.
 Great for printers, modems, etc.
- Handsome black and beige case female DBC-25 connectors

 • Switches pins 1-7 & 20 or set any
- way you need before shipping

 Male connectors available.

ONE (1) YEAR WARRANTY TERMS: MO, Check, Mastercard,

UPS ground \$2/ each. 2nd air \$4/each. COD add \$2 per order Please call for your CUSTOM

SAB-LINK. Inc. 41 Street, Miami, FL 33166 7301 N.W. (305) 592-6092

Circle 272 on inquiry card.

Electronic Circuit **Analysis**

- · AC and DC analysis
- Very fast, optimized machine language
- · Worst case, sensitivity analysis
- · Sweep component values
- 64 Nodes
- Compare circuits
- · Log or linear sweep
- · Full file handling · Full editing, error trapping
- Frequency response, magnitude and phase
 Complete manual with examples
- · Transmission lines
- Complex y parameters
 Available for CP/M, MSDOS, TRSDOS
- · Price \$150.00

Tatum Labs P.O. Box 698

Sandy Hook, CT 06482 (203) 426-2184

Circle 298 on inquiry card.

EASI Software, Inc.

Software tools for Architects and Consulting Engineers

Structural Analysis finite element w/plates, frames, & out of core solver

Concrete Steel Design columns, beams, & slabs

Project Scheduling (PERT Method) w/ cost analysis

2-D Drafting System (high performance)

Coded Pressure Vessel Design Commercial Air Conditioning

Piping Design

EASI Software, Inc.


2891 LIVONIA CENTER ROAD LIMA, NEW YORK 14485 (716) 346-2022



Outpons.
Shipping: 5¼° DISKETTES—Add \$3.00 per 100 or fraction thereof.
THER ITEMS: Shipping charges as shown in addition to diskette shipping harges. Payment: VISA or MC. COD orders, add \$3.00. Taxes: Illinois ustomers,

Nationwide: 1-800-621-6827 In Illinois: 1-312-944-2788 Minimum Order: \$35.00 WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE! Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611


Circle 110 on inquiry card.



SPECIALS on INTEGRATED CIRCUITS

6502 @ 4.90 6520 @ 4.00 6522 @ 5.00 4116 @ 1.85 2532 @ 5.90 2716 @ 4.45 6116 @ 6.45 4164 @ 6.90

Anchor Automation Signalman MODEMS



120

FREE SOURCE MEMBERSHIP WITH SIGNALMAN All Signalman Modems are Direct Connect, and provide the best price-performance values. Dealer and OEM inquiries

68
99
279
219
519



DDOM OUTEN for CC4 or VIC

	PROM QUEEN for C64 or VIC	130
	Apple Emulator for Commodore 64	call
	STAT Statistics Package for C64	95
	Solid Oak 2 Level Stand for C64 or VIC	29
	C64/VIC Switch (networking)	119
	BACKUP V1.0 tape copier for C64 or VIC	20
	CARDBOARD/6 Motherboard - VIC	64
	CARDBOARD/5 Motherboard - C64	56
	CARD PRINT G Printer Int. with Graphics	72
	CARDBOARD/3s Motherboard - VIC	22
	CARDCO C64/VIC Calculator Keypad	32
	CARDRAM/16 RAM Expansion - VIC	44
	Complete CARDCO Line in stock	
	CIE and VIE IEEE Interfaces in stock	85
	MSD Super Drive for C64 or IEEE	365
	MAE Assembler for C64	50
	Koala Pad Touch Tablet—C64 or VIC	75
	CBC 4/12 Analog to Digital 4 chan/12 bit	179
	MULTIPLAN for C64	79
	Dust Cover for C64 or VIC	6
	Grand Master Chess for C64	24
	Musicalc Software for C64 in stock	
	SM Software for C64 in stock	CHI CHICAGO
	BusCard II from Batteries Included	149
	ULTRA BASIC – 64 with Turtle Graphics	37
	Super Disk Utility - C64 - includes backup	19
	Trackball (Electra Concepts) C64	29
	MicroChess - C64 - 8 levels of play	17
	HES MODEM with software for C64	45
	Commodore 64 Programmers Reference Guide	16
	WordPro 3+/64 with Spellright	85
	VIController (also C64) – BSR Controller	50
	COM VOICE Synthesizer for C64 or VIC	139
	VIC products in stock – call for extra discounts.	
711	Victory Seftware for VIC and C64 in stock.	
		A STATE OF THE PARTY OF THE PAR

ADDIE EDANKIIN ITEMO

AFFLE-FRANKLIN II	EM 9
FRANKLIN-complete line in stock	
OUENTIN Drives for Apple/Franklin	189
Swapper Stopper	26
automatic switch between paddles and joystick	3
KRAFT Apple Joystick	32
Kraft Apple Paddle Pair	32
Koala Pad Touch Tablet-Apple/Franklin	90
SPINNAKER Software in stock	
Broderbund Software in stock	
16K RAM Card for Apple	59
Multiplan-Microsoft	185
Solid Oak 2 Level Stand for Apple	29
Serial Card for Apple	89
MPC RAM/80 column card for He (AP/TXT)	139
Z80 Softcard and CP/M (Microsoft)	235
RANA Elite I with Controller	389
Parallel Printer Interface/Cable	69
Microtek and MPC Interfaces in stock	
Grappler + Interface	135
DC Hayes Micromodem II, Ile with Smartcom	245
PFS: File or PFS: Report or PFS: Graph	95
Videx 80 Column Card	209
Apple Blue Book	er . 19

Ecommodore

See us for Personal, Business, and Educational requirements. Educational Discounts available.

\$245 base price PETSCAN I

Allows you to connect up to 30 CBM/PET Computers to shared disk drives and printers. Completely transparent to the user. Perfect for schools or multiple word processing configurations. Base configuration supports 2 computers. Additional computer hookups \$100 each.

\$115

COMPACK/STCP

Intelligent Terminal Package for PET, CBM, C64 Includes ACIA Hardware / STCP Software

SCREEN MAKER 80 Column Adapter for C64 Provide big screen capability for business applications. Copy-Writer Word Processor for C64 49

Full-featured package with 800 lines of text in memory. Includes double column printing, graphic capability, full prin-

ter support. 179 Special Screenmaker/Copy-Writer Combo PAPER CLIP Word Processor - CBM/C64 60 ORACLE (Consultant) Data Base by Batteries Included 89 SPINNAKER Software C64, Apple, IBM, Atari VICTORY Software for C64 in stock Compute! Books in Stock POWER ROM Utilities for PET/CBM 78 WordPro 4+ - 8032, disk, printer 285 VISICALC for PET, ATARI, or Apple 189 SM-KIT enhanced PET/CBM ROM Utilities 40 36

PET Spacemaker II ROM Switch Dust Cover for PET, CBM, 4040, or 8050 CmC Interfaces (ADA1800, ADA1450, SADI in stock) **HES Software and Hardware in stock**

IIMI Products in stock

FlexFile for PET/CBM/C64 \$59

DataBase, Report Writer with calculations, Mailing Lists. Easy to use, and can be modified.

FORTH for PET/C64 full FIG model - Cargile/Riley 50 includes all FORTH 79 Standard extensions, structured 6502 assembler with nested decision macros, standard 16x64 screens, ability to read/write BASIC sequential files, sample programs, introductory + reference manual.

Metacompliler for FORTH for independent object code 30 Floating Point for FORTH 20 BRIDGE 2.2 for C64 \$25

Excellent Bridge program. Computer bids and plays against you. Hands are computer generated, but you may set up hands and modify contract. Allows you to claim balance of tricks, replay hand, and review previous trick.

KMMM PASCAL IV for PET/CBM/C64 Virtually full Jensen-Wirth implementation is now suitable for advanced placement courses. EARL for PET/CBM/C64 Disk-based ASSEMBLER

DISK I.C.U. (Intensive Care Unit) \$40 COMPLETE DISK RECOVERY SYSTEM FOR 4040/1541

Edit disk blocks: duplicate disks, skipping over bad blocks: unscratch scratched files: check and correct scrambled files: recover improperly closed files. Includes complete diagnostic facilities, extensive treatment of relative files, optional output to printer, and comprehesive user manual (an excellent tutorial on disk operation and theory). Furnished on copy-protected disk. Backup available \$10.

Smart Terminal Software for C64/VIC 10 CBM Public Domain Software—C64/PET 27 disks 75 36

Disk copy utility for C64. Make your own disk copies, even if the original is copy protected. 95

STAT for PET/CBM/C64 and Apple Comprehensive Statistical Analysis Routines

Includes complete file handling capabilities, summary statistics, confidence intervals, hypothesis tests, exponential mean tests, multiple and power series regression, analysis of variance, histograms, and non-parametric tests.

PageMate 60 Command Word Processor 20 Full-featured package for all Commodore computers. Full screen editing, and supports disk, tape, and all printers.

DISK SPECIALS



Scotch (3M) 5" ss/dd 10/ 2.10 50/ 1.90 100/ 1.86 Scotch (3M) 5" ds/dd 10/ 2.65 50/ 2.45 100/ 2.40 Scotch (3M) 8" ss/sd 10/ 2.20 50/ 2.00 100/ 1.98 Scotch (3M) 8" ss/dd 10/280 50/250 100/247

We stock VERBATIM DISKS Write for Dealer and OEM prices.

10/ 1.80 50/ 1.75 100/ 1.65 Sentinal 5" ss/dd Sentinal 5" ds/dd 10/ 2.40 50/ 2.35 100/ 2.25

We stock Dysan disks

Wabash 5" ss/sd 10/ 1.45 50/ 1.40 100/ 1.35 Wabash 5" ss/dd 10/ 1.60 50/ 1.55 100/ 1.50 Wabash 5" ds/dd 10/ 1.95 50/ 1.90 100/ 1.80

We stock MAXELL DISKS

Write for dealer and OEM prices.

Disk Storage Pages 10 for \$4 Hub Rings 50 for \$6 Disk Library Cases 8"-3.00 5"-2.25 Head Disk Cleaning Kits 12 AMARAY Disk Storage Systems in stock. Innovative Concepts FLIP 'N' FILES in stock

CASSETTE TAPES-AGFA PE-611 PREMIUM

100/.50 C-10 10/ 61 50/ 58 C-30 10/.85 50/.82 100/.70



data

ZVM-122A 99 7VM-123G 89 ZVM-131 300 ZVM-135 490 Z100 16-bit/8-bit System CALL Z29 Terminal (DEC and ADM compatible) 680

Z-150 IBM PC COMPATIBLE CALL Z-160 PORTABLE PC CALL We stock entire Zenith line.

USI Video Monitors - Green or AMBER 20 MHz hi-res Dealer and OEM inquiries invited

WRITE FOR IBM PC COMPATIBLE PRICES MultiPlan-IBM or Apple 179 Quadboard for IBM available KOALA PAD Touch Tablets—Apple, Atari, IBM, CBM Peachtext 5000 Software Package 199 PFS Software for IBM and Apple in stock SPINNAKER Software C64/VIC, Apple, IBM, Atari VOTRAX Personal Speech System 269 BMC 9191+ Color Monitor (plus model) 245 BMC 12A 12" Green Monitor 79 Dynax (Brother) DX-15 Daisy Wheel Printer Brother HR-25 Daisy Wheel Printer (25 cps) 459 749 379 279 Itoh, Prowriter Parallel Printer Panasonic 1090 Printer with Correspondence Mode Gemini 10X 289 EPSON, Okidata, Star Micronics printers in stock USI CompuMOD 4 R F Modulator We Stock AMDEK Monitors 29 A P Products 15% OFF COMPUTER COVERUPS IN STOCK **BROOKS 6 Outlet Surge Suppressor/Noise Filter** 54 Surge Suppressor-6 outlet 29 Electrohome 1302-2 13" Hi-res RGB Monitor 335

Hewlett Packard

Panasonic 12" Monitor (20 MHz) with audio Synertek SYM-1 Microcomputer

Write or call for prices.

137

189

DATASHIELD BACKUP POWER SOURCE Battery back up Uninterruptible Power Supply with surge and noise filtering. The answer to your power problems.

ATARI – WE STOCK ENTIRE LINE

SPINNAKER and Broderbund Software in stock.

215-822-7727 252 Bethlehem Pike Colmar, PA 18915

A B Computers

WRITE FOR CATALOG. Add \$1.50 per order for United Parcel. We pay balance of UPS surface shipping charges on all prepaid orders (add extra for mail, APO/FPO, air). Prices include cash discount. Regular prices slightly higher. Prices subject to change.

Apple II/IIe® **Industrial Control** Plug-In Boards (SOFTWARE INCLUDED)



Opto-Isolated A32 I/O Board

- Individually Configurable
 Compatible with SSR Modules
- Opto-Isolated Interrupt Inputs

2 Axis Stepper Motor Interface

- Positioning Control
- Pulse Counting/Timing · Frequency Measurements

ROGERS LABS (714)751-0442

2710 S. Croddy Way, Santa Ana, CA 92704

Circle 266 on inquiry card.



SAVE ON

DISKETTES

5%" SSDD-96TPI \$2.49 ea. 5%" DSDD-96TPI \$3.25 ea. Boxed in 10's with Tyvec sleeves, reinforced hubs and

DISKETTES FOR MACINTOSH & HP-150. AT TERRIFIC SAVINGS!

ternorex \$3.99 ea.
See our big ad in this issue for other great values! Shipping: 514" or 31/2" DISKETTES—Add \$3.00 per 100 or fewer diskettes. Payment: VISA and Mastercard accepted. COD orders only, add \$3.00 handling charge. Taxes: Illinois residents, please add 8% sales tax.

WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

Nationwide: 1-800-621-6827 Illinois: 1-312-944-2788 Hours: 9AM - 5PM Central Time

Minimum Order: \$35.00

DISK WORLD!, Inc. Suite 4806 • 30 East Huron Street • Chicago, Illinois 60611

Circle III on inquiry card.



12 Bit A/D Convertor

Circle 154 on inquiry card.



Remains in place during keyboard use. Prevents damage from liquid spills, dust, ashes, etc. Fits like a second skin, excellent feel. Homerow and numeric locators. Available for: IBM-PC, Apple IIe. Send \$29.95, check or M.O., Visa & MC include exp. date and signature. Specify computer type. Dealer Inquiries invited.

MERRITT Computer Products, Inc. 2925 LBJ, #180 / Dallas, Texas 75234 (214) 942-1142

Circle 351 on inquiry card.

Free brochure available.





Circle 352 on inquiry card.




Circle 125 on inquiry card.



WE WILL NOT BE UNDER-SOLD!! Call Free (800)235-4137

for prices and information. Dealer inquiries invited and C.O.D.'s



Circle 243 on inquiry card.

VISA

PACIFIC **EXCHANGES**

100 Foothill Blvd. San Luis Obispo, CA 93401. In Cal. call (800)592-5935 or (805)543-1037

times faster Super Fast Z80 Assembly Language Development Package

ZSOASM

- Over 6000 line/minute
- Generales COM, HEX, or REL files Cross-Reference
- Zilog mnemonics
- Time and Date in listing
- Long labels

SLRNK

- One or two pass operation
- Cross-reference
- COM or HEX output Flexible address control

Most formats available for Z80 CP/M, CDOS, and TURBODOS

\$199.95

5 LR Systems.

For more information or to order, call: 1-800-833-3061 in Pa., (412) 282-0864 1622 North Main Street, Butler, PA 16001 VISA or Mastercard

Circle 279 on inquiry card.

CP/M CROSS SOFTWARE for the NS16000 INCLUDES: * Cross Assembler * * Cross Linker * ⋆ Debugger ⋆ * N.S. ISE Support * * Librarian * * Pascal Cross Compiler * U.S. Prices start at \$500 for Assembler only SOLUTIONWARE 1283 Mt. View-Alviso Rd. Suite B

Sunnyvale, CA 94089

408/745-7818 • TLX 4994264

Circle 284 on inquiry card.

SUPER PRICES ON PRINTERS!

NEW! EPSON LQ-1500

"Letter Quality"

High performance 200 CPS, 24 pin printhead that also doubles as a letter quality

CALL FOR OUR BEST PRICE!

SAVE \$20000

EPSON CALL US FOR **OUR BEST PRICE!**

EPSON RX-80 100 CPS w/tr.	
EPSON RX-80FT 100 CPS w Friction & tractor feed	
EPSON MX-80FT 80 CPS w/ Friction & tractor feed	
EPSON FX-80 160 CPS w/FF Friction & tractor feed	
EPSON FX-100 160 CPS 15" Friction & tractor feed	

OKIDATA PRICES SLASHED!!!

160 CPS, Correspondence Quality

OKI 92 Parallel	\$599	\$424.95
OKI 93 Parallel	\$995	\$679.95
2K Serial Board	_ \$120	\$99.95
IBM PC ROMS For 92	\$59	\$49.95
IBM PC ROMS For 93	\$59	\$59.95
Extra 82/92 83/93 Ribbons (2)	\$19	9 \$9.95
82/92 Tractor	\$89	\$54.95

120 CPS & 200 CPS OKIDATAS

OKI 82 120 CPS	\$499	\$329.95
OKI 83 120 CPS	\$775	\$569.95
OKI 84 Parallel 200 CPS	\$1395	\$899.95
OKI 84 Serial 200 CPS	\$1495	\$999.95
2K Serial Board	\$150	\$119.95
IBM PC ROMS For 82/83	\$49	\$39.95
IBM PC ROMS For 84	\$99	\$89.95

350 CPS, Near Letter Quality, High-Resolution Graphics

The state of the s		
OKI 2350 Parallel	_ \$2695	\$1899.95
OKI 2350 Serial	_ \$2775	\$1999.95
OKI 2410 Parallel	\$2995	\$2199.95
OKI 2410 Serial	_ \$3075	\$2299.95

MANNESMAN-TALLY

Spirit	80 CPS 10 inch	\$399	\$329.95
160L	160 CPS 10 inch	\$798	\$579.95
1801	160 CPS 15 inch	\$1098	\$799 95

OPEN SATURDAYS 10:00am-4:00pm PST

High Performance, **New Lower Price!** DTC-380Z

True letter quality Daisywheel printer up to 32 CPS, with a built-in 48K buffer. The 380Z comes with RS232 serial, parallel centronics, and IEEE-488 interfaces built-in

Full one-year factory warranty!	List	Your Price
DTC-380Z	\$1495	\$999.95
Sheet feeder	\$895	\$579.95
Forms Tractor	\$195	\$129.95
Bi-directional tractor		\$249.95
Cable (specify)	\$85	\$49.95

LETTER QUALITY PRINTERS ON SALE!

	List	Your Price
Diablo 630 40 CPS	\$2340	\$1699.95
Tractor For 630	\$250	\$219.95
Starwriter F-10 40 CPS	_ \$1895	\$999.95
Starwriter F-10 55 CPS	\$1995	\$1299.95
Tractor For F-10	\$250	\$219.95
Comrex CR-II 5K parallel	\$599	\$489.95
Comrex CR-II 5K serial	\$644	\$589.95
Tractor For CR-II	\$120	\$99.95
Keyboard For CR-II	\$199	\$179.95
Sheet Feeder For CR-II	\$259	\$199.95
Silver Reed 500 14 CPS	\$599	\$499.95
Tractor For 500	\$149	\$124.95
Silver Reed 550 18 CPS	\$699	\$599.95
Tractor For 500	\$159	\$129.95
Juki 6100 18 CPS	\$599	\$499.95
Tractor For 6100	\$149	\$124.95
NEC 3550 33 CPS	\$2250	\$1699.95
Tractor For 3550	\$265	\$229.95

CLOSE OUT PRICES!

ON ALL STAR-MICRONICS PRINTERS!

Gemini 10X and 15X Radix 10 and 15 Delta 10 and 15 Power Type LQ

CALL US FOR CHEAP PRICES! (Only Manufacturer's warranty applies)

A-B PRINTER SWITCH

Allows your computer to run	either	of two
printers. Standard parallel swite	ch box	
Printer Switch	\$149	\$99.95
Extra Cable	\$40	\$29.95

PRINTER STANDS WITH PAPER CATCH

	List	Your Price
Universal 80 Column Stand	\$30	\$24.95
Paper Tray For Above	\$30	\$24.95
Universal 132 Col Stand	\$35	\$29.95
Paper Tray For Above	\$35	\$29.95
Okidata 82/92 Stand	\$25	\$19.95
Paper Tray For Above	\$35	\$29.95
Okidata 83/84/92 Stand	\$35	\$29.95
Paper Tray For Above	_ \$40	\$34.95
Universal Floor Stand	\$125	\$79.95

SPECIAL SALE PRICE!

EPSON MX-100FT FREE Graftrax-Plus

With FREE! GRAFTRAX-PLUS 100 CPS, friction and tractor feed, 15 inch platten, one year warranty List Price \$749.00

SALE PRICED AT

MICROFAZER-Quadram

The Microfazer stand-alone printer buffers are available in any configuration of serial or parallel input, with serial output. All are expandable up to 64K of memory (about 30 pages of 81/2 x 11 text). The parallel-to-parallel version is expandable to 512K copy and pause feature included

Parallel/Parallel	List	Your Price
8K	\$169	\$139.95
32K	\$225	\$164.95
128K	\$445	\$269.95
Serial/Parallel		
8K	\$199	\$169.95
32K	\$260	\$199.95
Parallel/Serial		
8K	\$199	\$169.95
32K	\$260	\$199.95
Serial/Serial		
8K	\$199	\$169.95
32K	\$260	\$199.95

MICROBUFFER **Practical Peripherals**

Stand-alone Microbuffers	List	Your Price
Parallel, 32K	\$299	\$229.95
Parallel, 64K	\$349	\$269.95
Serial, 32K	\$299	\$229.95
Serial, 64K	\$349	\$269.95
64K add-on board	\$179	\$149.00
Microbuffers for Apple II		
Parallel, 16K	\$259	\$189.95
Parallel, 32K	\$299	\$229.95
Serial, 16K	\$259	\$189.95
Serial, 32K	\$299	\$229.95
Microbuffers for Epson Printers		
Parallel, 16K	\$159	\$129.95
Serial, 8K	\$159	\$129.95

Computer Products

4901 West Rosecrans Ave. Hawthorne, California 90250

LINE-POWERED **AUTO-ANSWER** DIRECT-CONNECT **MODEM \$89.95**

300 Baud, full duplex, analog loopback for self test, carrier detect, receive data, and transmit data. LED indicators

List Price \$129.95 \$89 95

SMARTMODEM Haves

Sophisticated direct-connect auto-answer/auto dial modem, touch tone or pulse dialing. RS232C interface programmable

Smartmodem 1200	\$699	\$475.00
1200B for IBM PC	\$599	\$399.95
Smartmodem 300	\$289	\$199.00
Hayes Cronograph	\$249	\$199.95
Micromodem 100	\$399	\$299.95
Micromodem IIe	\$299	\$239.95
PLEASE Software	\$395	\$299.95
Smartcom II	\$149	\$99.95

J-CAT MODEM

1/5 the size of ordinary modems, Bell 103, manual or, auto-answer. Automatic answer/ originate, direct connect, built-in self-test, two LEDs and audio beeps provide status information

Novation J-Cat \$149 \$114.95

ULTRA-VIOLET EPROM ERASERS

Inexpensive erasers for industry or home

Spectronics w/o timer	\$99	\$69.95
Spectronics with timer	\$139	\$94.95
Logical Devices	\$89	\$49.95

ISOBAR

The ISOBAR looks like a standard multi outlet power strip but contains surge suppression circuitry and built-in noise filters, plus 15amp

circuit breaker	List	Your Price
4 receptacle	\$89	\$59.95
8 receptacle	\$99	\$69.95

Complete Computer \$400.00!

LITTLE BOARD with FREE! CP/M 2.2

Minature single board CP/M computer designed to mount directly on top of a 51/4" floppy disk drive (7.75" x 5.75"). Contains Z 80A CPU, 64K RAM, Boot Eprom, terminal port, modem port, parallel printer port, floppy disk controller, and CP/M 2.2 included FREE!


Little Board with CP/M Support package		\$348.95 \$48.95
Serial Cable		\$11.95
Diskless Monitor Eprom	\$30	\$24.55

SATISFACTION GUARANTEED OR YOUR MONEY BACK!

BONDWELL 12

COMPLETE COMPUTER SAVE \$500.

with FREE! SOFTWARE & MODEM



- ► Wordstar
- ► Mailmerge ► Calcstar
- ► Datastar
- ► Reportstar CP/M & BASIC
- ► KAYPRO compatible Speech Synthesizer

90 day warranty 30 day exchange Local service through nationwide field

4MHz Z-80A, 64K RAM, 9-inch hi-res non-glare amber service team. monitor, composite video output, two 180K disk drives, full size 63 key keyboard with separate numeric keypad and 16 programmable function keys, speech synthesizer, two serial ports, centronics parallel printer port, bit mapped graphics, sculpted high-impact plastic case,

BONDWELL 14 with twice the storage \$1395.00

(Sale subject to FCC approval)

APPLE ACCESSORIES ON SALE!

Full Height Disk Drive	\$299	\$179.9
Half-Height Disk Drive	\$249	\$184.9
Controller	\$100	\$59.9
8 inch 2 Meg. system	_ \$2495	\$1395.0
CP/M 3.0 Card	\$399	\$259.9
Z-Card with CP/M	\$169	\$139.9
16K RAM Card	1 \$99	\$39.9
Best 80 Column Card	\$219	\$139.9
64K Ile 80 Column	\$199	\$129.9
Fan w/surge protect	\$99	\$59.9
Koala Pad	\$125	\$89.9
Grappler Plus	\$175	\$119.9
Buffered Grappler/16K	\$245	\$175.9
Buffered Grappler/ 64K	\$345	\$239.9

BUY NOW & SAVE \$100 off Our catalog price on

ANY PRINTER

in stock!

SUPER DISKETTE SPECIAL!

We bought out a major manufacturer's overstock and we are passing the savings on to you! Single-sided, double-density package of ten with FREE! plastic case

Box of 10 w/FREE! case ___\$34 \$18.95



10 MEGABYTE HARD DISK FOR IBM PC! \$99500

10 MEGABYTE HARD DISK FOR IBM PC

Plug-n-Run, ready to go • complete with controller card, data cable, and mounting hardware • totally PC/XT compatible • faster than XT • handles 4 different operating systems • streamer tape back-up available

	List	Your Price
10 mbyte internal	\$1795	\$995.00
10 mbyte external	\$2095	\$1195.00
15 mbyte internal	\$1995	\$1395.00
15 mbyte external	\$2295	\$1595.00
26 mbyte internal	\$2495	\$1995.00
26 mbyte external	\$2795	\$2249.00
Tape Back-up option	CALL FOR BE	ST PRICE

HI-RES MONITORS

Fig. 1	List	Your Price
AMDEK 310A	\$230	\$169.95
AMDEK 300G	\$179	\$119.95
AMDEK 300A	\$199	\$149.95
AMDEK COLOR I	\$379	\$259.95
AMDEK COLOR II	\$559	\$419.95
AMDEK COLOR IV	\$995	\$499.95
PGS MAX-12	\$269	\$199.95
PGS HX-12	\$699	\$469.95
PGS SR-12	\$799	\$649.95
QUADCHROME	\$795	\$499.95
COMREX CR6800	\$649	\$499.95

KEYTRONICS KEYBOARDS

KEYTRONICS KEYBOARD ___ \$209 \$149.95

HIGH SPEED 8087 APU

List Price \$295 _____ SALE PRICE \$199.95

STB BOARDS FOR IBM PC

	List	Your Price
RIO PLUS 64K	\$395	\$329.95
GRAPHICS PLUS	\$495	\$379.95
RIO PLUS 128K	\$495	\$349.95
RIO PLUS 256K	\$595	\$449.95
RIO PLUS 384K	\$795	\$549.95
SUPER RIO 64K	\$419	\$329.95
SUPER RIO 128K	\$519	\$379.95
SUPER RIO 256K	\$619	\$479.95
SUPER IO	\$229	\$179.95

SOFTWARE FOR IBM PC

	List	Your Price
MICROSOFT WORD	\$395	\$249.95
LOTUS FRAMEWORK	\$695	\$439.95
LOTUS 1 2 3	\$495	\$329.95
SYMPHONY	\$695	\$549.95
dBASE II	_ \$700	\$429.95
D-BASE III	_ \$695	\$449.95
R:BASE 4000	_ \$495	\$319.95
SMART KEY	\$89	\$69.95
MOVE-IT	\$125	\$89.95
MULTIPLAN	_ \$250	\$169.95
ACCOUNTING PARTNER _	_ \$395	\$249.95
CROSSTALK	_ \$195	\$129.95
PROKEY	\$75	\$54.95
MULTIMATE	_ \$495	\$299.95
SUPERCALC III	\$395	\$249.95
TRANSEND PC	\$189	\$139.95

MICROSOFT FOR IBM PC

MOUSE W/WORD		\$339.95
MOUSE	\$199	\$129.95
SYSTEM CARD 64K	\$395	\$279.95
SYSTEM CARD 256K	\$625	\$429.95

320K DISK DRIVES

DOUBLE-SIDED, DOUBLE-DENSITY FOR IBM PC

\$19995

Tandon Teac

LOCAL AREA NETWORKS For IBM PC

QUADNET II	\$995	\$879.95
QUADNET VI		\$1689.95
QUADNET IV	\$2295	\$1989.95
AST-PCnet II	\$495	\$399.95
ORCHID TECHNOLOGY _	\$595	\$499.95

DISKETTES For IBM PC

High quality double-sided, double-density diskettes, certified to be absolutely error free. Box of ten, warranteed for one year

Box of 10 w/FREE plastic case _ \$39 \$19.95

PLACE ORDERS TOLL FREE

Continental USA (800) 421-5500

Inside California (800) 262-1710

AST FOR IBM PC

Computer Products

SIX PAK PLUS 64K	\$395	\$269.95
SIX PAK PLUS 256K	\$695	\$489.95
SIX PAK PLUS 384K	\$945	\$569.95
MEGA PLUS 64K	\$395	\$269.95
MEGA PLUS 256K	\$665	\$429.95
MEGA PLUS 512K	\$1095	\$799.95
I/O PLUS	\$165	\$119.95
MP 64K	\$295	\$199.95
MP 128K	\$395	\$249.95
MP 192K	\$495	\$299.95
MP 256K	\$595	\$349.95
	11 10 2/12	

IBM VIDEO BOARDS

HERCULES COLOR	\$245	\$198.95
HERCULES GRAPHIC	\$499	\$339.95
PLANTRONICS COLOR+ _	\$549	\$379.95
STB GRAPHICS+	\$495	\$379.95
QUADCOLOR I	\$295	\$209.95
AMDEK MAI	\$649	\$349.95
AST MONOGRAPH+	\$595	\$449.95

64K RAM UPGRADE FOR IBM PC

High speed RAM upgrade kit with FREE! parity (error detection) and one year warranty

- V	List	Your Price
64K KIT For IBM PC	\$90	\$49.95
128K KIT For IBM PC	\$180	\$95.95
192K KIT For IBM PC	\$270	\$143.95
256K KIT For IBM PC	\$360	\$199.95
384K KIT For IBM PC	\$540	\$289.95

QUADRAM FOR IBM PC

	List	Your Price
QUADBOARD No RAM	\$295	\$234.95
QUADBOARD 64K	\$395	\$275.95
QUADBOARD 128K	\$495	\$339.95
QUADBOARD 256K	\$595	\$399.95
QUADBOARD 384K	\$7,95	\$595.95
QUADLINK	\$680	\$449.95
QUAD 512 PLUS 64K	\$325	\$219.95
QUAD 512 PLUS 256K	\$550	\$389.95
QUAD 512 PLUS 512K	\$895	\$549.95
QUAD COLOR I	\$295	\$209.95
QUAD COLOR II	\$275	\$199.95
AST MONOGRAPH+	\$595	\$449.95
QUAD VIEW	\$345	\$259.95

Los Angeles Area (213) 973-7707

We accept cash, checks, credit cards, or purchase orders from qualified firms and institutions.

Minimum prepaid order \$15.00 California residents add 6½% tax. Export customers outside the US or Canada please add 10% to all prices. Prices and availibility subject to change without notice. Shipping and handling charges via UPS Ground 50¢/lb. UPS Air \$1.00/lb. minimum charge \$3.00 Prices quoted are for pre-paid orders only

TORNIA

Post Office Box 3097 B Torrance,



Plastic library case supplied with all diskettes purchased from California Digital.

FIVE INCH SINGLE SIDED DOUBLE DENSITY

No.	Ten Sector Sixteen	Each box	10 Boxes	100 Boxes
CAL DIGITA	L CAL-510 CAL-510	19.95	18.50	16.50
SCOTCH	MMM-744/0 MMM-744/10 MMM-744/16	26.50	24.50	21.75
VERBATIM	VRB-525/01 VRB-525/10 VRB-525/16	26.50	25.25	23.50
MEMOREX	MRX-3481 MRX-3483 MRX-3485	26.50	22.25	18.75
MAXELL	MXL-MD1 MXL-MH1/10 MXL-MH1/16	26.50	24.50	23.25
DYSAN	DYS-104/1D DYS-107/1D DYS-105/1D		33.00	30.50

DIOMIN	DYS-105/10			
FIVE INCH DO	UBLE SI	DED DOU	BLE DENS	SITY
CAL DIGITAL	CAL-551 CAL-561 N/A	24.95	22.75	20.50
SCOTCH	MMM-745/10 MMM-745/10 MMM-745/16	39.95	37.95	31.25
VERBATIM	VRB-550/01 VRB-550/10 VRB-550/16	39.95	37.95	32.75
MEMOREX	MRX-3491 MRX-3493 MRX-3495	35.00	31.25	26.25
MAXELL	MXL-MD2/10 MXL-MD2/16	39.95	37.95	34.75
MAXELL / 96	MXL-MD2/96 N/A N/A	45.00	43.00	41.25
DYSAN	DYS-104/2D DYS-107/2D DYS-105/2D	42.50	40.50	35.50
DYSAN / 96	DYS-204/2D N/A N/A	49.95	47.95	45.75

EIGHT INCH SINGLE SIDED SINGLE DENSITY

SCOTCH	MMM-740/0	29.50	27.50	23.80
MEMOREX	MRX-3062	27.75	26.60	22.25
VERBATIM	VRB-34/9000	31.50	29.50	25.60
DYSAN	DYS-3740/1	35.75	32.75	29.75
m management	Transfer of the same of the sa			

EIGHT INCH SINGLE SIDED DOUBLE DENSITY

SCOTCH	MMM-741/0	37.75	35.15	29.15
MEMOREX	MRX-3090	35.50	33.50	27.15
VERBATIM	VRB-34/8000	35.25	33.25	28.75
DYSAN	DYS-3740/1D	40.75	38.75	32.25
MAXELL	MXL-FD1	45.50	39.75	35.15

FIGHT INCH DOUBLE SIDED DOUBLE DENSITY

SCOTCH	MMM-743/0	47.50	44.25	37.50
MEMOREX	MRX-3102	39.25	36.75	31.50
VERBATIN	VRB-34/4001	41.75	37.50	32.25
DYSAN	DYS-3740/2D	54.65	49.75	40.50
MAXELL	MXL-FD2	52.50	48.75	40.45

MODEMS

Signalman Mark 12, 1200 baud. Hayes compatible. Signalman Mark 1, direct connect with terminal cable. CTS 212AH 1200 baud, auto dail. Hayes compatible. Hayes Smart Modern 1200 baud, auto answer, auto dial. HYS-1204 HYS-1206 HYS-1206
Hayes Smartmodem, 300 haud only, auto answer, auto dial Hys-1803 Hyse Micromodem I, 103 Apple divert connect Hayes Micromodem IO0, S-100 auto answer, auto dial. Hys-100 Hayes Chronograph, time & dail. Hys-100 Library Services (1998) Hys-100 Hayes Chronograph, time & dail. U. S. Robotics 212A 3001/200 baud, auto dial/answer. U.S. Robotics 212A 3001/200 baud. Hys-100 Hys-100 Apple Hys-100 H

Novation Cat, acoustic connect Novation SmartCat 103, auto answer, auto dial



California Digital has purchased over one thousand factory new Mitsubishi M4853 5¼" disk drives from the Eagle Computer Company. The drives are half height double sided 96 track per inch. The M4853 interfaces the same as the Shugart SA465. We are currently offering these drives at only \$179.00. This is far below distributor cost. Offer is subject to remaining inventory on hand at time of order. MIT-4853 hand at time of order MIT-4853


1.95 1116 150ns.	4.95 450ns.	B
6.95 350ns.	16K STATIC 4.95 6116 200ns.	(1)

2

DYNAMIC MEMORY

#116 150ns. 16K #116 150ns. 16K #116 150ns. 64K 128 reheah #116 150ns. 64K 128 reheah #126 150ns. 128K 128K 128K 128K 128K 128K 128K 128K			1-31	32 +	100 +	
#116 150ms, 161K CM-4116150 1,75 1,65 1,44 4116150 1,75 1,65 1,44 4161150ms, 64K 128 rehresh CM-4116200 1,75 1,55 1,45 1,44 1,25 1,55m 2,45 1,25 1,25 1,45 1	4027-4K dynamic 250ns.	ICM-4027250	1.99	1.85	1.75	
4164 150ns. 2614 128 reheah 41256 128 reheah 4		ICM-4116150	1.75	1.65	1.45	
d 1256 150ns. 2568. DP4049 dynamic controller CT-8699 39.00 35.00 26.00 EPROMS 2708 450ns. 1K x 8 1CE-2708 4.50 4.25 2716 350ns. 174 voltage 1776 350ns. 174 voltage 1772 350ns. 174 voltage 1772 350ns. 174 voltage 1772 350ns. 184 x 8 10E-2716 TMS 175	4116 200ns.16K	ICM-4116200	1.75	1.65	1.45	
DP8409 dynamic controller	4164 150ns, 64K 128 refresh	ICM-4164150	5.95	5.85	5.55	
EPROMS 2708 450ns. 1K x 8 2716 450ns. 2K x 8 2716 2450ns. 4K x 8 2716 2450ns. 4K x 8 2717 2450ns. 4K x 8 2717 2450ns. 1K x 8 2717 2450ns. 1K x 8 2717 2450ns. 1K x 8 2717 2550ns. 2K x 8 2717 2750ns. 2K x 8 2717 2750	41256 150ns. 256K	ICM-41256150	As	milable.		
2708 450ms. 1K x 8 CE-2708 4.96 4.79 4.55 2716 450ms. 2K x 8 CE-2716 4.90 4.25 4.35 2716 1715 450ms. 171-voltage 1CE-2716 4.90 4.25 4.35 2712 450ms. 4K x 8 CE-272350 4.30 1.75 3.55 272 350ms. 4K x 8 CE-272350 4.30 0.76 272 350ms. 4K x 8 CE-272350 4.30 0.00 7.66 2712 350ms. 19K x 8 CE-2724 4.90 6.90 6.90 6.90 2712 350ms. 19K x 8 CE-2724 4.90 6.90 6.90 6.90 2712 250ms. 19K x 8 CE-2724 4.90 6.90 6.90 6.90 2712 450ms. 18K x 8 CE-2724 4.90 6.90 6.90 6.90 2712 450ms. 15K x 8 CE-2724 4.90 6.90 6.90 6.90 2712 450ms. 15K x 8 CE-2724 6.90 6.90 6.90 6.90 2712 450ms. 15K x 8 CE-2724 6.90 6.90 6.90 6.90 6.90 6.90 6.90 6.90	DP8409 dynamic controller	ICT-8409	39.00	35.00	29.00	
271 64 650ns. 26 x 8		EPROMS				
2716 4369ns. 2K x 8	2708 450ns. 1K x 8	ICE-2708	4.95		4.55	
271 e71 M3 e50 ns. Tri-voltage CE-271 e71 M5					3.97	
2772 350m. 4K x B	2716TMS 450ns. Tri-voltage				7.25	
2527 260ns. 4K x li	2722 450ns. 4K x 8				3.55	
2764 350m. 8K x B					7.60	
27128 250ms. 18X 8						
\$\text{STATIC MEMORY}\$ 21.U2 200ns. 1K static \$\text{CAPL_10,2200}\$ \$1.49 1.29 1.15 21.102 250ns. 1K static \$\text{CAPL_10,2450}\$ \$1.29 1.15 21.12 250ns. 2K static \$\text{CAPL_10,2450}\$ \$2.99 \$2.85 2.7 21.14 200ns. 1K x 4 \$\text{CAPL_11,2450}\$ \$0.99 \$2.85 2.7 21.14 200ns. 1K x 4 \$\text{CAPL_11,2450}\$ \$0.99 \$2.85 2.7 21.14 200ns. 1K x 4 \$\text{CAPL_11,2450}\$ \$0.99 \$2.85 \$2.7 20.00s. 4K x 1 \$\text{CAPL_21,2450}\$ \$0.99 \$2.85 \$2.9 \$2.95 \$2.				6,90	6.95	
211.02 200ms. 1K statile		The state of the s	19.90			
211.02.450ns. 1K statis	STATI	IC MEMORY				
2114 200ns. 2k stalis: CLW-3112450 2.99 2.85 2.75 2114 200ns. 1k x 4 CLW-2113450 1.95 1.85 1.77 4044TMS 450ns. 4K x 1 CLW-213450 2.95 3.49 2.25 2.95 5257 200ns. 4K x 1 CLW-3257200 2.50 2.25 1.91 6116 P4 200ns. 2k x 8 CLW-3115150 3.25 6116 P3 250ns. 2k x 8 CLW-3115150 3.25	21L02 200ns. 1K static	ICM-21L02200	1.49		1.15	
2114 300ns, 1K x 4 ICM-2114300 1,95 1,85 1,77 4044TMS 450ns, 4K x 1 ICM-4044450 3,49 3,25 2,9 4044TMS 450ns, 4K x 1 ICM-80247300 2,50 2,25 1,91 6116 P4 200ns, 2K x 8 ICM-6116200 4,85 4,65 4,51 6116 P3 30ns, 2K x 8 ICM-6116150 5,25	21L02 450ns, 1K static	ICM-21L02450	1.29	1.15	.99	
4044TMS 450ns. 4K s 1 ICM-4044450 3.49 3.25 2.99 5257 300ns. 4K s 1 ICM-5257300 2.50 2.25 1.91 6116 P4 200ns. 2K x 8 ICM-6116200 4.85 4.65 4.50 6116 P3.150ns. 2K x 8 ICM-6116150 5.25	2112 450ns. 2K static	ICM-2112450			2.75	
5257 300ns. 4K x 1 ICM-5257300 2.50 2.25 1.9 6116 P4 200ns. 2K x 8 ICM-6116200 4.85 4.65 4.56 6116 P3.350ns. 2K x 8 ICM-6116150 5.25	2114 300ns, 1K x 4				1.75	
6116 P4 200ns. 2K x 8 ICM-6116200 4.85 4.65 4.56 6116 P3.150ns. 2K x 8 ICM-6116150 5.25					2.99	
6116 P3.150ns. 2K x 8 ICM-6116150 5.25	5257 300ns, 4K x 1				1,99	
				4.65	4.50	
6167/2167 100ns. 16K x 1 (20 pin) ICM-6167100 9.95	6167/2167 100ns. 16K x 1 (20 pin)	ICM-6167100	9.95			

DB25P



GOLD S-100 B	EDGE CARD	CON	NECT	ORS
	catalog	each	10-99	100+
Imsai s/1.250	CNE-IMS	2.95	2.50	2.19
Sultins Hi/Rel	CNE-H100	4.19	3.85	3.47
S-100 Wire W.				
Altair 140 s/t	CNE-100A	4.95	4.50	4.19
156" CENTER	EDGE CAR	DCO	INECT	ORS
22/44 Eyelet	CNE-44E	2.50	2.15	1.95
43/72 Moto. s/1	CNE-72S	6.60	6.15	5.75
36/72 D/G s/t.	CNE-725	5.95	5.50	5.19
Citizen common	steam, in hilling	See a Laborator	in Mindelija	tion &

Une	conne	CIOFS BYBRIED	e upon	redner
	RIBE	ON CONNE	CTOR	5
325P	male	CND-r25P	5.65	5.25
		CND-r25S		

259.00 75.00 319.00 479.00 429.00 229.00 239.00 199.00 389.00 695.00 169.00 219.00 219.00 219.00 219.00 219.00 219.00 219.00

DB255 lemale		5.95		
57-30360 male	CNC-r36P	7.95	8.75	5.90
57-30360f male	CNC-136S	7.95	6.75	5.90
20 pin edge				2.50
20 pin socket				1.60
26 pin edge	CNI-DE26	4.95	3.50	2.70
26 pin socket	CNI-DS26	3:50	2.40	2.15
34 pm edge -	CNI-DE34			3.50
34 pm socket	CNI-DS34			3.15
50 pin edge	CNI-DE50	5.95	5.60	4.90
50 pin socket	CNI-BS50	4.95	4.60	3.80

4	D" TYPE	cutalog	each	10-99	100+
3	DESP male	CND-9P	1.60	1.40	1.30
ŭ.	DE9S temate	CND-95	2.25	2.00	1.30
8	DE hood	CND-9H	1.50	1.35	1.20
	DA15P male	CND-15P	2:35	2.10	1.90
Я	DA155 female	CND-15S	3.25	3.10	2.90
	DA15 hood	CND-15H	1.60	1.35	1.30
	DB25P male	CND-25P		1.75	
	DB255 female	CND-25S	2.95	2.55	
	DB25 hood	CND25H		1.15	
8	DC37P male	CND-37P		3.95	
- 1	DC37S female	CND-37S		5.79	5.50
н	DC37.hood	CND-37H	2.25		1,65
- 1	DOSOP male	CND-50P	5.50	5.10	4.75
E	DDS0 hood	CND-50H		2.40	
1	Hardware 2/set	CND-2HS	.89	69	42

	AMPHENOL/ CENTHUNICS TYPE				
	57-30360 36/P CNC-36P				
i I	IEEE488, Cidor CND-24P	7.95 6.35 5	5 35		
	DISK DRIVE POWER O	CONNECTORS			
ч	8 Spin D.C. CNP-6DC	1.95 1.29	89		
31	8 3 AC Sql/S CNP-3SS		.69		
		1.69 1.09	69		
3	51: 4 pin D.C. CNP-4DC	1.79-1.19	99		
4	3 pin DIN recpt, CNP-D3P	2.59 1.99 1	1.59		



California Digital has recently participated in-the purchase of several thousand Siemens FDD 100-8 Hoppy disk drives. These units are electronically and physi-similiar to that of the Shugart 801R. All units are new and shipped in fa-sealed boxes. Manual and power connectors supplied free upon request. choice 115 Vott. 60 Hz. or 230 Vott. 50Hz.

alifornia Digital has just purchased a large quantity of Remex i ight inch double stided disk drives. Remex is the only double rive that has an double gimbal mounted head assembly that guara-ada tracking. This drive is mechanically solid. Remex has alwa-lown for producing premiere products for the floppy disk market. To impany is a subsidiary of the Ex-cell-o Corporation, a Fortune 5000

Eight Inch Single Sided Drives

	One	Two	Ten
SHUGART 801R	385	375	365
SIEMENS FDD 100-8	129	125	119
TANDON 848E-1 Half Height	369	359	349

Fight Inch Double Sided Drives

Light men bount order	Dillen		
SHUGART SA851R	495	485	475
QUME 842 "QUME TRACK 8"	459	459	449
TANDON 848E-2 Half Height	459	447	435
REMEX RFD-4000	219	219	209
MITSUBISHI M2894-63	447	439	433
MITSUBISHI M2896-63 Half Ht.	459	449	409

Five Inch Single Sided Drives

tire man emgre em			
TEAC FD-55A half height	159	149	139
SHUGART SA400L	199	189	185
SHUGART SA200 3/4 Height	159	149	139
TANDON TM100-1	189	179	175

Eine Inch Double Cided Drives

Five inch Double Sided	DLIA62		
TEAC FD55B half height	179	169	165
CONTROL DATA 9409 IBM/PC	229	219	215
SHUGART SA450	319	309	299
SHUGART SA455 Half Height	259	249	239
PANASONIC JA551/2N (SA455)	169	159	155
SHUGART SA465 Half Ht. 96TPI	289	279	269
TANDON TM50-2 Half Height	215	209	199
TANDON TM55-4 half Ht. 96TPI	329	319	309
TANDON 100-2	279	269	259
TANDON 101-4 96TPI 80 Track	369	355	350
MITSUBISHI 4851 Half Height	259	249	245
MITSUBISHI 4853 1/2 Ht. 96TPI	179	175	169
MITSUBISHI 4854 1/2 Ht., 8" elec.	465	449	439
QUME 142 Half Height	239	229	219

Three Inch Disk Drives

SHUGART	SA300	with diskette	229	219	209

Five Inch Winchester Hard Disk Drives

FUJITSU M2235AS 27 M/Bytes	999	959	889
RODINE RO-208 53 M/Byte	1589	1493	1427
SHUGART 712 13 M/Byte, 1/2 Ht	795	765	725
TANDON 503 19 M/Byte		775	755

Upon request, all drives are supplied with power connectors and manual

tilfornia Digital manufactures an asortment of stock and custom disk drive closures. If the volume is justified we will custom design an enclosure fo ur application. The following stock disk drive enclosures are available include power supplies the 8" enclosures are supplied with exhaust fans

Horizontal mount two 8' full height drives. 5279.00 ical mount two full height 8 drives. \$299.00

Horizontal mount one full height or two half height 8 disk drives \$239.00 Vertical mount two full height 5% disk drives \$139.00

Telex 753607



Shipping: First five pounds \$3.00, each additional pound \$.50. Foreign orders: 10% shipping, excess will be refunded. California residents add 6½% sales tax. ● COD's discouraged. Open accounts extended to state supported educational institutions and companies with a strong "Dun & Bradstreet" rating. Retail location: 17700 Figueroa Street, Carson CA. 90248.

TOLL FREE ORDER LINE TECHNICAL & CALIFORNIA

CALIFORNIA

Torrance, Califo<mark>r</mark>nia Post Office Box 3097



monochrome composite video. Extensive software such as Sanyo Basic, Wordstar, Calcstar and Easy

Along with all this California Digital offers "FREE" your

choice of either a second disk drive, or a high resolution green or amber screen monitor. All at the super low

Double sided 320K/byte disks drives are available at

Your Choice

Second Drive or Monitor



System I includes 64K byte of memory one 320K byte double sided disk drive, and

keyboard. Monitor and monitor interface available. System II includes 256K byte of

memory two 320K byte disk drives, Sakata color monitor, Peacock color card with printer port all for only \$2899.

Writer I is included with the MBC-550.

price of only \$895.

only \$99 per drive additional.

The RICOH RP1300 is a 35 cps word processing daisy wheel printer ruggedly constructed assuring you of a long trouble free life. Besides free life. B

MATRIX PRINTERS

Star Gemini-10X 120 char/sec.	STR-G10X	279.00
Star Gemini-15X, 100 char./sec. 15 paper.	STH-G15X	389.00
Star Gemini Delta 10, 160 Char/sec	STR-010	399.00
Star Coex 80FT friction & tractor	VST-CB0FT	195.00
Toshiba P1350, 192 char/sec, letter quality	TOS-1350	1495.00
Okidata 82A senal & parallel 9½ paper	OKI-82A	347.00
Okidata 92A parallel interface, 160 char/sec.	OKI-92A	427.00
	OKI-83A	567.00
Okidata 83A & parallel 15" paper	OKI-84A	997.00
Okidata 84A & parallel 15" paper		1995.00
Okidata 2350 (new) 350 char/sec	OKI-2350	
Epson RX-8010" 120 Chai/sec.	EPS-FIXED	317.00
Epson FX80, 10" 160 char./sec. with graphtrax	EPS-FX80	529.00
Epson FX 100 15" 160 char./sec with graphtrax	EPS-FX100	719.00
Epson MX100 with graphtrax, 15" paper	EPS-MX100	589.00
NEC8023A parallel 91/2" paper, graphics	NEC-8023A	389.00
Anadex 9501B high speed with graphics	ADX-9501B	1029.00
Anadex 9620B 200 char/sec. parl & serial.	ADX-9620B	1129.00
	QTX-7030	1539.00
Quartex 7030 corespondence quality 180 char/sec.	PRO-8510P	359 00
Prowriter 8510 parallel 91/2" paper		689.00
Prowriter II, parallel 15" paper, graphics	PRO-2P	
Dataproducts B-600-3, band printer 500 LPM.	DPS-B600	6985.00
Printronix P300 high speed printer 300 lines per minute.	PTX-P300	4250.00
Printronix P600 ultra high speed 600 lines per minute.	PTX-P600	5795.00

WORD PROCESSING PR	NTERS	
NEC7710 55 char/secord, serial interface NEC7730 55 char/sec, parl interface NEC7730 55 char/sec, parl interface NEC7350 potular printer designed for the IBM/PC NEC3550 designed for IBM/PC 20 char/sec, parl NEC3550 17 Char/sec, parl interface. Nation of IBM/PC 20 char/sec, senial Diable (30, propriorinal spacing, horz & vert. Lab. 20 cps. Juli 6100. 18 char/sec, griphic mode. Diable (30, propriorinal spacing, horz & vert. Lab. 20 cps. Juli 6100. 18 char/sec, griphic mode. Stanwister Flo parallel, 40 char/sec. Comesc CR1 word processing printer, serial inte. Comesc CR1 word processing printer, serial inte.	NEC-7710 NEC-7730 NEC-3550 NEC-2050 SRD-EXP500 SRD-EXP550 DBL-630	1979.00 1979.00 1799.00 459.00 659.00 1765.00 879.00 495.00 695.00 1125.00 1125.00 495.00

BMC 13-A green proceptor 18-MHz composit video BMC 19 imprimentation 2004Hz Annex 3006 12 green proselvor Annex 3006 12 green proselvor Annex 3006 12 green proselvor Annex 2008 12 green	BMC-12A BMC-12EN AMK-300G AMK-300A AMK-316A 2TH-122 2TH-2123 NEC-3B1201 NEC-3B1201 USI-12A MOT-BW23 MOT-BW12 CON-BW9	11 12 15 00 00 15 11 00 15 10 10 10 10 10 10 10 10 10 10 10 10 10

BE S		
BMC-12A BMC-12EN AMK-300G AMK-310A 2TH-122 2TH-2123 NEC-JB1201 NEC-JB1260 USI-12A MOT-BW23 MOT-BW23 CON-BW9	78.95 119.00 128.95 138.95 138.95 94.95 94.95 159.00 119.00 99.00 159.00 69.00	
BMC-9191 BMC-9191M	238.95 379.00	

California Digital has recently purchased an OEM liquidation, of new Hazeltine 1420 video terminals. These units fea-1420 video terminals. These units fea-ture direct cursor addressing, full 62 key keyboard with numeric cluster, RS-232C with baud rates selectable to 9600. Self diagnostics and escape sequences function mode make this terminal an ex lent value at only \$299.00. HZL-1420

All Value as unity.

Hazelmes 1400 Video Display Temmal
Freedom 100 spill scheen, detatchable keyboard
Qume 102 green phosphor terminal
Visual 50 Gheen screen
Ampex Diabopes 125 gene phosphor
Ampex Diabopes 125 gene phosphor
Wyse 100, hoz & vert. spill screen, metal enricosure
Wyse 100, hoz & vert. spill screen, metal enricosure
Wyse 100, hoz & vert. spill screen, metal enricosure
Wyse 100, hoz & vert. spill screen, metal enricosure
Wyse 100, hoz & vert. spill screen, 20 furnion keys
Televidao 925, detatchable keyboard, 28 function keys





Apple II/e, 84K computer only
Apple II/e starter kit, monitor, disk, 80 col. card
Advanced Busness Tech, 13 Key Pad
Calif. Computer 77:10A Sync. Serial Imferace
Calif. Computer 77:10B same but for modem
Calif. Computer 77:10B same but for modem
Calif. Computer 77:12A parallel interface
Calif. Computer 77:24A parallel interface
Calif. Computer 77:24A Centronics interface
Calif. Computer 77:24A Centronics
Microsoft Softcard with CPI/N. 2-60
Mountain Computer FOM Pure ying. 8bit
Mountain Computer FOM Pure with kipst. titler
Mountain Computer FOM White With kipst. titler
Mountain Computer FOM Parallel interface
Sorrento Valley 8 controller double side D/D.
TEAC 514 disk driver for Apple II
Vista Vision 80:80 column card for sid. Apple II
Vista 8"disk controller double side D/D.

CCS-7114 CCS-7724 CCS-7724 CCS-7729 CCS-7740 CAL-A16 HYS-MM2 KEN-SF1 MSF-SFTCD MTN-TCLK MTN-ADDA MTN-ROMW OMS-G2 SVA223 TEA-A2 VSA-VIS80

Non-encoded Hytek 58 key metal contact keyboard. HIK-58: \$24.95. Matching 15 key numeric cluster \$9.95. HIK-15. Both for only \$29.95. HIK-5815. Not pictured, 49 key eight bit modified Hollersh coded Microswitch Hall effect key REMOVED from punch card equipment, \$14.95. DIT-KB49: ASCII encoder ava

Advanced Logic Systems CP/M 3.0 CARD Includes Digital Research C/PM Plus



California Digital has just purchased from Digital Re-search over eight hundred of the Advanced Logic Systems CP/M 3.0 cards. This unique product offers performance

CP/M 3.0 cards. Ins unique product offers penormance upto 300% faster than existing Apple CP/M cards. Featuring a 6 MHz. Z808 micro-processor, 64K/Byte of on board memory, with CP/M 3.0 along with GSX 80 graphics and CBasic. The ALS card supports larger programs with enhanced CP/M editing features. Manufacturers suggested price on the CP/M board is S399, while supplies last California Digital is offering this card at only \$179. ALS-Z80

00

16 BIT MICROPROCESSORS			S
1	Octagori dual CPU 80/lit ZBU & controlle ladbout 8086-8067 microcomp. 16 bit ladbout dual processor 8085-8088-8-16	.981-8687	795 0 495 0 359 0

SINGLE BOARD COMPLITERS # EQ-4 128K 4 senst not 5-100 INS-EG4 ced Digital Fluppy & 64K AMD-280 k System master 765 hoppy 64K TEL SM1

8 BIT MICROPROCESSORS

Judge and Legal 24 an externed and General 280 September 2

FLOPPY DISK CONTROLLERS

Gordbout Disk 1: double density. California Computer 24224 with CPM Morrow Disk Jockey if with CPM 2: 2 Morrow Disk Jockey i with CPM 3: 0 Farbell Electronics double drossly Farbell Electronics single density of Fatorium Disk Omnibes. 1: 0 to hard disk	TAR-SUC	395 335 356 225 415 275 381
CPM OPERATING		200

HAND DISK CONTROLLERS		
Octagon hard disk controller with E.C.	0CT-HD1	475 00
Godbout Disk 2 8 & 14 hard disk	GBT-DSK7	560 00
Godbout Disk 3, for 5' a Winchesters	GBT-DSK3	
Morrow Designs controller for 5'+ Will	MDS-W506	195:00
Western Digital new WD-1001 mot S-10hr	WDI-1801	196 00

FPROM BOARDS

STATIC MEMORY BOARDS

DYNAMIC MEMORY BOARDS

INTEREACE BOARDS

Intertager (2 sensi ports	GBT-133A	239.0
Interfacer III. 1 serial 3 par I ports	GBT-150A	2693
Interface: III. with 5 servil purts	GB1-135A	4195.5
Interfaces III. with B serval ports	GB1-138A	5665-1
mertager IV 3 serial 2 parallel	GBT-187A	0.290
. Computer 2710, 4 serial ports	CCS-2710	:79:1
	CCS-2719	296.1
a Computer 2720, 4 port par 1	CCS/9720	2391
a Computer 2830. 6 port senal	CC5-3830	3294
Designs Multiboard, 3 S-2P	M 35-MTL	3193

SPECIAL FUNCTION BOARDS

layes 5-1/10 Micromodem: 300 bood	HX3i-M100:	3/2/1
If Computer clack cutendar, buttery	01G-CC100	139
orthood System support bouitt: 4K EPHOA	MG81-SY51	36.4
adbout System support board, 9511 multi	1GB1-S9511	54+1
Systems. 4 channel 12 bit I) A come.	DSC-7-DM12	B16.0
ual System 17 bit resolution, 32 cm. A-D.	DSC-AM12	417.+1
fullies Opto-Islander, controls 8 chi	MUL-ICENS	27.7.1
fullins extender board with logic & probi-	MULTH4	79.0
	101:W100	19.0
/fer Elichtorius wire wrap profotype	ART-WWHILE	25 0
rtes Electronics general purpose solder	ART-DP100	25 0

MAINFRAMES & MOTHER BOARDS

e Unta Stannes 22 Sibi	FIRESTON	INE 00
pat Enclosure 2, 20 siots	GILL MESD	5-5-00
mu Cempater 2200: 12 stor	CCS-2200	179.00
rina Deptal 18 slot mother board	CAL-MB UK	35 00
out 12 slot mother board assembled	GB1-MB1	149.00

465 00 119.00

Duadram 512 - 648 memory 8 senal pl Quadram 512 - 5128 memory 8,9232 Quadboard 648 four Function Quadboard 648 four Function Quadboard 2568 Four Function A53 MegaPius 648, R3232 Colok/bal A53 ToPhother 648, Cak/cal. ser. & part A53 Carbinophus 648, Cak/cal. ser. & part A53 Advanced Commenciations Card Proceeded of the Card Wy prefix port STB 648 memory examples to 2568.

Telex 753607



Shipping: First five pounds \$3.00, each additional pound \$.50. Foreign orders: 10% shipping, excess will be refunded. California residents add 6%% sales tax. • COD's discouraged. Open accounts extended to state supported educational institu-tions and companies with a strong "Dun & Bradstreet" rating. Retail location: 17700 Figueroa Street, Carson CA. 90248.

TOLL FREE ORDER LINE (800) 421-5041 TECHNICAL & CALIFORNIA

For the 4th of July Shopper We Will Beat All Competitor's Prices!

Franklin Computer

- ★ 1200 OMS
- ★ 2 Drives, Apple Compatible ★ CPM Compatible
 - Hi-Res Green Monitor
 - Ace Calc, Ace Writer, C Basic

List \$2295 \$1495

Apple Computer

- ★ Apple IIE★ 64K cpu
- List \$999 **\$799**

IBM PC

★ PC w/256K
★ 2 Drives

List \$2999 **\$224**9

Mitsubishi Disk Drive

- ★ 4853, 96TPI ★ Slimline/SA 465 Comp.

List \$399 S

Siemans Disk Drive

- ★ FDD100-8 ★ Sgl. Side/Dbl. Density

List \$399 **\$119**

FDD200-8 Dbi/Dbi \$180

Tandon

★ TM100-2 ★ Dbl./Dbl. 360K

List \$399 **\$195**

Hayes Microcomputer

- ★ 1200 Baud
- * Stand alone
- Hi-Res. Amber Monitor

List \$649 **\$489**

64K Memory Chips

- * All Prime Parts
- ★ 90 Day Warranty
- 4164-150NS **\$5.75 ea.** 4164-200NS **\$5.40 ea.** 4164-250NS **\$5.20 ea.**
- 9 chips needed for 64K

Okidata Printer

- ★ ML92A
- ★ 160 cps
- Correspondence Quality

List \$599 \$409



with these Specials!

Apple Compatible Drives QUANTITY

Micro Sci A-2, 35 Track \$200 \$190 \$180 Controller 65 **Ouentin Research** \$195 \$185 \$175 Apple Mate Controller 65 Rana Systems \$240 \$235 \$225 35 345 335 455 445 435 Elite II, Dbl. Head Elite III, Quad Density

Half Height

Controller Controls 4 Drives

FD525A Fully Apple com. \$150 \$140 \$130

51/4" Disk Drives

QUANTITY 2 10

Teac			
FD55A, 160K FD55B, 360K FD55F, Quad Density	180	\$150 170 190	\$140 160 180
All Teac's are Half He	eights		

Tandon TM100-1, 160K TM100-2, 360K TM101-4, Quad Density TM55-2, 360K ½ Height 5200 \$190 \$180

MPI B-52, 360K PC Compatible . 5200 5190 5180

Shugart \$200 \$190 \$180 220 210 200 230 220 210 SA400, 160K SA455, 360K 1/2 Height SA465, Quad Den, 1/2 Height

Mitsubishi

\$220 \$210 \$200 169 169 169 4851 1/2 Height 4853, Quad Den. 1/2 Height

Control Data Corp.

\$230 \$220 \$210 300 250 200 CDC 9409, 360K CDC 9409T, Quad Density

Matsushita \$160 \$150 \$140

Chinon \$140 \$130 \$120 FD55A (same as Teac)160K

8" Disk Drives

QUANTITY 1 2

Siemens \$119 \$115 180 170 FDD-100-8 FDD-200-8 Shugart 801R, Sgl. / Dbl. 851R, Dbl. / Dbl. \$360 \$350 470 460 Tandon TM848-1, Sgl. / Dbl. 1/2 Ht. TM848-2, Dbl. / Dbl. 1/2 Ht. \$350 \$340 400 390

Mitsubishi M2894-63, Dbl./Dbl. M2896-63, Dbl./Dbl. ½ Ht. \$410 \$400 410 400

Oume DT8, Datatrak 8 \$450 \$440

51/4" & 8" Power Supply & Cabinet

QUANTIT 1 PC Products 51/4"

\$ 70 S 60 Single Cabinet w/pwr Dual Thinline Cab w/pwr Dual Cabinet & Power 80 80 All have 6 month Warranty

PC Products 8"

\$220 220 270 \$210 210 260 Sql. Cabinet w/pwr & fan Dual w/pwrfor 2 thinlines Dual w/pwr & fan

FOR YOUR LARGEST SINGLE COMPUTER OUT and the LOWEST PRICES in this Magazine . 800-847-1



FREE Shipping for all Prepaid Orders



COMPUTER SYSTEMS
Apple
CPU Only \$ 799 McIntosh 2195 Portable 1150
Compaq Portable (PC Compatible)
Ace 1000, 64K
Kaypro II S1149
Kaypro 10
PC 64K, 2-Drives \$2150 XT Hard Disk Drive, 128K 4495 PC Portable Call
MBC-550 PC Compatible \$ 699 MBC-555 2-Drives, more software 1099
APPLE ADD ON'S
ALS
ZCard
RF Modulator \$ 15 Fan w/Surge 29
System Saver
Graphics Tablet \$ 89
Joystick
Micro Max Viewmax 80, 80 col. card \$ 139 Viewmax 80E (F for IIE) 64K 129
Micro Soft 16K Card \$ 69 Premium Soft Card IIE 369 Multiplan 189 Soft Card (Z80) 239
Micro Tek
Bam 16, 16K Memory \$ 59 Serial Interface 89
Joystick \$ 44 Select-A-Port 31 Paddles 34
IBM ADD ON'S
Six Pack + Ast Research \$ 274
Mega + 274
Monochrome Adapter \$ 319 color Card 245
Color Card 245
Plantronics

64K Upgrade 64K of Memory	48
USI Research Paradise Systems multi-display card S	389
MODEMS	of s
Mark VII 300 Baud	139 279
Hayes Micro Computer Smart Modem 300 Baud Smart Modem 1200 Baud Smart Modem 1200B for PC Micro Modem IIE	199 489 399 239
J-Cat	119 259
PRINTERS	
Dynax	
DX15, Letter Quality	129
RX-80(120 cps) Friction & Tractor FX-80 (160 cps) FX-100 (160 cps) 15" Carriage	319 419 519 729
Okidata 82A (120 cps) Par & Ser Inter \$ 83A (15" Carriage) 84P (200 cps) Friction & Tractor New Series Okidata	299 569 999
92P (160 cps)	429 699
Star Micronics Gemini 10X (120 cps) S Gemini 15X (120 cps) 15" Carriage Power type (18 cps) Ltr. qual.	279 399 479
PRINTER INTERFACES	
Cables	
Cables IBM to Printer SAypro to Printer RS232 Cables	29 29 29
Card & Cable	49
Microtek Dumpling GX (Grappler Compatible) S Dumpling GX exp to 64K Dumpling GX 16K w/ 16K exp to 64K for each additional 16K	89 149 169 15
Okidata Options Tractor for 82 & 92 S	59
Serial Interface	99
Grappler +	114 179
Epson Serial Interface	119 59
Wesper Micro Wizard Full Graphics Interface\$	89
RETAIL STORE:	

MONITORS
Amdek Color I + Composite Video \$ 289 Color II + RGB Video 419 300G, 12" Green 139 300A, 12" Amber 149 310A, Monochrome Amber 179 BMC 9191 Color New Version 5 239 IBM Monochrome Hi Res Green 5 319 Princton Graphics PGS HX12, IBM Copy 5 469 PGS MAX-12, 12" Monochrome 199
PI1, 9" Green, Hi Res, 20MHz \$ 100 PI2, 12" Green, Hi Res, 20MHz 100 PI3, 12" Amber, Hi Res, 20MHz 100 PI4, 9" Amber, Hi Res, 20MHz 100 Zenith ZVM122, Hi-Res Green \$ 109 ZVM123, Hi-Res Amber 109
DISK DRIVE CABINETS
51/4" Cabinets Single Cab. w/power supply \$ 70 Dual Cab. w/power supply 80 Dual Thinline Cab. w/pwr. sup. 80 8" Cabinets Single Cab. w/fan & power supply \$ 220 Dual Cab. w/fan & power supply 270
51/4" DISKETTES
Sgl/Dblreinforced hub \$17 Dbl/Dblreinforced hub 22 Not Bulk Packed
Sgl/Dbl
MD1 Sgl/Dbl
Verbatim Sgl/Dbl \$26 100 for 240 Dbl/Dbl 36 100 for 340
8" DISKETTES
Sgl/Sgl
Sgl/Dbl
Sgl/Sgl \$30 100 for 280 Dbl/Dbl 40 100 for 360
DISK ACCESSORIES
8" or 51/4" Head Cleaning Kit \$ 9

Circle 59 on inquiry card Inglewood, CA 90304 Components

Mon.--Fri. 7 a.m. to 6 p.m. Sat. & Sun. 10 a.m. to 5 p.m. This Ad Supersedes All Others

No Surcharge for Credit Card

MAIL ORDER: P.O. Box 1936 Hawthorne, CA 90250

Outside California Inside California **Customer Service & Technical**

Sales Desk (800) 847-1718 (213) 643-5188

Flip Tub 5½" Holds 50 disks, plexiglass 5½" Holds 70 disks, plexiglass

(213) 643-5191 All merchandise new. We accept MC, Visa, Wire Transfer, COD Call, Certified Check, P.O.'s from qualified firms, APO accepted, Shipping: Minimum \$4.50 first 5 pounds, Tax, California Res, Only add 6½% Sales tax.

Prices Subject to Change

PRICES REDUCED DRASTICALLY CALL TOLL-FREE (800) 545-2633

DISK DRIVES

SHUGART	
51/4" SA400 (35 TR) 160K	
5¼" SA400L (40 TR) 190K	175.00
51/4" SA455L (40 TR) 320K 1/2 HGT	
8" SA801R(SS/DD) 600K	355.00
QUME	
51/4" 142 (40 TR) 320K 1/2 HGT	200.00
8" DT8 (842)	490.00
MITSUBISHI	
8" M-2896-63 Thinline 8" DS/DD 1.2 MG	419.00
8" M-2894-63 (110V) Standard 8"	
DS/DD 1.2 MG	419.00
5¼" M4853 Quad Density	199.00
CDC	
5¼" 9409-DS/DD	225.00
TANDON	
5¼" TM100-1 SS/DD 160K	139.00
5¼" TM100-2A DS/DD (320K)	100.00
FOR IBM-PC	199.00
TM101-4 (96 TPI Quad Den)	299.00
1	
MPI	
5¼" B-51 40TR SS/DD 180K	150.00
51/4" B-52 40TR DS/DD 320K	
(FOR IBM PC)	195.00

DRIVE CABINETS

9	8" CABINETS B" DDC88V28 w/PS vertical for	
2	2-8" drives	269.00
t	hinline drives	269.00
t	hinline drives	155.00
8	3" DDC8V w/PS vertical for 1-8" drive 3" DDC88H w/PS horizontal for	
	2-8" drives	269.00
	5¼" CABINETS	
1	51/4" DDC5H w/PS horizontal-for	
113	1-5'4" drive	55.00
	51/4" DDC5V w/PS vertical-for 1 ea 51/4" d	rive
		50.00
	514" DDC55V w/PS vertical-for 2-514" drives	(NEW)
		85.00
	NEW "SLIMLINE" DRIVE CABINET	
- 5	51/4" DDC55H1/2 w/PS horizontal for 2 ea	S. COMOO D
	51/4" drive — Specify DRIVE	75.00
1	All Cabinets Available with Extender Conne	ctor

DATA CABLES		
8" DSC 88-2SKT-for 2-8" drvs w/skt. conn. 5¼" DSC55-2SKT-for 1-5¼" drvs	20.00	
IBM to PAR or COLUMBIA to PAR Osborne to PAR	26.00	
Kaypro to PAR	26.00	

AC SURGE ELIMINATORS

Lemon (6AC outlets-3 prong)	44.00
Lime (5'-3 prong pwr cord w/on-off switch)	69.00
Orange-AC surge + EMI filter (6 outlets)	95.00
	69.00

PRINTERS

DAISYWRITER	
Daisywriter 2000-48K Buffer/20TO40CPS Letter Quality Par or Serial	999.00
DIABLO	
620 (25CPS/Serial) 630 (40CPS/Multi-IF)	920.00 ,799.00 ,100.00
Dynax-15 Par-13CPS Daisywheel 2 color PTG-3K buff Dynax 15 Serial-13CPS Daisywheel	449.00 525.00
FX80 (160 CPS-Par 10") FX100 (160 CPS-Par 15")	485.00 719.00
JUKI 6100-18CPS/Diablo Compatible Par/Daisywheel MANNESMAN-TALLY	438.00
Spirit 80CPS Par 10" 160L (160CPS-40CPS Letter Quality 10") 180L (160CPS-40CPS Letter Quality 15")	289.00 589.00 799.00
OKI-DATA Microline 82A (SER & PAR-120CPS 10") Microline 83A (SER & PAR-120CPS 15") Microline 92 (PAR-160CPS-LTR-10") Microline 93 (PAR-160CPS-LTR-15") Microline 94 (PAR-200CPS-LTR-15") Microline 84S (SER-200CPS-LTR-15") STAR MICRONICS Gemini 10X NEW VERSION (PAR-120CPS-10") Gemini 15X (PAR-120CPS-15")	569.00 419.00 700.00 ,000.00 ,100.00
TOSHIBA P1340 - Smaller version of 1350 / 10" Car 112 CPS Draft Mode / 54 CPS Ltr Quality (List Price \$1395) P-1350 — 192 CPS Draft Mode / 120 CPS	895.00

MODEMS

Ltr Quality / Specify Par or Serial 1,699.00

Hayes 300 .	 219.00
Haves 1200	

OUR BEST BUY

ANCHOR MARK XII

DISKETTES

15% Discount for Qty 100

FOR APPLE, ETC.	
	15.00
For IBM PC & PARTNERS	
51/4" Soft Sector DS/DD	20.00

Lifetime Warranty
 All have Hub Rings and PLASTIC CASE

APPLE FRANKLIN

ACCESSORIES

ALS	
CPM 3 0 Card Z-Card II Smarterm 2 — 80 Col Video for 2+	269.00 119.00 139.00
COOL TIME Fan. Surge Protection, Real Time Clock 2	Outlets
for Printer & Monitor	
GENERIC	
16K RAM Add-on	45.00
HAYES JOYSTICKS	
Mach II (For II & IIE)	
HAYES MODEM	
Micro-Model IIE w/terminal package	239.00
View Max 80 (80 Col for II +) View Max 80E (80 Col w/64K Memory	
Expands to 128K)	139.00
ORANGE MICRO Parallel Interface (No Graphics) Grappler + (Graphics Interface) Grappler + 16K (Buffer and 5 to 64K) Buffer Board	119.00
TG PRODUCTS Joy Stick—For Apple II + Paddles Selecta Port VIDEX	29.00
Ultraterm	279.00
Videterm with SoftSwitch	. 219.00

APPLE DISK DRIVES

STANDARD SIZE	
Micro Sci A-2 (35TR)	189.00
1/2 SIZE	
Super 5" "Green" Thinline 163K 40"	TR
Belt Drive	179.00
Super 5 "Blue" Thinline 163K 40TR Direct Drive	189.00
Super 5 "Red" Thinline 163K 40TR	103.00
Teac Drive	200.00
RANA	
RANA 1	239.00
RANA 2 Dbl Sided	
RANA 3 Quad Density	429.00

ALL DRIVES 1 YR. WARRANTY

APPLE DISK CONTROLLERS	
Micro-Sci (35TR) Generic (35TR)	60.00
Micro-Sci (40TR)	89.00
RANA	85.00

OKI-DATA 92 Printer 160CPS - Par Port

Ltr Quality
Only \$419.00

DAISY-WRITER 2000

With Tractor - 20/40 CPS Daisy wheel - Ltr Quality

Only \$999.00

SANYO PRODUCT

Teac FD55B - DS/DD With Software Only \$229.00

PRO-MODEM 1200

- 300/1200 BAUD
- Hayes Compatible
- Auto Answer/Originate
- Clock/Calendar
- Auto Dial

Only \$368.00

VISA*



Add \$10.00 ea.

TERMS

Open account to state supported universities & companies with high Dun & Bradstreet rating.

Visa, MC, Check or Money Order U.S. lunds only. Minimum order \$15.00

The Great Salt Lake Computer Company, Inc.

1-801-972-2717

TOLL FREE 1-800-545-2633 CONTINENTAL U.S.

Minimum Shipping \$3.00 in the Continental U.S.A.

WE WILL BEAT ANY ADVERTISED PRICE!

IBM ACCESSORIES

AST PRODUCTS
Combo Plus (Serial/Par/CLK 64 to 256K) 259.00

OUR BEST BUY

Expands to 384K) 269.00 Six Pak Plus (Serial/Par/CLK/384K) 569.00
Meg-A-Plus (Serial/CLK/64K Expands to 256K) 269.00 Meg-A-Pak (Expands Meg-A-Plus to 512K) 270.00
D.C. HAYES
Smartmodem 1200B-Smartcom 2

w/software 399.00

KEYTRONICS 5150 Keyboard 199.00 5151 Keyboard 229.00

MAYNARD

Floppy Controller Floppy Controller (Serial) Floppy Controller (PAR) 230.00 Sandstar MOD-FDC (for 5' a" or 8" drives) 205.00 Parallel MOD 60.00 MODULAR ADD-ONS FOR SANDSTAR Serial-MOD

Clock Calendar MOD Game Adapter MOD Sandstar Multi-Function Bd (Holds up to modular add-ons W 10 MG Hard Disk (Internal) 82.00 995.00

69.00

MOD-FDC

IBM COLOR CARDS

P.C. PRODUCTS CORP

Rainbow Color Card ... • 4 Times Better Than IBM Color

 Expands to 128K RAM • PAR Port Serial Port . Game Adapter . Light Pen Intf.

Mono Output
 Composite Output

PRINCETON GRAPHICS

QUADRAM
 Quadlink
 449.00

 Quadcolor 1
 199.00

 Quadcolor 2
 199.00

 Quadboard 1
 (No memory)
 199.00

 Quadboard 1
 (64K)
 259.00

 Expands to 256K Serial, Parallel, Clock, Software
 Quadboard 2
 (No memory)
 199.00

 Quadboard 2
 (64K)
 259.00
 259.00

 Expands to 256K 2 Serial Parallel, Clock and a seri Expands to 256K 2 Serial Port, Clock and software Quadboard 384 With 64K (Expands to 384K), Serial, Parallel, Clock, Game Port and software 249.00

MAIL ORDER TOLL FREE 1-800-545-2633

IBM SYSTEMS



IBM PC-1-Includes 64K RAM, 1 ea. 320K Disk IBM PC-2—Includes 64 RAM, 2 ea. 320K Disk IBM PC-3—Includes 256K RAM, 2 ea. 320K 2,195.00 Disk Drive, Mono Adapter, Mono IBM PC-4-Includes 256K RAM, 2 ea, 320K Disk Drive, Peacock Color Card, Princeton HX 12 Display 3,395.00

IBM-XT

• 128K RAM • 1 ea 320K F.D. • 1 ea.

> OUR BEST BUY **IBM UP-GRADE KIT**

INCLUDES 9 EA. 4164-200NS FOR EXPANSION ON ALL IBM PRODUCTS WITH PARITY

\$45.00 per Set

IBM DISK DRIVES

CDC 51/4" 9409 DS/DD 320K Quietest Drive . 225.00

PANASONIC - BEST BUY IN 1/2 HGT 514" JA-155 (40 TR) 320K 12 HGT Direct Dirve w/Brackets 169.00 514" JA-155 (40 Th) 3200 2 169.00 w/ Brackets 2 for 310.00

514" F-55B (40TR) 320K 12 HGT Direct Drive 5'4" F-55B (401H) 320N 7113 (For Sanyo & IBM) w/Brackets 169.00 2 for 320.00

SHUGART DISK DRIVES SA455L-1/2 HGT 320K DS/DD

w/BRACKETS 2 for 370.00

TANDON DISK DRIVES TM 100-2A 320K DS/DD 199.00

IBM COMPATIBLE SYSTEMS

IBS SYSTEM

IBM "LOOK-A-LIKE"

FEATURES • 5 Slot Mother Bd w/64K (Expands to 256K)

 Power Supply w/Fan Lo-Profile Keybd - 96 Key
 2 ea Serial • 1 ea PAR
 Space for 4 ea. ½ HGT Drives or

2 Full Size.

• Will run PC/DOS or MS/DOS

• Will run all MS/DOS Compatible Software

PC-2001 - Includes 64K RAM, 1 ea. 320K F.D. . PC-2002 - Includes 64K RAM, 2 ea.

Video CD, 12" 300A Mono Display 1,895.00 PC-2004 — Includes 256K RAM, 2 ea. 320K F.D., Color Cd, Princeton Color Monitor 2,395.00

COMPAQ

Compag with 256K and 2 ea. F.D. (360K), Par Port 2,359.00

COLUMBIA

1600-1, 2-Drives (360K) 1600-4, 12MB Hard Disk 3,695.00

SANYO

Optional Serial Port

DISPLAY MONITORS

BMC 12AU (15MHZ) 80 Col/12" ... USI PI-1 (20 MHZ) Hi-Res/9"USI PI-2 (20 MHZ) Hi-Res/12" AMBER USI PI-4 (20 MHZ) Hi-Res/80-Col/9" ... USI PI-3 (20 MHZ) Hi-Res/80 Col/12" ... 100.00 COLOR Amdek I-12" Composite (For Apple) 259.00 Amdek I + Composite w/audio Amdek II-12"-RGB (For IBM-PC) w/audio 419.00

OUR BEST BUY

OUR BEST BUY FOR APPLE

SAKATA SC-100 Best Composite Video for Apple According to Creative Computing Analysis 259.00

OUR BEST BUY FOR IBM
Princeton HX-12-RGB (For IBM-PC)

SHUGART 12MG HARD DISK

FOR IBM

With Maynard Controller and Software

Only \$989.00

Back up for Hard Disk 6.38 MG Removable Hard Disk

Only \$969.00 Extra Disk \$99.00 TEAC FD55B \$169.00 **DS/DD 360K**

TEAC FD55F \$219.00

Quad Density

QUADBOARD 384K With 64K (Expands to 384K)

Serial, Par, Clock, Game Port and Software

Only \$249.00



Retail Sales 123 East 200 South Salt Lake City, Utah 84111



The Great Salt Lake Computer Company, Inc.

VISA*

Mail Orders

1780 West 2300 South Salt Lake City, Utah 84119

Prices subject to change without notice.

1-801-972-2717



Circle 130 on inquiry card.



Computer Case\$150.00 Key Board\$199.00 Power Supply \$225.00 Mother Board-Bare \$ 95.00 Mother Board without ICs . . . \$225.00 Mother Board with ICs \$525.00

Dealers/OEM Buyers Quantity Discounts Available

All items are 100% XT Compatible as replacement kits Case with interchangable rear panel for PC Users. Bare board comes with complete instruction with part list. 1 year manufactures warranty on most items.

VISA and MasterCard welcome Price change without notice

IBM is a trademark of International Business Machine



Circle 153 on inquiry card

MEMOR MODULES

8Kx8 CMOS RAM

Radio Shack Model 100 **NEC PC-8201**

* Suggested List \$120.00,

Purple price \$69.95

- * Low power CMOS design.
- * Simple Installation
- * 30 day satisfaction guarantee or your money back.
- * 1 Year warranty.
- * Next day shipment via UPS included in price.
- * Optional Memory Test program \$15. (Cassette) No frills direct connect Modem Cable - \$9.95

Shipping: From stock. Free UPS surface Cont. USA—Add \$4.00 for UPS 2 day Air—Add \$7.00 for Canada—Payment: VISA or M/C. Checks held 14 days. - Tax: 6% (Calif. only).

2068 Ventura Blvd. Camarillo, Ca. 93010



CALL TO ORDER: (619) 436-7669 (619) 942-7373

300 BAUD

DOT

Eagle

Kaypro

Televideo

MATRIX

MODEMS

SIGNALMAN......Free 'SOURCE'

300 BAUD direct connect

300 BAUD AUTO DIAL/ANS

US ROBOTICS...300/1200 AUTO 'Hayes Compatible'

PRINTERS

COMPUTERS

HARD DISKS

PORTABLES

IMAGE COMPUTERS

P.O. Box 1164, Cardiff, CA 92007

\$CALL

300/1200 AUTO DIAL/ANS

Password' with cables, spkr

GEMINI 10x 120 cps graphics

PROWRITER 120 cps hi density

'Auto 212' dlxe.....

IUKI daisy wheel 18 cps

DAISYWRITER 40 cps

ADD 3%

Columbia P.C.

Corona P.C.

Eagle P.C.

1200 BAUD

\$ 69

\$ 99

\$299

\$339

\$399

\$289

\$350

\$565

\$999

IBM

LETTER

QUALITY

Circle 156 on inquiry card.

SPECTACULAR

LOWEST PRICES 3M DISKETTES

LIFETIME WARRANTY

\$230

SS/QD/96TPI ... \$2.55 51/4" DS/QD/96TPI ... \$3.20 8" SS/SD \$2.00 8" SS/DD \$2.45 8" DS/DD \$2.95

1-800-328-3472

Dealer inquiries invited. COD's and charge cards accepted. All orders shipped from stock within 24 hrs.



North Hills Corporation

3564 Rolling View Dr. White Bear Lake, MN 55110 MN Call Collect 1-612-770-0485

Circle 236 on inquiry card.

BASE FLEXYDISKS® WHOLESALE



100% ERROR FREE LIFETIME WARRANTY

31/2" SOFT SECTORED 54112 SS/SD \$3.46 5¼" SOFT SECTORED 54974 SS/SD 1.71 54980 DS/DD 2.36 DS/OD 54986 2.84 8" SOFT SECTORED 54998 SS/SD 2.14 54021 SS/DD 2.71 54039 DS/DD 3.53 VISA, MC, AMERICAN EXPRESS, COD

> DEALER INQUIRIES INVITED TOLL FREE 1-800-323-5357 IN ILLINOIS 1-312-982-1030 ASK FOR PAUL

CREST COMPUTER SUPPLY, INC. 7855 N. GROSS POINT ROAD SKOKIE, IL. 60077

men melligence domonstration program. ELLZA is a non-directive professable who as monthly continued to the c Created at MIT in 1986 El IZA has become they

Dasigned to run on a large mainframe. ELIZA has never before been available to personal computer users except in greatly stripped down versions lacking the sophistication which made the original program so

Now, our new microcomputer version possessing the FULL power and range of expression of the original is being offered at the introductory price of only \$25. And if you want to find out how she does it for teach her to do more!. we will include the complete SOURCE PROGRAM for only \$20 additional.

Order your copy of ELIZA today and you'll never again wonder how to respond when you hear someone say. "Okay, let's see what this computer of yours can actually do!"

ELIZA IS AVAILABLE IN THE FOLLOWING FORMATS:

- 5½ inch disk for the 48K Apple II, II Plus, IIe or III \$25 for Protected Version—\$45 for Applesoft Source Version
- 5)(inch disk for the 64K IBM Personal Computer \$25 for Protected Version \$45 for IBM Disk BASIC Source Version
- 5)s inch disk or tape cassette for the Commodore 64 (specify which) \$25 for Protected Version \$45 for C-64 BASIC Source Version
- Standard 8 inch single density disk for all CP/M based computers \$25 for ELIZA COM—\$45 with Microsoft BASIC-80 Source
- 5½ inch disk for most CP/M based computers ispecify computer \$25 for ELIZA.COM \$45 with Microsoft BASIC-80 Source

Please add \$2.00 shipping and handling to all orders (California residents please add 6% sales tax)

ARTIFICIAL INTELLIGENCE RESEARCH GROUP



921 North La Jolla Avenue, Dept. B Los Angeles, CA 90046 (213) 658-7368 (213) 654-2214 MC, VISA and checks accepted



Circle 28 on inquiry card.



Finest Quality Factory * Fast Warranty

Delivery

CALL 818-706-8602

Credit For Direct Dial Call With \$30 Order
 We Pay Shipping—MC/VISA—COD Costs
 2% Discount For Cash
 Applicable to USA Customers Only

Disks 'n Things 5505 Softwind Way



Agoura Hills, CA 91301 Price List Available



PRICES

Circle 106 on inquiry card.

APPLE COMPATIBLE HARDWARE

INTERFACE FOR TYPEWRITER, CENTRONICS AND WORDSTAR COMPATIBLE

Olivetti Praxis 30, 35, 40 \$99

Olivetti Praxis 41 Silver Reed Ex 42, 43, 44 + Penman Adler Satellite 11 and Alpha Royal 2001

Olympia Compact and Swinter 1146 CM

INFRARED INTERFACE FOR REMOTE **OPERATION WITHOUT CABLES**

IRR Board, Receiver station BRN Numerical Pad VisiCal compatible \$49
IRK Full keyboard with lower case \$129
IRC Four direction cursor control \$29

TO ORDER CALL (408) 734-4631







Advanced Transducer Devices, Inc. 1287 Lawrence Sta. Rd., Sunnyvale, CA 94089

Additional \$2.50 per order for shipping Calif. residents add 610% tax

Circle 255 on inquiry card.

Circle 92 on inquiry card.

Circle 13 on inquiry card

MEGA-BOARD

Ideal for

- COMPUTERISTS
- **OEM MANUFACTURERS**
- DEVELOPMENT LABS
- UNIVERSITIES
- INDUSTRIAL **APPLICATIONS**

THE ULTIMATE OEM/PC **COMPATIBLE SINGLE** BOARD COMPUTER

FULL IBM - PC* COMPATIBILITY!

DEALERS AND OEM MANUFACTURERS **QUANTITY DISCOUNTS AVAILABLE**

Standard Kevboard Interface (Full PC compatible)

Hardware Reset (Overcomes reset flaw

newi

Eight Compatible I/O Interface Connectors

(Full PC compatible) (compatible with all IBM-PC* plug-in cards)

Power Connector (Full IBM* pinout

compatible)

Special J1 Interface

(Allows horizontal mounting of compatible expansion cards for easy bus expansion and custom configuring) (Board has 62 pin gold plated compatible connector)

8088 Processor (Same as PC)

8087 Numeric Processor (Same as PC)

Peripheral **Support Circuits**

Extended ROM Capability

(Runs all compatible PC ROMS) (Jumper programmable to accommodate all popular 8K, 16K, 32K and 64K ROM chips and NEW EE ROMS! VPP power pin available for EP ROM burning!) (External VPP voltage required)

(Same as PC)

Configuration **Switches**

(Same as PC)

Speaker/Audio Port

(Same as PC)

Board Size 10.5 inch X 13.5 inch

Full Mega-Byte Ram Capacity! On board!

(With parity)

- □ 256K Bytes using 64K chips
- □ 1 Mega Bytes using 256K chips

ONLY!

Evaluation **Board Kit**

Wire Wrap Area To facilitate special custom

applications!

ORDER NOW!!!

MECA-BOARD™ Evaluation Board Kit! (Blank board with full assembly instructions and parts list.)

> Includes highest quality PC board with gold plating, silk screen, solder mask

■ MEGA-BOARD™ with full assembly instructions

USERS MANUAL with theory of operation, schematics, block diagram, application notes

MEGA-BIOS™ fully compatible MS-DOS/PC-DOS BIOS \$29.95

ORDER NOW!!!

SATISFACTION GUARANTEED! 10-day money back guarantee if not completely satisfied



4100 SPRING VALLEY ROAD SUITE 400 DALLAS, TX 75234 (214) 991-1644

TERMS: Shipment made 2 to 5 weeks from receipt of order. VISA, MC, money order, company check accepted. COD'S require \$25 deposit. Balance UPS COD. Please add \$2.00 shipping and handling per order.



SEND 52,00 for 1984 CATALOG



IDINI FO INIOLITICAND	ł
"MULTICARD" multifunction card for the IBM PC	ı
& XT expandable to 256K. Thousands of this	
popular card have already been shipped by ACP.	

- 64-256K
- Parallel Port
- e Serial Port
- 1 Year Warranty
- Disk Emulator Software Printer Spooler Software
- Clock/Calendar
- Clock Software

w/64K \$22900

S-100 64K "CMOS" RAMCARD



Unbelievable Price!

\$29900 Assembled and Tested

ACP has sold over 1000 of these IEEE compatible, low-priced, high-reliability 64K Static RAM Cards.

Single 5-Volt operation.

SIEMEN'S SALE You can now purchase Shugart



existing factory direct pricing These Prices are the lowest ever published "Siemen's SSDD FDD100-8.. \$169.00 Also, with purchase of Disk Drives you can buy the Vista V-1000 Dual Case

compatible 8" Disk Drives below your

with Power Supply and Cable for only \$375.00 . . . Regular Price \$495.00 Offer Limited! Factory Warranty 90 Days! Shipped Immediately from Stock! *OEM Quanti

DOT MATRIX PRINTER COEX 80-FT

9x7 Dot Matrix,80 CPS, Bi-Directional Printing

2K Buffered Memory

\$16900

80, 96, 132 Columns, Graphics and Block Printing

Selectable Char Pitch, Line Spacing



ACP HAS DISK DRIVES

APPLE II™

Line Drive

APPLE COMPATIBLE DICK DDIVE

	DISK DITIVES	
	VISTA Solo 51/4" Std.	\$199.
	CUMANA 5%" Std	219.
	RANA Elite 1	249.
	Elite 2	399.
	Elite 3	499.
	Elite Controller:	82.
	SUPER 5 Alps A40 Thineline	199.
1	TEAC T40 Thineline	239.
•	TEAC T80 Doublesided	329.
	- Controller	58.
_		_



TANDON 100-2

PC Compatible . Double Sided

TOSHIBA Half-High PC Compatible . Double Sided

\$17900

TANDON 848-SEAGATE 108

PI B52



OTHER DRIVES WE STOCK		
2 Thinline \$479.00	SHUGART 801R \$399.00	
199.00	QUME Datatrack 8 449.00	
Ab Hard Disk 699.00	CDC 1800 DS (320K) 249.00	
239.00	SEAGATE ST506 (6MB Win.) 499.00	

Apple Compatible Software ACP PRICE \$299.00399.0095.00 APPLIED SOFTWARE Versaform Versaform Hard Disk ARTSCI Magic Window II . Magic Comb. Friday (CP/M) BPI (GL, AR, AP, Pay, Inv) BRODERBUND Bank Stree 49.00 BUSINESS SOLUTIONS The incred & 149.00 CONTINENTAL (GL, AR, AP, Pay) Home Accountant DATAMOST Real Estate Inv. 49.00 DOW JONES Market Manager 249.00 Market Analyzer . . Market Microscope 549.00 FOX & GELLER Qickcode 149.00 199.00 199.00 HAYDEN Pie Writer 79.00 45.95 149.00 Real Estate Analyzer . CENSINGTON Format II 139.00 LIGHTNING Mastertype LIVING VIDEOTEXT Think Tank. MICROPRO Wordstar Mailmerge or Spellstar Wordstar Prof. 4 Pak Multitool Financial Multitool Budget MeGAHAUS Megawriter PEACHTREE Series 40 (GL. AR, AP) Series 9 (Faxt, Spell, Mail) PERFECT SOFTWARE QUARK Word Juggier (lie) Lexicheck (lie)

SIERRA ON-LINE 149.00 eral Manager II . 169.00 SOFTWARE PUBLISHING PFS/File PFS/Graph or PFS/Report STATE OF THE ART 89.00 Cal STATE OF THE ART
STONEWARE DB Master 4.0 79.00 VISICORP Visicale 3.3 179.00 Visicalc Enhanced ... Visifile or Visidex ... 179.00 HOME & EDUCATION BRODERBUND Choplifter \$28.00 Drol or Loderunner Arcade Machine 28.00 44.00

Pinball Construction Set
COUNTERPOINT SOFTWARE . 29.00 COUNTERPOINT SOFTWARE
Easy Games for Young Children
DATAMOST Actoc
Pig Pen or Shark Attack
DATASOST Zoxoon
EDU-WARE Compument
Algebra I, it or III.
Compuread or Compuspell
EINSTEIN Memony Trainer
ELECT. ART'S Music Construction
HARCOURT Computer SAT
HAYDEN Sargon III.
INFOCOM Zork I, II or III.
Deadline
KOALA Mediciales (8 available) KOALA Modulos (8 as NG COMPANY Gertrude's Se

L & S Crossword Magic ... MICROFUN Miner 2049er MICROLAB MICROSOFT Decathlon ORIGIN Exodus: Ultima III PENQUIN The Quest..... SENSIBLE Sensible Speller SIERRA/ON-LINE Frogger
SIRTECH Legacy of Llylgamya
Knight of Diamonds
SOUTHEASTERN Data Capture 4.0 SPINNAKER Alphabet Zoo Delta Drawing Fraction Fever

29.00 54.95 20.00 23.00 Facemaker
SUBLOGIC Flight Simulator or Pinball
SUNDEX-No. 1 Rated Home Finance 26.00 CPA Personal Accountant.... CPA Personal Investor Personal Payables
TERRAPIN Logo.
TRANSEND Transend I
VIRTUAL Micro Cookbook
UTILITIES/SYSTEM UTILITIES/SYSTEM
BEAGLE Apple Mechanic.
Apple Plot or Pronto DOS.
Beagle Basic
DOS Boss.
Double Take or Utility City
CENTRAL PONT Filer
Copy II Plus
LOCKSMITH.
MICROSOFT A.L.D.S.
Cabol 80 575.00 155.00 .79.00 .31.00

PENQUIN CGS Sy PHOENIX Zoom G

800-854-8230 910-595-1565

APPLE™ COMPATIBLE DISK

apple computer

Complete Apple Support Facility

Complete Apple Service Center

Apple Ile w/128K, 80 columns Apple Ile Starter System Includes: Apple Ile w/84K, 80 Colu for II & Disk II w/Controller Jisk II w/Controller

ALS CP/M 3.0 Plus Card COMPUTER ACCESSORIES

Power Control Center P12 COEX 16K Ram Card

Game Paccies
MCT Speed Demon
MPC 128K Bubble Memory
M&R Sup'r Mod II RF Modulator
Sup'r Fan

Sup'r Fan
MICROPRO 6MHz Applicard + Wor
MICROSOFT Z-80 Softcard : 3
Z-80 Softcard Plus
Softcard Premium Pak (II +)
Softcard Premium Pak (II e)
4

MICROTEK Dumpling But, w/64K 349.00
ORANGE MICRO
Grandle To

MICROTEK Dumpling Buf, wi64K 3
ORANGE MICRO
Grappler Plus
16K Bufferboard
176K pufferboard

SATURNITITAN

128K Ramcard

SYNETIX Sprite I

Accelerator II Card Neptune 64K + 80 Neptune 128K + 80 Neptune 192K + 80

STREET Echo II (Apple) Echo II Serial (In-line)

TG PRODUCTS

ect-a-port

ANDROBOT

RB5X RB5X Robot w/8K

Topoteach (II, IIe)

F.R.E.D. Soft (II, IIe)

16K Memory Add-in Robot Arm Option

Voice Option

Topologo F.R.E.D. (Educational Robot)

Sprite II Supersprite Flashcard 144K

MOUNTAIN COMPUTER

CPS Multifunction Music System A/D Plus D/A

49.00

Call

479.00

335.00

129.00

129.00 199.00

395.00 249.00

495.00 395.00

239.00 169.00

175.00

595,00 495.00

219.00 349.00 349.00 199.00 680.00 189.00

220.00 225.00

219.00 189.00

249.00

149.00

395.00

449.00 629.00

LIST ACP

159.00

79.00

1795.00

Call Call Call Call Call Call Call

399.00 449.00

99.00

224.00

 Disk II
 32

 Monitor II Green till.
 17

 Super Serial Card
 18

 80 Column Text Card w/64K
 166

 Imagewriter Dot Matrix Printer
 54

 "Apple Products Available In-store Only"

Apple Compatible Hardware



Apple Compatible Printer Interface w/Apple to Epson Cable

Apple Ile Compatible 80 Column Card w/64K

APPLE COOLING FAN



VISTA "SOLO"



Apple II/IIe Compatible Disk Drive

Totally compatible to Apple Drives.

Only

Controller \$49.95 Just plug in and run.



Apple II 16K RAM CARD

Compatible with

Z80 Softcard™ . PASCAL CP/M™ Full 1 year Warranty. Top Quality by COEX

NEW LOW ACP PRICE

Also from COEX, NEW EPSON Parallel Interface for Apple With cable\$49.95

VISTA A800 8" Disk Controller

for Apple

19.00

\$29995

\$4995

VISTA "DISKMASTER" IBM Compatible

3", 5", 8" and V1200 Compatible

MONITORS

MODEL	ACP PRICE
210 RGB Composite, Sound (Apple)	\$329.0
400 RGB Vision I Med. res. (Apple, IBM,	etc.) . 329,00
410 RGB Med. res. (Avail. Mar.)	429.0
415 RGB Vision III Hi Res. (Apple w/I/O, I	8M) 559.0
420 RGB III Hi Res. (IBM Cabinet)	559.0
121 TTL Green 12" (IBM Cabinet)	179.0
122 TTL Amber 12" (IBM Cabinet)	189.0
100/105 Green/Amber	9.00/149.00
OLEA BANGE OA	

CLEARANCE SALE

(Quantities Limited) tching Power Supplies \$59.95 Computer 2199 1149.00 | 20 Apple iil Switching Fower supplies | 90 |
20 Apple iil Switching Fower	219	1146
26 Zenihi 2300-0 Computer	2499	1298
26 Zenihi 2370 Diek Drive	1699	899
27 Zenihi 2377 Diek Drive	1699	899
28 Zenihi 2377 Ned Diek	1999	1999
24 Zenihi 2577 Diek Drive	1999	1999
24 Zenihi 2577 Diek Drive	1999	1999
25 Zenihi 2577 Diek Drive	1999	1999
26 Zenihi 2577 Diek Drive	1999	1999
27 Zenihi 2577 Diek Drive	1999	1999
27 Zenihi 2577	1999	
28 Zenihi 2577	1999	
28 Zenihi 2577	1999	
29 Zenihi 2577		
20 Zenihi 2577		
1299.00 899.00 549.00 3199.00 day Factory Warranty from near 2 TI 840R0 writcition 4 TI 840R0 writcition 4 TI 840R0 Package Opt/friction 5 TI 840R0 Package Opt/friction 5 TI 850 Serial Printer 7 TI Professional Multiplan 20 TI Prof 84K exp to 192K Ramcar 1 Fortune System 20 1 1 Fortune System 20 1 3 Fortune 256K Ramcard 35 Olivetti M20 Computer 200 General Terminals CTC RS232 40 Zentec 8003/9003 Terminals		

542 W. Trimble, San Jose, CA 95131 (408) 946-7010

Machines Mail Order: P.O. Box 17329 Irvine, CA 92713 Retail: 1310B E. Edinger, Santa Ana, CA 92705 (714) 558-8813

Call Call Call Call Call Call Robot Control Language (II, IIe) 395.00 ZENITH HERO I 2495.00 Apple™ Apple Trademark of Apple Computer IBM" IBM Trademark of International Busine TERMS: We accept VISA, MC, MO, Cashiers and Personal School and Company PO's. We do not chaige your card until wit Personal checks require drivers license and credit card · Mo Sia Added on VISA or MC. COO's over \$500 require 20% deposit with Add 27% shipping and handling for UTS. We offer sameday skill Proces subject to change without notice. We reserve the right! We are not responsible for Retail Sale Prices May Very

ROBOTS

PUTER

Serving Computer Professionals Since 1976

HARDWARE			
AST Sixpakplus w/0K(SPC) \$229.00			
KOALA			
IBM PC Joystick			
M&R PC/XT Exp Chassis (6 slots)439.00			
MOUSE SYS Mouse for PC			
PTI Back-up Power 200/400W Call QUADRAM Quadboard II w/0K 229.00			
Quadlink (Apple Prog.) 479.00 Quaddisk (up to 72Mb) Call Microfazer MP64 w/64K 179.00			
VISTA Multicard Plus 0K-384K			

PRINTERS/MONITORS
BROTHER HR-25 (23cps daisy) Call HR-1A (16cps daisy) Call COEX 80F/T (80cps) Sale \$199.00
COEX 80F/T (80cps)
DYNAX DX-15 (daisy, 2-color) 529.00
DAISYWRITER 2000 (17cps) 1049.00
EPSON RX-80 (100cps)
NEC Spinwriter 3550
OKIDATA Model 82/83. 399.00/619.00
Model 84P/84S 919.00/989.00
Model 92P/92S 445.00/595.00
Model 93P/93S 769.00/899.00
SILVER REED EXP550 (17cps)588.00 EXP770 (30cps)770.00
STAR Gemini 10X (120cps)
Gemini 15X (120cps)
Delta 10/15 (160cns) Call
TTX Model 1014 (12cps)
TTX Model 1014 (12cps) 529.00 TOSHIBA 1350 Dot Matrix 1549.00 AMDEK Video 300G/A 145.00/155.00
Video 3104 amber (IRM) 159.00
Color I (composite)
Video 310A amber (IBM)
Color II RGB (IBM) analog449.00
Color II Plus
Color IV RGB (IBM)
BMC 12" Green-Low cost89.00
PGS HX-12 RGB (690x240)
SR-12 RGB (690x480) Call
MAX-12 Amber Call
ZENITH ZVM-121 12" green
ZVM-134 12 HGB color399.00

DISKETTES

DYSAN 51/4" SS DD	10/\$55	\$28	
DYSAN 51/4" DS DD	10/65	36	
IBM 51/4" SS DD	10/60	43	
IBM 5W" DS DD	10/65	47	
VERBATIM 525-01 SS DD	10/45	20	
VERBATIM 550-01 DS DD	10/55	29	
MAXELL MD1 SS DD	10/50	22	
MAXELL MD2 DS DD	10/60	32	ı
Flip Storage Box 51/4" (80 d	lisks)	18	
BULK SPECIAL SS	10/25	16	
With Sleeve and Boy	100/195	140	

IBM ACCESSORIES

	COMPUCABLE
	Keyboard/drive dust covers (set) \$16.00
	CURTIS Tilt/swivel Monitor ped43.00
8	PC Pedestal (IBM Mono) 58.00
	PGS Quadchrome disp. Adapter . 9.00
	Vertical PC Stand20.00
м	Mono Extension Cable 43.00
40	Keyboard Ext Cable 35.00
Æ	AC Plug Adpt (any mon. to PC) 8.00
6	EDP PROTECTION DEVICES
88	The Lemon/Peach
H	The Orange/Lime
8	GILTRONIX SWITCH BOXES
	2 Way 8 Lines
a	4 Way 8 Lines
	2 Way Centronics
	RIBBONS Each Dozen
	Epson MX-80 5.75 59.00
	Epson MX-100 10.95 120.00
	Star Gemini 10/15
	ATTENDED TO THE PARTY OF THE PA

MODEMS

. 3.95 44.00 . 4.95 55.00 11.95 135.00

BIZCOMP Model 2120 (Internal)44	9.00
	75.00
Smartmodem 1200B	
	18.00
	99/00
Smartmodem II	
	25.00

SOFTWARE

dBASE II/Friday \$37800/\$16800

> Condor \$38900

SuperCalc I/II/III \$7900/\$15900/\$22800

Multiplan Vers. 1.1 \$13800

Microsoft Mouse/Word \$28800/\$23800

> Wordstar 3.3 \$25800

Micropro Pro Pak \$37800

> Rbase 4000 \$32800

T. K. Solver! \$26800

File 88.00 Graph 88.00 Write 88.00 Report 78.00

Call

Call

Context MBA **VisiOn**

Lotus 1-2-3 Vers. 1A Call!

Bank Street Writer 58.00	1
Home Accountant Plus 88.00	ì
Sideways	
Volkswriter	ì
Knowledge Man274.00	
Crosstalk XVI	ì
Multimate w/spelling348.00	ı
Compuserve Subscription 38.00	
Executive Info Serv78.00	Ì
Vidtex Software58.00	Ì
Executive + Vidtex118.00	Ì
Source Subscription68.00	Ì
Source w/source link 108.00	

Send for Free Catalog 96 Pages of Selected Values

AS: We accept VISA, MC, MO, Cashiers and Personal checks, School Company PO's. We do not charge your card until we ship. Personal serguine drivers license and credit card #. No Surcharge Added on at MC. COI'S over \$500 require 20% deposit with order. Add 3% Retail: 1310 E. Eddinger, Santa Ana, CA 92705 (ing and handling for UPS. We ofter sameday shipment. Prices subject angle without notice. We reserve the right to substitute manufacturer, are not responsible for typographical errors. Retail Sate Prices May 18MW Indexented of Identification Spieries Markings.

(408) 946-7010

* COLOR SPECIAL * THE COLOR GRAPHICS CARD as Colorplus Card PRICE BREAKTHRU! 26900

1 year Warranty

TOLL FREE 800-854-8230

exp.

COLOR 26900

Advanced Computer Product's best selling multifunction card for the IBM PC & XT (plus compatibles) now has been improved with expansion capability to a full 384K and at no charge an additional game port. You also get Print Spooler and Disk Emulation Software plus a full year SWAP-OUT Warranty at no extra charge. Why pay more when you can get the same function and performance as Quadboard II" and AST Sixpak Plus™ for substantially less money. You compare! Try it at no obligation. 10 day no questions asked return privilege.

FUNCTION	Multicard II	Quadboard II	Sixpak Plus
Memory	0 to 384K	0 to 384K	0 to 384K
Parallel/Serial	Yes	Yes	Yes
Clock/Calendar	Yes	Yes	Yes
Game Port	Yes	Yes	No (\$50 list Opt.)
Software	Yes	Yes	Yes
Warranty	1 Year	1 Year	1 Year
ACP Price with 0K	199.00	229.00	229.00

EXPANSION MEMORY

64K Upgrade (Set of 9 64K RAMS) 5	50°°
256K RAM's (256K x 1)	79 ⁰⁰

• 16K RAM's (16K x 1) 8087 CPU (Arithmetic Processor)

(Serial, Parallel, Clock/Calendar) . . .

The most popular expansion card for the short slot of your IBM XT. All these functions on one card optimized to fit in one slot. 1 year warranty.

Plantronics COLORPLUS™ \$399 [®]	Amdek MAI \$438**
Hercules GRAPHICS CARD 348 ^{ss}	 Hercules COLOR CARD w/Par. port !229**
Graphics X Software \$4200	 Paradise MULTIDISPLAY
● Quadram QUADCOLOR I&II \$199/Call	CONOGRAPHIC CARD *895°4
Scanoptik COLORGRAPHICS \$269***	MA Sys PEACOCK

IBM PC COMPATIBLE DISK DRIVES



800-854-8230 910-595-1565

IBM PC & PRODUCTS = PIPELINE The Source!!



★ 64K of Memory ★ 9, 4164

1 set for \$47

2 sets for \$90

IBM PC

★ 64K, Disk Controller
★ 1, 360K Disk Drive
★ Keyboard

List \$2104 \$1875

IBM PC XT

* 128K, 10 Meg Hand Disk * 1, 320K Drive* Keyboard

List \$4995 \$4295

TEAC DISK DRIVE

> ★ FD55B ★ Slimline, 360K

List \$299 \$165

SANYO COMPUTER

★ Model MBC550-2 ★ Dbl. Sided

* Software Included

List \$1295 \$979

MITSUBISHI DISK DRIVE

★ 360K
★ 4851 Model

List \$299 \$179

DISKETTES

★ Dbl. Side, Dbl. Density
 ★ 5 Year Warranty

* With Reinforced Hub

10 for \$19 100 for \$170 STAR MICRONICS

★ Gemini 10X
 ★ 120 cps, 80 col.

List \$399 \$269

COMPAQ

★ 256K Portable
★ 2 Drives, 360K ea.

List \$2995 \$2395

CO-PROCESSOR

> ★ 8087 ★ The Arithmatic chip

List \$299 \$169

PC PRINTER CABLES

★ 6 foot Shielded
★ Lifetime Guarantee

List \$39 \$18

ANCHOR MODEM

★ Mark XII★ 1200 Baud★ Hayes Compatible

List \$399 \$249

The Source!



COMPUTERS

- We Accept MC, Visa, Wire Transfers, Certified Checks
- · COD's Avialible
- All Prices Reflect a Prepaid
 Discount
- Shipping Minimum 4.50
- Purchase Orders Accepted
- This Ad Supersedes all Others

Prices Subject to Change

Circle 246 on inquiry card.

The Source



CALL TOLL-FREE (800) 841-0905 For Lowest Prices & Fast Delivery

IBM & COMPATIBLE COMPUTERS

IBM PC w/64K, no drives PC w/64K, 1 Drive (128K) PC XT, 128K 10 Meg Disk	. 1875
COMPAQ Compaq 128K, 1 Drive Compaq, 256K, 2 Drive	. \$1995 . 2395
EAGLE PC-2, 128K, 2-320K Drives PC-2 +	. \$2550 2250
COLUMBIA	
1600-1, 2-Drives (360K) 1600-4, 12MB Hard Disk MPC-XP Portable	3875
MBC 550, 1-Drive, software MBC 555, 2-Drives, 160K ea. MBC 550-2, 1-Drive, 320K MBC 555-2, 2-Drives, 320K ea. Optional Serial Port	. 1035 . 979 . 1295
TAVA	
2-Drives, 128K, 2 Ser. 1 Par. Por Graphics Card & Hi-Res. Monitor	Green
MODEMS	
HAYES MICRO INC. Smart Modem 300 Smart Modem 1200 1200B for PC	. 489

ANCHOR

PROMETHEUS ProCom 1200 \$ 369

RIXON PC212A, 1200 Baud Stand Alone ... \$ 409 U.S. ROBTICS Password, 1200 Baud \$ 329

Mark VII 300 Baud Mark XII 1200 Baud

PRINTERS

OKIDATA	
ML 92A (160 cps) \$	419
ML 93A (160 cps)	699
92 & 93 Plug & Play	49
STAR MICRONICS	
Gemini 10X, 120 cps	269
Gemini 15X, 120 cps, 15" car	389
JUKI	
6100, 18 cps ltr. qual	439
Tractor Feed	129

MONITORS

AMDER	
300G, 12" Green	129
300A, 12" Amber	139
310A, 12" Amber Monochrome	169
Color I + Color Composite	299
Color II + RGB w/Cable	409
PRINCETON GRAPHICS	
PGS HX12	469
PGS MAX19	

IBM COMPATIBLE **DISK DRIVES**

TANDON	
TM-55-2, 1/2 Height (360K) \$	19
TM-100-2 (360K)	19
TEAC	
FD55B, 1/2 Height (360K)	169
MATSUSHITA	
Same as Panasonic, 1/2 Ht. 360K \$	15
CDC	
9409,(360K)s	219

INTERFACE CARDS FOR IBM AND COMPATIBLES

ACT DECE A DCU		
AST RESEARCH		
SixPac + 64K Par. & Ser. Software .		69
Mega + 64K exp. to 512K Ser. Port		69
MegaPack 256K option for Mega		79
1/o + Ser. & Optional Par. Game	1	49
Additional Ports		49
QUADRAM		
ColorI	5 2	19
Color II		29
Quadlink	4	49
Quad Board I		39
Quad Board II		69
HERCULES		0,
Color Graphics Card		30
	, ,	27
PLANTRONICS		
Color +	3	79
IBM		
Dos 1.1		39
Dos 2.1		59
Monochrome Monitor or Adaptor	3	09
FLOPPY DISK CONTROLLER	RS	
Maynard		69
Maynard w/Ser. Port		29
Maynard w/Par. Port		 29
Sigma Controller		- <i>i</i> 59
Vista		59
		"
PC PRODUCTS		
Rainbow Color Card	3	69
AMDEK		
MAI Card	4	89
DUST COVER		
Covers Monitor, Mainframe &		10
Covers Monitor, Mainframe & Keyboard		19
Covers Monitor, Mainframe & Keyboard		19
Covers Monitor, Mainframe & Keyboard		89
Covers Monitor, Mainframe & Keyboard		
Covers Monitor, Mainframe & Keyboard	1	89

DISKETTES

Dbl./Dbl.	Reinforced		1	year
warranty			\$	19
Flip File Hol	ds 70 (smk. ple	exiglass	s) .	16

The Source!



ORDER DESK: (213) 970-0177 (800) 841-0905

MAIL ORDER:

1142 Manhattan Avenue, CP21 CUSTOMER SERVICE:

Mon.-Fri. 8:00 a.m. to 6:00 p.m.

Circle 246 on inquiry card.



PRODUCTS,

Inc.

ORDER TOLL FREE

(800) 538-8800

(CALIFORNIA RESIDENTS)

(800) 848-8008





TERMS: Minimum order \$10.00. For shipping and handling, include \$2.50 for UPS ground or \$3.50 for UPS Blue (air). For each additional air pound, add \$1 for UPS Blue shipping and handling. California residents must include 6% sales tax; Bay area and LA residents include 6½% sales tax. Prices are subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturers. All merchandise subject to prior sale.

HOURS: Mon. - Fri. 7:30 to 5:00 Saturdays 10:00 to 3:00

VISIT OUR RETAIL STORE

2100 De La Cruz Blvd. Santa Clara, CA 95050 (408) 988-0697

ALL MERCHANDISE IS 100% GUARANTEED



STATIC RAMS (450ns) (450ns) (cmes) (450ns) (450ns) (LP) (250ns) (LP) (450ns) 1.90 3.90 .88 .98 1.45 2.45 2.95 8/7.95 2102-1 21021-4 2102L-2 2102L-2 2111 2112 8/8.95 8/9.95 8/10.95 2114-25 2114L-4 2114L-3 2114L-2 (450ns) (LP) (300ns) (LP) (200ns) (LP) (55ns) 8/11.95 4096 x 1 4096 x 1 4096 x 1 4096 x 1 [450ns] [300ns] [200ns] TMS4044-4 TMS4044-3 TMS4044-2 MK4118 (250ns) 9.90 TMM2016-200 2048 x 8 TMM2016-150 TMM2016-100 HM6116-4 HM6116-3 4.90 6.10 4.70 2048 x [150ns] 2048 x 8 (150ns) (cmgs) 4.90 2048 x 8 (120ns) (cmos) 2048 x 8 (120ns) (cmos) 2048 x 8 (120ns) (cmos)(LP) 2048 x 8 (120ns) (cmos)(LP) 4096 x 8 (300ns) (Qxtat) HM6116-2 HM6116LP-4 HM6116LP-3 HM6116LP-2 Z-6132 33.95 Ostat = Quasi-Static LP = Low Power DYNAMIC RAMS TMS4027 (300ns) (300ns) (200ns) (250ns) (250ns) UP0411 UPD411 MM5280 MK4108 MM5298 4116-250 4116-150 2118 4154-250 1.90 8192 x 15384 16384 x 16384 x 16384 x 1 65536 x 1 (200ns) (150ns) (150ns) (5v) 4.90 4.45 5.45 6.45 (250ns 4164-200 65536 x 1 (200ns) (5v) 65536 x 1 (150ns) (5v) 5V = Single 5 Volt Supply **EPROMS** EPROMS 256 x 8 (1 us) 1024 x 8 (450ns) 2046 x 8 (350ns) 1074 x 8 (450ns) 2046 x 8 (350ns) 1074 x 8 (450ns) 1075 x 8 (450ns) 1075 x 8 (450ns) 1075 x 8 (450ns) 1075 x 8 (250ns) 1 2708 2758 2.49 5.90 2.95 5.90 TM \$2518 5.45 TM \$2716 TMS2532 2732 2732-250 2732-200 8.90 2764 2764-250 2764-200 TMS2564 MC68764 27128 5v = Single 5 Volt Supply 74LS00 74LS92 74LS93 74LS95 74LS96 74LS107 74LS109 74LS00 74LS01 .544. .784. .388. .388. .388. .388. .484. .588. .588. .588. .544. 1.155. 1.554. 1.856. .688. .68 741 503 74LS05 74LS08 74LS112 741 500 74LS10 74LS10 74LS11 74LS12 74LS123 74LS13 741 5124 741 514 74LS132 74LS21 74LS133 74LS22 741 5136 741 526 74LS26 74LS27 74LS28 74LS30 74LS145 74LS32 741 5147 74LS148 74LS151 74LS153 74LS153 741 533 74LS40 74LS42 74L S155 741 547 74LS51 74LS160 74LS54 741 5161 74LS55 74LS63 74LS73 74LS74 74LS164 74LS165 1.90 1.70 1.70 74LS75 74LS166 74LS168 74LS169 74LS170 74LS76 74LS78 74LS83 74LS85 1.45 .68 .54 .54 2.10 74LS86 74LS174

The Party of the P			
74LS189	8,90	74LS363	1.30
74LS190	.88	74LS364	1.90
74LS191 74LS192	.88	74LS365 74LS366	.48
74LS193	.78	74LS367	.44
74LS194 74LS195	.68	74LS368 74LS373	1.35
74LS196	.78	74LS374	1.35
74LS197 74LS221	.78	74LS377 74LS378	1.35
74LS240	.94	74LS379 74LS385	1.30
74LS241 74LS242	.98	74LS385 74LS386	1.85
74LS243	.98	74LS390	1.15
74LS244 74LS245	1.25	74LS393 74LS395	1.15
74LS247	.74	74LS399	1.45
74LS248 74LS249	.98	74LS424 74LS447	2.90
74LS251 74LS253	.58	74LS490	1.90
74LS253 74LS257	.58	74LS624 74LS640	3.95 2.15
74LS258	.58	74LS645	2.15
74LS259 74LS260	2.70	74LS668 74LS669	1.65
74LS266 74LS273	1.45	74LS670 74LS674	1.45
	3.30	74LS674 74LS682	9.60 3.15
74LS275 74LS279 74LS280 74LS283 74LS290	1.95	74LS683	3.15
74LS280 74LS283	.68	74LS684 74LS685	3.15 3.15
74LS290 74LS293	.88	74LS688	3.15 2.35 3.15
74LS295	.98	74LS685 74LS688 74LS689 74LS783	23.95
74LS298 74LS299	.98 .88	81LS95	1.45
74LS323	1.70 3.45	81LS96 81LS97	1.45
74LS324 74LS352	3.45 1.70 1.25	81LS98	1.45 2.75
74LS352 74LS353	1.25	25LS2521 25LS2569	4.20
		00	113
		AHZ .	
6502			. 4.90
6505			8.90
6507 6520			9.90
6522	***********	****************	6.90
6532 6545		·····	. 9.90 21.50
6551			10.85
		HZ,	
6502A			6.90
6532A	*********		10.95
6545A			26.95 10.95
		AHZ	10.55
6502B			. 9.90
	68	00	
68000			. 58.95
6800			3.90
6808			12.90
6809E			18.95
6810			. 2.90
6820			. 4.30
6828			. 13.95
6840	********		33.95
6844			24.95
6847			
6850			3.20
6860			9.90
6862			. 10.95
6880			. 2.20
6883 68047			23.95
00400			18.95
68B00	6800	1MHZ	9.05
68B02			. 21.25
68B09E			28.95
68B10			. 6.90
68B21			. 6.90
68B50			. 5.90
APPL	E ACC	CESSORI	FS
ALL			Lo
			149.95
780 Apple	upple liE		129.95
Z80 Apple I	IE KIt		59.00
16K Card			

13.95

199.00

Power Supply

Joyatick RF Modulator

Controller Card

Disk Drive

The Flip Sort PLUS"

The Flip Sort Plus" adds new dimensions to storage. Designed with similar elegant lines as the original Flip Sort", in a transparent smoked acrylic. Holds over 100 diskettes and has all the outstanding features you have come to expect from the Flip Sort Family.

\$24.95





The new Flip Sort" has all the fine qualities of the original Flip Sort*, with some added benefits. Along with a new design, capacity has been increased 50% to hold 75 diskettes and the price is more reasonable than ever - \$19.95

Z-80

2.5 MHZ

Z80-	LPU	+ +		 ٠.		٠	A		+		٠.	i.							3	.90)
Z80-	CTC	2							1					2	i.				3	95	5
Z80-	DART													 		į.		 1	0.	95	5
Z80-	AMC											-						1	3.	95	5
Z80-	PIO .			 							٠.							 	3.	95	5
Z80-	510/0	1																1	1	9	5
Z80-	SIO/1													 				 1	1.	95	5
Z80-9	510/2														1		2	1	1.	95	5
Z80-	310/9	É										-						 1	1.	95	5
100	EAS							Í		ï		í									

4.0 MHZ

 4.29
 4.90
 4.29
 12.95
 12.95

6.0 MHZ

Z80B-DAR	1	*	*	Ť	*	-						•	*	•	•	•		*	1	٠	٠	*	*	1	2	.9	15	
Z80B-PIO																												
Z80B-CTC	-								,	,					·		ï							1	2	.9	15	
ZOOD-CFU																												

DISC CONTROLLERS

1771		4	4		4																		×			×		15.95
1791																												23.95
1793																												25.95
1795	1.			1	4	ï	7			ű				٠														48,95
1797					+			,		+			*				*		٠		٠			٠				48.95
2791														÷									ı					53.95
2793					+			,							+								,			,		53.95
2795																												58.95
2797																			ě.	į.								58.95
6843																-				1						+	+	33.95
8272								0												1					4	-	2	38.95
UPD7	65			Ų								v											×			+		38.95
MB88	76					-					+								٠	+					4			28.95
MB88	77						×	w	į,					J				×	·								+	33.95
1691		Š.						-																				16.95
2143														 														17.95

UARTS

AY3-1014						á.				,		,	,		,	,			,	,	,		,		,	,				6.90	
AY5-1013		-		-					1						4				¥							4				3.90	
AY3-1015																													į	6.90	
PT-1472						V		ì									į					ļ				4			į	9.90	
																														3.90	
2350		Ī	Ĺ	Ĩ.	ĵ		Ī	Ì	Ū			Ĺ	j	Ī	ũ	Ī	Ĺ			ì	ì	į.	ì	Ū	Ĺ	Ĺ		ũ	0	9.90	
																														8.90	
TMS6011																														5.90	
	Š	ì	å	ă	Š	â	Š	Ž		9	Š	ĺ	Ĵ	ŝ	Ĭ		Į	Ē	ň	7	ě	Ĭ	į	9		Ī	Ĭ.	à	Ĩ.	7.90	
																														8.90	
INS8250																														9.95	

INTERFACE

8T26	1	4	4	ú	4		14	4	+				4		4	1		4			*		4	4		+		+	4		1.54
8T28		ũ	d	1			1					3	0	Ų,			E	0	ů.			9			2				-		1.84
8T95																															
8T96			-					1									į					+					0			1	.88
8T97																				140		*								٠	.88
8T98			į.					4		2									4	Ę	,	2			\$			+		*	.88
DM81	3	1			ı	Ļ																									2.90
DP83	0	4			è					ı	3			,								9		ï	1		+			2	2.24
DS88	3	5					i				١											è			4		ı				1.94
DS88	3	6								¥																,				+	.98
	26																														

VOLTAGE REGULATORS

7805T	-74	7905T	.84
78MO5C	.34	7908T	.84
7808T	.74	7912T	.84
7812T	.74	7915T	.84
7815T	.74	7924T	.84
7824T	.74	7905K	1.44
7805K	1.34	7912K	1.44
7812K	1.34	7915K	1.44
7815K	1.34	7924K	1.44
7824K	1.34	79L05	.78
78L05	.68	79L12	.78
78L12	.68	79L15	.78
78L15	.68	LM323K	4.90
78H05K	9.90	UA78S40	1.90
78H12K	9.90		
C,T = TO-220	1	K = TO-3	L = TO-92

DIP SWITCHES

	\sim 1	- 7	u		и				٠.	•			•	•	,							
4 POSITION	+ + + +							è				į.					+					.84
5 POSITION			1					1	i		1										1	.89
6 POSITION					+				,							4	÷				+	.89
7 POSITION						ï				ı	6		ï		ı			3		à	4	.94
8 POSITION				+		÷			+		*						÷				+	.94

IC SOCKETS

	1-99	100
8 pin ST	.12	.10
14 pin ST	.14	.11
16 pin ST	.16	.12
18 pin ST	.19	.17
20 pin ST	.28	.26
22 pin ST	.29	.26
24 pin ST	.29	.26
28 pin ST	.39	.31
40 pin ST	.48	.38
64 pin ST	4.20	call
ST :	SOLDERTAIL	1796
8 pin WW	.58	.48
14 pin WW	.68	.51
16 pin WW	.68	.57
18 pin WW	.98	.89
20 pin WW	1.04	.97
22 pin WW	1.34	1.23
24 pin WW	1.44	1.30
28 pin WW	1.64	1.44
40 pin WW	1.94	1.75
ww	= WIREWRAP	
16 pin ZIF		5 90
24 pin ZIF	,	7.90
28 pin ZIF		8 90

ZIF = TEXTOOL (Zero Insertion Force) CRYSTALS

32 768khz

SE. FUURII																			٠.	٠	٠.	*		**		
1.0 mhz																										
1.8432 .								4			ě.				. ,				è				3		69	
2.0			4	ij				Ů,		9	:		Ü	ď,			ş	ė			6		2	2	39	
2.09715																										
2.4576																										
3.2768																										
3.57953																										
4.0																										
5.0																										
5.0688																										
5.185																										
5.7143																										
6.0																										
6.144																										
6.5536											Ĺ							٠	٠				2	1	69	ř.
8.0																							2		69	Ė
10.0				Ĉ	0			1	0	ì	2	-		Ī		i	Ġ			3	è		2		69	Ė
10.73863																										
14.31818																										
15.0																										
16.0																										
17.430																										
18.0																										
18.432																										
20.0																										
22.1184																										
32.0													×									+	2	2.	69	

RESISTORS

1/4 WATT 5% CARBON FILM, ALL STANDARD VALUES FROM 1 OHM TO 10 MEG OHM

		77	_	***	•	*	-	 77	77,		_	2.	-		-	 7	_		177	σ.			
50 pcs	7										i.		١		Ä			1	1		,		1.25
100 pcs																					+ :		2.00
1000 pc	8	j																				1	5.00

51/4" DISKETTES ATHANA

SSSD																				18.95
SSDD	١,			,									+				,	,		22.95
DSDD		6									ě									27.95

BULK DISKETTES 51/4" DISKETTES NO LABEL

SINGLE SIDED DOUBLE DENSITY (WITH JACKETS AND HUB RING)

Pack of Ten	\$ 16.95	
Pack of 100	\$149.00	


SPECIALS

4116	250ns	49¢/ea
4116	200ns	89¢/ea
2708	8K EPRO	oms 2.49
2716	16K EPRO	MS 2.95
2732	32K EPRO	MS 3.95
2764	64K EPRO	FOF
27128	128K EPRO	мs 19.95
4164	64K DYNAMIO	4.45

64K DYNAMIC 150ns 2114 450ns 8/7.95

4164 64K DYNAMIC 200ns

QUV-T8/1 EPROM Eraser



\$57.95

QUV-T8/1 Economy Model: This is a low cost EPROM Eraser housed in a plastic enclosure. The UV element and components are installed in the top lid and you place the EPROMS in the bottom half. No timer or switch option is included.

- Erases up to 8 EPROMS in 15 to 20 minutes.
- 12,000 u Watts at 1" distance.
- 90-Day Warranty



2100 De La Cruz Blvd. Santa Clara, CA 95050

64K DYNAMIC 4164 200 ns

16K DYNAMIC 250 ns

CRYSTALS

1.95

3.95

3.95

2.95

2.95

2.95

2.95

4000

4001

4002

4006

4007

4008

4009

4010

4012

32.768 khz

1.0 mhz 1.8432

2.4576

5.0688

3.579545

2.0 2.097152

5.0

.29

.25

.89

.95

.45

.25

CMOS

4528 4531

4532

4538

4539

4541

4543

4553 4555

.95

1.95

1.95

1.95

2.64

5.79 .95 .95

	STATIC	RAMS	
2101	356 × 4	(450na)	1.95
5101	256 × 4	(450ns) (cmos)	3.95
2101-1	1024 × 1	(450ns)	.89
2102L-4	1024 × 1	(450ns) (LP)	.99
2102L-2	1024 × 1	(250ns) (LP)	1.49
2125	1024 × 1	(45ns)	2.95
2111	258 x 4	(450ns)	2.49
2111L	258 x 4	(250ns) (LP)	2.95
2112	256 x 4	(450ns)	2.99
2114	1024 × 4	(450ns)	8/9.95
2114-25	1024 × 4	(250ns)	8/10.95
2114L-4	1024×4	(450ns) (LP)	8/12.95
2114L-3	1024 × 4	(300ns) (LP)	8/13.45
2114L-2	1024×4	(200ns) (LP)	8/13.95
TC5514	1024 × 4	(650ns) (cmos)	2.49
TC5516	2048 × 4	(250ns) (cmos)	9.95
2147	4096 x 1	(55ns)	4.95
TMS4044-4	4096 x 1	(450ns)	3.49
TMS4044-3	4096 x 1	(300ns)	3.99
TMS4044-2	4096 x 1	(200ns)	4.49
UPD410	4096 x 1	(100ns)	3.95
MK4118	1024 × 8	(100ns)	9.95
TMM2016-200	2048 × 8	(200ns)	4.15
TMM2016-150	2048 × 8	(150ns)	4.95
TMM2016-100	2048 × 8	(100ns)	6.15
HM6116-4	2048 × 8	(200ns) (cmos)	4.75
HM6116-3	2048×8	(150ns) (cmos)	4.95
HM6116-2	2048 × 8	(120ns) (cmos)	8.95
HM6116LP-4	2048 × 8	(200ns) (cmos) (LP)	5.95
HM6116LP-3	2048 × 8	(150ns) (cmos) (LP)	6.95
HM6116LP-2	2048 × 8	(120ns) (cmos) (LP)	10.95
TMS4016	2048×8	(200ns) (cmos)	6.95
Z-6132	4096 × 8	(300ns) (Qstat)	34.95
HM6264P-15	8192×8	(150ns) (cmos)	39.95
HM6264LP-15	8192×8	(150ns) (cmos)	49.95
LP = L	ow Power	Qstat = Quasi-Static	

FOM LOMBI	,79(gr	-	Graph-Of
DYNAMI	CR	A	MS

		CO. B. I.S. STREET	
TMS4027	4096 x 1	(250ns)	1.99
2107	4096 x 1	(200ns)	1.95
MM5280	4096 x 1	(300ns)	1.95
TMS4060	4096 x 1	(300ns)	1.95
UPD411	4096 x 1	(300ns)	1.95
TMS4050	4096 x 1	(300ns)	1.95
MK4108	8192 × 1	(200ns)	1.95
MM5298	8192 x 1	(250ns)	1.85
4116-300	16384 x 1	(300ns)	8/11.75
4116-250	16384 x 1	(250ns)	8/7.95
4116-200	16384 x 1	(200ns)	8/12.95
4116-150	16384 × 1	(150ns)	8/14.95
4116-120	16384 × 1	(120ns)	8/29.95
2118	16384 x 1	(150ns) (5v)	4.95
MK4332	32768 × 1	(200ns)	9.95
4164-200	65536 × 1	(200ns) (5v)	5.95
4164-150	65536 x 1	(150ns) (5v)	6.95
4164-120	65536 × 1	(120ns) (5v)	8.95
MCM6665	65536 × 1	(200ns) (5v)	8.95
TMS4164-15	65536 × 1	(150ns) (5v)	8.95
TMS4416	16384 × 4	(150ns) (5v)	9.95
41256	262144 × 1	(200ns) (5v)	CALL

5v = Single 5 volt supply

6800

68000

6800

6802

6803 6808

6828

6840 6843 6844

6845 6847

6883

68047

68488 6800

68B00

68R02

68B09E

68B09

68B10

68B40

68B45

68B50

68B00

22.95 24.95

19.95

10.95

22.25

29.95

29.95

19.95

19.95

= 2 MHZ

5.95

6.95 6.95

EPROMS

1702 2708 2718-6 2716-6 2716-1 TMS2516 TMS2516 TMS2532 2732-2732-250 2732-200 2732A-4 2732A-2 2734-200 2732A-4 2732A-4 2732A-4 2732A-4 2732A-4 2732A-4 2732A-4 2732A-4 2732A-4 2732A-4 2732A-4 2732A-4 2732A-4 2732A-4 2732A-4	256 × 8 1024 × 8 1024 × 8 2048 × 8 2048 × 8 2048 × 8 4096 × 8 4096 × 8 4096 × 8 4096 × 8 4096 × 8 4096 × 8 8192 × 8 8192 × 8 8192 × 8	(450ns) (5v) (21vPGM) (250ns) (5v) (21vPGM) (200ns) (5v) (21vPGM) (450ns) (5v) (250ns) (5v) (200ns) (5v) (450ns) (5v) (450ns) (5v) (450ns) (5v)	4.50 3.95 5.95 5.95 5.95 5.95 5.95 4.95 8.95 11.95 6.95 7.95 13.95 14.95 39.95
MCM68764 MCM68766	8192 × 8		42.95
27128-30	16384×8	(300ns) (5v)	29.95
27128	16384 × 8	(250ns) (5v)	34.95
5v = Single 5	Volt Supply	21vPGM = Program at 2	1 Volts

* * * HIGH-TECH * * * SSI 263 SPEECH SYNTHESIZER

- MICROPROCESSOR COMPATIBLE
- 5 8-BIT CONTROL REGISTERS
- * ENHANCE YOUR MOCKINGBOARD OR BUILD STEVE CIARCIA'S SWEET TALKER II 39.95

$\star\star\star$ \$POTLIGHT $\star\star\star\star$

- Computer managed inventory - virtualiv no back orders!
- Very competitive prices!
- Friendly staff!
- Fast service most orders shipped within 24 hours!

	650	00
19.95	1 MI	HZ
2.95	6502	4.95
7.95	6504	6.95
19.95	6505	8.95
13.90	6507	9.95
14.95	6520	4.35
11.95	6522	6.95
	6532	9.95
2.95	6545	22.50
4.35	6551	11.85
2.95	2 MI	
14.95	6502A	6.95
12.95	6522A	9.95
34.95	6532A	11.95
25.95	6545A	27.95
14.95	6551A	11.95
11.95	3 MI	
3.25	6502B	9.95
5.75	THE OWNER OF THE OWNER, WHEN	A 100
7.95	-	
6.95	DIS	C
2 25	CONTRO	HIFRS

6502B	9.95
	5115
DIS	C
CONTRO	LLERS
1771	16.95
1791	24.95
1793	26.95
1795	29.95
1797	49.95
2791	54.95
2793	54.95
2795	59.95
2797	59.95
6843	34.95
8272	39.95
UPD765 MB8876	39.95
MB8877	34.95
1691	17.95
2143	18.95

800	
8035	5.95
8039	5.95
INS-8060	17.95
INS-8073	49.95
8080	3.95
8085	4.95
8085A-2	11.95
8086	24.95
8087	CALL
8088	29.95
8089	89.95
8155	6.95
8155-2	7.95
8156	6.95
8185	29.95
8185-2	39.95
8741	29.95
8748	24.95
8755	24.95

8755	24.95
CR	Т
CONTRO	LLERS
6845	14.95
68B45	19.95
HD46505SI	15.95
6847	11.95
MC1372	6.95
68047	24.95
8275	29.95
7220	99.95
CRT5027	19.95
CRT5037	24.95
TMS9918A	39.95
DP8350	49.95

82	00	Z-80)
8202	24.95	2.5 MI	nz
8203 8205	39.95	Z80-CPU	3.95
8212	1.80	Z80-CTC	3.95
8214	3.85	Z80-DART	10.95
8216	1.75	Z80-DMA	14.95
8224	2.25	Z80-PIO	3.95
8226 8228	1.80	Z80-SIO/0	11.95
8237	19.95	Z80-SIO/1	11.95
8237-5	21.95	Z80-SIO/2	11.95
8238	4.49	Z80-SIO/9	11.95
8243 8250	4.45 10.95	4.0 MI	nz
8251	4.49	Z80A-CPU	4.49
8253	6.95	Z80A-CTC	4.95
8253-5	7.95	Z80A-DART	9.95
8255 8255-5	4.49 5.25	Z80A-DMA	12.95
8257	7.95	Z80A-PIO	4.49
8257-5	8.95	Z80A-SIO/0	12.95
8259	6.90	Z80A-SIO/1	12.95
8259-5	7.50	Z80A-SIO/2	12.95
8271 8272	79.95 39.95	Z80A-SIO/9	12.95
8275	29.95	6.0 MI	nz
8279	8.95	Z80B-CPU	9.95
8279-5	10.00	Z80B-CTC	12.95
8282 8283	6.50 6.50	Z80B-PIO	12.95
0203	6.50	Z80B-DART	19.95

6.50 6.50 25.00 49.95

Z80B-SIO/2

Z6132

78671

ZILOG

39.95

34.95

8286 8287

8288 8289

5.0688	2.95	4012	25	AFFE	nr.
5.185	2.95	4012	.25	4556	.95
5.7143	2.95	4013	.38	4581	1.95
6.0	2.95	4014	.79	4582	1.95
		4015	.39	4584	.75
6.144	2.95	4016	.39	4585	.75
6.5536	2.95				
8.0	2.95	4017	.69	4702	12.95
10.0	2.95	4018	.79	74C00	.35
10.738635	2.95	4019	.39	74C02	.35
14.31818	2.95	4020		74C04	
15.0	2.95	100000000000000000000000000000000000000	.75		.35
16.0	2.95	4021	.79	74C08	.35
17.430	2.95	4022	.79	74C10	.35
18.0	2.95	4023	.29	74C14	.59
18.432	2.95	100 No. 100 No. 100		74C20	.35
	2.95	4024	.65		
20.0		4025	.29	74C30	.35
22.1184	2.95	4026	1.65	74C32	.39
32.0	2.95	4027	.45	74C42	1.29
CALL STATE	Part Contract				
		4028	.69	74C48	1.99
UARTS		4029	.79	74C73	.65
		4030	.39	74C74	.65
AY5-1013	3.95	4034	1.95	74C76	.80
AY3-1015	6.95	127777335			
PT1472	9.95	4035	.85	74C83	1.95
TR1602	3.95	4040	.75	74C85	1.95
	9.95	4041	.75	74C86	.39
2350		4042	.69	74C89	4.50
2651	8.95				1707-1506
M6402	7.95	4043	.85	74C90	1.19
M6403	8.95	4044	.79	74C93	1.75
NS8250	10.95	4046	.85	74C95	.99
GENERATO		4047	.95	74C107	.89
BIT-RAT	E	4049	.35	74C150	5.75
MC14411	11.95	4050	.35	74C151	2.25
		4051	.79	74C154	3.25
BR1941	11.95	4053	.79	74C157	1.75
4702	12.95	100 00000000000000000000000000000000000			
COM5016	16.95	4060	.89	74C160	1.19
COM8116	10.95	4066	.39	74C161	1.19
MM5307	10.95	4068	.39	74C162	1.19
		4069	.29	74C163	
FUNCTIO)N				1.19
MC4024	3.95	4070	.35	74C164	1.39
LM566	1.49	4071	.29	74C165	2.00
XR2206	3.75	4072	.29	74C173	.79
0000	3.95				
8038	3.95	4073	.29	74C174	1.19
OF REAL PROPERTY.	The same of the last	4075	.29	74C175	1.19
-	-	4076	.79	74C192	1.49
MISC		4078	.29	74C193	1.49
		4081			
UPD7201	29.95		.29	74C195	1.39
TMS99532	29.95	4082	.29	74C200	5.75
ULN2003	2.49	4085	.95	74C221	1.75
3242	7.95	4086	.95	74C244	2.25
3341	4.95	4093	.49	74C373	2.45
MC3470	4.95				200
MC3480		4098	2.49	74C374	2.45
	9.00	4099	1.95	74C901	.39
11C90	13.95	14409	12.95	74C902	.85
95H90	7.95	14410	12.95	74C903	.85
2513-001 UP	9.95	14411	11.95	74C905	10.95
2513-002 LOW	9.95	Control to the Control of			0.7475
District of the last		14412	12.95	74C906	.95
		14419	7.95	74C907	1.00
	1	14433	14.95	74C908	2.00
CLOCK		4502	.95	74C909	2.75
CIRCUIT					
		4503	.65	74C910	9.95
MM5314	4.95	4508	1.95	74C911	8.95
MM5314 MM5369	3.95 4.25	4510	.85	74C912	8.95
MM5369-EST	4.25	4511	.85	74C914	1.95
MM5375	4.95				A 1000000000000000000000000000000000000
MM58167	12.95	4512	.85	74C915	1.19
MM58174	11.95	4514	1.25	74C918	2.75
MSM5832	3.95	4515	1.79	74C920	17.95
		4516	1.55	74C921	15.95
MENDO	20	4518	.89	74C922	4.49
KEYBOA	HD Y	4519	.39	74C923	4.95
CHIPS	10	4520	.79	74C925	5.95
	11.95	4522	1.25	74C926	7.95
		4526			
AY5-3600	11.95	4526	1.25	74C928	7.95
AVS. 3EAN DDA	11 05	4597	1 05	740000	10 OF

R Microdevices

1224 S. Bascom Avenue, San Jose, CA 95128 800-538-5000 • 800-662-6279 (CA) (408) 995-5430 • Telex 171-110

Copyright 1984 JDR Microdevices

VISIT OUR RETAIL STORE

4527

AY5-3600 PRO 11.95

HOURS: M-W-F, 9-5 T-Th., 9-9 Sat. 10-3

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING

TERMS: Minimum order \$10. For shipping and handling include \$2.50 for UPS Ground and \$3.50 for UPS Air. Orders over 1 ib. and foreign orders may require additional shipping charges — please contact our sales department for the amount. CA residents must include 6% sales tax, Bay Area and LA residents include 6%. Prices subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturer. All merchandise subject to prior sale.

74C929

[MM2016 2K x 8 STATIC \$415 HM6264 8K x 8 STATIC \$3998

	74L	S00			74S00	No.	VOL	TAGE			400	
74LS00 74LS01	.24	74LS173 74LS174	.69		74S124 2.75	74S197 1.49	REGU	LATO	RS		19 74123 19 74125	.49
74LS02	.25	74LS175	.55	74S02 .35 74S03 .35	74S132 1.24 74S133 .45	74S201 6.95 74S225 7.95	7805T .75	7905T	.85		19 74126	.45
74LS03 74LS04	.25	74LS181 74LS189	2.15 8.95	74S04 .35	74S134 .50	74S240 2.20	78M05C .35 7808T .75		.85		19 74132 19 74136	.45
74LS05	.25	74LS190	.89	74S05 .35 74S08 .35	74S135 .89 74S138 .85	74S241 2.20 74S244 2.20	7812T .75	7915T	.85	7405 .:	25 74143	4.95
74LS08 74LS09	.28	74LS191 74LS192	.89	74S09 .40	74S139 .85	74S251 .95	7815T .75 7824T .75	a description	.85		29 74145 29 74147	1.75
4LS10	.25	74LS193	.79	74S10 .35 74S11 .35	74S140 .55 74S151 .95	74S253 .95 74S257 .95	7805K 1.39	/805K	1.49	7408 .:	24 74148	1.20
'4LS11 '4LS12	.35	74LS194 74LS195	.69	74S15 .35 74S20 .35	74S153 .95 74S157 .95	74S258 .95 74S260 .79	7812K 1.39 7815K 1.39		1.49		19 74150 19 74151	1.35
'4LS13	.45	74LS196	.79	74S22 .35	74S158 .95	74S273 2.45	7824K 1.39		.79	7411 .:	25 74153	.55
4LS14 4LS15	.59	74LS197 74LS221	.79	74S30 .35 74S32 .40	74S161 1.95 74S162 1.95	74S280 1.95 74S287 1.90	78L05 .69	79L12	.79		35 74154 49 74155	1.25
4LS20	.25	74LS240	.95	74S37 .88	74S163 1.95	74S288 1.90	78L12 .69 78L15 .69		.79	7416 .:	25 74157	.55
4LS21 4LS22	.29	74LS241 74LS242	.99	74S38 .85 74S40 .35	74S168 3.95 74S169 3.95	74S289 6.89 74S301 6.95	78H05K 9.95	LM323F			25 74159 19 74160	1.65
4LS26	.29	74LS243	.99	74S51 .35	74S174 .95	74S373 2.45 74S374 2.45	78H12K 9.95				35 74161	.69
4LS27 4LS28	.29	74LS244 74LS245	1.29	74S64 .40 74S65 .40	74S181 3.95	74S387 1.95	C, T = TO-	220 K = TO = TO-92	0-3		29 74163 29 74164	.69
4LS20	.25	74LS245	.75	74S74 .50 74S85 1.99	74S182 2.95 74S188 1.95	74S412 2.98 74S471 4.95		- 10-92	-		19 74165	.85
4LS32	.29	74LS248	.99	74S86 .50	74S189 6.95	748472 4.95		ND CHIPS	No.		29 74166	1.00
4LS33 4LS37	.55	74LS249 74LS251	.99	74S112 .50 74S113 .50	74S194 1.49 74S195 1.49	74S474 4.95 74S570 2.95	76477 3.95 76488 5.95	AY3-8910 AY3-8912	12.95 12.95		29 74167 29 74170	2.95 1.65
4LS38	.35	74LS253	.59	74S114 .55	74S196 1.49	748571 2.95	76489 8.95	MC3340	1.49	7442 .	19 74173	.75
4LS40 4LS42	.25	74LS257 74LS258	.59	A			SSI-26	3 39.95			69 74174 69 74175	.89
4LS47	.75	74LS259	2.75	DVDAC	CARC	EDI	ROM ER	ACED	2	7447 .	69 74177	.75
4LS48 4LS49	.75 .75	74LS260 74LS266	.59	BYPAS							74181 74184	2.25
4LS51	.25	74LS273	1.49	.01 UF DISC	100/6.00	18	SPECTR	ONIC	5	7473 .	34 74185	2.00
4LS54 4LS55	.29	74LS275 74LS279	3.35	.01 UF MONOLITH	1IC 100/12.00 100/8.00		CORPOR				33 74191 45 74192	1.15
4LS63	1.25	74LS280	1.98	.1 UF MONOLITH			Capacity	Intensity		7476 .:	35 74193	.79
4LS73 4LS74	.39	74LS283 74LS290	.69	THE PERSON OF THE	TENER TOTAL	and the same of th	Timer Chip	(uW/Cm ²) 8,000	83.00		95 74194 50 74195	.85
4LS75	.39	74LS293	.89	INTERFACE		PE-14 PE-14T	X 9	8,000	119.00	7485 .	59 74197	.75
4LS76 4LS78	.39	74LS295 74LS298	.99	8T26 1.59	A STATE OF THE SAME	PE-24T	X 12	9,600	175.00	7486 .: 7489 2.:	35 74198 15 74221	1.35
4LS83	.60	74LS299	1.75	8T28 1.89 8T95 .89	VISA	PL-265T PR-125T	X 30 X 25	9,600	255.00 349.00	7490 .:	35 74246	1.35
4LS85 4LS86	.69	74LS323 74LS324	3.50 1.75	8T96 .89		PR-320T	X 42	17,000	595.00		50 74247 35 74259	1.25
4LS90	.55	74LS352	1.29	8T97 .89 8T98 .89						7495 .	55 74273	1.95
4LS91 4LS92	.89	74LS353 74LS363	1.29	DM8131 2.95		A Property of the Property of	DATA ACQUIS	SITION		7497 2.1 74100 1.1		1.25
4LS93	.55	74LS364	1.95	DP8304 2.29 DS8833 2.25	MasterCard	ADC0800		AC0800 AC0808	4.95		30 74366	.65
4LS95	.75 .89	74LS365	.49	DS8835 1.99	Indistrict Curd	ADC0804 DAC0806		AC1020	2.95 8.25		45 74367 55 74368	.65
4LS96 4LS107	.39	74LS366 74LS367	.49	DS8836 .99 DS8837 1.65		ADC0809 ADC0816		AC1022 IC1408L6	5.95 1.95	74116 1.1	29 74393	1.35
4LS109	.39	74LS368	.45	DS8838 1.30		ADC0817		C1408L8	2.95	74122	45	
4LS112 4LS113	.39	74LS373 74LS374	1.39		Luit of William	The Variation			HAR			
4LS114	.39	74LS375	.95	CONNECTORS		LIN	EAR			R	CA	
4LS122 4LS123	.45	74LS377 74LS378	1.39	RS232 Male 2.50	LM301 .34	LM348 .99	LM567 .89	LM1812 8	.25 CA	3023 2.75	CA 3082	1.65
4LS124	2.90	74LS379	1.35	RS232 Female 3.25 RS232 Hood 1.25	LM301H .79	LM350K 4.95	NE570 3.95	LM1830 3	.50 CA	3039 1.29 3046 1.25	CA 3083 CA 3086	1.55
4LS125 4LS126	.49	74LS385 74LS386	3.90	S-100 ST 3.95	LM307 .45 LM308 .69	LM350T 4.60 LM358 .69	NE571 2.95 NE590 2.50	LM1872 5	.49 CA	3059 2.90	CA 3089	2.99
4LS132	.59	74LS390	1.19	INSTITUTE OF STREET	LM308H 1.15 LM309H 1.95	LM359 1.79 LM376 3.75	NE592 2.75 LM709 .59	LM1877 3	.25 CA	3060 2.90 3065 1.75	CA 3096 CA 3130	1.30
4LS133 4LS136	.59	74LS393 74LS395	1.19	EXAR	LM309K 1.25	LM377 1.95	LM710 .75	LM1896 1	.75 CA	3080 1.10	CA 3140 CA 3146	1.15
4LS137	.99	74LS399	1.49	XR 2206 3.75 XR 2207 3.75	LM310 1.75 LM311 .64	LM378 2.50 LM379 4.50	LM711 .79 LM723 .49	LM2877 2	.05	3081 1.65 CA 3160	1.19	1.85
4LS138 4LS139	.55	74LS424 74LS447	2.95	XR 2208 3.75	LM311H .89	LM380 .89	LM723H .55	LM2878 2	.25		71	
4LS145	1.20	74LS490	1.95	XR 2211 5.25 XR 2240 3.25	LM312H 1.75 LM317K 3.95	LM380N-8 1.10 LM381 1.60	LM733 .98 LM741 .35		.85		11	
4LS147 4LS148	2.49 1.35	74LS624 74LS640	3.99	0.20	LM317T 1.19 LM318 1.49	LM382 1.60 LM383 1.95	LM741N-14 .35 LM741H .40		.95 TL4		75365 75450	1.95
4LS151	.55	74LS645	2.20	INTERSIL	LM318H 1.59	LM384 1.95	LM747 .69	LM3905 1	.25 TL4	197 3.25	75451	.39
4LS153 4LS154	1.90	74LS668 74LS669	1.69	ICL7106 9.95	LM319H 1.90 LM319 1.25	LM386 .89 LM387 1.40	LM748 .59 LM1014 1.19	LM3909 LM3911 2	.98 751 2.25 751		75452 75453	.39
4LS155	.69	74LS670	1.49	ICL7107 12.95 ICL7660 2.95	LM320 (see 7900)	LM389 1.35	LM1303 1.95	LM3914 3	3.95 751	50 1.95	75454 75491	.39 .79
4LS156 4LS157	.69	74LS674 74LS682	14.95 3.20	ICL8038 3.95	LM322 1.65 LM323K 4.95	LM390 1.95 LM392 .69	LM1310 1.49 MC1330 1.69	LM3916 3	3.95 751	88 1.25	75492	.79
4LS158	.59	74LS683	3.20	ICM7207A 5.59 ICM7208 15.95	LM324 .59 LM329 .65	LM393 1.29 LM394H 4.60	MC1349 1.89 MC1350 1.19	MC4024 3	3.95 751 3.50	89 1.25 75494	75493 .89	.89
4LS160 4LS161	.69	74LS684	3.20	15.95	LM331 3.95	LM399H 5.00	MC1358 1.69	RC4136 1	.25			
4LS162	.69	74LS685 74LS688	2.40	9000	LM334 1.19 LM335 1.40	NE531 2.95 NE555 .34	MC1372 6.95 LM1414 1.59	RC4151 3 LM4250 1	3.95 1.75	BI	FET	
4LS163	.65	74LS689	3.20	9316 1.00	LM336 1.75	NE556 .65	LM1458 .59	LM4500 3	3.25 TLC	71 .79	TL084	2.19
4LS164 4LS165	.69	81LS95 81LS96	1.49	9334 2.50 9368 3.95	LM337K 3.95 LM337T 1.95	NE558 1.50 NE561 24.95	LM1488 .69 LM1489 .69	RC4558 LM13080	.69 TLC		LF347 LF351	2.19
4LS166	1.95	81LS97	1.49	9401 9.95	LM338K 6.95	NE564 2.95	LM1496 .85	LM13600	1.49 TL	081 .79	LF353	1.00
4LS168 4LS169	1.75 1.75	81LS98 25LS2521	1.49	9601 .75 9602 1.50	LM339 .99 LM340 (see 7800)	LM565 .99 LM566 1.49	LM1558H 3.10 LM1800 2.37	MPQ2907	1.49 TLC	083 1.19	LF355 LF356	1.10
4LS170	1.49	25LS2569	4.25	96S02 1.95	H = TO-		= TO-220	K = TO-3		LF357	1.40	
THE PARTY					TECHNICIAN		MIOE	THE REAL PROPERTY.	See See al			

I WOULD LIKE TO COMPLIMENT YOUR TECHNICIAN, MATT, FOR HIS RECENT HELP IN ORDERING AN EPROM CHIP FOR MY IBM PERSONAL COMPUTER....ON THE BASIS OF THIS HELP, I HAVE DECIDED TO BUY ALL FURTHER CHIPS FROM YOUR COMPANY. I WOULD APPRECIATE YOUR PASSING THIS COMPLIMENT ON TO MATT...

SINCERELY,

D. MARK BABCOCK, DMD

MICRODEVICES AT MICROPRICES

© Copyright 1984 JDR Microdevices

2764

450 ns

8K x 8 EPROM \$695 27128-30

16K x 8 EPROM 300 ns

UNIT PRICE

5.95

5.95

7.95

8.95

10.95

HUNTERS CORNER

350ns

- "A" VERSION PROGRAMS AT 21 VOLTS.
- FASTI 350ns ACCESS TIME

Z-80 SPECIALS!

Z-80A-CPU	2.95
Z-80A-CTC	
Z-80A-PI0	2.95

SPECIALS END 7/31/84

TRANSISTORS

1111	140	10101	10
2N918	.50	MPS3706	.15
MPS918	.25	2N3772	1.85
2N2102	.75	2N3903	.25
2N2218	.50	2N3904	.10
2N2218A	.50	2N3906	.10
2N2219	.50	2N4122	.25
2N2219A	.50	2N4123	.25
2N2222	.25	2N4249	.25
PN2222	.10	2N4304	.75
MPS2369	.25	2N4401	.25
2N2484	.25	2N4402	.25
2N2905	.50	2N4403	.25
2N2907	.25	2N4857	1.00
PN2907	.125	PN4916	.25
2N3055	.79	2N5086	.25
3055T	.69	PN5129	.25
2N3393	.30	PN5139	.25
2N3414	.25	2N5209	.25
2N3563	.40	2N6028	.35
2N3565	.40	2N6043	1.78
PN3565	.25	2N6045	1.75
MPS3638	.25	MPS-A05	.25
MPS3640	.25	MPS-A06	.25
PN3643	.25	MPS-A55	.25
PN3644	.25	TIP29	.60
MPS3704	.15	TIP31	.75

IC SOCKETS

		Service.
	1-99	100
8 pin ST	.13	.11
14 pln ST	.15	.12
16 pln ST	.17	.13
18 pln ST	.20	.18
20 pin ST	.29	.27
22 pin ST	.30	.27
24 pln ST	.30	.27
28 pln ST	.40	.32
40 pln ST	.49	.39
64 pin ST	4.25	call
ST = SOL	DERTA	IL

8 pln WW	.59 .49
14 pln WW	.69 .52
16 pln WW	.69 .58
18 pln WW	.99 .90
20 pin WW	1.09 .98
22 pin WW	1.391.28
24 pin WW	1.491.35
28 pln WW	1.691.49
40 pin WW	1.991.80
WW = WII	REWRAP

.79

(ASTEC UM1082) QUANTITIES LIMITED

100-up

.09

.15

.15

* PRESET TO CHANNEL 3 * USE TO BUILD

LED LAMPS

JUMBO RED

JUMBO GREEN

JUMBO YELLOW

LED MOUNTING

TV-COMPUTER INTERFACE * +5 VOLT OPERATION

1-99

.10

.18

.18

TIP32


NOW ONLY \$**R**95

Been Deer Darf		Barrier A. H. Co.	
HP 5082-7760	.43"	CC	1.29
MAN 72	.3"	CA	.99
MAN 74	.3"	CC	.99
FND-357 (359)	.375"	CC	1.25
FND-500 (503)	.5"	CC	1.49
FND-507 (510)	.5"	CA	1.49
TIL-311 4x7	.270"	HEX W/LOGIC	9.95

LED DISPLAYS

HP 5082-7760 MAN 72		.43"	CC	1.29	SWITCH	ES
MAN 74		.3"	CC	.99	4 POSITION	.8
FND-357 (359)	.375"	CC	1.25	5 POSITION	.9
FND-500 (503)	.5"	CC	1.49	6 POSITION	.9
FND-507 (510)	.5"	CA	1.49	7 POSITION	.9
TIL-311 4	1x7	.270"	HEX W/LOGIC	9.95	8 POSITION	.9

ZIF = Zero Insertion **Force**



OPTO-ISOLATORS

4.25
7.20
1.75
1.25
1.25
2.75
1.25
1.00
1.75

RESISTORS

1/4 WATT 5% CARBON FILM **ALL STANDARD VALUES** EDOM 1 OUM TO 10 MEC OUM

PROM FORM TO TO MEG	OTTIM
50 PCS. SAME VALUE	.025
100 PCS. SAME VALUE	.02
1000 PCS. SAME VALUE	.015

BYPASS CAPS

.01 UF DISC	100/6.00
.01 UF MONOLITHIC	100/12.00
.1 UF DISC	100/8.00
.1 UF MONOLITHIC	100/15.00

DIODES

1N751	5.1 volt zener	.25
1N759	12.0 volt zener	.25
1N4148	(1N914) switching	25/1.00
1N4004	400PIV rectifier	10/1.00
KBP02	200PIV 1.5amp bridge	.45
KBP04	400PIV 1.5amp bridge	.55
VM48	Dip-Bridge	.35
	The state of the s	

MUFFIN FANS

4.68 "Square	14.95
3.125 " Square	14.95
HEAT SINKS	05
TO-3 style TO-220 style	.95
	.00
SWITCHES	

DIP

.85

.90

.90

.95

DPDT mini-toggle	1.50
SPST mini-pushbutton	.38
COLUMN TO A STATE OF THE PARTY	Name and Address of the Owner, where

CAPACITORS **TANTALUM**

	PA	100	15V	204	25 V	35 V
,22uf						.40
.27						.40
.33						.40
.47				.35		.50
.68		-41				.45
1.0			.40	.40	.45	.45
1.5				.45		.50
1.8						.75
2.2		.35	.40	.45		.65
2.7		.40	.45			.90
3.3		.45	.50	.55	.60	.65
3.9			.45			
4.7	.45	.55		.60	.65	.85
6.8			.70		.75	
10	.55	.65	.80	.85	.90	1.00
12	.65		.85	.90		
15	.75	.85	.90			
18			1.25			
22		1.00	1.35			
27			2.25			
39		1.50				
47	1.35					
56	1.75				77	YII
100		3.25	(II)			
270	3.75					

DISC

10pf	50V .05	470	50V .05
22	50V .05	560	50V .05
25	50V .05	680	50V .05
27	50V .05	820	50V .05
33	50V .05	.001uf	50V .05
47	50V .05	.0015	50V .05
56	50V .05	.0022	50V .05
68	50V .05	.005	50V .05
82	50V .05	.01	50V .07
100	50V .05	.02	50V .07
220	50V .05	.05	50V .07
330	50V .05	.1	12V .10
		.1	50V .12

MONOLITHIC

.1uf-mono 50V .18 .47uf-mono 50V .25 .047uf-mono 50V .15 .01uf-mono 50V .14

ELECTROLYTIC

raman as I	RADIAL		AXIAL	
.47uf	50V .14	1uf	50V	.14
1	25V .14	4.7	16V	.14
2.2	35V .15	10	16V	.14
4.7	50V .15		50V	
10	50V .15		16V	
47	35V .18	47	50V	
100	16V .18		15V	
220	35V .20		35V	
470	25V .30		25V	
2200	16V .60	220	25V	
COL	MPUTER	330	16V	
COL	MIPUIEN		16V	
G	RADE	1000	16V	
Name of Street	Zani de la companya d	1500	16V	
44,0001	of 30V 3.95	6000	16V	.85

OSITION HARDWARE .10 OR Microdevices

1224 S. Bascom Avenue, San Jose, CA 95128 800-538-5000 • 800-662-6279 (CA)

(408) 995-5430 • Telex 171-110

© Copyright 1984 JDR Microdevices

VISIT OUR RETAIL STORE

HOURS: M-W-F, 9-5 T-Th., 9-9

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING TERMS: For shipping include \$2 for UPS Ground or \$3 for UPS Blue Label Air. Items over 5 pounds require additional shipping charges. Foreign orders, include sufficient amount for shipping. There is a \$10 minimum order. Bay Area and Los Angeles Counties add 65% Sales Tax. Other California residents add 65% Sales Tax. We reserve the right to substitute manufacturer. Not responsible for typographical errors. Prices are subject to change without notice. We will match or beat any competitor's price provided it is not below our cost.

MCM68764 8K x 8 EPROM \$3995 SSI 263 SPEECH SYNTHESIZER

CABINETS FOR 51/4" **DISK DRIVES**

CABINET #1 \$29.95

- Dimensions 8% x 51% x 31% 6
- Color matches Apple Fits standard 5%" drives, inc.
- Shugart Includes mounting hardware and

\$79.00 CABINET #2

- Complete with power supply, switch, line cord, fuse & standard
- switch, line cord, fuse & standard power connector

 in Dimensions: 11% x 5% x 31% "

 in +5V @ 1 AMP, +12V @ 1.5 AMP

 in Please specify gray or tan lotte: Please include sufficient amount for hipping on above items.

TRANSFORMERS FRAME STYLE

12.6VAC	2amp	4.95
12.6VAC CT	2amp	5.95
12.6VAC CT	4amp	7.95
12.6VAC CT	8amp	10.95
25.2VAC CT	2amp	7.95
DI IIO O	OF 0T	A.C

PLUG CASE STYLE 12VAC 250ma 3.95 12VAC 500ma 4.95 12VAC 1amp 5.95 12VAC 2amp 6.95

DC ADAPTER

6, 9, 12 VDC selectable with univeral adapter 8.95 Please include sufficient amount for shipping on above items.

DISK DRIVES

TANDON

M100-1 51/4 "(FOR IBM) SS/DD	199.00
M100-251/4 "(FOR IBM) DS/DD	219.00
MPI	

MP-52 51/4 "(FOR IBM) DS/DD 249.00 TEAC

FD-55B 1/2 "HEIGHT DS/DD 189.00

SHUGART SA 400L 51/4 "(40 TRACK) SS/DD

8" DISK DRIVE FD 100-8 BY SIEMENS, SHUGART 801 EQUIV.

\$169.00 SS/DD - 10/\$149 EA. FD 200-8 BY SIEMENS, SHUGART 851 EQUIV. \$239.00 SS/DD - 10/\$220 EA.

MasterCard

VISA

Please include sufficient amount for shipping on above items.







MICROCOMPUTER HARDWARE HANDBOOK FROM ELCOMP — \$14.95

over 800 pages of manufacturers data heets on most commonly used IC's. ncludes:

- TTL 74/74LS and 74F CMOS

- Voltage Regulators Memory RAM, ROM, EPROM CPU's 6800, 6500, Z80, 8080,
- 8085, 8086/8 MPU support & interface 6800, 6500, Z80, 8200, etc.

CENTRONICS

Ribbon Cable 36 Pin Male IDCEN36 8.95 IDCEN36/F Ribbon Cable 36 Pin Female 8.95 36 Pin Male Solder Cup

RIBBON CABLE

199.95

	SINGLE	COLOR	COLOR	CODED
CONTACTS	11	10'	1'	10'
10	.50	4.40	.83	7.30
16	.55	4.80	1.00	8.80
20	.65	5.70	1.25	11.00
25	.75	6.60	1.32	11.60
26	.75	6.60	1.32	11.60
34	.98	8.60	1.65	14.50
40	1.32	11.60	1.92	16.80
50	1.38	12.10	2.50	22.00

BEST SELLING BOOKS OCPODNE MC CDAW HILL

OSDOVILE INC GUMALIU	la be
pple II User's Guide	16.95
RT Controller's Handbook	9.95
8000 Assembly Language	
Programming	16.99
BASIC User Guide	15.00
SYBEX	
-80 Applications	15.95
BM PC PRO DOS Handbook	16.95
rogramming the 8086/8088	
he Best of IBM PC Software	16.95
licroprocessor Interfacing	1001-100
Techniques	17.95

EDGECARD CONNECTORS

S-100 ST	3.95
S-100 WW	4.95
72 pin ST	6.95
72 pin WW	7.95
50 pin ST	4.95
44 pin ST	2.95
44 pin WW	4.95

DIP CONNECTORS

	DII V	-	141	Bres de	,,,	- I II				
DESCRIPTION	ORDER BY		CONTACTS							
		8	14	16	18	20	22	24	28	40
HIGH RELIABILITY TOOLED ST IC SOCKETS	AUGATxx-ST	.99	.99	.99	1.69	1.89	1.89	1.99	2.49	2.99
COMPONENT CARRIERS (DIP HEADERS)	ICCxx	.65	.75	.85	1.00	1.25	1.25	1.35	1.50	2.10
RIBBON CABLE DIP PLUGS (IDC)	IDPxx		1.45	1.65	****	****		2.50	-	4.15

For order Instructions see "IDC Connectors" below.

D.SURMINIATURE


		20 DIVIII	411.41			70%	
DESCRIPTION	0	RDER BY	9	15	ONTACT 25	37	50
OOLDED OUD	MALE	DPxxP	2.08	2.69	2.50	4.80	6.06
SOLDER CUP	FEMALE	DBxxS	2.66	3.63	3.25	7.11	9.24
RT. ANGLE	MALE	DBxxPR	1.65	2.20	3.00	4.83	- man
PC HOLDER	FEMALE	DBxxSR	2.18	3.03	4.42	6.19	***
IDO DIRROLL CARLE	MALE	IDBxxP	3.37	4.70	6.23	9.22	***
IDC RIBBON CABLE	FEMALE	IDBxxS	3.69	5.13	6.84	10.08	***
	BLACK	HOOD-B		***	1.25		
HOODS	GREY	HOOD	1.60	1.60	1.25	2.95	3.50
MOUNTING HARDWARE	-\$1.00	Fo	rorderinst	ructions	see "IDC C	Connector	s" belov

6

IDC CONNECTORS

100 00111110110110									
DESCRIPTION									
		10	20	26	34	40	50		
SOLDER HEADER	IDHxxS	.82	1.29	1.68	2.20	2.58	3.24		
RT. ANGLE SOLDER HEADER	IDHxxSR	.85	1.35	1.76	2.31	2.72	3.39		
WW HEADER	IDHxxW	1.86	2.98	3.84	4.50	5.28	6.63		
RT. ANGLE WW HEADER	IDHxxWR	2.05	3.28	4.22	4.45	4.80	7.30		
RIBBON HEADER SOCKET	IDSxx	1.15	1.86	2.43	3.15	3.73	4.65		
RIBBON HEADER	IDMxx		5.50	6.25	7.00	7.50	8.50		
RIBBON EDGE CARD	IDExx	2.25	2.36	2.65	3.25	3.80	4.74		

ORDERING INSTRUCTIONS: Insert the number of contacts in the position marked "xx" of the "order by" part number listed. Example: A 10 pin right angle holder style header would be IDH10SR.



Copyright 1984 JDR Microdevices

FOR APPLE COMPUTER USERS



JDR 16K RAM CARD FOR APPLE II+


- * Expand your 48K Apple to 64K
- Fully compatible with Apple Language System Use
- in place of Apple Language card

 * Highest quality card features: gold edge connector, sockets for all IC's.
- * 2 YEAR WARRANTY Kit with Instructions \$40.95 Bare PC Card \$14.95

- * 35 Track if used with Apple Controller
- 40 Track Controller and DOS Available (Call for Price)



MA SYSTEMS FD-35 DISK DRIVE



- Shugart Mechanism Made in U.S.A.
- Direct Replacement for Apple Disk II
- Compatible with Apple Controller or other Apple compatible controllers
- * Specially designed electronics with low power consumption
- ★ DOS 3.3 and 3.2 compatible

* One Year Warranty

CONTROLLER CARD \$69.95





APPLE COMPATIBLE

- * Use To Power Apple Type Systems
- +5V@4A +12V@2.5A -5V@.5A -12V@.5A
- * Instructions and Apple Power Connector Included.

BMC **BMX-80 PRINTER**

- * 80 CPS Dot Matrix Printer Prints Bi-Directional in 40, 80, 71 or 142 Columns in Normal. Double Width or Compressed
- Text Print Superscript As Well As Superb Graphics in Character or Bit Image



micromax

VIEWMAX-80 NOW ONLY \$15995

- * 80 Column Card for Apple II+
- * Video Soft Switch
- ★ Inverse Video
- * 2 Year Warranty

VIEWMAX-80e NEW \$12995

- * 80 Column Card for Apple IIe
- * 64K RAM Expandable to 128K

64K RAM Upgrade \$4760

GRAPHMAX \$12995

- * Hi Resolution Graphics
- * Printer Card
- ★ Centronics Parallel Interface
- ★ Zoom, Rotation and More

Graphmax with Color Option......14995

NASHUA DISKETTES

5%" WITH HUB RING

MD 1 SUF 1 SECTOR, 55/5D	19.95
MD1D SOFT SECTOR, SS/DD	26.25
MD2D SOFT SECTOR, DS/DD	30.75
MD2F SOFT SECTOR, DS/QUAD DENSITY	45.00
MD110 10 SECTOR HARD, SS/SD	19.95
MD210D 10 SECTOR HARD, DS/DD	30.75
OU MUTTICALITY AND THE O	

8" WITHOUT HUB RING FD1 SOFT SECTOR, SS/SD 24.75 FD1D SOFT SECTOR, SS/DD 30.00 FD2D SOFT SECTOR, DS/DD

OTHER ACCESSORIES **FOR APPLE II** 19.95 25

THUNDERCLOCK \$129.95

- * Real-Time Clock Calendar
- * Software Included
- * Mountain Software Compatible
- * BSR Control Options Available

KRAFT JOYSTICK

VERBATIM DATALIFE DISKETTES

SS/DD SOFT SECTOR

\$29.95 SS/DD 10 HARD SECTOR

\$29.95

51/4" DISKETTE FILE

- ATTRACTIVE, FUNCTIONAL DISK STORAGE SYSTEM
- 75 DISK STORAGE CAPACITY
- * MOLDED FROM DURABLE SMOKED PLASTIC WITH FRONT CARRY- \$1699 ING HANDLE



MONITORS

BMC MONITOR STAND MODEL PA-900

Your Display Will Tilt & Swivel

\$29.95

MONOCHROME

BMC BM 12AUW GREEN 12" \$89.95 BMC BM 12EUY 18 MHZ AMBER \$139.95 BMC BM 12EUN 18 MHZ HIGH RES GREEN \$115.00 NEC JB1201M - 20 MHZ GREEN ZENITH ZVM-123-15 MHZ GREEN NEW \$105.00

COLOR

BMC BM-AU9191U COMPOSITE 13" . . . \$279.00

NO C.O.D. ORDERS PLEASE

VISIT OUR RETAIL STORE HOURS: M-W-F, 9-5 T-Th., 9-9

Sat. 10-3 PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING

TERMS: Minimum order \$10. For shipping and handling include \$2.50 for UPS Ground and \$3.50 for UPS Air. Orders over 1 lb. and foreign orders may require additional shipping charges — please contact our sales department for the amount. CA residents must include 6% sales tax. Bay Area and LA residents include 6%. Prices subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturer. All merchandise subject to prior sale

Copyright 1984 JDR Microdevices

JDR Microdevices

1224 S. Bascom Avenue, San Jose, CA 95128 800-538-5000 • 800-662-6279 (CA) (408) 995-5430 • Telex 171-110

Apple is a trademark of Apple Computer Corporation

U·N·C·L·A·S·S·I·F·I·E·D A·D·S

BYTE is concerned about software piracy. Unclassified ads proposing exchanges of software must specify that the software was written by the individual or is in the public domain. BYTE reserves the right to reject any unclassified ad that does not meet this criterion.

WANTED: Donation of Apple computer system for a science department in Madras, India, for use as a laboratory computer. Dr. S. Ganapathy (visiting faculty from department of biophysics, Madras, India), Department of Chemistry, University of Minnesota, Minneapolis, MN 55455, (612) 373-2359.

WANTED: Established, nonprofit youth-athletic organization seeks tax-deductible donation of microcomputer, disk drives, monitor, and printer, or small business computer for our mailing lists, word processing, schedules, and the administration of our handicapped program. Any disk-based system would be welcomed. Kenneth Drozd, 9 Dogwood Dr., Jackson, NJ 08527.

WANTED: Nonprofit agency needs a donation of a usable microcomputer to help low-income veterans. youths, handicapped individuals, ex-offenders, and unemployment recipients attain training and em-ployment. Bill Slovick, Project JOVE Inc., Suite 2K, 2725 Congress St., San Diego, CA 92110, (619)

38-3826.

WANTED: Nonprofit environmental organization seeks tax-deductible donation of microcomputer, disk drives, monitor, and printer. Will pay shipping, Seward Weber, Vermont Natural Resources Coun-7 Main St., Montpelier, VT 05602, (802) 223-2328

WANTED: Donations of keyboards, monitors, printers, disk drives, and disks to promote educational opportunities for newly formed Boy Scout Troop. Donations are tax deductible. Boys range in age from 11 to 13. Donations will assist in the attain-ment of Computer Merit Badge and promote additional interest in computer-related Boy Scout ac-

tivities. Larry Hugenberg, 3448 Belden Ave., Youngstown, OH 44502. (216) 782-5517 after 5 p.m.

WANTED: I would like to exchange ideas, suggestions, and information with other Cromemco C-10 owners from everywhere. Would also like to buy BYTE: August 1983 and December 1983. Orlando Lopez, Carrera 10 B, 30-28 sur, Bogota 5, Colombia, South

WANTED: Real-world beta-test sites needed to develop manufacturing cost-estimating program that velop framulacturing cost-estimating program that establishes standard job costs. Managers or administrators may send a description of how your computer is equipped, what it is, and the specific cost estimating you do. If you are selected, you will receive the final package for your help. Wm. Stocker. American Machinist, 1221 Ave. of the Americas, New York, NY 10020.

FOR SALE: Ohio Scientific C3-B-22 time-sharing microcomputer with two 52K-ROM memories working at 2MHz for simultaneous data-handling activities. Comes with 80-megabyte hard disk, drives, and full back-up capability. Includes two Televideo 912 terminals and printer: \$12,500. Will ship. Bob Harvey, Scholarship Information Inc., 5 Crystal River Cocoa Beach, FL 32931, (305) 259-9700.

FOR SALE: Back issues of BYTE from January 1982 through December 1983. Good condition: all for \$50. Postage paid anywhere in the continental U.S. Send cashier's check or money order. Lee C. Boger, Apt. 251, 4555 Mission Dr., Indianapolis, IN 46254,

(317) 298-4760

WANTED: Public-domain program embodying rec-ognized constructs and procedures from psychol-ogy and philosophy to be used by intelligent individuals to improve the quality of their professional (and personal) decisions. Mike Gallagher, 2835 West Fargo, Chicago, IL 60645, (312) 764-4737.

WANTED: IBM PC or compatible computer.

Prefer smaller system or inexpensive expanded system. Minimum required: 64K, one floppy, video. parallel-printer port, operating system, and languages. Monitor, hard disk, color not important but will be considered. Include service history and manufacturer of boards. C. Reaves, Llano Route, Box 128. Fredericksburg. TX 78624. (512) 685-3256.

FOR SALE: Unused IBM PC AST Megaplus II serial/ parallel clock, 64K board. Warranty card, disk, in-structions are still sealed: \$250 or trade. Also, have a BASF 12-Msec drive, set up for TRS-80 Model I. in OK condition: \$100. Alexander Crawford, 116 East , #2C. New York, NY 10021, (516) 537-1228

FOR SALE: Hayes Micromodem 100, S-100 modem, new: \$185. SSM PBI S-100 EPROM programmer: \$100. Shugart 8-inch SSDD drive, like new, can show locally: \$150. Make offers. David Langmann, 2900 Conn Ave. NW, Washington, DC 20008, (202) 232-7999

FOR SALE: S-100 Cromemco computer 64K RAM. printer interface, 16 FDC disk controller, 21-board capacity, 30-amp power supply, three 51/4-inch Tandon DS/DD drives: \$2500 or best offer. Allen Shina, 4117 New Utrecht Ave., Brooklyn, NY 11219, (212) 438-0656.

FOR SALE: Back issues of BYTE. March 1981 through December 1983. Send offer for complete set or for individual issues. Bill Efron, 1369 Murray St., St.

Paul, MN 55116.

FOR SALE: Never-used Ohio Scientific system. One CIP 16K 6502-based computer with built-in BASIC. One Superboard II 6502-based computer kit (unfinished). One black-and-white monitor. Numerous manuals and a complete set of cables. Original cost was \$700; best offer. Also, will consider trading for Atari or Apple equipment. Hans Hsu, 3020 Bolgos

Circle, Ann Arbor, MI 48105, [313] 662-3666.

FOR SALE: Kilobaud #1 through #71. BYTE #1 through #60. SCCS Interface Age #5, 6, and 8 through #56. Make an offer. Merle Vogt, POB 145, Von Ormy, TX

FOR SALE: Two Apple III floppy-disk drives. Silen-type thermal printer, super serial card for Apple II. two ADM 31 smart terminals, Intermec 9300 barcode reader and 9400 portable bar-code reader with wands, interface, and power adapters. All manuals included. Best offer. Mark Kuster, 521 Scott Ave., Dalhart, TX 79022, (806) 249-5287.

FOR SALE: First year of BYTE: \$30 plus UPS. First year of Kilobaud: \$30 and second year: \$20 plus UPS.

Peter Buyaki, 203 North Cherry St., Harrison, AR 72601, (501) 741-7857.

FOR SALE: Apple Silentype printer and interface, like new. Best offer over \$150. Randy Webb, 622 East 11th St., Bloomington, IN 47401, (812) 339-7661 or 335-1858

NEEDED: College-bound student needs any computers, computer parts, printers, modems, disk drives, computer books, CRT terminals, peripheral cards of any kind, and anything else. I will pay all postage. Doug Peterson, 5555 Washington, Denver, CO 80216, (303) 296-0346.

WANTED: Texas Instruments operating systems for obsolete DS990/1 with FD-1000 and 771s with FD-800 (also obsolete). Need TX5, TX5DS, and TXDS. Can swap TX5 or TX5DS manual for system configured to come up on my unit. Also, need documentation for TPL release 3.2. Robert Geeslin, 1142 East 49th St., Tulsa, OK 74105.

WANTED: College student would appreciate a

donated computer for experiments. Kevin Knott, 26347 Midway, Dearborn Heights, MI 48127. WANTED: High school student would like donated

Apple computer equipment, cards, peripherals, manuals, anything unwanted. Will pay all postage. Anthony Mate. 4769-B, West 120th St., Hawthorne, CA 90250, (213) 978-8917. FOR SALE: BYTE from Vol. 3 No. 4 to Vol. 9 No. 1.

Missing Vol. 3 No. 5 and Vol. 4 No. 1. Best offer for all. Sanford Spero, Apt. 7, 503 North Grant, West Lafayette, IN 47906, (317) 743-8806.

WANTED: Student who wants to enter telecommu-nications would appreciate any donations of modems or modem parts in any condition. I will pay shipping costs. Paul Hopkins, 289 Goose Lane. Tolland, CT 06084.

FOR SALE: Back issues of BYTE, January 1979 through December 1983 complete. Good condition. Best offer over \$100. Jim Shearer, Suite 2, 210 West Maumee, Angola, IN 46703, (219) 665-7673

WANTED: Unwanted or broken computers, disk drives, printers, or modems. I will pay shipping and handling costs. Robert Haskins, R.D. #3 Box 3611, Spring Grove, PA 17362. FOR SALE: Back issues of BYTE, September 1975 through December 1983, except October 1975 and January 1976; \$350 or best offer. Back issues of Interface Age, December 1976 through June 1981: \$200 or best offer. Bill Myers, 98 Pineland Dr., Akron, OH 44321, (216) 687-2982

WANTED: S-100 boards for Technical Design Labs Xitan computer. Especially interested in memory boards and the ZPU-2 microprocessor board and associated documentation. Send description with asking price. William Leonard, 14956 Ronda Dr., San

Jose, CA 95124, (408) 377-8582 evenings. WANTED: Atari 810 disk drives, new or used. David Allbritton, POB 6811, Birmingham, AL 35210.

WANTED: Anyone interested in exploring the uses of personal computers for some not-so-common applications. Let's correspond. I am an engineer. Amy Mehta, 4026 Harvest Hill #2043, Dallas TX 75234, (214) 620-0831.

FOR SALE: Xerox 820 board. Comes with CP/M 2.2 and Microsoft BASIC on an 8-inch disk. Without monitor, drives, or enclosure: \$50 as is. Also, BMC composite monitor: \$75. Joe Keller, 10110 Walnut

#216, Dallas, TX 76243

WANTED: Graduate student would appreciate donated computer and peripherals for experiments. I will pay shipping. Fonbin Lin, 35 Northwood Rd., Storrs, CT 06268, (203) 487-1735.

WANTED: Early issues of Micro, Kilobaud, and 6502 Users Notes, circa 1977 through 1980. Also interested in obtaining a Texas Instruments TM 990/U89 University Board. Harold May, 428 Phillippa, Hinsdale, IL 60521, (312) 325-1910.

FOR TRADE: Rainbow 100 users interested in swapping information and ideas. A. Darveau, Room 807, 3655 Drummond St., Montreal, Quebec H3G 1Y6,

Canada

WANTED: If interested in joining a users group for Timex/Sinclair computers on Long Island, drop me a post card. Heinz O. Henken, 9 Dartmoor Dr., East Northport, NY 11731.

FOR SALE: CompuPro hardware, 816A system, 20megabyte hard-disk subsystem. Extra RAM 21, M-Drive/H. 10-MHz CPU 86/87, MPX-16. All like new Visual 300 terminal. Also, Ithaca Intersystems Model 810H computer with front panel and XPU-80 6-MHz Z80B CPU. In perfect condition, New, over \$13,000; \$4000 takes all. Frank McGirt, 188 Piedra Loop, Los

Alamos, NM, 87544, (505) 672-9362.

FOR SALE: Tektronix T4002 graphics computer terminal with 4802 joystick, high-speed RS-232C interface, two spare tubes, all manuals. IK by IK addressable points. Recently calibrated. Excellent for CAD/CAM work: \$2000, trade, or make an offer. Bob Morein, 1570 Arran Way, Dresher, PA 19025, (215)

646-4894

FOR SALE: Radio Shack PC-1 Pocket Computer and printer/cassette interface that allows up to 1424 BASIC statements. Manuals included. Also, have cassette recorder used for storing programs and data. All in excellent shape: asking \$170 (with optional cassette). Would like to trade for an HP41CV. Steve Gentry, RR 1, Box 481, Richland, IN 47634, (812) 359-5170 evenings.

UNCLASSIFIED POLICY: Readers who have computer equipment to buy, sell, or trade or who are requesting or giving advice may send a notice to BYTE for inclusion in the Unclassified Ads section. To be considered for publication, an advertisement must be noncommercial and nonprofit (individuals or bona fide computer clubs), typed double-spaced, contain 60 words or less, and include name and address. This is a free service; notices are printed as space permits. Your confirmation of placement is appearance in an issue of BYTE as we engage in no correspondence. Please allow at least four months for your ad to appear. Send your notices to BYTE, Unclassified Ads, POB 372, Hancock, NH 03449.

B·O·M·B

BYTE'S ONGOING MONITOR BOX

ARTICLE#	PAGE	ARTICLE	AUTHOR(S
1 2 3 4 5	121 125 136 139 143	Symphony: A Full-Orchestra Version of Lotus 1-2-3 A Musical Telephone Bell. The West Coast Faire. An Ada Language Primer, Part 2: Tool Building in Ada Kermit: A File-Transfer Protocol for Universities, Part 2: States and Transitions,	Ciarcia Pournelle
		Heuristic Rules, and Examples	da Cruz.
6 7 8 9	151 171 179	Electronic Encyclopedias Televisions as Monitors Computer Control of a Video Recorder	Coach
9	187 207	Videodiscs and Computers Controlling Videodiscs with Micros	Jarvis Daynes, Holder
11 12 13	235 247 255	The Sage II and Sage IV Computers The Compaq Plus XENIX for the IBM PC XT	Munro Dahmke Barry,
14 15	267 281	Turbo Pascal	Jacobson Wadlow Bortz, Diamant
16 17 18 19 20	293 305 341 361 365	The Smith-Corona L-1000 Printer Computing at Chaos Manor: The AT&T Computers BYTE West Coast: Trends in Telecommunications BYTE Japan: Start-Up Mathematical Recreations: Invariance	Shuford Pournelle Markoff Raike

THE BEST OF APRIL

Steve Ciarcia's "Build a Scrolling Alphanumeric LED Display" placed first in BYTE's Ongoing Monitor Box results for April. Ciarcia and his Circuit Cellar will benefit from the \$100 prize. "The Coleco Adam" by Jules H. Gilder wins \$50 for second place. In the third slot is Jerry Pournelle's User's Column: "The Most Fabulous Object in the Entire World." Ruth Heuertz, author of "Soviet Microprocessors and Microcomputers," is fourth in the countdown and in fifth place is Gregg Williams's preview of "The Mindset Personal Computer." Congratulations, authors.

BYTE ADVERTISING SALES STAFF:

J. Peter Huestis, Advertising Sales Manager, 70 Main Street, Peterborough, NH 03458, tel. (603) 924-9281

NEW ENGLAND

ME, NH, VT, MA, RI Paul McPherson Ir. (617) 262-1160 McGraw-Hill Publications 575 Boylston Street Boston, MA 02116

ATLANTIC

NJ (NORTH), NY, NYC, CT Dick McGurk (212) 512-3588 McGraw-Hill Publications 1221 Avenue of the Americas—39th Floor New York, NY 10020

EAST

PA (EAST), NJ (SOUTH), MD, VA, W.VA, DE, D.C. Daniel Ferro (215) 496-3833 McGraw-Hill Publications Three Parkway Philadelphia, PA 19102

SOUTHEAST

NC. SC. GA. FL. AL. TN Maggie McClelland (404) 252-0626 McGraw-Hill Publications 4170 Ashford-Durnwoody Road-Suite 420 Atlanta, GA 30319

MIDWEST

IL. MO. KS, IA. ND. SD. MN. WI. NB Jack Anderson (312) 751-3740 McGraw-Hill Publications Blair Building 645 North Michigan Ave. Chicago, IL 60611

GREAT LAKES, OHIO REGION

MI. OH. PA (ALLEGHENY), KY, IN, EASTERN CANADA Dennis Riley (313) 352-9760 McGraw-Hill Publications 4000 Town Center-Suite 770 Southfield, MI 48075

SOUTHWEST, ROCKY MOUNTAIN

UT. CO. WY. OK. TX. AR, MS. LA Alan Morris (214) 458-2400 McGraw-Hill Publications Prestonwood Tower-Suite 907 5151 Beltline Dallas TX 75240

SOUTH PACIFIC

SOUTHERN CA. AZ. NM, LAS VEGAS Page Goodrich (714) 557-6292 McGraw-Hill Publications 3301 Red Hill Ave. Building #1-Suite 222 Costa Mesa, CA 92626

Karen Niles (213) 480-5243, 487-1160 McGraw-Hill Publications 3333 Wilshire Boulevard #407 Los Angeles, CA 90010

NORTH PACIFIC

HI. WA. OR. ID. MT. NORTHERN CA. NV (except LAS VEGAS), W. CANADA David Jern (415) 362-4600 McGraw-Hill Publications 425 Battery Street San Francisco, CA 94111

Bill McAfee (415) 964-0624 McGraw-Hill Publications 1000 Elwell Court—Suite 225 Palo Alto, CA 94303

WEST COAST SURPLUS AND RETAIL ACCOUNTS

Tom Harvey (805) 964-8577 3463 State Street-Suite 256 Santa Barbara, CA 93105

Post Card Mailings National

Bradley Browne (603) 924-6166 BYTE Publications 70 Main Street Peterborough, NH 03458

International Advertising Sales Representatives:

Mr. Hans Csokor Publimedia Reisnerstrasse 61 A-1037 Vienna, Austria

Mrs. Gurit Gepner McGraw-Hill Publishing Co. 115 Yosephtal St. Bat Yam, Israel 866 561 321 39

Mr. Fritz Krusebecker McGraw-Hill Publishing Co. Liebigstrasse 19 D-6000 Frankfurt/Main 1 West Germany 72 01 81

Mrs. Maria Sarmiento Pedro Teixeira 8, Off. 320 Iberia Mart 1 Madrid 4. Spain 45 52 891

Mr. Andrew Karnig Andrew Karnig & Associates Kungsholmsgatan 10 112 27 Stockholm, Sweden 08 51 68 70

McGraw-Hill Publishing Co. 17 rue Georges Bizet F 75116 Paris France 720 33 42

Mr. Arthur Scheffer McGraw-Hill Publishing Co. 34 Dover St. London WIX 3RA England 01 493 1451

Mr. Savio Pesavento McGraw-Hill Publishing Co. Via Flavio Baracchini I 20123 Milan, Italy 86 90 656

Seavex Ltd 05-49/50 Tanglin Shopping Center Singapore 1024 Republic of Singapore

Seavex, Ltd. Room 102, Yu Yuet Lal Bldg. 43-55 Wyndham St. Central Hong Kong

Hiro Morita McGraw-Hill Publishing Co. Overseas Corp. Room 1528 Kasumigaseki Bldg. 3-2-5 Kasumigaseki, Chlyoda-Ku Tokyo 100, Japan


R.E.A.D.E.R S.E.R.V.I.C.E

Ing	ulry No. Page No	. In	guiry No.	Page No.	Ino	ulry No.	Page	No. I	Ino	ulry No.	Pas	ge No.
	Ist PLACE SYSTEMS 22	200		SCOUNT PROD 425	132	EXPOTEK	27.0	426	181		ROUP INC	Taxable Co.
3					352							
- 50	800 SOFTWARE			JT OF N.E 333	2550		ONCEPTS INC				ASSOC	
				NOVATION 390	133				183		CHINE CORP	
				AIL ORDER . 398, 399	343		GINEERING	122.000	184		GETEX	
7	ACTION COMPUTER 14			ICE CLUB 112	134		ERV. INC		185		EVICES	
8	ACTION COMPUTER 14	0.0		AREHOUSE 340	346			418	186		EVICES	
9	ADDMASTER CORP36	S. 1		ND MORE 75	347			10000	187		IICROCOMPUTER .	
10	ADV. COMP. PROD 450, 45			OR LESS278	345		INC	OSSESS I	188		INC	
	ADV. SYS. CONCEPTS 35	50 M		P. CORP343	136			201	189		TA PRODUCTS	
13	ADV. TRANSDUCER DEVICES 44			INTE244, 245	137		INOLOGY	221	190		ACCESSORIES	
14	AFTERTHOUGHT ENG 43	1000		NTE 244, 245	138				191		MP. SYS	
	ALF PRODUCTS, INC33		CONROY-LAPO	INTE244, 245	139		9 SYS	01650	192	LYCO COMP	PUTER	435
15	ALL ELECTRONICS CORP 11	82	CONTROL DATA	A 49	140			ALCOHOL: NAME OF THE PARTY OF T		M-H RECRU	JITMENT	306
16	ALLENBACH INDUSTRIES 31		CONTROL DATA	A 319	337	GREAT LAKES	COMP. PERIPH.	327		MACMILLA	N BOOK CLUBS	. 353
17	ALPHA OMEGA COMPUTER 10	84	CORECO INC.	32	141	GREAT SALT LA	KE COMP. 446,	447	193	MACROTEC	H INT'L	159
18	AMARAY CORP24	85	CORONA DATA	SYS 80, 81	142	GTEK INC		.78	194	MACROTRO	N	396
20	AMER. SQUARE COMP 10	86	CORONA DATA	SYS 230, 231	*	H&E COMPUTE	ONICS	311	344	MAGNUM P	PC	312
21	AMERICAN MICRONICS 7	87	CORVUS SYS II	NC	143	HANDWELL CO	RP	420	195	MAI BASIC	FOUR	430
22	AMPRO COMPUTERS INC 39	88	COSMOS	280	144	HANDWELL CO	RP	431	196	MANDINGO	COMP & CAMERA	AS432
23	APPARAT INC 156, 15	7 89	CRAHEN COM	PANY170	145		EO		197	MANNESMA	ANN TALLY	234
	APPLE COMPUTER INCCII,	90	CRE WHOLESA	LE PROD 428	146	HAYES MICROC	OMP. PROD	.79	198	MANX SOF	TWARE SYS	65
26	APPLE COUNTRY LTD41	92	CREST COMPU	TER SUPPLY 448	147	HAYES MICROC	OMP. PROD. 252,	253	199	MARON EN	GINEERING LTD.	377
27	APROPOS TECHNOLOGY 36	9.1	CROMEMCO	5		HAYES MICROC		10000000	200	MARYMAC	INDUSTRIES	. 367
28	ARTIFICIAL INT'L RESEARCH 44	5/20		308	334	HELIX SYS. & D	EVLP. CORP.	193	202	MAYNARD	ELECTRONICS	107
	ASHTON-TATE 41, 42, 4	1 1922		115	335		EVLP. CORP	200000	203	MC-P APPLI	ICATIONS	315
30	ASHTON-TATE30	97	CUSTOM COMI	PUTER SYSTEMS 387	149	HERCULES CON	APUTER TECH	. 71		McGRAW-HI	LL BOOK CO 384	4, 385
31	ASHTON-TATE	98	DATA ACCESS	CORP	150	HEWLETT-PACK	ARD	.83	204	McGRAW-HI	LL BOOKSTORE	354
33	ATTACHE SOFTWARE INC 28	341	DATA SPEC		151	HEWLETT-PACK	ARD 216,	217	205	MEMOREX	MEDIA PROD 370	0, 371
34	AVOCET	342	DATA SPEC	199	152	HIERATIC COM			351	MERRIT CO	MP. PROD	438
35	B&B ELECTRONICS 36	101	DATA SPEC	408	153	HITECH INT'L.	NC	448	206		EMS	
36	BASF SYSTEMS	102	DATASOUTH C	OMP. CORP 27	154	HOLLYWOOD F	ARDWARE	438	207	METHOD S	YS. INC	401
37	BAY TECHNICAL ASSOC 2			ARCH 146, 147	155	HOUSTON INSTI	R/BAUSCH&LOMB	124	208		E	
38	BAY TECHNICAL ASSOC2	- A-CO.		ARCH COMP407	360	I.B.S. CORP		152	209		PRISES INC	
39	BD SOFTWARE	S		APUTER CENTERS 322	156		PROD	- V. C.	210		COMP. STORES IN	
41	BINARY TECHNOLOGY 36	100		NECTION 377			BUSN.SYS.INC.	134.55	211		AFT CORP	
	BORLAND INT'L	The second		GS448	157		FTWARE . 184,	112 (6.3)	212		A BASE SYS	
42				VC196	158				214		SIGN INT'L	
43	BOTTOM LINE, THE6	200		NC401	159		TRUCT		215		JIPMENT CORP	
44				VC 436	160		S CORP		216		NAGEMENT SYS	
45	BUSINESS SOFTWARE 17			NC 438	161		SYS		217		RT. INC 358	
340	BYTE BROKER, THE 38			COMMNCTNS 449	162			408	218		VT	
	BYTE APPLE GUIDE 344, 34	1,111					32		219		AMICS	
	BYTE BACK ISSUES	2.		PROD. INC. 454, 455	163		DIES	2019	220		L	
	BYTE SUBSCRIBER NOTICE 33	-0 (L/C)/6		257	164		OD	439	221		CESSORS UNLTD.	
46		20		PANY 318	165	JADE COMP. PR		441			T CORP. (Busn. Bas	
	C WARE	10		NC	166		R 204,	THE SALES			T CORP. (Cobol)	
	C-SYSTEMS			329	167		RIAL CO. LTD	CO-CONT			T CORP 32	
47	C.S.D. INC	3 1 283		60, 61	168		ICES INC 456,		222		H EXPORTS	
	CABRILLO SOFTWARE 43			92	169		ICES INC 458.	The state of the s			E	
	CALIF DIGITAL 442, 44			RE 436	170		ICES INC	0000	224		E	
				ERPRISES 251	171		CTS		225		CA WHOLESALERS	
	CANON U.S.A				172						MICRO-PERIPHERAL	
49				SYSTEMS434	173		ORP 104,		227		ORP	
	CANON U.S.A	C 1 (000)		MICROCOMP 438	174		YSTEMS 348,	Control of the Contro			VIEW PRESS	
51		200			176		OLOGIES CORP.	Carl Line				
52		10		TING INC 195			LECTR. DESIGN	1 HOST 1	230		H SYSTEMS	
53				TING INC 197	177	L.F. COMPUTER		The second second	231		COMPUTER LTD.	
54		100		MPUTER 24	17.000,000	LABORATORY		1000			RMATION SYS	
55		20 000		SEARCH GROUP 226	13/25/20	LANGLEY-ST. C		500	233		INC	
56		21 1 1 1 2 2		UTERS 421		LANTON COM			234		ARATRONICS	
58		20	EM EM COM	01000111111148	1 100	DAINTON COM	. 010. 1110	430			LS CORP	
	COMMUNICATIONS ELEC . 404, 40								236		LS CORP	
HOLE.	COMP. COMPNTS. UNLTD. 444, 44										ST DIGITAL SYS	
60		9		R information on				0.00	127		PUTER INC/ELECTRAI	
62		S 157775	- Carried Print Control					111222	238		OFTWARE	
61		A CONTRACTOR		service card with y					239		OFTWARE	
	COMPUMAIL	- 61.19	appropriate	numbers for the ad	vertise	ers you select	from the list.	Add	353		NC	
330	COMPU-MEDIA SUPPLIES 27	0.4	0-cent stamp	to the card, then	drop i	t in the mail.	Not only do	you	240		rems	
(2) (5)	COMPUPRO 21	9 02		n, but our adver				Control of the last	241			
64		ma		vided by BYTE. Th	The state of the s			100 A 200 A	242		RK	
	COMPUSERVE 222, 22	Th	The state of the s	ovided as an addit		21 14 15 15 15 15			354			
67		1 1000							356		EMS, INC	
	COMPUTER CHANNEL41	1 1		ility for errors or o	HIISSIC	nis. Corresp	ond directly	WILLI	243		CHANGES	
69	COMPUTER CONNECTION INC 42	z I co	mpany.						243	PACIFIC EX	CHANGES	364

Inq	ulry No. Page No.	Inqu	alry No. Page No.	Inq	uiry No. Page No.	Inq	ulry No. Page No.
243	PACIFIC EXCHANGES	266	ROGERS LABS	292	SUPERSOFT 298, 299	318	UNIVERSAL DATA SYS39
243	PACIFIC EXCHANGES401	267	ROLAND CORP 34, 35	336	SYNTECH DATA SYS 296, 297	319	VEN-TEL INC
243	PACIFIC EXCHANGES432	262	RTE DELTEC	294	SYSGEN INC	320	VERBATIM CORP 129
243	PACIFIC EXCHANGES434	269	RUTISHAUSER OF AMERICA 127	295	SYSTEMS MANAGEMENT ASSOC. 285	321	VERTEX SYSTEMS
243	PACIFIC EXCHANGES436	270	S-100 DIV. 696 CORP419	296	SYSTEMS STRATEGIES 108	322	VIDEX
243	PACIFIC EXCHANGES438	271	S-100 DIV. 696 CORP	297	TALLGRASS TECH55	323	VISUAL COMPUTER 88, 89
244	PC PIPELINE	272	SAB-LINK INC	298	TATUM LABS 436	0.19	VLM COMPUTER ELECTR 434
245	PC'S LIMITED	3.0	SAFEWARE	299	TAVA CORP	324	VOLITION SYSTEMS
348	PERSYST INC	273	SAFT PORTABLE BATTERY 25	300	TAXAN, CORP	359	VOTRAX 317
349	PERSYST INC	275	SCHULZ ENTERPRISES 430	301	TAXAN, CORP	325	WANG ELECTR. PUBL. INC 86
246	PIPELINE COMPUTER 452, 453		SCOTTSDALE SYSTEMS 120		TEKTRONIX INC 153		WAREHOUSE SOFTWARE 26
247	POWER BASE SYS93	276	SEEQUA COMP. CORP7	302	TELETEK ENTERPRISES, INC 51	326	WHITESMITHS LTD
248	PRACTICAL PERIPH91	355	SEITZ TECHNICAL PROD 326	303	TELEVIDEO SYSTEMS 110, 111	357	JOHN WILEY & SONS INC 393
249	PRACTICAL PERIPH113	277	SEMIDISK SYSTEMS97	304	TELTONE66	327	WILLIAMS, MARK CO206
251	PRENTICE-HALL INC194	278	SENTINEL TECHNOLOGIES 273	305	TERRAPIN INC434	329	WINTER CORP8
252	PRINCETON GRAPHIC SYS 72		SILICON SPECIALTIES 74	306	TEXAS COMP. SYS 90	328	WINTEK CORP432
253	PRIORITY ONE429	279	SLR SYSTEMS	9.	TEXAS INSTRUMENTS 11, 12, 13	331	WRITING CONSULTANTS 391
254	PURCHASING AGENT, THE 114		SOFTCRAFT 188	308	THOUGHTWARE INC 202, 203	332	X'LNT DISKETTE
255	PURPLE COMPUTING 448		SOFTLINE CORP 40	310	THREE M COMPANY 161	15	
256	QUADRAM CORP 20, 21	281	SOFTWARE SERVICES 430	130	TIGERTRONICS448	* Co	rrespond directly with company.
257	QUADRAM CORP109	283	SOFTWARE SOLUTIONS INC. 36, 37		TINNEY, ROBERT GRAPHICS 158, 369	9.0	
258	QUADRAM CORP	284	SOLUTIONWARE CORP 438	311	TITAN TECHNOLOGIES 164		
259	QUANT SYSTEMS434	285	SONY VIDEO PRODUCTS 390	312	TOSHIBA AMERICA INC 176		
260	QUBIE DISTRIBUTING 186	286	SORD COMPUTER OF AMERICA 182	313	TOSHIBA AMERICA INC 177	INTE	ERNATIONAL ADVERTISING SECTION
261	QUESTIONAIRE SERVICE CO 436	287	SPRUCE TECHNOLOGY CORP 248		TRANS WORLD AIRLINES 346		
100	QUME CORP240, 241	288	STARBUCK DATA CO432	314	U.S. ROBOTICS 57	601	
263	RADIO SHACK CIV	333	STAR MICRONICS	315	UNIFIED SOFTWARE SYS 430	602	MICRO DATA BASE SYS 416A
264	RAPITECH SYS. INC	289	STRUCTURAL PROGRAMMING . 195	316	orm more per round men in the	No. 20	
350	RCA165	290	SUNTRONICS	317	UNISOURCE	No de	omestic inquiries, please.

coming soon!

BYTE will offer a revolutionary computerized program to service our subscribers and our advertisers.



- Teamed with Berkshire
 Computer Processing Center
 of Pittsfield, MA, BYTE can
 assist in information turnaround from advertiser to
 reader within a few days' time.
- The system—Automated Inquiry Management System (AIMS)—works by Touch-Tone phone. Subscribers can phone Berkshire Computer and key in advertisers' reader service numbers. Advertisers can then access the system directly, obtain inquirers' names and respond to them within days of the reader's requests.
- This new service will be available to SUBSCRIBERS ONLY. If you are not a subscriber fill out the subscription card bound in this issue now and take advantage of this valuable new service. Or, call BYTE circulation at (800) 258-5485.
- The standard reader service card is still available for use by subscribers and non-subscribers.

BYTE

INTRODUCING PINWRITER DOT MATRIX PRINTERS. AND A HEAD TO HEAD COMPARISON OF WHY THEY'RE BETTER.

Dur new multi-mode
Pinwriter®dot matrix printers
have a lot in common with
bur Spinwriter®letter-quality
printers. Designed and manufactured with the same qualty and reliability that has
made our Spinwriters the best
selling letter-quality printers
to PC users. We also gave
them many unique capabilities you won't find on other
dot matrix printers. Especially
at such an affordable price.


More dots, more fonts, more versatility.

One thing that makes Pinwriters stand out from other



Our exclusive 18-pin print head is graphically sharper than a 9-pin printer, as this unretouched photo shows.

dot matrix printers is our printhead. It has 18 pins. Compared to the usual nine. It also has true dual-pass printing. The result: an amazing 240x240 dots per inch.



Three speeds cover all your printing needs.

That's why the print is as close to letter quality as you can get without getting a



Pinwriters have something else no other dot matrix printers have. Eight operator-selectable print styles, plus as many as 11 international character sets. And an LED display to tell you which style has been selected.

What else? Three printing speeds. 300, 900 or 1800 words per minute to handle all your printing needs from word processing to data processing.

Plus, a variety of forms handlers to speed up all your paperwork. All made and designed by NEC. And all easily installed and changed by the operator.

For the final word, see your NEC dealer.

Only a demonstration can

Pinwriter and Spinwriter are registered trademarks of
NEC Corporation.

show you how clearly superior the Pinwriter is compared to other dot matrix printers. And how versatile it is.

For the Pinwriter retailer nearest you, call 1-800-343-4419. In Massachusetts call 617-264-8635.

And find out why more and more PC users are saying, "NEC and me."



Circle 232 on inquiry card.

First Time Ever! Powerful Minicomputer Accounting Software Available on a Micro.



MAI/Basic° Four Programs Now Ready-to-Run On the Incredible Tandy TRS-80° Model 2000

Our MAI/Basic Four accounting software is just what small businesses have been waiting for. Because it is quite simply the best accounting solution available today. Combined with our state-of-the-art Tandy 2000 Personal Computer, MAI/Basic Four programs will add power, flexibility and efficiency to every facet of your accounting procedures—general ledger, accounts payable, accounts receivable and more. Since

MAI/Basic Four software was originally designed for minicomputers, it's already been proven in thousands of businesses worldwide. All the programs are fully integrated, so you only have to enter data once. You can easily tailor the system to meet your special accounting needs. And the documentation is extremely clear and straightforward, so there's no previous computer experience required. Get a demonstration of the

Tandy 2000 and MAI/Basic Four software today. Tandy 2000 systems start at \$2999, or only \$105 per month* on our commercial lease. Come see your accounting solution today!

Available at over 1100 Radio Shack Computer Centers and at participating Radio Shack stores and dealers



Circle 263 on inquiry card